Mac OS 安装GNU命令行工具

Home (/) / Blog (/blog/) / Mac OS 安装GNU命令行工具

Posted by: Phodal Huang (/blog/author/root/) 9 months, 2 weeks ago

因为某种原因，使用了一个新的Mac OS系统，又出于某种原因需要安装Emacs 24，才发现原来自带的版本是23，于是下了一个安装之。原来Mac OS的很多常用软件并不是更新得频繁，对于一个有最新强迫症的人来说，这。。。

安装之前

原文:http://www.topbug.net/blog/2013/04/14/install-and-use-gnu-command-line-tools-in-mac-os-x/ (http://www.topbug.net/blog/2013/04/14/install-and-use-gnu-command-line-tools-in-mac-os-x/)

需要有Hombrew，而且还要有Xcode

```
ruby -e "$(curl -fsSL https://raw.github.com/Homebrew/homebrew/go/install)"
```

添加到 .zshrc 或者 .bashrc，一直习惯用bash，用的是 .bash_profile。

安装GNU命令行工具

1.安装coreutils

```
    brew install coreutils
```

2.添加brew的repo

```
    brew tap homebrew/dupes
```

3.安装下列的软件

```
brew install binutils
brew install diffutils
brew install ed --default-names
brew install findutils --default-names
brew install gawk
brew install gnu-indent --default-names
brew install gnu-sed --default-names
brew install gnu-tar --default-names
brew install gnu-which --default-names
brew install gnutls --default-names
brew install grep --default-names
brew install gzip
brew install screen
brew install watch
brew install wdiff --with-gettext
brew install wget
```

对于那些已经安装的想要最新版本的

```
brew install bash
brew install emacs
brew install gdb  # gdb requires further actions to make it work. See `brew info gdb`.
brew install gpatch
brew install m4
brew install make
brew install nano
```

不是GNU的

```
brew install file-formula
brew install git
brew install less
brew install openssh --with-brewed-openssl
brew install perl518   # must run "brew tap homebrew/versions" first!
brew install python --with-brewed-openssl
brew install rsync
brew install svn
brew install unzip
brew install vim --override-system-vi
brew install macvim --override-system-vim --custom-system-icons
brew install zsh
```

总结

虽然感觉起来没有什么大的变化，但是有种以后更新方便的感觉，只是没有 GNU/Linux 上来得爽，有提示可更新。

Tags: gnu (/blog/tag/gnu/) emacs24 (/blog/tag/emacs24/) mac (/blog/tag/mac/)
 python (/blog/tag/python/)

未评分 ◯ 1 ◯ 2 ◯ 3 ◯ 4 ◯ 5   Rate

← Mac OS Laravel 安装 (/blog/mac-os-install-laravel-4/)

Mac OS命令行运行Sublime Text 2 → (/blog/mac-os-command-line-sublime/)

或许您还喜欢

Mac OS 10.10 开发者升级小指引 (/blog/upgrade-macos-to-yosemite-quick-start/)
Mac OS命令行运行Sublime Text 2 (/blog/mac-os-command-line-sublime/)
Linux入门指引(一) 安装之前：一个基本的GNU/Linux系统的构成 (/blog/Start-Linux%3AA-basic-Linux/)
GNU及其操作系统 何处的中国计算机文化（三） (/blog/Computer-Culture-3-Hacker-1/)

Github

Follow my projects on GitHub (https://github.com/phodal)，也许，你会遇到你也心仪的项目

?没有找到想要的,试试站内搜索吧

Search

→] Log in (/accounts/login/?next=/blog/mac-os-install-gnu-command-toolsg/)   or

☑ Sign up (/accounts/signup/?next=/blog/mac-os-install-gnu-command-toolsg/)

最近文章

AWS CentOS Django Geo 环境搭建 (/blog/install-geo-django-in-centos/)
Mac OS Django Geo 环境搭建 (/blog/django-elasticsearch-geo-solution/)
Django + Tastypie 打造 AutoComplete (/blog/django-tastypie-with-jquery-autocomplete-build-blogpost-auto-suggest/)
博客反爬虫 策略二——Django RSS添加原文链接 (/blog/anti-botos-by-add-origin-link-and-limit-charater/)
博客反爬虫 策略一——根据User Agent (/blog/nginx-disable-crawlers-by-user-agent/)
Backbone React Requirejs 应用实战(三)——创建MenuComponent与SideMenu (/blog/requirejs-react-

backbone-build-application-add-sidemenu/)

Backbone React Requirejs 应用实战(二)——使用Backbone Model (/blog/requirejs-react-backbone-build-application-use-backbone-model/)

Backbone React Requirejs 应用实战(一)——RequireJS管理React依赖 (/blog/requirejs-react-backbone-build-application/)

Bower 包发布 (/blog/bower-package-publish-and-git-tag/)

Showdown 添加Star插件 (/blog/markdown-add-star-plugin-with-showdown/)

分类

AWS (/blog/category/aws/) (6)

Android (/blog/category/android/) (17)

Arduino (/blog/category/arduino/) (9)

CoAP (/blog/category/coap/) (18)

Full Stack (/blog/category/full-stack/) (91)

Hardware (/blog/category/hardware/) (28)

Internet Of Things (/blog/category/internet-of-things/) (38)

Ionic (/blog/category/ionic/) (8)

Javascript (/blog/category/javascript/) (47)

Linux (/blog/category/linux/) (20)

Machine learning (/blog/category/machine-learning/) (9)

Mobile CMS (/blog/category/mobile-cms/) (10)

Nodejs (/blog/category/nodejs/) (5)

Notes (/blog/category/notes/) (12)

OpenSUSE (/blog/category/opensuse/) (6)

Pythoner Learn Ruby (/blog/category/pythoner-learn-ruby/) (5)

Quick Emacs (/blog/category/quick-emacs/) (6)

SEO (/blog/category/seo/) (9)

Share (/blog/category/share/) (22)

Technology (/blog/category/technology/) (10)

Think Of REWORK (/blog/category/think-of-rework/) (9)

ThinkZone (/blog/category/thinkzone/) (28)

Thoughtworks (/blog/category/thoughtworks/) (13)

be-a-geek (/blog/category/be-a-geek/) (11)

mac os (/blog/category/mac-os/) (10)

杂谈 (/blog/category/%E6%9D%82%E8%B0%88/) (8)

标签

opensuse (/blog/tag/opensuse/) (10) django (/blog/tag/django/) (27)

arduino (/blog/tag/arduino/) (9) raspberrypi (/blog/tag/raspberrypi/) (6)

thoughtworks (/blog/tag/thoughtworks/) (16)

centos (/blog/tag/centos/) (6) nginx (/blog/tag/nginx/) (17)

java (/blog/tag/java/) (6) SEO (/blog/tag/seo/) (7) iot (/blog/tag/iot/) (38)

iot system (/blog/tag/iot-system/) (12) RESTful (/blog/tag/restful/) (23)

refactor (/blog/tag/refactor/) (8) python (/blog/tag/python/) (42)

mezzanine (/blog/tag/mezzanine/) (14) design (/blog/tag/design/) (7)

linux (/blog/tag/linux/) (13) tdd (/blog/tag/tdd/) (5)

ruby (/blog/tag/ruby/) (12) github (/blog/tag/github/) (11)

git (/blog/tag/git/) (8) mysql (/blog/tag/mysql/) (6)

laravel (/blog/tag/laravel/) (7) javascript (/blog/tag/javascript/) (44)

jasmine (/blog/tag/jasmine/) (7)

android (/blog/tag/android/) (17) json (/blog/tag/json/) (6)

jquery (/blog/tag/jquery/) (18) rework (/blog/tag/rework/) (10)

markdown (/blog/tag/markdown/) (6)

nodejs (/blog/tag/nodejs/) (21) google (/blog/tag/google/) (5)

emacs (/blog/tag/emacs/) (7) bash (/blog/tag/bash/) (6)

rest (/blog/tag/rest/) (5) macos (/blog/tag/macos/) (9)

node (/blog/tag/node/) (9) angularjs (/blog/tag/angularjs/) (6)

beageek (/blog/tag/beageek/) (8) restify (/blog/tag/restify/) (6)

underscore (/blog/tag/underscore/) (14)

wordpress (/blog/tag/wordpress/) (7) redis (/blog/tag/redis/) (6)

ux (/blog/tag/ux/) (7) newrelic (/blog/tag/newrelic/) (6)

rethink (/blog/tag/rethink/) (6)

backbone (/blog/tag/backbone/) (19)

mustache (/blog/tag/mustache/) (8)

requirejs (/blog/tag/requirejs/) (11)

CoAP (/blog/tag/coap/) (21) mqtt (/blog/tag/mqtt/) (5)

ionic (/blog/tag/ionic/) (8) Cordova (/blog/tag/cordova/) (6)

作者

Phodal Huang (/blog/author/root/) (458)

Feeds

RSS (/blog/feeds/rss/) / Atom (/blog/feeds/atom/)

Blog (/blog/)   More (/phodal/)   Design (/design/)

物联网系统设计
(/bare-minimum-
iot/)

我的项目
(/myproject/)

物联网解决方案
(/internet-of-
things/)

Powered by Mezzanine (http://mezzanine.jupo.org)

(http://tongji.baidu.com/hm-web/welcome/ico?s=5e0c2916786cd655772b8e3cae632c05)