Fortify Audit Workbench

OWASP Top 10 2021

scanindex-main

Table of Contents

Executive Summary
Project Description
Issue Breakdown
Issue Details
- A01 Broken Access Control
- A02 Cryptographic Failures
- A03 Injection
- A04 Insecure Design
- A05 Security Misconfiguration
- A06 Vulnerable and Outdated Components
- A07 Identification and Authentication Failures
- A08 Software and Data Integrity Failures
- A09 Security Logging and Monitoring Failures
- A10 Server-Side Request Forgery

Description of Key Terminology
About Fortify Solutions

© Copyright 2008-2026 Open Text. The only warranties for products and services of Open Text and its affiliates and licensors (“Open Text”) are as may be set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Open Text shall not be liable for technical or editorial errors or omissions contained herein. The information contained herein is subject to change without notice.


© Copyright 2008-2026 Open Text.

Executive Summary


The OWASP Top 10 2021 provides a powerful awareness document for web application security focused on informing the community about the consequences of the most common and most important web application security weaknesses. The OWASP Top 10 represents a broad agreement about what the most critical web application security flaws are with consensus drawn from data collection and survey results. Project members include a variety of security experts from around the world who have shared their expertise to produce this list.

Project Name:	scanindex-main
Project Version:	
SCA:	Results Present
WebInspect:	Results Not Present
WebInspect Agent:	Results Not Present
Other:	Results Not Present
Remediation Effort (Hrs):	0.0

Issues by Priority



Issues by OWASP Top 10 2021 Categories



* The detailed sections following the Executive Summary contain specifics.

© Copyright 2008-2026 Open Text.

Project Description

This section provides an overview of the Fortify scan engines used for this project, as well as the project meta-information.

SCA

Date of Last Analysis:	Oct 13, 2026 8:38 AM	**Engine Version:**	26.1.0.0059
Host Name:	WIN-O7279SGFTI0	**Certification:**	VALID
Number of Files:	342	**Lines of Code:**	202,864

Rulepack Name	Rulepack Version
Fortify Secure Coding Rules, Community, Cloud	2026.3.0.0006
Fortify Secure Coding Rules, Community, Universal	2026.3.0.0006
Fortify Secure Coding Rules, Core, Cloud	2026.3.0.0006
Fortify Secure Coding Rules, Core, Python	2026.3.0.0006
Fortify Secure Coding Rules, Core, SQL	2026.3.0.0006
Fortify Secure Coding Rules, Core, Universal	2026.3.0.0006
Fortify Secure Coding Rules, Extended, Configuration	2026.3.0.0006
Fortify Secure Coding Rules, Extended, Content	2026.3.0.0006
Fortify Secure Coding Rules, Extended, SQL	2026.3.0.0006

© Copyright 2008-2026 Open Text.

Issue Breakdown

The following table summarizes the number of issues identified across the different OWASP Top 10 2021 categories and broken down by Fortify Priority Order.

	Fortify Priority				Total Issues	Effort (hrs)
	Critical	High	Medium	Low		
A01 Broken Access Control	0	0	0	0	0	0.0
A02 Cryptographic Failures	0	0	0	0	0	0.0
A03 Injection	0	0	0	0	0	0.0
A04 Insecure Design	0	0	0	0	0	0.0
A05 Security Misconfiguration	0	0	0	0	0	0.0
A06 Vulnerable and Outdated Components	0	0	0	0	0	0.0
A07 Identification and Authentication Failures	0	0	0	0	0	0.0
A08 Software and Data Integrity Failures	0	0	0	0	0	0.0
A09 Security Logging and Monitoring Failures	0	0	0	0	0	0.0
A10 Server-Side Request Forgery	0	0	0	0	0	0.0

NOTE:
1. Reported issues in the above table may violate more than one OWASP Top 10 2021 category. As such, the same issue may appear in more than one row. The total number of unique vulnerabilities are reported in the Executive Summary table.
2. For the same reason, the Project-level remediation effort total shown in the Executive Summary removes the effect of any duplication and may be smaller than the sum of the remediation effort per individual category.
3. Similarly, the remediation effort per external category is not intended to equal the sum of the remediation effort from the issue details section since individual files may contain issues in multiple Fortify priorities or audit folders.

© Copyright 2008-2026 Open Text.

Issue Details

Below is an enumeration of all issues found in the project. The issues are organized by OWASP Top 10 2021, Fortify Priority Order, and vulnerability category. The issues are then further broken down by the package, namespace, or location in which they occur. Issues reported at the same line number with the same category originate from different taint sources.

A01 Broken Access Control

OWASP Top 10 Web Application Security Risks, A01:2021 states: "Access control enforces policy such that users cannot act outside of their intended permissions. Failures typically lead to unauthorized information disclosure, modification, or destruction of all data or performing a business function outside the user's limits."

No Issues

A02 Cryptographic Failures

OWASP Top 10 Web Application Security Risks, A02:2021 states: "The first thing is to determine the protection needs of data in transit and at rest. For example, passwords, credit card numbers, health records, personal information, and business secrets require extra protection, mainly if that data falls under privacy laws, e.g., EU's General Data Protection Regulation (GDPR), or regulations, e.g., financial data protection such as PCI Data Security Standard (PCI DSS)."

No Issues

A03 Injection

OWASP Top 10 Web Application Security Risks, A03:2021 states: "An application is vulnerable to attack when: - User-supplied data is not validated, filtered, or sanitized by the application. - Dynamic queries or non-parameterized calls without context-aware escaping are used directly in the interpreter. - Hostile data is used within object-relational mapping (ORM) search parameters to extract additional, sensitive records. - Hostile data is directly used or concatenated. The SQL or command contains the structure and malicious data in dynamic queries, commands, or stored procedures. Some of the more common injections are SQL, NoSQL, OS command, Object Relational Mapping (ORM), LDAP, and Expression Language (EL) or Object Graph Navigation Library (OGNL) injection."

No Issues

A04 Insecure Design

OWASP Top 10 Web Application Security Risks, A04:2021 states: "Insecure design is a broad category representing different weaknesses, expressed as "missing or ineffective control design." Insecure design is not the source for all other Top 10 risk categories. There is a difference between insecure design and insecure implementation."

No Issues

© Copyright 2008-2026 Open Text.

A05 Security Misconfiguration

OWASP Top 10 Web Application Security Risks, A05:2021 states: "The application might be vulnerable if the application is: - Missing appropriate security hardening across any part of the application stack or improperly configured permissions on cloud services. - Unnecessary features are enabled or installed (e.g., unnecessary ports, services, pages, accounts, or privileges). - Default accounts and their passwords are still enabled and unchanged. - Error handling reveals stack traces or other overly informative error messages to users. - For upgraded systems, the latest security features are disabled or not configured securely. - The security settings in the application servers, application frameworks (e.g., Struts, Spring, ASP.NET), libraries, databases, etc., are not set to secure values. - The server does not send security headers or directives, or they are not set to secure values. - The software is out of date or vulnerable."

No Issues

A06 Vulnerable and Outdated Components

OWASP Top 10 Web Application Security Risks, A06:2021 states: "You are likely vulnerable: - If you do not know the versions of all components you use (both client-side and server-side). This includes components you directly use as well as nested dependencies. - If the software is vulnerable, unsupported, or out of date. This includes the OS, web/application server, database management system (DBMS), applications, APIs and all components, runtime environments, and libraries. - If you do not scan for vulnerabilities regularly and subscribe to security bulletins related to the components you use. - If you do not fix or upgrade the underlying platform, frameworks, and dependencies in a risk-based, timely fashion. This commonly happens in environments when patching is a monthly or quarterly task under change control, leaving organizations open to days or months of unnecessary exposure to fixed vulnerabilities. - If software developers do not test the compatibility of updated, upgraded, or patched libraries. - If you do not secure the components' configurations."

No Issues

A07 Identification and Authentication Failures

OWASP Top 10 Web Application Security Risks, A07:2021 states: "Confirmation of the user's identity, authentication, and session management is critical to protect against authentication-related attacks. There may be authentication weaknesses if the application: - Permits automated attacks such as credential stuffing, where the attacker has a list of valid usernames and passwords. - Permits brute force or other automated attacks. - Permits default, weak, or well-known passwords, such as "Password1" or "admin/admin". - Uses weak or ineffective credential recovery and forgot-password processes, such as "knowledge-based answers," which cannot be made safe. - Uses plain text, encrypted, or weakly hashed passwords data stores. - Has missing or ineffective multi-factor authentication. - Exposes session identifier in the URL. - Reuse session identifier after successful login. - Does not correctly invalidate Session IDs. User sessions or authentication tokens (mainly single sign-on (SSO) tokens) aren't properly invalidated during logout or a period of inactivity."

No Issues

© Copyright 2008-2026 Open Text.

A08 Software and Data Integrity Failures

OWASP Top 10 Web Application Security Risks, A08:2021 states: "Software and data integrity failures relate to code and infrastructure that does not protect against integrity violations. An example of this is where an application relies upon plugins, libraries, or modules from untrusted sources, repositories, and content delivery networks (CDNs). An insecure CI/CD pipeline can introduce the potential for unauthorized access, malicious code, or system compromise. Lastly, many applications now include auto-update functionality, where updates are downloaded without sufficient integrity verification and applied to the previously trusted application. Attackers could potentially upload their own updates to be distributed and run on all installations. Another example is where objects or data are encoded or serialized into a structure that an attacker can see and modify is vulnerable to insecure deserialization."

No Issues

A09 Security Logging and Monitoring Failures

OWASP Top 10 Web Application Security Risks, A09:2021 states: "Help detect, escalate, and respond to active breaches. Without logging and monitoring, breaches cannot be detected. Insufficient logging, detection, monitoring, and active response occurs any time: - Auditable events, such as logins, failed logins, and high-value transactions, are not logged. - Warnings and errors generate no, inadequate, or unclear log messages. - Logs of applications and APIs are not monitored for suspicious activity. - Logs are only stored locally. - Appropriate alerting thresholds and response escalation processes are not in place or effective. - Penetration testing and scans by dynamic application security testing (DAST) tools do not trigger alerts. - The application cannot detect, escalate, or alert for active attacks in real-time or near real-time. You are vulnerable to information leakage by making logging and alerting events visible to a user or an attacker. "

No Issues

A10 Server-Side Request Forgery

OWASP Top 10 Web Application Security Risks, A10:2021 states: "SSRF flaws occur whenever a web application is fetching a remote resource without validating the user-supplied URL. It allows an attacker to coerce the application to send a crafted request to an unexpected destination, even when protected by a firewall, VPN, or another type of network access control list (ACL)."

No Issues

© Copyright 2008-2026 Open Text.