



User Manual — Mitra Privacy Tool

Personal Data Transparency Inspection Tool

[!NOTE] The Mitra Privacy Tool is a tool for evaluating transparency in the use of personal data in software applications, based on **LGPD** and the academic model **TR-Model** (Mitra Method). The assessment is made using 46 criteria distributed across 5 dimensions of transparency.



Index

1. [System Overview](#)
2. [Registration and Authentication](#)
3. [Workspace](#)
4. [Project Management](#)
5. [Invitations and Members](#)
6. [Assessment Rounds](#)
7. [Inspections](#)
8. [Questionnaire Completion](#)
9. [Results](#)
10. [Evolutionary Comparison](#)
11. [Public Directory](#)
12. [Badges](#)
13. [Data Export](#)
14. [Administrative Panel \(Filament\)](#)
15. [Mitra Method — Technical Reference](#)

1. System Overview

The Mitra Privacy Tool allows teams to evaluate a software's level of transparency regarding the processing of personal data. The general flow is:

flowchart LR

A["Criar Projeto"] --> B["Criar Rodada de Avaliação"]

B --> C["Criar Inspeções"]

```
C --> D["Preencher Questionário"]
D --> E["Fechar Inspeção"]
E --> F["Fechar Rodada"]
F --> G["Visualizar Resultados"]
G --> H["Publicar no Diretório"]
H --> I["Gerar Selo"]
```

System Roles

Paper	Permissions
Owner	Full project control: create, edit, delete, invite members, create rounds, publish
Evaluator	Create inspections, complete questionnaires, view results
Observer	Just view the project and its results

Medal System

The results are classified by a gamified badge system:

Medal	Score Range
 Gold	Highest score — excellent transparency (91 to 100 points)
 Silver	Good compliance (61 to 90 points)
 Bronze	Partial compliance (41 to 60 points)
 Incipient	Lowest score — requires significant improvements (0 to 40 points)

Internationalization (i18n)

Mitra Privacy Tool was designed with global architecture. The entire user interface, system messages, and transactional emails (such as invitations and notifications) dynamically operate in three languages:

- BR **Portuguese** (pt_BR)
- US **English** (en)
- ES **Spanish** (es)

The default language is automatically detected via the browser's `Accept-Language` header (visitors and non-logged-in users), and can be changed via the top menu and saved permanently in the user's profile.

2. Registration and Authentication

Create an Account

1. On the home page, click **"Register"**.
2. Fill in: **Name**, **Email** and **Password** (minimum 8 characters).
3. Confirm the password and submit the form.
4. You will be redirected to the authenticated area.

Login

1. On the home page, click **"Login"**.
2. Enter your registered email and password.
3. The system supports "Remember me" and email password recovery.

Edit Profile

- Accessible in **Profile** in the top menu.
 - Allows you to change: **Name**, **Email** and **Password**.
 - Option to **delete account** permanently.
-

3. Workspace — Desktop

When logging in, **Dashboard** automatically redirects to the project listing. On this screen you will find:

- **List of projects** in which you participate (as owner, evaluator or observer).
 - **Pending invitations** — if someone invited you to a project, the invitation appears here with the option to accept or decline.
 - **Button to create new project**.
-

4. Project Management

Create a Project

1. In Workspace, click **"New Project"**.
2. Fill in the fields:
 - **Name** (required) — name of the software to be evaluated.
 - **Description** — optional description of the project.
 - **URL** — link to the evaluated software.
 - **Icon** — choose a visual icon for the project.
 - **Color** — highlight color of the project.
3. Click **Save**. You will automatically be added as **owner**.

Project Details Screen

The design screen displays:

- **General information** (name, description, URL).
- **Members** — list of all participants and their roles.
- **Pending invitations** — invitations sent awaiting acceptance.
- **Evaluation Rounds** — all rounds created.
- **Inspections** — list of all project inspections.

Edit and Delete Project

- The **owner** can edit project data at any time.
- The deletion is reversible (soft delete).

Advanced Project Settings

The **owner** of the project can access the **"Settings"** tab on the project details screen to parameterize the behavior and evaluation rules of the Mitra Tool:

1. **Evidence Requirement**: Allows evaluators to be required to add a textual justification (observation) for any response marked as **"Sufficient (100 points)"**. Useful for rigorous audits where each declared conformity must be accompanied by clear evidence.
2. **Consensus Model**: Defines the mathematical strategy or resolution workflow to consolidate responses when there are scoring differences between multiple evaluators in a round:
 - **Owner Decide**: If there are disagreements, the project owner will review the differing notes and manually choose the final consolidated answer on

the round review screen.

- **Convergence of Evaluators:** Evaluators must discuss each question in conflict in an integrated chat and reevaluate/adjust their own individual scores until there is convergence.
 - **Majority Vote:** The system automatically calculates the most voted score. In the name of audit integrity, ties are always resolved in favor of the most conservative answer (worst case scenario for the application evaluated) strictly following the hierarchy: Non-existent (0 points) > Insufficient (50 points) > Sufficient (100 points) .

3. Type of Audit:

- **Self-assessment (Internal):** The software's internal team carries out the inspection.
- **External (Independent) Audit:** Assessment conducted by an external and independent auditor or consultancy. This information generates a differentiated seal of provenance.

- 4. **Visibility of Evaluations:** Defines whether the evaluations of all evaluators can be viewed at any time by other members or whether they must remain hidden until completion of completion, in order to avoid confirmation bias and mutual influence (independence of evaluations).

5. Invitations and Members

Invite Members

1. On the project screen, in the members section, enter the guest's **email**.
2. Select the **role**: Evaluator OR Observer .
3. Click **Send Invitation**.
4. The system sends an email with an acceptance link (valid for **7 days**).

Accept Invitation

- If the guest **already has an account**: when clicking on the link, they are automatically added to the project.
- If the guest **does not have an account**: the link directs you to create an account with the invitation email.

Manage Members

- The **owner** can change the role of members between `Evaluator` and `Observer`.
 - The role of `owner` cannot be changed.
 - Invitations can be **resent** (renews the deadline) or **canceled**.
-

6. Assessment Rounds

[!IMPORTANT] Assessment Rounds group multiple inspections to generate a consolidated result. It is the main level of organization of assessments.

Create Round

1. On the project screen, click on **"New Assessment Round"**.
2. Enter a descriptive **name** (ex: "Q1 2026 Assessment").
3. The round is created with status **Draft**.

Round Life Cycle

```
stateDiagram-v2
    [*] --> Rascunho
    Rascunho --> Fechada: Fechar Rodada
    Fechada --> [*]
    note right of Rascunho: Inspeções podem ser criadas
    note right of Fechada: Snapshot consolidado gerado
```

Close a Round

1. On the round screen, click **"Review and Close"**.
2. The review screen displays a **preview** of the consolidated result (without saving).
3. Optionally, add a **textual diagnosis**.
4. Check if you want to **publish immediately** in the Public Directory.
5. If you publish, choose the **visibility** level:
 - **Score Only** — shows only scores and medals.
 - **Full Report** — displays all details per question.
6. Confirm to **close the round** and generate the consolidated snapshot.

Report Software Version

During the creation or editing of the round, it is possible to register the **Evaluated Software Version** (e.g.: 1.0.0 or v2.1.3). This ensures that the results of that round are linked to a specific product release.

Disagreements and Conflict Resolution Panel

When a round has more than one inspection completed by different evaluators, it is common for there to be differences in scores on certain questions. The system detects and classifies the dispersion of scores by applying the statistical calculation of **Population Variance** $(1/N) * \sum (x_i - \text{mean})^2$ on the marked scores. The result of the variance defines the severity of the conflict:

- **Low Divergence:** Variance between 0 and 10
 - **Average Divergence:** Variance between 11 and 30
 - **High Divergence:** Variance > 30 During the **Review and Closing** phase of the round, the **Disagreements Panel** helps members address these conflicts depending on the **Consensus Model** active in the project:
 - **Under the Owner Decide model:** The project owner will see a resolution panel on the review screen, being able to click on each conflicting issue and definitively define the official consolidated response.
 - **Under the Majority Vote model:** The system calculates the most voted score and resolves ties conservatively (the lowest score prevails). There is no need for manual action for closing.
 - **Under the Convergence model:** Evaluators and the owner can discuss arguments and evidence in the **Conflict Resolution Workspace** through a **Discussion Chat (Conflict Thread)** exclusive for each question under divergence. As they reach agreements, evaluators can adjust their scores on their respective inspections until the conflict is resolved and the round can conclude with consensus.
-

7. Inspections

What is an Inspection?

An inspection represents a member's individual evaluation of the software. Each inspection is associated with an **Assessment Round** and a **questionnaire version**.

Create Inspection

1. On the project or round screen, click **"New Inspection"**.
2. Select the **Assessment Round** to which the inspection belongs.
3. The inspection is created with status **Draft**.

Inspection Life Cycle

```
stateDiagram-v2
    [*] --> Rascunho
    Rascunho --> Ativa: Ativar
    Ativa --> Fechada: Fechar
    Fechada --> [*]
    note right of Rascunho: Preparação
    note right of Ativa: Preenchendo respostas
    note right of Fechada: Snapshots de resultado gerados
```

Status	Description
Draft	Newly created inspection, awaiting activation.
Activate	Questionnaire can be filled out.
Closed	Frozen responses; Individual and consolidated snapshots are automatically generated.

[!WARNING] Only the **responsible** (creator) of the inspection can change its status (activate/close). Once closed, the inspection cannot be reopened.

8. Completing the Questionnaire

The questionnaire is based on the **Mitra Method / TR-Model** and contains **46 questions** organized into:

Questionnaire Structure

Section	Categories (Dimensions)	Number of Questions
Existence and Quality of Information	People/Actors, Purpose of use, Personal data, Sharing, Agency	26
Presentation Format	People/Actors, Purpose of use, Personal data, Sharing, Agency	20

The 5 Dimensions of Transparency

1. **People/Actors** — information about the actors involved in the use of personal data.
2. **Purpose of Use** — objectives, legal basis and period of data handling.
3. **Personal Data** — what data is collected, its origin and composition.
4. **Sharing** — transfer and sharing policies with third parties.
5. **Agency** — means for the individual to exercise their rights over data.

Response Scale

Each question is answered on a 3-level scale:

Answer	Value	Meaning
Sufficient (high)	100 points	The information is present and adequate.
Insufficient (medium)	50 points	The information exists, but it is incomplete or inadequate.
Nonexistent (low)	0 points	Information is not provided.
Not applicable (other)	—	The question does not apply to the current context.

How to Fill Out

1. Access the inspection (which must be in **Active** status).
2. The questionnaire is presented in **cards per section**, organized by categories.
3. For each question, select the answer from the scale.

4. Optionally, add a **note** justifying your choice.
 5. Responses are saved upon submission.
-

9. Results

After **closing an inspection**, the system automatically generates result snapshots.

Types of Result

9.1 Individual Result

- Shows the result of **your personal assessment**.
- Score by section and by dimension.
- Final medal based on global score.
- Access: project screen → inspection → **"See My Results"**.

9.2 Team Result (Consolidated)

- Consolidated average of **all responses** from all evaluators in the inspection.
- Only available when inspection is **closed**.
- Access: project screen → inspection → **"See Team Result"**.

9.3 Round Result

- Consolidation of **all inspections** within one round.
- Automatically generated when **closing the round**.
- Includes: global score, medal, scores by section and by dimension.
- Access: project screen → round → **"See Round Results"**.

Results View

- **Percentage numeric score** by section and overall.
- **Medal** (Gold, Silver, Bronze, Incipient) with visual badge.
- Visual **charts** by dimension.
- Project information, questionnaire version and date.

9.4 Mathematical Transparency (Aggregation Algorithm)

To guarantee the total smoothness and predictability of results, the performance calculation follows *bottom-up* deterministic mathematical formulas:

1. **Base Conversion:** Textual answers are mapped to integers (Sufficient = 100, Insufficient = 50, Non-existent = 0, Not applicable = null).
 2. **Category Score (Dimension):** $\text{round}((\text{sum}(\text{points_questions}) / (\text{total_questions_answered} * 100)) * 100)$
 3. **Section Score:** Simple arithmetic average of the scores of the child categories.
 4. **Global Score:** Simple arithmetic average of the scores of all sections (currently 2 sections), followed by full commercial rounding, which precisely defines the medal for that round.
-

10. Evolutionary Comparison

The system allows you to compare results between inspections or rounds to monitor the **evolution** of transparency over time.

Compare Inspections

- Compare the consolidated results of **two inspections** of the same project.
- Requirement: both inspections must be **closed**.
- Side-by-side visualization with progress indicators (↑ improvement / ↓ regression).

Compare Rounds

- Compare the results of **two evaluation rounds** of the same project.
 - Ideal for evaluating the impact of improvements implemented between rounds.
 - Requirement: both rounds must be **closed**.
-

11. Public Directory

[!TIP] The Public Directory allows anyone (even without a login) to consult the level of transparency of software evaluated by this tool. It is a showcase of compliance.

Publish to Directory

1. **Close the evaluation round.**

2. On the round screen, click **"Publish to Public Directory"**.
3. Choose the visibility level:
 - **Score Only** (`score_public`) — displays scores and medals, without question details.
 - **Full Report** (`full_public`) — displays the complete report (questions, consolidated answers, scores).
4. Publishing generates a unique **slug** (friendly URL) for the public report.

Consult the Directory

- Access `/tools` (no login required).
- **Available filters**: medal, year, questionnaire version.
- **Order**: by score (ascending/descending) or by date.
- Click on a tool to view the report (summary or complete, depending on visibility).

Manage Publication

- The owner can **update visibility** or **remove** the post at any time.

Transparency and Provenance in the Public Directory

When viewing a report in the public directory, visitors will be able to see health indicators and additional details about the audit process (Provenance Badge):

- **Type of Audit (Provenance)**: Clear indication of whether the result was the result of an internal **Self-Assessment** or an **External Audit**.
- **Software Version**: Which specific version of the software was audited in that round.
- **Participation**: Total number of evaluators and closed inspections that made up the average score for the round.
- **Consensus Model**: Which disagreement resolution model (Majority Vote, Owner Decide, Convergence) was configured to generate that consolidated score.

[!IMPORTANT] The system automatically **sanitizes** public data, removing `user_id`, `observation` and `comments` to protect reviewers' privacy.

12. Verifiable Badges

After publishing in the Public Directory, it is possible to generate an **embeddable seal** to display on the website of the evaluated software.

Generate Stamp

1. On the round screen (published), click on **"Generate Stamp"**.
2. The system creates a badge with a unique **public token**.
3. Choose the **style** of the stamp:
 - **Default** — complete card with project name, medal, score and date.
 - **Compact** — compact version with medal and score.
 - **Minimal** — only medal and online score.

Incorporate the Seal

The badge can be embedded on any website via a JavaScript script:

```
<script src="https://suaur1.com/badge/{TOKEN}.js"></script>
```

The script automatically loads the updated data via API (5 minute cache) and renders the stamp at the insertion point.

Public Endpoints

Endpoint	Description
GET /badge/{token}	Returns stamp data in JSON
GET /badge/{token}.js	Returns the embeddable JavaScript script

Revoke Seal

- The owner can revoke the seal at any time, making it inactive.

13. Data Export

Export Project

- On the project screen, click **"Export Project"**.
- Generates a **JSON** file containing:
 - Project and member data.
 - All rounds, inspections and responses.
 - Questions, categories and corresponding sections.

Export All Projects

- In **Profile**, click **"Export All Data"**.
 - Generates a **ZIP** file with JSON for each project.
-

14. Administrative Panel (Filament)

The system has an administrative panel accessible at `/admin` (for system administrators) with management features:

Resource	Description
Users	Manage user accounts
Projects	View and manage all projects
Inspections	Monitor system inspections
Invitations	Track sent invitations
Questionnaire Versions	Manage Quiz Versions
Questions	Edit quiz questions
Result Snapshots	Consult results snapshots
Sections	Manage Quiz Sections

15. Mitra Method — Technical Reference

The **Mitra Method** is the scientific basis of the tool. It offers a structured checklist to assess transparency in the processing of personal data, focusing on:

Two Assessment Sections

1. **Existence and Quality of Information** — assesses whether transparency information exists and is of sufficient quality.
2. **Presentation Format** — assesses whether the information is presented in an accessible, objective and understandable way.

Five Dimensions of Transparency

```
mindmap
  root((Transparência))
    Pessoas/Atores
      Identificação dos atores
      Agências reguladoras
      Papéis no uso dos dados
    Propósito de Uso
      Objetivo do uso
      Base legal
      Período de manipulação
    Dados Pessoais
      Quais dados são coletados
      Origem e composição
      Permissão do indivíduo
    Compartilhamento
      Destinatários
      Base legal
      Eventos de transferência
    Agenciamento
      Direitos do indivíduo
      Meios de contato
      Recursos no software
```

Official References

- [TRModel Methodology \(USP\)](#)
- [Official Portal: LGPD \(Federal Government\)](#)



Complete Workflow

The diagram below presents the complete flow of using the system, from creating a project to publishing the results:

flowchart TD

```
START([Início]) --> REG[Cadastrar-se / Login]
REG --> PROJ[Criar Projeto]
PROJ --> CONV{Convidar Membros?}
CONV -->|Sim| INVITE[Enviar Convites por E-mail]
INVITE --> ROUND
CONV -->|Não| ROUND[Criar Rodada de Avaliação]
ROUND --> INSP[Criar Inspeção na Rodada]
INSP --> ATIVAR[Ativar Inspeção]
ATIVAR --> QUEST[Preencher Questionário - 46 perguntas]
QUEST --> FECHAR[Fechar Inspeção]
FECHAR --> SNAP[Snapshots Gerados Automaticamente]
SNAP --> MAIS{Mais inspeções na rodada?}
MAIS -->|Sim| INSP
MAIS -->|Não| REVIEW[Revisar Rodada]
REVIEW --> CLOSE_ROUND[Fechar Rodada]
CLOSE_ROUND --> RESULT[Visualizar Resultados]
RESULT --> COMP{Comparar com outra rodada?}
COMP -->|Sim| COMPARE[Comparação Evolutiva]
COMP -->|Não| PUB{Publicar?}
PUB -->|Sim| PUBLIC[Publicar no Diretório Público]
PUBLIC --> BADGE{Gerar Selo?}
BADGE -->|Sim| SEAL[Gerar Selo Verificável]
BADGE -->|Não| EXPORT
PUB -->|Não| EXPORT{Exportar Dados?}
EXPORT -->|Sim| JSON[Exportar JSON/ZIP]
EXPORT -->|Não| FIM([Fim])
SEAL --> FIM
JSON --> FIM
COMPARE --> PUB
```

[!TIP] For best results, it is recommended that **multiple evaluators** complete the questionnaire independently within the same round. The consolidated result (average of responses) offers a more reliable view of the level of transparency of the evaluated software.

Authors: Mitra Privacy Tool Team

Copyright: © 2026 Mitra Privacy Tool. All rights reserved.