

● PUBLIC ATTACK SURFACE MEMO

What an attacker *would notice first.*

A concise owner-facing read for example.com, focused on externally visible risk and practical remediation.

EXPOSURE GRADE

68/100

Not catastrophic, but loose enough to deserve prompt cleanup.

PRIMARY THREAT PATH

Legacy TLS posture and missing browser headers create the clearest opening for low-effort abuse.

VERIFICATION

2real

issues survived validation and deduping.

02

VERIFIED FINDINGS

01

HIGH-SEVERITY ITEM

05

EXPOSURE SIGNALS

72H

REMEDIATION WINDOW

The report in one *page.*

The scan did not uncover broad compromise, but it did surface the kind of preventable posture gaps that make opportunistic attacks cheaper and more

OWNER-FACING SUMMARY

EXECUTIVE READOUT

**“This is a
contained risk
profile with one...**

The scan did not uncover broad compromise, but it did surface the kind of preventable posture gaps that make opportunistic attacks...

- 1 Disable TLS 1.0 and TLS 1.1 on the public endpoint...
- 2 Add HSTS and Content-Security-Policy...
- 3 Re-run the exact scan pack after remediation and...

RISK LENS



Exposure quality

Signals are clear and externally reachable.

Exploit effort

Low effort for commodity scanners; steady probing risk.

Business posture


Owner-visible risk; fix quickly, then verify closure.

Security picture at a glance.

Graph-first summary of severity, mix, and surface inventory.


GRAPH-FIRST LAYOUT

FINDINGS BY SEVERITY




Severity shape shows owner priority at a glance.

FINDING MIX




ATTACK SURFACE INVENTORY



Surface inventory shows breadth versus concentration.

MOST EXPOSED ASSETS



OWNER NOTE

“Keep each chart tied to a decision.”

Keep the charts, but make each...

Findings should read like *evidence, not filler.*

Each finding card is intentionally compact and bounded to prevent overflow.

HIGH-CONFIDENCE NARRATIVE

HIGH SEVERITY

Weak TLS settings remain enabled on the public endpoint.

Legacy TLS protocols and ciphers reduce the effort required for active interception and downgrade-style abuse.

CATEGORY · TLS

AFFECTED · EXAMPLE.COM:443

CONFIDENCE · VERIFIED

OBSERVED EVIDENCE

TLS 1.0 supported TLS 1.1 supported weak ciphers present

- 1 Disable TLS 1.0 and TLS 1.1.
- 2 Restrict to modern cipher suites.
- 3 Re-scan the same host to confirm closure.

MEDIUM SEVERITY

Browser security headers are missing on primary responses.

Missing hardening headers make opportunistic abuse easier and reduce the browser's built-in safety rails.

CATEGORY · HEADERS

AFFECTED · HTTPS://EXAMPLE.COM

CONFIDENCE...

OBSERVED EVIDENCE

Strict-Transport-Security: missing Content-Security-Policy: missing

- 1 Add HSTS
- 2 Add CSP
- 3 Verify on key routes