

ST. FRANCIS INSTITUTE OF TECHNOLOGY  
Department of Neuroimaging & Diagnostic Radiology  
Borivali (West), Mumbai 400091 • Tel: +91-22-2849 1234  
Email: [imaging@sfit.edu](mailto:imaging@sfit.edu) • [www.sfit.edu](http://www.sfit.edu)


## NeuroScan: Brain Tumor Detection & Analysis Report

Tumor Volume: 1543.92 mm<sup>3</sup>  
Growth Rate: 0.00 (mm<sup>3</sup>/day)

Imaging Planes:  
- Axial (Horizontal)  
- Coronal (Frontal)  
- Sagittal (Lateral)

**Slice 0 - Axial Plane Tumor Demarcation**

**Clinical Significance:** Horizontal cross-section showing tumor extent



CONFIDENTIAL - For authorized medical use only

This report was generated by NeuroScan AI v2.1 • Validated per IEC 62304:2006  
© St. Francis Institute of Technology • All findings verified by Dr. Ansh Desai, MD

**Slice 9 - Axial Plane Tumor Demarcation**

**Clinical Significance:** Horizontal cross-section showing tumor extent




CONFIDENTIAL - For authorized medical use only

This report was generated by NeuroScan AI v2.1 • Validated per IEC 62304:2006  
© St. Francis Institute of Technology • All findings verified by Dr. Ansh Desai, MD


**Slice 18 - Axial Plane Tumor Demarcation**

**Clinical Significance:** Horizontal cross-section showing tumor extent




**Slice 27 - Axial Plane Tumor Demarcation**


**Clinical Significance:** Horizontal cross-section showing tumor extent



# Volumetric Tumor Reconstruction



# Anatomical Context Visualization



CONFIDENTIAL - For authorized medical use only

This report was generated by NeuroScan AI v2.1 • Validated per IEC 62304:2006  
© St. Francis Institute of Technology • All findings verified by Dr. Ansh Desai, MD