Analysis of Image Tranforms for Sketch-based Retrieval

Felix Stürmer

Technische Universität Berlin Fakultät IV - Elektrotechnik und Informatik Computer Graphics

02.11.2012



Introduction and Background

Introduction and Background

Motivation and Challenges of CBIR

Prior Work

Anatomy of a CBIR System

Proposed Solution

Proposed Retrieval Pipelines

Acquisition

The Curvelet Transform

Feature Extraction

Ranking

Results

Benchmarking

Cross-Domain Results

Intra-Domain Results

Conclusions



Motivation



Challenges of CBIR

The Semantic Gap

"The semantic gap is the **lack of coincidence** between the information that one can extract from the **visual data** and the **interpretation** that the same data have for a user in a given situation." – Smeulders et al.

The Sensory Gap

"The sensory gap is the gap between the **object in the** world and the information in a (computational) description derived from a **recording of that scene**." – Smeulders et al.



Prior Work on Human Recognition




Figure: "Face recognition using curvelet based PCA.", T. Mandal and Q. M.J Wu, ICPR 2008

Introduction and Background

Prior Work on Human Recognition





Figure: "Histograms of oriented gradients for human detection", Dalal and Triggs, CVPR 2005

Prior Work on Visual Codebooks







Results

Figure: "Video Google: A text retrieval approach to object matching in videos", Sivic and Zisserman, ICCV 2003

Prior Work on Scene Classification




Figure: "Spatial pyramid matching", Lazebnik et al., 2009



Anatomy of a CBIR System




Figure: Global Descriptors




Figure: Local Descriptors

Proposed Retrieval Pipelines (Global)



Proposed Retrieval Pipelines (Local)



Introduction and Background




Figure: Original Image




Figure: Luma Conversion

Introduction and Background




Figure: Original Image




Figure: Canny Operator

Introduction and Background




Figure: Original Image




Figure: Sobel Operator

Introduction and Background




Figure: Original Image








Figure: gPb-owt-ucm Transform

















Proposed Solution




Proposed Solution










The Fast Discrete Curvelet Transform



Proposed Solution

Global Feature Extraction



Local Feature Extraction



Ranking



Introduction and Background

Benchmarking Method



Cross-Domain Results



Results ○○●

Intra-Domain Results



