Analysis of Image Tranforms for Sketch-based Retrieval

Felix Stürmer

Technische Universität Berlin Fakultät IV - Elektrotechnik und Informatik Computer Graphics

02.11.2012



Introduction and Background

Introduction and Background

Motivation and Challenges of CBIR

Prior Work

Anatomy of a CBIR System

Proposed Solution

Proposed Retrieval Pipelines

Acquisition

The Curvelet Transform

Feature Extraction

Ranking

Results

Benchmarking

Cross-Domain Results

Intra-Domain Results

Conclusions



Motivation



Challenges of CBIR

The Semantic Gap

"The semantic gap is the **lack of coincidence** between the information that one can extract from the **visual data** and the **interpretation** that the same data have for a user in a given situation." – Smeulders et al.

The Sensory Gap

"The sensory gap is the gap between the **object in the** world and the information in a (computational) description derived from a **recording of that scene**." – Smeulders et al.



Prior Work on Human Recognition




Figure: "Face recognition using curvelet based PCA.", T. Mandal and Q. M.J Wu, ICPR 2008

Introduction and Background

Prior Work on Human Recognition





Figure: "Histograms of oriented gradients for human detection", Dalal and Triggs, CVPR 2005

Introduction and Background

Prior Work on Visual Codebooks







Results

Figure: "Video Google: A text retrieval approach to object matching in videos", Sivic and Zisserman, ICCV 2003

Introduction and Background

Prior Work on Scene Classification




Figure: "Spatial pyramid matching", Lazebnik et al., 2009



Anatomy of a CBIR System




Figure: Global Descriptors




Figure: Local Descriptors

Proposed Retrieval Pipelines (Global)



Proposed Retrieval Pipelines (Local)



Introduction and Background




Figure: Original Image




Figure: Luma Conversion

Introduction and Background




Figure: Original Image




Figure: Canny Operator

Introduction and Background




Figure: Original Image




Figure: Sobel Operator

Introduction and Background




Figure: Original Image






Figure: gPb-owt-ucm Transform


The Curvelet Transform




Proposed Solution




Introduction and Background






Introduction and Background





Introduction and Background



The Curvelet Transform

The Fast Discrete Curvelet Transform



Global Feature Extraction



Local Feature Extraction



Ranking



Introduction and Background

Benchmarking Method



Cross-Domain Results



Results ○○●

Intra-Domain Results



Conclusions

