

REEN – Creative Portfolio Bootstrap 3 Template

Version: 1.7

Author: fuviz

Contact: info@fuviz.com

Demo: <http://demo.fuviz.com/reen>

Hello and thank you for purchasing this website template! REEN is the perfect high-quality solution for those who want a beautiful website in no time. It's fully responsive and will adapt itself to any mobile device. iPad, iPhone, Android, it doesn't matter. Your content will always look its absolute best. This documentation guides you through the main features of this template and shows you how to use and customize them. If you have any further questions just drop me a line to info@fuviz.com

Table of Contents

- | | |
|--------------------------|--------------|
| 1. Included files | 4. Support |
| 1.1 HTML/PHP | 5. Changelog |
| 1.2 CSS | |
| 1.3 Font Icons | |
| 1.4 Images | |
| 1.5 JavaScripts | |
| 2. Technology | |
| 3. Usage – Customization | |
| 3.1 HTML | |
| 3.2 Logo | |
| 3.3 Colors | |
| 3.4 Images | |
| 3.5 Features | |
| 3.6 Contact Form (PHP) | |

1. Included Files

1.1 HTML/PHP

51 HTML/PHP files (alphabetical order):

about.html	blog7.html	one-page1.html	portfolio3.html
about2.html	contact.html	one-page2.html	portfolio4.html
accordion.html	contact.php	one-page3.html	portfolio5.html
backgrounds.html	contact2.html	one-page4.html	pricing.html
blog-post.html	contact3.html	one-page5.html	pricing2.html
blog-post2.html	font-icons.html	portfolio-post.html	services.html
blog-post3.html	index.html	portfolio-post2.html	services2.html
blog.html	index2.html	portfolio-post3.html	services3.html
blog2.html	index3.html	portfolio-post4.html	sidenav.html
blog3.html	index4.html	portfolio-post5.html	slider-carousel.html
blog4.html	index5.html	portfolio-post6.html	styles.html
blog5.html	isotope.html	portfolio.html	tab.html
blog6.html	modal.html	portfolio2.html	

1.2 CSS

CSS files – with usage details (order of importance):

bootstrap.min.css <i>Stylesheet (minified) for Bootstraps front-end framework</i>	owl.carousel.css <i>Basic stylesheet for content sliders/carousels</i>	green.css, blue.css, red.css, pink.css, purple.css, orange.css, navy.css, gray.css <i>Template color scheme stylesheets</i>
main.css <i>Main template stylesheet</i>	owl.transitions.css <i>CSS3 transitions for content sliders/carousels</i>	animate.min.css <i>Stylesheet (minified) for CSS3 animations</i>

1.3 Font Icons

Selection of Fontello font icons (<http://fontello.com>) – with format details (alphabetical order):

fontello.css <i>Stylesheet for using the font icons</i>	fontello...*.svg <i>Font files for legacy iOS</i>	fontello...*.woff <i>Font files for modern browsers</i>
fontello...*.eot <i>Font files for Internet Explorer</i>	fontello...*.ttf <i>Font files for Safari, Android, iOS</i>	

1.4 Images

Template images – with usage details (order of importance):

logo.svg, logo-white.svg <i>Template sample logos in SVG format (Scalable Vector Graphics) for usage on light and dark backgrounds</i>	favicon.ico <i>Template sample logo icon for display in browser tabs and address bars</i>	pattern-background...*.jpg <i>Free template pattern background images</i>
	image-background...*.jpg <i>Free template background images</i>	...*.jpg, ...*.png <i>Other template placeholder images</i>

1.5 JavaScripts

JavaScripts and integrated jQuery scripts – with usage details (order of importance):

bootstrap.min.js <i>Script (minified) for Bootstrap’s front-end framework</i>	imagesloaded.pkgd.min.js <i>Script for preloading images</i>	scripts.js <i>Script for adjustments and initialization of all in the HTML files linked JavaScripts</i>
jquery.min.js <i>Script (minified) for jQuery script usage</i>	jquery.easytabs.min.js <i>Script (minified) for powerful tab usage</i>	custom.js <i>Script file for adding your own scripts</i>
jquery.easing.1.3.min.js <i>Script (minified) for easing jQuery transitions</i>	jquery.form.js <i>Script for forms</i>	html5shiv.js <i>Script for enabling HTML5 usage in older versions of Internet Explorer</i>
aos.js <i>Script (minified) for animations on scroll</i>	jquery.validate.min.js <i>Script (minified) for form input validation</i>	respond.min.js <i>Script for enabling CSS3 Media Queries for Responsive Webdesign in Internet Explorer</i>
owl.carousel.min.js <i>Script (minified) for content sliders/carousels</i>	viewport-units-buggyfill.js <i>Bugfix script that converts viewport units (vh, vw) into pixels on iOS (mobile) Safari</i>	
jquery.isotope.min.js <i>Script (minified) for re-ordering elements dynamically with advanced content filtering and sorting – also enables Masonry grid layouts</i>	selected-scroll.js <i>Enables scrolling for selectable element/container and prevents body scroll and overscroll (especially on iOS)</i>	

2. Technology

REEN is based on Twitters popular front-end framework Bootstrap for fully flexible and responsive layouts. It also uses the latest web technology HTML5 for semantic content structuring and CSS3 for versatile and powerful styling options.

Read more about the used technology:

Bootstrap: <http://getbootstrap.com>
HTML5/CSS3: <http://www.w3schools.com>
HTML5: <http://html5doctor.com>

3. Usage – Customization

3.1 HTML

Now comes the really interesting part! Learn how to use and customize this website template to fit your needs. The most important thing for you to do is actually look into the HTML source code and see how elements are written! The clean and commented code makes it easy for you to copy code blocks from content modules and past them in different places or layouts.

```
475 <!-- ===== SECTION – LATEST WORKS ===== -->
476
477 <section id="latest-works">
...
646 </section>
647
648 <!-- ===== SECTION – LATEST WORKS : END ===== -->
```

3.2 Logo

It is highly recommended to use vector graphics for the logo like the REEN template does with the SVG (Scalable Vector Graphics) file format. This ensures the best possible and sharpest view on mobile devices and of course when scaling the logo. If it is not possible for you to use vector graphics you can still use raster graphics like the JPG or PNG file format of course. In this case you have to change the filename extension of the logo in the following HTML parts to this for example:

```

79      <!-- ===== LOGO ===== -->
80
81      <a class="navbar-brand" href="index.html"></a>
82
83      <!-- ===== LOGO : END ===== -->

```

You can even use a reduced or different logo especially for smaller mobile screens:

```

64      <!-- ===== LOGO MOBILE ===== -->
65
66      <a class="navbar-brand" href="index.html"></a>
67
68      <!-- ===== LOGO MOBILE : END ===== -->

```

3.3 Colors

REEN comes with 8 prestyled template color schemes: green, blue, red, pink, purple, orange, navy and gray. Just change the next line in the <head> section of the HTML code to the color you prefer:

```

19      <link href="assets/css/green.css" rel="stylesheet" title="Color">

```

Afterwards you can delete these lines of code for demo purposes:

```

776      <!-- For demo purposes – can be removed on production -->
777      <link href="assets/css/green.css" rel="alternate stylesheet" title="Green color">
778      <link href="assets/css/blue.css" rel="alternate stylesheet" title="Blue color">
779      <link href="assets/css/red.css" rel="alternate stylesheet" title="Red color">
780      <link href="assets/css/pink.css" rel="alternate stylesheet" title="Pink color">
781      <link href="assets/css/purple.css" rel="alternate stylesheet" title="Purple color">
782      <link href="assets/css/orange.css" rel="alternate stylesheet" title="Orange color">
783      <link href="assets/css/navy.css" rel="alternate stylesheet" title="Navy color">
784      <link href="assets/css/gray.css" rel="alternate stylesheet" title="Gray color">
785
786      <script src="switchstylesheet/switchstylesheet.js"></script>
787
788      <script>
789          $(document).ready(function(){
790              $(".changeColor").switchstylesheet( { separator:"color" } );
791          });
792      </script>
793      <!-- For demo purposes – can be removed on production : End -->

```

3.4 Images

The image usage in this website template is very easy to handle as well. You do not need to have pixel perfect image sizes. Just use the largest possible image size the image appears on the website – the website template does the rest when displaying the images at smaller sizes.

3.5 Features

The best and easiest way to understand how to use the included template features is to view the source codes of the following feature HTML files:

accordion.html
backgrounds.html

font-icons.html
isotope.html

modal.html
slider-carousel.html

styles.html
tab.html

3.6 Contact Form

To insert your own email address into the contact form, open the **contact.php** file and edit the following line of code:

```
2 // ===== Enter your email address here ===== //
3 $to = "YOUR EMAIL";
```

4. Support

Sometimes it is faster and more effective to solve problems through communication. So for problems you cannot solve with help of this documentation please send me a message and i will see how i can help!

info@fuviz.com

Best
fuviz

5. Changelog

Version 1.0.1

- 01 Added: Documentation.pdf
- 02 Added: contact.php
- 03 Added: animate.css
- 04 Added: viewport-units-buggyfill.js
- 05 Bugfix: Viewport units (vh, vw) in iOS (mobile) Safari
- 06 Bugfix: Mobile scrollUp button
- 07 Optimized CSS: Typography in hero section at lower screen heights
- 08 Optimized CSS: Dynamically centered typography in figcaption text-overlay

Version 1.1

- 01 Added: NEW contact form with better input validation and success/error messages
- 02 Added: FREE PSD template file of the landing site (index.html)
- 03 Added: Animated/smooth scroll to anchor function (class .scrollTo)
- 04 Bugfix: Navbar display and scrolling function in landscape view on iPads
- 05 Bugfix: Automatic Isotope grid relay layout on window resize

Version 1.2

- 01 Updated: Bootstrap v3.3.1
- 02 Updated: viewport-units-buggyfill.js
- 03 Updated: skrollr.min.js
- 04 Updated: owl.carousel.min.js
- 05 Bugfix: Outsourced onscroll.js for animations on scroll (fadeIn) from scripts.js and initiated only in modern browsers and IE10+ via conditional comments within HTML files
- 06 Bugfix: Scrolling function in landscape view on tablets (scripts.js):
line 725 – changed window.viewportUnitsBuggyfill.init()
line 7–36 – added mobileCheck: function() { return false; }
- 07 Bugfix: Removed double Google Maps initiations from contact.html, contact2.html
- 08 Optimized: Removed mouse scrollwheel zooming from Google Maps (scripts.js):
line 710 – added scrollwheel: false

Version 1.2.1

- 01 Bugfix: Flickering animations on scroll (fadeIn) and hidden Isotope items on mobiles (onscroll.js):
line 21 – changed \$(this).one("animationend webkitAnimationEnd oAnimationEnd ...
- 02 Bugfix: Owl Carousel CSS3 transitions in Chrome and IE9+ (owl.carousel.min.js)

- 03 Bugfix: Flickering menu on scroll (main.css):
line 762 – added `.isotope, .owl-carousel .owl-wrapper-outer { z-index: 0; }`
- 04 Optimized CSS: On scroll header shrink offline, animations on scroll (fadeIn), header search field input (cross browser)

Version 1.2.2

- 01 Updated: viewport-units-buggyfill.js
- 02 Bugfix: Site appearance in Chrome on iOS

Version 1.3

- 01 Added: modal.html, one-page1.html (Agency Style), one-page2.html (Product Style), one-page3.html (Service Style), one-page4.html (Portfolio Style), one-page5.html (Showcase Style)
- 02 Added: Styles for modals (main.css)
- 03 Removed: onscroll.js
- 04 Updated: All HTML files – removed onscroll.js inclusion
- 05 Added: Script for animations on scroll (scripts.js)
- 06 Added: Styles for animations on scroll (main.css)

Version 1.3.1

- 01 Updated: one-page1.html, one-page3.html, modal.html and main.css with enhanced (fullscreen) modal styles (background, .no-modal-header, .no-modal-footer)
- 02 Added: Style for figure link hover without overlay (main.css)
- 03 Bugfix: Arrow icon appearance for .txt-btn and ul.arrows li (main.css)
- 04 Optimized CSS: Circle tabs hover and searchbox dropdown

Version 1.4

- 01 Updated: Bootstrap v3.3.7, jQuery 1.12.4, Isotope 3.0.1
- 02 Added: imagesloaded.pkgd.min.js (v4.1.1)
- 03 Added: .isotope class for Isotope modules in HTML files
- 04 Bugfix: Isotope not showing all images on mobiles (plugin, scripts.js)
- 05 Bugfix: Padded multiline text for hero sliders/carousels in Firefox (main.css)

Version 1.5

- | | |
|----|--|
| 01 | Removed: bootstrap-hover-dropdown.min.js, skrollr.min.js/skrollr.stylesheets.min.js, waypoints.min.js/waypoints-sticky.min.js, google.maps.api.v3.js |
| 02 | Added: Internal scripts to scripts.js for fixed header/main navigation with Bootstrap Affix, parallax header resize on scroll, dropdown on hover for main navigation |
| 03 | Added: aos.js and aos.css for animations on scroll |
| 04 | Added: Smooth main content reveal on load to scripts.js/main.css |
| 05 | Added: Breakpoints to main.css for script import to scripts.js – improves maintenance |
| 06 | Added: Window resize debounce function to scripts.js for better resize performance |
| 07 | Added: custom.js and custom.css for adding own scripts and styles |
| 08 | Bugfix: Flickering main navigation on hover (resized on scroll) in Chrome |
| 09 | Updated: Google Maps JavaScript API implementation |
| 10 | Updated: Google+ icon in fontello-social font file |
| 11 | Optimized CSS: Hardware accelerated transitions for transform, opacity and filter properties in browsers with webkit engines e.g. Chrome and Safari |

Version 1.6

- | | |
|----|--|
| 01 | Updated: aos.css, aos.js (v2.2.0) |
| 02 | Updated: imagesloaded.pkgd.min.js (v4.1.3) |
| 03 | Updated: jquery.form.js (v4.2.1) |
| 04 | Updated: jquery.isotope.min.js (v3.0.4) |
| 05 | Updated: jquery.validate.min.js (v1.16.0) |
| 06 | Updated: viewport-units-buggyfill.js (v0.6.1) |
| 07 | Updated: scripts.js – Form validation messages |

Version 1.7

- | | |
|----|---|
| 01 | Feature: Fixed navbar (header with logo + menu) for smartphones and tablets improves the user experience |
| 02 | Added: selected-scroll.js – Enables scrolling for selectable element/container and prevents body scroll and overscroll (especially on iOS) |
| 03 | Updated: scripts.js – Added global helper function that checks if breakpoint has switched e.g. on resize; Rewritten fixed navigation (Bootstrap Affix) code section |
| 04 | Updated: main.css – Required styles for the fixed navbar on mobile devices |