	Luxury living spaces	**Metropolitan Real Estate**	**Ref No: ------**
	Be safe!	**PPE Requisition**	**Date: 10/08/2024**

N.O	PPE/C Type	Standard Requirement	Color	Sample	Person	Quantity	Duration
1	Hard hats/Helmets	• Shock absorption, vertical, frontal, and lateral. • Penetration resistance • Strength of carrier element, chin strap may exhibit maximum elongation of 25mm. • Carrier element, chin strap releases at min. 500N • Carrier element effectiveness, helmet must not slide from the head.	1. White		• Engineers • Supervisor • Manager	• 15	* Replace support strap yearly * Replace Hard hat every Two years * Replacement for damage and lost
			2. Yellow		• Laborers	• 20	
			3. Blue		• Electrician • Store Keepers	• 7	
			4. Brown		• Welder	• 1	

			5. Green		• Safety Engineer	• 1	
			6. Grey		• Visitors	• 15	

2	Vest	• A construction vest must have a minimum of 155 square inches of reflective tape. • A construction vest must have a component of Nylon and Polyester. • A construction vest must be comfortable, durable and versatile. • The reflective stripes must go around the middle of the vest as well as over the shoulder.	1. V-Type Green Vest		• Managers • Supervisors	• 2	* 6 months * Replacement for damage and lost

	Luxury living spaces	**Metropolitan Real Estate**	**Ref No: ------**
	Be safe!	**PPE Requisition**	**Date: 10/08/2024**

			2. Green construction safety Vest		• **Site Supervisors** • **Engineers** • **Others**	• **22**	
			3. Orange construction safety vest		• **Laborers**	• **20**	
			4. Red construction safety vest		• **Visitors**	• **15**	

	Luxury living spaces	Metropolitan Real Estate	Ref No: ------
	Be safe!	PPE Requisition	Date: 10/08/2024

3	Safety Shoes	• Safety shoes must have a component of * Steel toecap * Steel midsole * Soft latex insole * Lining mesh • Resistant to Impact • Resistant to Compression. • Resistant to Abrasion and hydrocarbons. • Heat and cold resistant.	1. Rigger Boots : Are general purpose work boot, but they lack appropriate ankle support.	 ○ Sole: PU//PU ○ Toecap: Composite ○ Midsole: Puncture Resistant ○ Lining: Mesh Nylon ○ Insole: Premoulded	• Managers • Supervisors	• 2	* Yearly * Replacement for damage and lost
			1. Safety Boots : Are most common type of safety footwear including Toecaps, Slip resistant soles, and mid-sole	 ○ Sole: PU//PU ○ Toecap: Steel ○ Midsole: ○ Lining: Mesh Nylon ○ Insole: Latex	• Site Supervisors • Engineers • Others	• 8	
			2. Safety Shoes : Have similar properties to safety boots but do not provide		• Managers	• -	

			the same level of protection and support. **They have more Formalwear appearance which is an ideal choice for those individuals who wear business attire but still require foot protection**	○ Sole: Phylon + Rubber ○ Toecap: Composite ○ Midsole: Puncture Resistant ○ Lining: Coolmax ○ Insole: Latex			
			3. Ladies Safety Footwear : Differs from men's in that smaller size are often available, the design and fit has been considered to reflect the shape of female feet.	 ○ Sole: PU//PU ○ Toecap: Composite ○ Midsole: Puncture Resistant ○ Lining: Mesh Nylon ○ Insole: Premoulded	• **Ladies**	• **14**	

	Luxury living spaces	**Metropolitan Real Estate**	**Ref No: ------**
	Be safe!	**PPE Requisition**	**Date: 10/08/2024**

Safety shoes Distribution List based on OSHA requirements

1. **Rigger Boots**

No.	Name	Job Description	Shoes Size/EU
1	Wondim Simachew	Site and Office Supervisor	-
2	Oguz Sozuer	Site Chief	-

1. **Rigger Boots**
   - Sole: PU//PU
   - Toecap: Composite
   - Midsole: Puncture Resistant
   - Lining: Mesh Nylon
   - Insole: Premoulded

2. **Ladies Safety Footwear**

No.	Name	Job Description	Shoes Size/EU
1	Mekedelawit Frew	Site Engineer	36
2	Melat Bekretseyon	Site Engineer	36
3	Zehara Mohammed	Gang Leader	-
4	Etsegenet Abebaw	Warehouse Assistant	-
5	Kalkidan Siyamregn	Site Engineer	36
6	Beza Alemayehu	Warehouse Assistant	35
7	Luchia Samson	Warehouse Assistant	36
8	Zebenay Getachew	Site Engineer	-
9	Genet Seyoum	Purchaser	-
10	Meron Worku	Cost Control Engineer	-
11	Samrawit Tegene	Office Engineer	-
12	Bethlehem Admasu,	Office Engineer	-
13	Ruth Samuel	Office Engineer	-
14	Yetimwerk Abebe	Office Architect	37

2. **Ladies Safety Footwear**
   - Sole: PU//PU
   - Toecap: Composite
   - Midsole: Puncture Resistant
   - Lining: Mesh Nylon
   - Insole: Premoulded

	Luxury living spaces	Metropolitan Real Estate	Ref No: ------
	Be safe!	PPE Requisition	Date: 10/08/2024

3. **Safety Boots**

- **Safety Boots**
- Sole: PU//PU
- Toecap: Steel
- Midsole:
- Lining: Mesh Nylon
- Insole: Premoulded

No.	Name	Job Description	Shoes Size/EU
1	Yonatan Worku	Sanitary Engineer	40
2	Yohanes Tilahun	Electrical Foreman	-
3	Dagmawi Solomon	Warehouse Assistant	-
4	Tewodros Zemedkun	Senior Site Engineer	-
5	Daniel Endalew	Site Engineer	38
6	Zebenay Getachew	Site Engineer	-
7	Wendweson Girma	EHS Engineer	-
8	Biruk Aregawi	Warehouse Assistant	40



international
size conversion chart

MEN SIZES	SIZES													
EU	35	36	37	38	39	40	41	42	43	44	45	46	47	48
UK	3	3.5	4	5	6	7	7.5	8	9	10	10.5	11	12	13
US	3	4	4.5	5.5	6.5	7.5	8	9	10	10.5	11.5	12	13	13.5
CM	23	23.5	24	25	25.5	26	26.5	27	28	28.5	29.5	30	31	31.5

WOMEN SIZES	SIZES									
EU	35	36	37	38	39	40	41	42	43	44
UK	3	3.5	4	5	5.5	6.5	7	8	9	9.5
US	5.5	6	6.5	7.5	8	9	9.5	10.5	11.5	12
CM	23	23.5	24	25	25.5	26	26.5	27	28	28.5

JUMP SIZES	SIZES					
EU	35/36	37/38	39/40	41/42	43/44	45/46
UK	2.5/3.5	4/5	5.5/6.5	7/8	9/9.5	10.5/11
US	3/4	4.5/5.5	6.5/7.5	8/9	10/10.5	11.5/12
CM	23/23.5	24.5/25	25.5/26	26.5/27	28/28.5	29.5/30

Requestor	Name: Wendweson Girma	Sign:	Date: 10/08/2024
Approver	Name: Wondim Simachew	Sign:	Date: