

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file mepassion.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 14 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file index.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 12 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file catlitter.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 13 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file sourcelog.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 22 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file sitemap.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by file upload ▼ Choose file No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 14 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file question.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 20 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file raisecat.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 18 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file health.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 11 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file dailyfood.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 12 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file feedback.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 14 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file treat.html

Checker Input

Show ☐ source ☐ outline ☐ image report

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 8 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file wetfood.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 12 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file wormer.html

Checker Input

Show ☐ source ☐ outline ☐ image report Options...

Check by No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

Check

Document checking completed. No errors or warnings to show.

Used the HTML parser.

Total execution time 10 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.3.31



The W3C CSS Validation Service

W3C CSS Validator results for style.css (CSS level 3 + SVG)

Jump to: [Warnings \(3\)](#) [Validated CSS](#)

W3C CSS Validator results for style.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in “developing” your developer skills? In W3Cx’s hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link
or
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

↑ TOP

Warnings (3)

URI : style.css

291	-webkit-animation-name is a vendor extension
292	-webkit-animation-duration is a vendor extension
297	Unrecognized at-rule @-webkit-keyframes

↑ TOP

Valid CSS information

```
* {  
  box-sizing : border-box;  
}
```

```
body {  
  margin : 0;  
  background-color : bisque;  
}
```

```
.navigation-menu {  
  background-color : rgb(221, 176, 121);  
  overflow : hidden;  
}
```

```
#nav {  
  margin-left : 10px;  
  width : 7%;  
}
```

```
.topnav {  
  margin-right : 15px;  
  vertical-align : middle;  
  float : right;  
}
```

```
.topnav a {  
  float : left;  
  display : block;  
  font-size : 23px;  
  text-decoration : none;  
  color : white;  
  text-shadow : -1px 0 bisque;  
  padding : 20px 20px 20px 5px;  
  text-align : center;  
  margin-top : 18px;  
}
```

```
.topnav a:hover {  
  color : black;  
}
```

```
.topnav .icon {  
  display : none;  
}
```

```
@media screen and (max-width: 600px) {
```

```
  .topnav a {  
    display : none;  
  }
```

```
  .topnav a.icon {  
    float : right;  
    display : block;  
  }
```

```
}
```

```
@media screen and (max-width: 600px) {
```

```
  .topnav.responsive {  
    position : relative;  
  }
```

```
  .topnav.responsive a.icon {  
    position : absolute;  
    right : 0;  
    top : 0;  
  }
```

```
  .topnav.responsive a {  
    float : none;  
    display : block;  
    text-align : left;  
  }
```

```
}
```

```
.mainhead {  
  padding-top : 10rem;  
  padding-bottom : 6rem;  
  text-align : center;  
  color : white;  
  background-image : url(../Images/background/cat-background.jpg);  
  background-attachment : scroll;  
  background-position : center center;  
  background-size : cover;  
}
```

```
.main-heading {  
  font-size : 40px;  
  margin-bottom : 5rem;  
  text-align : center;
```

```
    font-style : italic;
}
```

```
.main-subheading {
    font-size : 57px;
    margin-bottom : 7.5rem;
    font-weight : 500;
    line-height : 3.5rem;
    text-transform : uppercase;
}
```

```
#claw {
    margin-bottom : 4px;
    width : 10%;
}
```

```
.tell {
    background-color : gold;
    border : none;
    color : white;
    padding : 16px 30px;
    text-decoration : none;
    font-size : 28px;
}
```

```
.section-heading-central-h2 {
    text-transform : uppercase;
    font-size : 2.5rem;
    font-weight : 700;
    margin-top : 8rem;
    font-family : "Montserrat";
    text-align : center;
}
```

```
.section-heading-central-h3 {
    color : #6c757d;
    line-height : 1.75;
    text-align : center;
    font-size : 1.5rem;
    font-weight : 400;
    font-style : italic;
    font-family : "Roboto Slab";
    margin-bottom : 3rem;
}
```

```
.section-content-central-p {
    margin-top : 1.5rem;
    margin-left : 3rem;
}
```

```
margin-right : 3rem;
color : black;
font-size : 17px;
font-weight : 400;
font-family : "Roboto Slab";
margin-bottom : 10rem;
}
```

```
.section-subheading-h4 {
font-size : 21px;
font-family : "Montserrat";
}
```

```
h4 {
margin : 2px;
padding : 0;
font-size : 22px;
font-family : Arial, Helvetica, sans-serif;
}
```

```
.section-content-align-p-left {
text-align : right;
margin : 5px;
color : black;
font-size : 20px;
font-weight : 400;
font-family : "Roboto Slab";
}
```

```
.section-content-align-p-right {
text-align : left;
margin : 5px;
color : black;
font-size : 20px;
font-weight : 400;
font-family : "Roboto Slab";
}
```

```
.passion-section {
padding : 0;
text-align : center;
}
```

```
.growth {
padding : 0;
list-style : none;
}
```

```
.growth li {  
  min-height : 380px;  
  margin-bottom : 0;  
}
```

```
.growth li .growth-timeline {  
  width : 40%;  
  padding : 0 0 0 45px;  
  text-align : right;  
}
```

```
.growth > li.growth-inverted > .growth-timeline {  
  float : right;  
  padding : 0 45px 0 0;  
  text-align : left;  
}
```

```
.cat-growth-img {  
  vertical-align : middle;  
  width : 14%;  
  border-radius : 50%;  
  filter : brightness(120%);  
  border : rgb(218, 165, 32, 0.681) solid 7px;  
  margin-bottom : 0;  
  cursor : pointer;  
  transition : 0.3s;  
}
```

```
.cat-growth-img:hover {  
  opacity : 0.7;  
}
```

```
.modal {  
  display : none;  
  position : fixed;  
  z-index : 1;  
  padding-top : 100px;  
  left : 0;  
  top : 0;  
  width : 100%;  
  height : 100%;  
  overflow : auto;  
  background-color : rgb(72, 62, 62);  
  background-color : rgb(17, 17, 17, 0.9);  
}
```

```
.modal-content {
```

```
margin : auto;
display : block;
width : 45%;
max-width : 700px;
}
```

```
#caption {
margin : auto;
display : block;
width : 80%;
max-width : 700px;
text-align : center;
color : #ccc;
padding : 10px 0;
height : 150px;
}
```

```
.modal-content, #caption {
animation-name : zoom;
animation-duration : 0.6s;
}
```

```
@keyframes zoom {
```

```
  from {
    transform : scale(0);
  }
```

```
  to {
    transform : scale(1);
  }
```

```
}
```

```
.close {
position : absolute;
top : 15px;
right : 35px;
color : #f1f1f1;
font-size : 40px;
font-weight : bold;
transition : 0.3s;
}
```

```
.close:hover, .close:focus {
color : #bbb;
text-decoration : none;
}
```

```
    cursor : pointer;
}
```

```
@media only screen and (max-width: 700px) {
```

```
  .modal-content {
    width : 100%;
  }
}
```

```
.footer {
  text-align : center;
  font-size : 0.9rem;
  font-family : "Montserrat", Roboto;
  padding-top : 1.5rem;
  padding-bottom : 2rem;
  background-color : antiquewhite;
}
```

```
.items {
  float : left;
  width : 50%;
}
```

```
.copyright {
  color : black;
  font-size : 17px;
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for sourcelog.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for sourcelog.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link  
or  
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
body {  
  margin : 0;  
  background-color : antiquewhite;  
}
```

```
.source-section {  
  margin-top : 6rem;  
}
```

```
.source-header {  
  font-size : 40px;  
  margin-top : 1rem;  
  text-align : center;  
}
```



```
table {  
  border : rgb(221, 176, 121) solid 2.5px;  
  width : 80%;  
  border-collapse : collapse;  
  background-color : bisque;  
  margin-left : auto;  
  margin-right : auto;  
  margin-bottom : 6px;  
}
```

```
th {  
  background-color : rgb(228, 179, 119);  
  color : white;  
  font-weight : bold;  
}
```

```
th, td {  
  border : white solid 1.5px;  
  text-align : left;  
  padding : 8px;  
}
```

```
tr:hover {  
  background-color : yellow;  
}
```

```
caption {  
  font-style : italic;  
  font-size : 18px;  
  color : blue;  
}
```

```
a {  
  color : #06c;  
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for sitemap.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for sitemap.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in understanding what new technologies are coming out of W3C? Follow [@w3cdevs on Twitter](#) to keep track of what the future looks like!

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link  
or  
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
.site {  
  float : left;  
  width : 100%;  
  margin-top : 50px;  
}
```

```
.sitemap-section {  
  float : left;  
  width : 33.333%;  
  margin-bottom : 300px;  
}
```

```
.section-heading-h2 {
```

```
text-transform : uppercase;
font-size : 2.5rem;
font-weight : 700;
margin-top : 5rem;
margin-bottom : 1.5rem;
font-family : "Montserrat";
text-align : center;
}
```

```
.section-heading-h3 {
color : #6c757d;
line-height : 1.75;
text-align : center;
font-size : 1.5rem;
font-weight : 400;
font-style : italic;
font-family : "Roboto Slab";
margin-bottom : 2rem;
}
```

```
.sitemap-section h3 {
margin : 6px;
padding : 7px;
font-size : 20px;
margin-top : 2rem;
}
```

```
.sitemap-section ul {
padding : 5px;
list-style : none;
margin : 2px;
margin-bottom : 1px;
}
```

```
.sitemap-section li {
padding : 6px;
}
```

```
.sitemap-section a {
text-decoration : none;
color : #06c;
font-size : 18px;
}
```

```
footer {
clear : both;
}
```

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)

COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for raisecat.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for raisecat.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link  
or  
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
.mySlides {  
  display : none;  
}
```

```
img {  
  vertical-align : middle;  
}
```

```
p {  
  text-align : center;  
  font-size : 18px;  
  margin-bottom : 2rem;  
}
```



```
.slideshow-container {  
  max-width : 1000px;  
  position : relative;  
  margin : auto;  
}
```

```
.prev, .next {  
  cursor : pointer;  
  position : absolute;  
  top : 70%;  
  width : auto;  
  padding : 16px;  
  margin-top : -22px;  
  color : white;  
  font-weight : bold;  
  font-size : 18px;  
  transition : 0.6s ease;  
  border-radius : 0 3px 3px 0;  
  user-select : none;  
}
```

```
.next {  
  right : 0;  
  border-radius : 3px 0 0 3px;  
}
```

```
.prev:hover, .next:hover {  
  background-color : rgb(0, 0, 0, 0.8);  
}
```

```
.text {  
  filter : contrast(250%);  
  color : rgb(255, 255, 255, 0.879);  
  font-weight : bold;  
  font-size : 22px;  
  padding : 8px 12px;  
  position : absolute;  
  bottom : 8px;  
  width : 100%;  
  text-align : center;  
}
```

```
.numbertext {  
  color : black;  
  font-size : 12px;  
  padding : 8px 12px;  
  position : absolute;  
  top : 40%;  
}
```

```
    font-weight : bold;
}
```

```
.row:after {
  content : "";
  display : table;
  clear : both;
}
```

```
.column {
  cursor : pointer;
  float : left;
  width : 25%;
}
```

```
.demo {
  opacity : 0.6;
}
```

```
.active, .demo:hover {
  opacity : 1;
}
```

```
.fade {
  animation-name : fade;
  animation-duration : 1.5s;
}
```

```
@keyframes fade {
```

```
  from {
    opacity : 0.4;
  }
```

```
  to {
    opacity : 1;
  }
```

```
}
```

```
@media only screen and (max-width: 300px) {
```

```
  .prev, .next, .text {
    font-size : 11px;
  }
```

```
| }
```

```
#breed-img {  
  display : block;  
  margin-left : auto;  
  margin-right : auto;  
}
```

```
.row-two {  
  --bs-gutter-x : 1rem;  
  --bs-gutter-y : 0;  
  display : flex;  
  flex-wrap : wrap;  
  margin-top : 2rem;  
  margin-right : 2rem;  
  margin-left : 2rem;  
}
```

```
.col-sm-6 {  
  margin : 0.5rem;  
  flex : 0 0 auto;  
  width : 31%;  
}
```

```
.mb-4 {  
  margin-bottom : 1.5rem;  
}
```

```
#product .product-item {  
  max-width : 26rem;  
  margin-left : auto;  
  margin-right : auto;  
}
```

```
#product .product-item .product-link {  
  position : relative;  
  display : block;  
  margin : 0 auto;  
}
```

```
#product .product-item .product-link .product-hover {  
  display : flex;  
  position : absolute;  
  width : 100%;  
  height : 100%;  
  background : rgb(255, 200, 0, 0.9);  
  align-items : center;
```

```
    justify-content : center;
    opacity : 0;
    transition : opacity 0.25s ease-in-out;
}
```

```
#product .product-item .product-link:hover .product-hover {
    opacity : 1;
}
```

```
#product .product-item .product-caption {
    padding : 1.5rem;
    text-align : center;
    background-color : rgb(255, 217, 0, 0.364);
}
```

```
.product-caption-subheading {
    font-size : 16px;
}
```

```
.img-fluid {
    max-width : 100%;
    background-color : rgb(252, 245, 191, 0.483);
}
```

```
.social-section {
    text-align : center;
    margin-left : auto;
    margin-right : auto;
}
```

```
#curator-feed-default-feed-layout {
    filter : grayscale(50%);
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for question.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for question.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



The W3C validators rely on community support for hosting and development.

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link  
or  
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
.mission-section {  
  text-align : center;  
}
```

```
.section-heading-h2 {  
  text-transform : uppercase;  
  font-size : 2.5rem;  
  font-weight : 700;  
  margin-top : 8rem;  
  margin-bottom : 1.5rem;  
  font-family : "Montserrat";  
  text-align : center;  
}
```

```
.section-heading-h3 {
```

```
color : #6c757d;
line-height : 1.75;
text-align : center;
font-size : 1.5rem;
font-weight : 400;
font-style : italic;
font-family : "Roboto Slab";
margin-bottom : 0;
}
```

```
.texthead-h2 {
font-size : 30px;
text-align : center;
margin-top : 2.2rem;
margin-bottom : 2rem;
}
```

```
#mission-p {
font-size : 19px;
font-weight : 200;
margin-left : 3%;
margin-right : 3%;
text-align : center;
}
```

```
#questioncat {
width : 18%;
}
```

```
#list-goal li {
font-size : 18px;
margin : 5px;
margin-left : 3%;
margin-bottom : 6px;
}
```

```
.accordion {
background-color : beige;
cursor : pointer;
padding : 25px 55px 25px 25px;
width : 85%;
border : none;
outline : none;
transition : 0.4s;
margin-bottom : 10px;
border-radius : 5px;
margin-left : 43px;
margin-top : 10px;
text-align : left;
}
```



```
font-size : 19px;
font-weight : bold;
color : black;
box-shadow : 0 0 15px rgb(0, 0, 0, 0.06);
}
```

```
.active, .accordion:hover {
background-color : #ccc;
}
```

```
.panel {
padding : 0 20px;
width : 85%;
background-color : antiquewhite;
display : none;
overflow : hidden;
margin-left : 43px;
}
```

```
.panel p {
font-size : 18px;
margin-bottom : 10px;
}
```

```
.cat-issues {
float : left;
width : 50%;
margin-bottom : 40px;
}
```

```
.cat-image-issue {
float : right;
width : 50%;
}
```

```
.issue-image {
width : 90%;
}
```

```
footer {
clear : both;
}
```

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® ([MIT](#), [ERCIM](#), [KEIO](#), [BEIHANG](#)), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for product.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for product.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in “developing” your developer skills? In W3Cx’s hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link  
or  
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
.mission-section {  
  text-align : center;  
}
```

```
.section-heading-h2 {  
  text-transform : uppercase;  
  font-size : 2.5rem;  
  font-weight : 700;  
  margin-top : 8rem;  
  margin-bottom : 1.5rem;  
  font-family : "Montserrat";  
  text-align : center;
```

```
}
```

```
.section-heading-h3 {  
  color : #6c757d;  
  line-height : 1.75;  
  text-align : center;  
  font-size : 1.5rem;  
  font-weight : 400;  
  font-style : italic;  
  font-family : "Roboto Slab";  
  margin-bottom : 0;  
}
```

```
.textheader-h2 {  
  font-size : 30px;  
  text-align : center;  
  margin-top : 0;  
  margin-bottom : 2rem;  
}
```

```
#mission-p {  
  font-size : 19px;  
  font-weight : 200;  
  margin-left : 3%;  
  margin-right : 3%;  
  text-align : center;  
}
```

```
#product {  
  width : 600px;  
  height : 450px;  
}
```

```
#list-goal li {  
  font-size : 18px;  
  margin : 5px;  
  margin-left : 3%;  
  margin-bottom : 6px;  
}
```

[↑ TOP](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for print.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for print.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in “developing” your developer skills? In W3Cx’s hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link  
or  
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Valid CSS information

```
body, html {  
  margin : 0;  
  padding : 0;  
}
```

```
@page {  
  size : a4 landscape;  
}
```



```
h1 {  
  page-break-before : always;  
}
```

```
h1, h2, h3, h4, h5 {  
  page-break-after : avoid;  
}
```

```
table {  
  page-break-inside : avoid;  
}
```

```
body {  
  background : none;  
}
```

```
body {  
  font-size : 12pt;  
  color : #000;  
  font-family : 'Times New Roman', Times, serif;  
}
```

```
p {  
  text-indent : 2em;  
}
```

```
a {  
  color : #000;  
  text-decoration : none;  
}
```

```
header, nav, button, img, footer {  
  display : none;  
}
```

```
#curator-feed-default-feed-layout {  
  display : none;  
}
```

```
.product-hover-content, .numbertext, .prev, .next {  
  display : none;  
}
```

```
body {  
  line-height : 1.2;  
}
```

```
section {  
  page-break-before : always;  
}
```

[↑ TOP](#)[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)

COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for passion.css (CSS level 3 + SVG)

Jump to: [Warnings \(3\)](#) [Validated CSS](#)

W3C CSS Validator results for passion.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```

(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in “developing” your developer skills? In W3Cx’s hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link  
or  
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

[↑ TOP](#)

Warnings (3)

URI : *passion.css*

80	<code>-ms-flexbox</code> is a vendor extension
83	<code>-ms-flex-wrap</code> is a vendor extension
94	<code>-ms-flex</code> is a vendor extension

[↑ TOP](#)

Valid CSS information

```
* {  
  box-sizing : border-box;  
}
```

```
body {  
  margin : 0;  
}
```

```
#my-photo {  
  margin-bottom : 5px;  
  width : 33%;  
  border-radius : 50%;  
  filter : brightness(110%);  
}
```

```
#mycat-photo {  
  margin-bottom : 5px;  
  width : 33%;  
  border-radius : 50%;  
  filter : brightness(115%);  
}
```

```
#food-photo {  
  margin-bottom : 5px;  
  width : 33%;  
  border-radius : 50%;  
  filter : brightness(102%);  
}
```

```
.passion-img {  
  transition : 0.3s;  
}
```

```
.passion-img:hover {  
  opacity : 0.7;  
}
```

```
.about-section {  
  float : left;  
  width : 33.333%;  
}
```

```
.section-text-center {  
  text-align : center;  
}
```

```
}
```

```
.header {  
  text-align : center;  
  padding : 50px;  
}
```

```
h2 {  
  text-transform : uppercase;  
  font-size : 2.5rem;  
  font-weight : 700;  
  margin-top : 8rem;  
  font-family : "Montserrat";  
  text-align : left;  
}
```

```
p {  
  font-size : 18px;  
  margin-bottom : 2rem;  
}
```

```
.g2-row {  
  display : flex;  
  flex-wrap : wrap;  
  padding : 0 4px;  
  width : 70%;  
  margin-left : auto;  
  margin-right : auto;  
}
```

```
.g2-column {  
  flex : 50%;  
  padding : 0 4px;  
  text-align : center;  
}
```

```
.g2-column img {  
  margin-top : 8px;  
  vertical-align : middle;  
}
```

```
.btn {  
  border : none;  
  outline : none;  
  padding : 16px 20px;  
  background-color : #f1f1f1;  
  cursor : pointer;
```

```
    font-size : 18px;
}
```

```
.btn:hover {
  background-color : #ddd;
}
```

```
.btn.active {
  background-color : #666;
  color : white;
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.





The W3C CSS Validation Service

W3C CSS Validator results for feedback.css (CSS level 3 + SVG)

Jump to: [Validated CSS](#)

W3C CSS Validator results for feedback.css (CSS level 3 + SVG)

Congratulations! No Error Found.

This document validates as [CSS level 3 + SVG](#) !

To show your readers that you've taken the care to create an interoperable Web page, you may display this icon on any page that validates. Here is the XHTML you could use to add this icon to your Web page:



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```



```
<p>
  <a href="http://jigsaw.w3.org/css-validator/check/referer">
    
  </a>
</p>
```


(close the img tag with > instead of /> if using HTML <= 4.01)



Interested in “developing” your developer skills? In W3Cx’s hands-on Professional Certificate Program, learn how to code the right way by creating Web sites and apps that use the latest Web standards. [Find out more!](#)

[Donate](#) and help us build better tools for a better web.

If you like, you can download a copy of this image to keep in your local web directory, and change the XHTML fragment above to reference your local image rather than the one on this server.

If you would like to create a link to this page (i.e., this validation result) to make it easier to re-validate this page in the future or to allow others to validate your page, the URI is:

```
http://jigsaw.w3.org/css-validator/validator$link  
or  
http://jigsaw.w3.org/css-validator/check/referer (for HTML/XML document only)
```

(Or, you can just add the current page to your bookmarks or hotlist.)

↑ TOP

Valid CSS information

```
.feedback-section {  
  margin-top : 6rem;  
}
```

```
form {  
  margin-left : 25%;  
}
```

```
.form-control {  
  border : #ced4da solid 1.5px;
```

```
}
```

```
.form-radio {  
  font-size : 17px;  
}
```

```
.form-label {  
  font-size : 20px;  
}
```

```
input::placeholder {  
  font-size : 15px;  
  font-weight : bold;  
  opacity : 0.7;  
  color : gray;  
}
```

```
textarea::placeholder {  
  font-size : 15px;  
  font-weight : bold;  
  opacity : 0.7;  
  color : gray;  
}
```

```
input[type="text"] {  
  width : 60%;  
  padding : 14px;  
  margin : 15px 0 20px 1px;  
  font-family : Arial;  
}
```

```
input[type="radio"] {  
  margin : 10px 0 21px 5px;  
}
```

```
label {  
  margin : 2px 5px;  
  font-weight : bold;  
}
```

```
textarea {  
  margin : 15px 0 15px 5px;  
  width : 60%;  
  height : 130px;  
  padding : 15px;  
  font-family : Arial;
```

```
}
```

```
input[type="submit"] {  
  background-color : lightseagreen;  
  border : none;  
  color : white;  
  padding : 18px 32px;  
  text-decoration : none;  
  margin : 4px 2px;  
  margin-left : 25%;  
  cursor : pointer;  
}
```

```
input[type="reset"] {  
  background-color : rgb(156, 152, 152);  
  border : none;  
  color : white;  
  padding : 18px 32px;  
  text-decoration : none;  
  margin : 4px 2px;  
  cursor : pointer;  
  margin-bottom : 1rem;  
}
```

```
.button-group {  
  margin-right : 23%;  
}
```

[↑ TOP](#)

[Home](#) [About](#) [Documentation](#) [Download](#) [Feedback](#) [Credits](#)



COPYRIGHT © 1994-2014 W3C® (MIT, ERCIM, KEIO, BEIHANG), ALL RIGHTS RESERVED. W3C LIABILITY, TRADEMARK, DOCUMENT USE AND SOFTWARE LICENSING RULES APPLY. YOUR INTERACTIONS WITH THIS SITE ARE IN ACCORDANCE WITH OUR PUBLIC AND MEMBER PRIVACY STATEMENTS.

