



How to configure IDCS as IdP for Fusion Applications

Fusion Apps Rel 13

Inge Os

Master Principal Cloud Specialist

Updated 11.11.2021

Flow

IDCS

1

Add Fusion Application app

2

Download IdP Metadata

Fusion

3

Create SSO provider

4

Upload metadata from IDCS

5

Download metadata.xml

Flow

IDCS

6

Extract values
from
metadata.xml

7

Create CER file

8

Upload
metadata and
CER file

9

Configure
remaining on
IDCS page 1

10

Configure
remaining on
IDCS page 2

Fusion

Flow

IDCS

11

Save and
activate
Configuration

15

Create user and
assign app to
user

Fusion

12

Save
Configuration

13

Test and activate

14

Configure logon
page selection



Step 1 and 2

Add Oracle Fusion Applications Release 13 app

Download IdP Metadata



Apps



Gmail



YouTube



Maps



Oracle Cloud Ops P...



Oslo Business Forum



Consensus Assessm...



Reading list

ORACLE® Identity Cloud Service

License Type :: Standard
Cookie Preferences

Welcome inge.os@oracle.com

Watch the Video

Learn More

What's New

Here's what you can do:

- Onboarding Users and Groups
- Onboarding Applications
- Auditing the System, Users, and Groups
- Managing Security Settings
- Performing Self-Service Diagnostics
- Customizing the Service
- Performing End-User Self Service

Filter by Date Range Last 30 Days

Users

3

Total

3
Created0
Removed

Applications and Services

0

Total

14
Created11
Removed

Groups

2

Total

2
Created0
Removed

Passwords

2

Resets



Logins

12

Total



All Reports

8

Total



Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

ORACLE® Identity Cloud ServiceLicense Type :: Standard
Cookie Preferences ?

IO

Applications

Enter a string that begins with the application name or description, or t...

 Select All**+ Add****X Remove****Activate****Deactivate**

No applications have been added.

ORACLE® Identity Cloud Service

License Type :: Standard
Cookie Preferences

Add Application



App Catalog

Add an application from the Application Catalog.



SAML Application

Create an application that supports SAML for Single Sign On.



Mobile Application

Create a mobile/single-page application that uses OAuth 2.0. These applications cannot maintain the confidentiality of their client secret.



Confidential Application

Create a web-server/server-side application that uses OAuth 2.0. These apps typically run on a server and can maintain the confidentiality of their client secret.



Enterprise Application

Create a web application that is protected by the App Gateway.

Identity Cloud Service

idcs-43f3ddd8464941e68590a73af4018944.identity.oraclecloud.com/ui/v1/adminconsole?root=apps&app=catalog

Apps Gmail YouTube Maps Oracle Cloud Ops P... Oslo Business Forum... Consensus Assessm... Reading list

Dashboard Users Groups Applications Oracle Cloud Services Jobs Reports Settings Security

License Type :: Standard ? Cookie Preferences

ORACLE® Identity Cloud Service

App Catalog

Categories

All

- Analytics
- Benefits
- Collaboration
- Consumer
- Content Management
- CRM
- E-Commerce
- ERP
- Finance and Accounting
- Human Resources
- IT Infrastructure
- Learning
- Marketing
- News
- Productivity
- Security
- Social
- Software Development
- Telecommunications
- Transportation
- Web Design

Search Results: 1027

	&frankly &frankly Application SAML	<button>Add</button>
	1&1 1&1 Secure Form Fill	<button>Add</button>
	101domains.com 101domains.com Secure Form Fill	<button>Add</button>
	15Five 15Five Application SAML	<button>Add</button>

IDCSMetadata (Copy) Copyright © 2021, Oracle and/or its affiliates

11.11.2021

Show all



Oracle Directory Server Enterprise Editi...

Integrate with Oracle Directory Server Enterprise Edition Directory Provisioning

Add



Oracle eBusiness Suite - User Manage...

Oracle eBusiness Suite - User Management Provisioning

Add



Oracle Field Service Cloud

OFSC Application Provisioning SAML

Add



Oracle Fusion Applications

Oracle Fusion Applications Provisioning SAML

Add



Oracle Fusion Applications Release 13

Oracle Fusion Applications Release 13 Provisioning SAML

Add




Oracle Internet Directory

Integrate with Oracle Internet Directory Provisioning

Add



Oracle Service Cloud - RightNow



Applications

Enter a string that begins with the application name or description, or t...

 Select All[+ Add](#)[X Remove](#)[Activate](#)[Deactivate](#)

No applications have been added.

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

Identity Cloud Service

License Type :: Standard
Cookie Preferences ?

IO

Add Application x**App Catalog**

Add an application from the Application Catalog.

**SAML Application**

Create an application that supports SAML for Single Sign On.

**Mobile Application**

Create a mobile/single-page application that uses OAuth 2.0. These applications cannot maintain the confidentiality of their client secret.

**Confidential Application**

Create a web-server/server-side application that uses OAuth 2.0. These apps typically run on a server and can maintain the confidentiality of their client secret.

**Enterprise Application**

Create a web application that is protected by the App Gateway.

ORACLE® Identity Cloud Service

License Type :: Standard
Cookie Preferences ?

IO

App Catalog

oracle fusion 

Enter 50 or fewer characters.

Enter a string that begins with the application name.

Categories

All

- Analytics
- Benefits
- Collaboration
- Consumer
- Content Management
- CRM
- E-Commerce
- ERP
- Finance and Accounting
- Human Resources
- IT Infrastructure
- Learning
- Marketing
- News
- Productivity
- Security
- Social
- Software Development
- Telecommunications
- Transportation
- Web Design

Type of Integration

OpenID Connect

Search Results: 1027

&frankly


&frankly
&frankly Application
SAML

Add



1&1

1&1
Secure Form Fill

Add



101domains.com

101domains.com
Secure Form Fill

Add



15Five

15Five Application
SAML

Add



24SevenOffice

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

ORACLE® Identity Cloud Service

License Type :: Standard
Cookie Preferences

?

IO

App Catalog

oracle fusion

Categories

All

[Analytics](#)
[Benefits](#)
[Collaboration](#)
[Consumer](#)
[Content Management](#)
[CRM](#)
[E-Commerce](#)
[ERP](#)
[Finance and Accounting](#)
[Human Resources](#)
[IT Infrastructure](#)
[Learning](#)
[Marketing](#)
[News](#)
[Productivity](#)
[Security](#)
[Social](#)
[Software Development](#)
[Telecommunications](#)
[Transportation](#)
[Web Design](#)

Search Results: 2



Oracle Fusion Applications

Oracle Fusion Applications
Provisioning SAML

Add



Oracle Fusion Applications Release 13

Oracle Fusion Applications Release 13
Provisioning SAML

Add

Type of Integration

OpenID Connect

Apps Gmail YouTube Maps Oracle Cloud Ops P... Oslo Business Forum Consensus Assessm...

Reading list

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

Identity Cloud Service

License Type :: Standard
Cookie Preferences ?

IO

Add Oracle Fusion Applications Release 13

Cancel

1

2

3

Details

SSO Configuration

Provisioning

Next >

App Details

* Name Description

Application Icon



Application URL / Relay State

Add

Remove

App Links

App Icon

Name

Visible

Enter the value from
<md:AssertionConsumerService
This value can be entered at a later
stage

	Add	Remove	
App Links	App Icon	Name	Visible
		Oracle Fusion Applications Release 13 CRM	<input checked="" type="checkbox"/>
		Oracle Fusion Applications Release 13 SCM	<input checked="" type="checkbox"/>
		Oracle Fusion Applications Release 13 HCM	<input checked="" type="checkbox"/>
		Oracle Fusion Applications Release 13 ERP	<input checked="" type="checkbox"/>
CRM Landing Page URL			
SCM Landing Page URL			
HCM Landing Page URL			
ERP Landing Page URL			
Custom Login URL			
Custom Logout URL			
Custom Error URL			
Linking callback URL			

Scroll down and enable/ disable applicable applications

The URL format is:

CRM:

`https://<tenantname>.crm.<domain>/customer/faces/CrmFusionHome`

ERP:

`https://<tenantname>.fin.<domain>/ledger/faces/FuseWelcome`

SCM:

`https://<tenantname>.scm.<domain>/costManagement/faces/FuseWelcome`

HCM:

`https://<tenantname>.hcm.<domain>/hcmCore/faces/HcmFusionHome`



Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

ORACLE® Identity Cloud ServiceLicense Type :: Standard
Cookie Preferences

IO

✓ The application Oracle Fusion Applications Release 13 is added successfully in deactivated state. Changes will be automatically saved at each wizard step.

Add Oracle Fusion Applications Release 13

[Back](#)

Details

SSO Configuration

Provisioning

[Download Signing Certificate](#)[Download Identity Provider Metadata](#)

General

Use this section to define the required SSO attributes for the application and to upload the application's signing certificate.

* Entity ID

* Assertion Consumer URL

Signing Certificate

[Upload](#)[Advanced Settings](#)[Attribute Configuration](#)[Authentication and Authorization](#)

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

Identity Cloud Service

License Type :: Standard
Cookie Preferences

?

?

Add Oracle Fusion Applications Release 13

Back



2

3

Next >

Details

SSO Configuration

Provisioning

[Download Signing Certificate](#)[Download Identity Provider Metadata](#)

General

Use this section to define the required SSO attributes for the application and to upload the application's signing certificate.

* Entity ID

* Assertion Consumer URL

Signing Certificate

[Upload](#)

▶ Advanced Settings

▶ Attribute Configuration

▶ Authentication and Authorization

Step 3, 4 and 5

Create SSO provider, Upload metadata from IDCS Upload metadata from IDCS



SIGN IN ORACLE APPLICATIONS CLOUD

[Forgot Password](#)[Sign In](#)



Gmail

YouTube

Maps


Oracle Cloud Ops P...

Oslo Business Foro...

Consensus Assessm...

vision

Navigator



Search



System Administ...

Good morning, System Administrator (Casey Brown)!

Me

My Team

Procurement

My Client Groups


Help Desk

Product Management

Risk Manager



QUICK ACTIONS




Publish Video



Additional Person Info



My Public Info



My Organization Chart



Add Absence



Existing Time Cards



My Payslips

APPS



Personal Information



Directory



Connections



Journeys



Pay



Time and Absences



Career and Performance



Learning



11.11.2021



[Receivables](#)[Show More](#)[Collections](#)[Supply Chain Planning](#)[Payables](#)[General Accounting](#)[Intercompany Accounting](#)[Cash Management](#)[Fixed Assets](#)[Expenses](#)[My Enterprise](#)[Tools](#) [Set Preferences](#) [Announcements](#) [Developer Connect](#) [Approvals](#) [Spaces](#) [Reports and Analytics](#) [Scheduled Processes](#) [Security Console](#) [Sales and Service Access Management](#) [File Import and Export](#) [Audit Reports](#) [Transaction Console](#) [Collaboration Messaging](#) [Customer Center Tools](#) [Data Visualization](#)

Administrator (Casey Brown)!

Help Desk Product Management Risk Manager >

[Directory](#)

[Connections](#)

[Journeys](#)

[Time and Absences](#)

[Career and Performance](#)

[Learning](#)

11.11.2021



Apps

Gmail

YouTube

Maps

Oracle Cloud Ops P...

Oslo Business Foru...

Consensus Assessm...

VISION

Roles

[Create Role](#)[Compare Roles](#)

* Search Job roles;Duty roles;Abstract roles;Otl

Enter 3 or more characters to search



Search Result Count : 0

Expand Toward

Privileges



No data to display.



Roles



Users



Analytics



Certificates



User Categories



Single Sign-On

Single Sign-On

API Authentication



Administration





Apps

Gmail

YouTube

Maps

Oracle Cloud Ops P...

Oslo Business Foru...

Consensus Assessm...

VISION



Single Sign-On



Single Sign-On Configuration



Roles



Users




Analytics



Certificates



User Categories



Single Sign-On



API Authentication



Administration

Sign Out URL <https://ucf3-zwit-login.oracledemos.com/oamfed/sp/samlv20>

Edit

Enable Chooser Login Page —

Disable Single Sign-On

Single Sign-On Enabled —

Sort By Name

[+ Create Identity Provider](#)

▼

No data to display.






VISION

[|](#) [Edit](#) [Done](#)

Single Sign-On Configuration: Identity Provider Details




Identity Provider Details



Identity Provider Details



Service Provider Details



Diagnostics and Activation

Name
DescriptionName ID Format
Relay State URL

Default Identity Provider —

Import Identity Provider Metadata

Metadata





Details:

[Save and Close](#)[Cancel](#)

Identity Provider Details


Name** ssodemoDescription Demo of SSO configuration for Fusion AppsName ID Format** Unspecified

Relay State URL

Default Identity Provider

Import Identity Provider Metadata

***Metadata** File No file chosen External URL



vision



System Administ...

Save and Close

Cancel

Details:

Identity Provider Details

Name** ssodemo**Description** Demo of SSO setup between fusion apps and IDCSName ID Format** Unspecified**Rely State URL****Default Identity Provider**

Import Identity Provider Metadata

***Metadata** File

IDCSMetadata.xml

Update...

 External URL

Single Sign-On - Security Consol... +

ucf3-zwit-fa-ext.oracledemos.com/hcmUI/faces/FndOverview?fnl=%3B%3B%3B%3Bfalse%3B256%3B%3B&fnlGlobalItemNodId=ASE_FUSE_SECURITY_CONSOLE&_afrLoop=27083...

Apps Gmail YouTube Maps Oracle Cloud Ops P... Oslo Business Foru... Consensus Assessm... Reading list

vision

Single Sign-On Configuration: Service Provider Details

System Administ...



Service Provider Details



Service Provider Details

Provider ID <https://ucf3-zwit-login.oracledemos.com:443/oam/fed>

Service Provider SHA 256 Metadata https://ucf3-zwit-login.oracledemos.com:443/oamfed/sp/metadata?signid=osts_signing_sha256&encid=osts_encryption_sha256&sigalgm=SHA-256

Service Provider Signing Certificate

Service Provider Encryption Certificate



Step 6, and 7

Extract values from metadata.xml

Create CER file

IDCS Entry	SP XML element	Attribute
Application URL/Relay State	<md:SPSSODescriptor <md:AssertionConsumerService <md:Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"	Location Same element and attribute as AssertionConsumerURL Example: https://login-esss-saas1.ds-fa.oraclepdemos.com/oam/server/fed/sp/sso
Entity ID	<md:EntityDescriptor	entityID Example: https://login-esss-saas1.ds-fa.oraclepdemos.com:443/oam/fed
AssertionConsumerURL	<md:SPSSODescriptor <md:AssertionConsumerService <md:Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST"	Location Example: https://login-esss-saas1.ds-fa.oraclepdemos.com/oam/server/fed/sp/sso
SingleLogoutURL	<md:SPSSODescriptor <md:SingleLogoutService <md:Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect"	Location Example: https://login-essss-saas1.ds-fa.oraclepdemos.com/oamfed/sp/samlv20
LogoutResponseURL	<md:SPSSODescriptor <md:SingleLogoutService <md:Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect" (Same element as above)	ResponseLocation Example: https://login-essss-saas1.ds-fa.oraclepdemos.com/oamfed/sp/samlv20



This XML file does not appear to have any style information associated with it. The document tree is shown below.

```
<?xml version="1.0"?>
<md:EntityDescriptor xmlns:dsig="http://www.w3.org/2000/09/xmldsig#" xmlns:urn:oasis:names:tc:SAML:metadata:ext:query" xmlns:md="urn:oasis:names:tc:SAML:2.0:metadata" xmlns:enc="http://www.w3.org/2001/04/xmlenc#" xmlns:urn:oasis:names:tc:SAML:2.0:profiles:attribute:X500" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:urn:oasis:names:tc:SAML:2.0:profiles:v1metadata" entityID="https://ucf3-zwit-login.oracledemos.com:443/oamfed/idp/samlv20" iRHFjAgoF1znO2mXAIrRy1XN1I4R0dJp8">
  <md:IDPSSODescriptor WantAuthnRequestsSigned="false" protocolSupportEnumeration="urn:oasis:names:tc:SAML:2.0:protocol">
    <md:KeyDescriptor use="signing">
      <dsig:KeyInfo>
        <dsig:X509Data>
          <dsig:X509Certificate>MIIE...</dsig:X509Certificate>
        </dsig:X509Data>
        <dsig:X509IssuerSerial>
          <dsig:X509IssuerName>CN=ucf3-zwit-login.oracledemos.com</dsig:X509IssuerName>
          <dsig:X509SerialNumber>102</dsig:X509SerialNumber>
        </dsig:X509IssuerSerial>
        <dsig:X509SubjectName>CN=ucf3-zwit-login.oracledemos.com</dsig:X509SubjectName>
      </dsig:KeyInfo>
    </md:KeyDescriptor>
    <md:KeyDescriptor use="encryption">
      <dsig:KeyInfo>
        <dsig:X509Data>
          <dsig:X509Certificate>MIIE...</dsig:X509Certificate>
        </dsig:X509Data>
        <dsig:X509IssuerSerial>
          <dsig:X509IssuerName>CN=ucf3-zwit-login.oracledemos.com</dsig:X509IssuerName>
          <dsig:X509SerialNumber>102</dsig:X509SerialNumber>
        </dsig:X509IssuerSerial>
        <dsig:X509SubjectName>CN=ucf3-zwit-login.oracledemos.com</dsig:X509SubjectName>
      </dsig:KeyInfo>
      <md:EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmlenc#rsa-1_5"/>
      <md:EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmlenc#aes128-cbc"/>
      <md:EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmlenc#aes192-cbc"/>
      <md:EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmlenc#aes256-cbc"/>
      <md:EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmlenc#tripledes-cbc"/>
    </md:KeyDescriptor>
    <md:ArtifactResolutionService index="1" isDefault="true" Binding="urn:oasis:names:tc:SAML:2.0:bindings:SOAP" Location="https://ucf3-zwit-login.oracledemos.com/oamfed/idp/soap"/>
    <md:SingleLogoutService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST" Location="https://ucf3-zwit-login.oracledemos.com/oamfed/idp/samlv20" ResponseLocation="https://ucf3-zwit-login.oracledemos.com/oamfed/idp/samlv20"/>
    <md:SingleLogoutService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect" Location="https://ucf3-zwit-login.oracledemos.com/oamfed/idp/samlv20" ResponseLocation="https://ucf3-zwit-login.oracledemos.com/oamfed/idp/samlv20"/>
  </md:IDPSSODescriptor>
</md:EntityDescriptor>
```

Open downloaded SP metadata file in XML editor or XML rendering browser

ata:extension"
tribute"
"P30DT0H0M0S" ID="id-tAllu2-

DMxMVowKjEoMCYGA1UEAxMfdWNmMy

Create CER file

First step is to create a proper CER file for upload to IDCS

Locate the <md:KeyDescriptor use="signing"> XML element, and find <dsig:X509Certificate>
From the <md:IDPSSODescriptor element

Copy/paste between <dsig:X509Certificate> and </dsig:X509Certificate>

Into text editor and add a start and end line:

-----BEGIN CERTIFICATE-----

-----END CERTIFICATE-----

Snippet from example

Make sure you select the correct certificate
Use <md:IDPSSODescriptor element

```
<md:IDPSSODescriptor WantAuthnRequestSigned="false" protocolSupportEnumeration="urn:oasis:names:tc:SAML:2.0:protocol">
  <md:KeyDescriptor use="signing">
    <dsig:KeyInfo>
      <dsig:X509Data>
        <dsig:X509Certificate>
          MIIENzCCAp+gAwIBAgIBZjANBhkqkhkiG9w0BAQsFADA+MTwwOgYDVQQDEzNsb2dpbi1lc2RyLWRldjE1LXNhYXNmYWRIb
          /iJb7Tdur5F6AL+5fz0TQG8lxkZn10QATqdpLdShvIUCzYe/zFTFVlqQXuxP57iBATcKs6lJrp7p6Y0HVh0T760cXihhJ7QHcvW
          /ZUtYl3RjMbzbj1RyzG9MpWSebsgGkmHVXiSMspecEW7LAldoaaIsIxai+ojiSCX4K6dXgw2gKOYiQ+WlJrtiQ9djadR9CLvDjTRXrq8
          /3lJsiRIP7b3osYYzsJrSJOXsLk3GJISBFnSTpXGecz6y0mkf/bu1JsYtnXmIJHIU6C4mLZcS2rUOSCVQsQadiNZf95Qi3Zq9Rp/BvRj/C
          /AG5/6pEQsCAwEAAaNAMD4wDAYDVR0TAQH/BAIwADAPBgNVHQ8BAf8EBQMDB9gAMB0GA1UdDgQWBBSmW/2eHAzv
          /aaxBAQeUpjw
          /bpH8q2QM1cNqsxSO23dcAeiwxHgLUN8kKuy0lstxvylw9GcWQ5FEjtRtki1RijDPGf1pzEEexmZucUblUz+qYUbIAkeae1f7H7NpU
          /DIOVCuCuJt6Fp6wafwa27GjZEG44VTbsUlb3y3ljdawHszZRqcHg90vICuzUiU5QD9ek8lxjDCka0vuYCqXcPNOLHL1WCFPuA1jC
          /9DIVArizCmSKrC940Hq/a9B5vZNdykbGDwRxqTpEPJRFdsNz0nIJQUdqQQcA/iOSs1xZfrQVZci3UWRtPfVxApQOTHKii+/z5CUk
          /h8by7o3Xhx9W86YksUYh43gDvA3UP3AI3hPq+yMNt5Z/ndMNALajJQS5S6
        </dsig:X509Certificate>
```

Create CER file

-----BEGIN CERTIFICATE-----

MIIEDzCCAnegAwIBAgIBZjANBgkqhkiG9w0BAQsFADAqMSgwJgYDVQQDEx91Y2YzLXp3aXQtbG9naW4ub3JhY2xIZGVtb3MuY29t

-----END CERTIFICATE-----

Save to .cer file

Locate and extract remaining values from metadata file

The following values should be located and extracted

- 1) md:EntityDescriptor entityID
- 2) md:AssertionConsumerService under <md:SPSSODescriptor element
- 3) Location of md:SingleLogoutService <md:SPSSODescriptor, POST binding
- 4) md:ResponseLocation of md:SingleLogoutService

Locate and extract remaining values from metadata file

1: md:EntityDescriptor entityID

Locate the entity ID entry under

```
<md:EntityDescriptor  
entityID="
```

```
<md:EntityDescriptor xmlns:dsig="http://www.w3.org/2000/09/xmldsig#" xmlns:query="urn:oasis:names:tc:SAML:metadata:ext:  
xmlns:enc="http://www.w3.org/2001/04/xmlenc#" xmlns:md="urn:oasis:names:tc:SAML:2.0:metadata" xmlns:saml="urn:oasis:n  
xmlns:x500="urn:oasis:names:tc:SAML:2.0:profiles:attribute:X500" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"  
xmlns:ns10="urn:oasis:names:tc:SAML:profiles:v1metadata" entityID="https://ucf3-zwit-login.oracle.com:443/oam/fed'
```

Locate and extract remaining values from metadata file

2: md:AssertionConsumerService, and 3: md:SingleLogoutService

Location attribute in <md:AssertionConsumerService under the <md:SPSSODescriptor element. Make a note of the value from the element that has <md:Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST".

Location attribute in the <md:SingleLogoutService element under the <md:SPSSODescriptor element. Make a note of the value from the element that has <md:Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect".

```
<md:SingleLogoutService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect"
    Location="https://ucf3-zwit-login.oracledemos.com/oamfed/sp/samlv20" ←
    ResponseLocation="https://ucf3-zwit-login.oracledemos.com/oamfed/sp/samlv20"/>
```



Locate and extract remaining values from metadata file

4: md:ResponseLocation of md:SingleLogoutService

Value of ResponseLocation attribute in the <md:SingleLogoutService element under the <md:SPSSODescriptor element. Make a note of the value from the element that has <md:Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect".

```
<md:SingleLogoutService Binding="urn:oasis:names:tc:SAML:2.0:bindings:HTTP-Redirect"  
    Location="https://ucf3-zwit-login.oracledemos.com/oamfed/sp/samlv20"  
    ResponseLocation="https://ucf3-zwit-login.oracledemos.com/oamfed/sp/samlv20"/>
```



Step 8, 9, 10 and 11

Upload metadata and CER file

Configure remaining on IDCS page 1

Configure remaining on IDCS page 2

Save and activate Configuration

 The application Oracle Fusion Applications Release 13 is added successfully in deactivated state. Changes will be automatically saved at each wizard step.

Add Oracle Fusion Applications Release 13

[Back](#)

三

[Next](#)

SSO Configuration

Provisioning

Download Signing Certificate

Download Identity Provider Metadata

► General

Use this section to define the required SSO attributes for the application and to upload the application's signing certificate.

* Entity ID

* Assertion Consumer UR

Signing Certificate

Upload

► Advanced Settings

► Attribute Configuration

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

Identity Cloud Service

License Type :: Standard
Cookie Preferences

?

IO

Add Oracle Fusion Applications Release 13

Back



Details



SSO Configuration



Provisioning

Next >

Enter 256 or fewer characters.

An entity ID is a globally unique name for a service provider.

1

* Entity ID

2

* Assertion Consumer URL

Signing Certificate

Upload

- ▶ Advanced Settings
- ▶ Attribute Configuration
- ▶ Authentication and Authorization

Pick 1 and 2 values
from step 6



Groups



Applications



Oracle Cloud Services



Jobs



Reports



Settings



Security

Add Oracle Fusion Applications Release 19

[Back](#)

Details



SSO Configuration



Provisioning

[Next >](#)

Pick values 3 and 4 from step 6

Example:

`https://xxxxx-login.oracle.com/oamfed/sp/samlv20`

General

Use this section to define the required SSO attributes for the application and

* Entity ID

* Assertion Consumer URL

Signing Certificate [Upload](#)

Advanced Settings

This section contains additional configuration options.

3

* Single Logout URL

4

* Logout Response URL

Attribute Configuration

Authentication and Authorization



Groups



Applications



Oracle Cloud Services



Jobs



Reports



Settings



Security

Add Oracle Fusion Applications Release 15

[Back](#)

2

3

Details

SSO Configuration

Provisioning

[Next >](#)[Download Signing Certificate](#)[Download Identity Provider Metadata](#)

General

Use this section to define the required SSO attributes for the application and to upload the application's signing certificate.

* Entity ID

* Assertion Consumer URL

Signing Certificate C:\fakepath\fusion.cer [Upload](#)

Advanced Settings

This section contains additional configuration options.

* Single Logout URL

* Logout Response URL

Attribute Configuration

mdAssertionConsumerService x +

idcs-43f3ddd8464941e68590a73af4018944.identity.oraclecloud.com/ui/v1/adminconsole?root=apps&app=add-417374eb54633da0929a71a5545ebf4c

Apps Gmail YouTube Maps Oracle Cloud Ops P... Oslo Business Forum... Consensus Assessm... Reading list

Dashboard Users Groups Applications Oracle Cloud Services Jobs Reports Settings Security

ORACLE® Identity Cloud Service License Type :: Standard ? Cookie Preferences

Add Oracle Fusion Applications Release 13

Cancel 1 2 3 Next >

Details SSO Configuration Provisioning

App Details

* Name Oracle Fusion Applications Release 13

Description Oracle Fusion Applications Release 13

Pick values from step 6

md:AssertionConsumerService

Application Icon

Application URL / Relay State https://ucf3-zwit-login.oracledemos.co

Add Remove

IDCSMetadata 15 Copyright © 2021, Oracle and/or its affiliates 11.11.2021 Show all



Oracle Fusion Applications Release 13 HCM



Oracle Fusion Applications Release 13 ERP

CRM Landing Page URL SCM Landing Page URL HCM Landing Page URL ERP Landing Page URL Custom Login URL Custom Logout URL Custom Error URL Linking callback URL

Enter ERP Landing Page URL

URL to Fusion application

Tags

Add tags to your applications to organize and identify them. A tag consists of a key-value pair.

+ Add Tag



Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

ORACLE® Identity Cloud ServiceLicense Type :: Standard
Cookie Preferences ?

IO

Add Oracle Fusion Applications Release 13

[Back](#)

Details



SSO Configuration



Provisioning

Finish

Enable Provisioning



Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

ORACLE® Identity Cloud Service

Applications > Oracle Fusion Applications Release 13



Oracle Fusion Applications Release 13

Oracle Fusion Applications Release 13

Details

SSO Configuration

Provisioning

Import

Users

Groups

 Activate Remove

App Details

* Name Description

Application Icon



Application URL / Relay State

11.11.2021

 Add Remove Edit

- Dashboard
- Users
- Groups
- Applications
- Oracle Cloud Services
- Jobs
- Reports
- Settings
- Security

ORACLE® Identity Cloud Service

Applications > Oracle Fusion Applications Release 13



Oracle Fusion Applications Release 13

Oracle Fusion Applications Release 13

Deactivate Remove

Details

SSO Configuration

Provisioning

Import

Users

Groups

Save

App Details

* Name

Description

Application Icon



Application URL / Relay State

11.11.2021

Add

Remove

Edit



Step 12, 13, and 14
Save Configuration
Test and activate
Configure Logon page selection

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

ORACLE® Identity Cloud Service

License Type :: Standard
Cookie Preferences

Applications > Oracle Fusion Applications Release 13



Oracle Fusion Applications Release 13

Oracle Fusion Applications Release 13

 Activate Remove

Details

SSO Configuration

Provisioning

Import

Users

Groups

Save

App Det

Confirmation

Are you sure that you want to activate the application Oracle Fusion Applications Release 13?

OK

Application Icon



Application URL / Relay State

<https://ucf3-zwit-login.oracledemos.co>

11:11:2021

Add Remove Edit

My Environments Environment Launch Pad Environment Landing Page Environment Landing Page

ucf3-zwit-fa-ext.oracledemos.com/main.html#/main

Apps Gmail YouTube Maps Oracle Cloud Ops P... Oslo Business Forum Consensus Assessm...

Reading list

ORACLE My Registrations GSI Log a Ticket Demo Store

Complete, Integrated Cloud



Login to Oracle Cloud

- Primary Login
- Auxiliary Links
- Workflow
- Business Intelligence
- Fusion Platform Access
- WLS Console/EM Access
- Demo Image Units
- Demo Tools



Scan for Mobile Version

[ERP and SCM Cloud Login](#) [Sales and Service Login](#) [HCM Cloud Login](#) [Public Sector Cloud Login](#)

Select a Theme 

[- Hide User Search](#)

User Type

Simplified Users Standard Users with Extensive Data E360 Users Standard Users with Limited Data **All Users**

Display Name

John Doe

Username

john.doe

Country

Select a Country 

Pillar

FIN 

Industry

Select an Industry 



Username	Display Name	Pillar	Industry	Country
ANITA.KENNEDY	CHIEF FINANCIAL OFFICER (CFO) (Anita Kennedy)	FIN	Horizontal	United States
ANNE.DURAND	ACCOUNTING MANAGER (Anne Durand)	FIN	Horizontal	France
BRODIE.SMITH	GENERAL ACCOUNTING MANAGER (Brodie Smith)	FIN	Horizontal	United States
CAROLINE.VALENCE	FINANCE DIRECTOR (Caroline Valence)	11.11.2021	FIN	Horizontal
				France

Apps

Gmail

YouTube

Maps

Oracle Cloud Ops P...

Oslo Business Foru...

Consensus Assessm...

Reading list

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

ORACLE® Identity Cloud Service**The user ANNE DURAND is removed successfully.****Users**

User name, first name, last name or email starts with

 Select All**+ Add****Import****Export** ▾ Activate Deactivate**More** ▾**ANNE.DURAND****Display Name**

Anne Durand

Email

inge.os@oracle.com

**inge.os@oracle.com****Display Name**

Inge Os

Email

inge.os@oracle.com



Page 1 of 1 (1-2 of 2 items)



1

>

**Create the user in IDCS so the same user exists both in fusion and IDCS**

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

ORACLE® Identity Cloud Service



Anne Durand

License Type :: Standard
Cookie Preferences

?

IO

Status: Active

Reset Password

Print

Details Groups Access

Account Information

* User Name ANNE.DURAND

Prefix

* Email inge.os@oracle.com

Recovery Email inge.os@oracle.com

First Name Anne

Instant Messaging Address

Middle Name

Home Phone Number

* Last Name Durand

Mobile Phone Number

Suffix

Federated

No

Authenticated By Oracle Identity Cloud Service

Work Information

Title

Country

Street Address

Time Zone

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

ORACLE® Identity Cloud Service



Anne Durand

License Type :: Standard
Cookie Preferences ?

Status: Active

Reset Password



Details

Groups

Access

 Select All

Assign

Revoke



No applications are assigned to this user.

Assign Applications

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

Assign Applications



Oracle Fusion Applications Release...





Apps Gmail YouTube Maps Oracle Cloud Ops P... Oslo Business Forum... Consensus Assessm... Reading list

Dashboard

Users

Groups

Applications

Oracle Cloud Services

Jobs

Reports

Settings

Security

ORACLE® Identity Cloud Service

1 application is assigned to Anne Durand.

AD

Anne Durand

License Type :: Standard
Cookie Preferences



Status: Active

Reset Password



Details

Groups

Access



Select All

Assign

Revoke



Oracle Fusion Applications Release 13



VISION



System Administ...

Single Sign-On Configuration: Diagnostics and Activation



Edit

Done



Diagnostics and Activation

Diagnostics and Activation

Test Identity Provider Test

Last Run

Status

Enable Identity Provider i

Federation Logs

Detach Show Minutes Refresh

Time

Message ID

Message

No data to display.

Before the test is run, log off IDCS, or the test will fail



VISION



Single Sign-On Configuration: Diagnostics and Activation



Diagnostics and Activation

Diagnostics and Activation

Test Identity Provider Test

Last Run

Status

Enable Identity Provider



Warning

The web page will open in a new browser window. Do you want to continue?

Yes

No

Federation Logs

Detach

Show 15

Minutes

Refresh

Time

Message ID

Message

No data to display.



Initiate Federation SSO

Partner

Copyright © 2006, 2015, Oracle and/or its affiliates. All rights reserved.



ORACLE Cloud

nose(ebstest)

Oracle Cloud Account Sign In

User Name

Password

Sign In

Need help signing in? [Click here](#)

[Cookie Preferences](#)



Single Sign-On Configuration: Diagnostics and Activation

[Save and Close](#)[Cancel](#)

Diagnostics and Activation

Test Identity Provider [Test](#)

Last Run 8/4/21

Status Succeeded

Enable Identity Provider [?](#)



System Administ...

Single Sign-On Configuration: Diagnostics and Activation

Save and Close**Cancel**

Diagnostics and Activation

Test Identity Provider **Test**

Last Run 8/4/21

Status Succeeded

Enable Identity Provider 



VISION



System Administ...

Single Sign-On Configuration: Diagnostics and Activation



|

Edit

Done



Diagnostics and Activation

Diagnostics and Activation

Test Identity Provider Test

Last Run

Status

Enable Identity Provider ✓ i

The IdP can be enabled only after successful test

Federation Logs

Detach Show 15 Minutes Refresh

Time

Message ID

Message

No data to display.



Congratulations



If you after login in to IDCS is logged in to Fusion apps the configuration succeeded

Final steps is to add SSO logon to logonpage

vision



System Administ...

Single Sign-On



Single Sign-On Configuration

Edit

Sign Out URL <https://ucf3-zwit-login.oracledemos.com/oamfed/sp/samlv20>

Enable Chooser Login Page —

Disable Single Sign-On

Single Sign-On Enabled ✓

Create Identity Provider

Sort By Name

▼

ssodemo


Enabled Yes

Signing Certificate Expiration Date 6/24/31


Default Identity Provider

Encryption Certificate Expiration Date 6/24/31


X




Roles




Users




Analytics




Certificates




User Categories



Single Sign-On



API Authentication



Administration



VISION



System Administ...

Single Sign-On



Single Sign-On Configuration

Save

Cancel

Sign Out URL Enable Chooser Login Page

Disable Single Sign-On

Single Sign-On Enabled ✓

Sort By Name

+ Create Identity Provider



ssodemo

Default Identity Provider

Enabled Yes

Signing Certificate Expiration Date 6/24/31

Encryption Certificate Expiration Date 6/24/31



VISION



System Administ...

Single Sign-On



Single Sign-On Configuration

Edit

Sign Out URL <https://ucf3-zwit-login.oracledemos.com/oamfed/sp/samlv20>

Enable Chooser Login Page ✓

Disable Single Sign-On

Single Sign-On Enabled ✓

+ Create Identity Provider

Sort By Name

▼

ssodemo

Enabled Yes

Signing Certificate Expiration Date 6/24/31

Default Identity Provider

Encryption Certificate Expiration Date 6/24/31

X

Roles

Users

Analytics

Certificates


User Categories

Single Sign-On

API Authentication

Administration






SIGN IN ORACLE APPLICATIONS CLOUD

Company Single Sign-On

or

User IDPassword[Forgot Password](#)

Sign In



ORACLE Cloud

nose(ebstest)

Oracle Cloud Account Sign In

User Name

Password

Sign In

Need help signing in? [Click here](#)

[Cookie Preferences](#)



ORACLE Cloud

nose(ebstest)

Oracle Cloud Account Sign In

User Name

Password

Sign In

Need help signing in? [Click here](#)

[Cookie Preferences](#)

Documentation reference

IDCS Application documentation

<https://docs.oracle.com/en/cloud/paas/identity-cloud/idcsc/oraclefusionapplicationsrelease13.html#register-and-activate-oracle-fusion-applications-in-oracle-identity-cloud-service>