


1 point

1.

Consider the given network. What is the value of node F's local clustering coefficient?



- 0.5
- 0.6
- 0.7
- 0.8


1 point


2.

Given the following two networks, which of the following is True?

Module 2 Quiz

Quiz, 10 questions






- Network (A) has higher average local clustering coefficient and higher transitivity than (B).
- Network (A) has higher average local clustering coefficient but lower transitivity than (B).
- Network (A) has lower average local clustering coefficient and lower transitivity than (B).
- Network (A) has lower average local clustering coefficient but higher transitivity than (B).


1 point

3

Consider the network shown below and select all that apply.




- The radius of this network is half of its diameter.
- The deletion of node G will make the network disconnected.
- If we perform Breadth-First Search (BFS) from node A, the BFS tree we obtain will have a depth of 4.
- Node C and D are in the center of the network.
- F is the only in the periphery of the network.
- The eccentricity of node B and C are equal.



4.

Select all that apply for the network below.



It is a disconnected graph with 2 connected components.

If edge (E,G) is removed, the number of connected components will not change.


The local clustering coefficient of node I is higher than node J and K.

We can make the graph connected by adding edge (E,J).

1 point

5.

Consider three networks (A), (B) and (C) below and select all that apply.




Only network (B) is a strongly connected graph.

We can change network (A) from a weakly connected graph to a strongly connected graph by adding a directed edge from node C to node D.

All edges in network (B) are needed for the network to be strongly connected. Quiz, 10 questions We only need to add one directed edge in order to change network (C) to a strongly connected graph.
1 point 6.
Which of the following is true about network robustness and connectivity? Select all that apply.
The closure of an airport and the cancellation of a flight route are examples of two different kinds of network attacks in the real world.
Adding more edges to a network always makes it more robust.
A network that has a high average local clustering coefficient always has a high node connectivity.
Network robustness measures a network's ability to maintain its connectivity.
Adding edges to a network can never make the network less robust.
1

7. Consider the network given below.




What's the node connectivity of the network?

1
2
3
4

1 point

8.




What is the edge connectivity of the network?

- \bigcirc 3

1 point

9.

The directed network below shows how information can be transferred between nodes. For example, node A can pass the information to node C directly but not vice-versa. If node C wants to send messages to node A, all data must be forwarded by node B.




What is the total number of simple paths from node D to node K?

- () ϵ
- \bigcirc 7
- () 8



10.

The directed network below shows how information can be transferred between nodes. For example, node A can pass the information to node C directly but not vice-versa. If node C wants to send messages to node A, all data must be forwarded by node B.



Suppose we want to block all information channels from node E to node K. Which of the following options achieve this goal? Check all that apply.

	Removing node H only	
	Removing node G and H	
	Removing node F and H	
	Removing edge (H,K)	
	Removing edges (H,K) and (E,F)	
	Removing edges (H,K) and (F,G)	
I, HIN-WENG WAN , understand that submitting work that isn't my own may result in permanent failure of this course or deactivation of my Coursera account. Learn more about Coursera's Honor Code		
Submit Quiz		

, 🖓