


# Meet Claude-Mem: The Friendly Memory Engine

Everything you need to know to build agents that remember.  
No code required. Keep this open while you hack.



Open source.  
Loved by  
100,000+  
developers.



# Why Start Cold When You Can Start Warm?



- ❄ Every session starts cold (re-reads everything).
- ❄ High reading effort and cost (wasted money).
- ❄ Lost rationale (Why did we do this? Nobody knows).



- ☀ Session opens with a warm boot timeline.
- ☀ Titles-first recall (typical startup context reports ~99% savings).
- ☀ Decisions recorded permanently with their rationale.



# The Buddy System: Two Agents, Two Jobs



## Main Agent: The Builder

**Does:** Reads, edits, runs commands, talks to you.

**Sees:** Your prompts, the files, the results.

**Speed:** Never waits for the observer. Fast and focused.

**Does:**

**Decides:**  
to build next.



## Second Agent: The Observer

**Does:** Watches and writes notes. Never talks to you.

Every single action the builder takes, plus the result. (Most of the

**Speed:** Works silently in the background.

**Decides:** Is this worth a note?  
time: no).

Golden Rule: Claude-Mem observes from the outside. If the Observer vanished, the Builder would carry on perfectly fine—just without a memory for next time.



# Filtering the Noise: Note or No Note?



The Observer watches every action, but only saves the golden nuggets.



# The Journey of a Session





# Anatomy of a Perfect Memory

**Title:** One line: what happened. Future agents usually read only this.

**Subtitle:** One line of context (which part, what situation).

**Facts:** ~3 single-sentence bullets.  
**Rule:** Each must make sense completely alone.

● **bugfix** · 3:48 PM — Fixed login redirect loop caused by stale session cookie.

- Loop only happened >24h.
- Fix clears cookie before redirect.
- Logic in auth middleware.

**Narrative:** looked like a frontend routing bug; cause was server-side.  
**tags:** problem-solution, gotcha

**Narrative:** A short paragraph telling the story and the why.

**Category & Tags:** Reusable knowledge labels (e.g., bugfix, gotcha).

**Files & Timestamp:** Where to jump next, and when it happened.



# Your Memories Live Where You Work



**Local First:** A local database + meaning-aware search index in `~/.claude-mem`. Nothing leaves your machine except the AI observing.



**The Viewer Page:** Watch notes land in real-time. Browsable and searchable right on your machine.




**Cloud Sync (Optional):** CMEM Pro syncs across machines.

Hackers get 30  
days free!  
Code: **FASTHACK30**  
at [cmem.ai](https://cmem.ai)



# The Golden Mantra: Titles First, Details on Demand





# Swapping Modes: The Universal Memory Engine

The entire system is driven by a **simple** plain-text config file.  
Swap the file, and you change the Observer's entire job description.



## Software Scribe

Watches for bugs, features, refactors.



## Law Student

Watches for case rules, exam points.



## Email Investigator

Watches for people, timelines, anomalies.



**Any data in, any pattern out.** The observer can read in 30+ shipped languages (code, ja, ar, etc.).



# If You Can See It, The Observer Can Remember It



Don't want to write a config file? Use the `/mode-creator` command. It interviews you, writes the mode, and activates it instantly!



# The Building Blocks You Can Build On



**Timeline:** Time-ordered notes with IDs; anchor on one, read around it.



**Search:** Semantic + keyword, filter by project, category, or date.



**Skills:** Text in → text out commands (mem-search, knowledge-agent, mode-creator).



**Real-Time Observations:** Notes land while the agent works, allowing other systems to react instantly.



**Session Summaries:** The perfect hand-off note at the end of every work sprint.



# Your Five-Minute Quickstart

1

**Step 1:** Install it (npx claude-mem install).

2

**Step 2:** Work in a session (The Observer starts taking invisible notes).

3

**Step 3:** Start a second session in the same project. See the timeline at the top? That's the warm boot memory in action.

4

**Step 4:** Ask your agent "Did we already fix X?" and watch it use Search.

5


**Step 5:** Open the local viewer to watch notes land in real-time.

6

**Step 6:** Run `/mode-creator` and point the Observer at something completely unrelated to code.



# The Quest: \$1,000 Memory Prize



Judged separately from overall 1st-3rd. Extra points: Would someone actually use this in real life?



# The Friendly Glossary (Cheat Sheet)



**Observer** — The silent second agent that takes the notes.



**Action (Tool Use)** — One move the main builder makes (read, edit, search).



**Observation** — A single, highly structured note (Title, Facts, Narrative).




**Timeline** — The time-ordered list of titles injected to start a session.



**Warm Boot** — Starting a session already knowing exactly what happened last time.



**Mode** — The plain-text job description telling the Observer what to look for.



**Skill** — A small, reusable helper command the agent can run.



**Session Summary** — The where we are / what's next hand-off note.