


2025-10-10 09:45:52.432 INFO 2398 [http-nio-6225-exec-8]
org.jasig.cas.client.session.SingleSignOutFilter 165 [] : 请求路径 :
http://testapi.teamshub.com:443/oncon-contract-base/apis/electdoc_template_signlocation_list
/v1.0 请求体内容 :
{"data":{"id":"93456","type":"electdoc_template_signlocation_list","action":"request","version":
"v1.0","userId":"30366","corpid":"10000","templateId":"65e66f075b21434ba83954dd0b8412e7"}}
2025-10-10 09:45:52.433 INFO 2398 [http-nio-6225-exec-8]
com.oncon.contract.common.config.SsoInteceptor 31 [] : 进入拦截器, URI:
2025-10-10 09:45:52.492 INFO 2398 [http-nio-6225-exec-8]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
locationId, templateId, pageNum, keyword, posX, posY, stampTag, signatory, signTimeFormat,
createTime, signMethod, pageNums, pageSignFlag, eUId, signPersonId FROM
template_sign_location WHERE templateId = '65e66f075b21434ba83954dd0b8412e7' AND
corpid = '10000' AND `status` = 1
2025-10-10 09:45:52.492 INFO 2398 [http-nio-6225-exec-8]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为
2025-10-10 09:45:52.492 INFO 2398 [http-nio-6225-exec-8]
com.oncon.contract.controller.ContractController 56 [] : 接口返回 :
{"errcode":0,"result":{"list":[]},"errmsg":"操作成功","status":0}
2025-10-10 09:46:14.501 INFO 2398 [http-nio-6225-exec-5]
org.jasig.cas.client.session.SingleSignOutFilter 165 [] : 请求路径 :
http://testapi.teamshub.com/oncon-contract-base/apis/batchQuery_contract_detail/v1.0, 请求
体内容 :
{"data":{"fileId":"5ad18b2187fd488aa7fde30697290f3b,a9434f0127da4a679c6f89f043d16728,6
17fda1a9f9a427d9f5b7040d45e0d6f,73171710d4f04756992a70b395aa248d,95161fd12569480e
bc8462714f305c9d,77646442b75d49d49650aa3215e91729,cdc80c46ec574aa3a739cd43deceee
d8,8256ebc882f3408090f901d60b6703d1,900209b74ba942d1bfabc88aadfda42f,0777fd59aff24b
03a90961cf9406e0ef,9ca1e50eeeb4092aa3437c393d86c0e,6fd9872912a541a8afdab0bc7ff8d7
59,9f7d6a77047b44188d9684680defdabc,a305f4e5d978485582c53502cbc6fe53,02b7141ee872
4fd182861f2d41498fc8,47000f5231ee429bbd27e4bc119a46bb,90266d2583ce474c97f71eee4a7
8c1da,a7b1dab4264149c2bf0c4a6ea8a06ac5,3cbc0dbca21e4406b4b55ec188bb0802,b8948ff0f7
114e95870f7d3705aeee0e,678f4faf28e3439ab83ac7be8d372785,10a3bd68bb2c4986bca3a5c99
dceaa7a,2c33964d002e42f09d6c31f8e56d4e02,3f1e246ef90f441f93fe8970aad954b6,a23901586
a7d4a27af2d2d7222af4b6d,78a8c9ff58cc4dc1ad787863644b1633,d78c2fec113b4d3699c2d6655
6eb01cb,f554543ca6664833a7c132e8d5da06f6,4c90092f7ee84f3b9064155953c9f562,f7649d73
49ed450a8ae4d4593f73a755"}}
2025-10-10 09:46:14.502 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.SsoInteceptor 31 [] : 进入拦截器, URI:
2025-10-10 09:46:14.504 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpid, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '5ad18b2187fd488aa7fde30697290f3b' group by



哥哥哥哥

试用水印

www



c.contractId
2025-10-10 09:46:14.504 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile= 租赁合同 -null- 测试电子, corpId=9806319565, contractNo=YXDZQZ0000008,
initiator= 永州智慧公寓运营平台, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6,
userId=11454972, createTime=2025-09-03T15:45:37.000+0800, initiateType=1,
contractId=5ad18b2187fd488aa7fde30697290f3b, contractName= 租赁合同 -null- 测试电子,
deadline=2025-09-06 15:45:37, fileId=5ad18b2187fd488aa7fde30697290f3b, status=9,
wishAuth=}]

2025-10-10 09:46:14.505 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '5ad18b2187fd488aa7fde30697290f3b' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.506 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.507 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '5ad18b2187fd488aa7fde30697290f3b' AND cc.`status` != 0
order by cc.createTime desc


2025-10-10 09:46:14.507 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.508 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = '5ad18b2187fd488aa7fde30697290f3b' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.508 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.509 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = 'a9434f0127da4a679c6f89f043d16728' group by
c.contractId

2025-10-10 09:46:14.510 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile=租赁合同 -null- 测试 1, corpId=9806319565, contractNo=YXDZQZ0000009, initiator=



永州智慧公寓运营平台, completeTime=2025-09-15T15:47:23.000+0800, updateTime=2025-09-15T15:47:23.000+0800,

templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972, createTime=2025-09-03T16:48:06.000+0800, initiateType=1,

contractId=a9434f0127da4a679c6f89f043d16728, contractName= 租赁合同 -null- 测试 1, deadline=2025-09-06 16:48:05, fileId=a9434f0127da4a679c6f89f043d16728, status=4, wishAuth=}}

2025-10-10 09:46:14.511 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT cs.eCorpId AS corpld, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject, cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName, cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS `eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName = tsl.locationId WHERE cs.contractId = 'a9434f0127da4a679c6f89f043d16728' AND cs.`status` != 0 and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.512 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为 :[{signName=b4e247f2fb344ee6826df408c5c82549, corpld=9806319565, eUId=10249, signObject=2, stampType=1, creatorId=11454972, corpName= 永州智慧公寓运营平台, userId=11454972, phone=15674982310, empName=tangbw, signatory= 甲方, fileId=a9434f0127da4a679c6f89f043d16728, status=1}, {signName=c3ba42e91e6c434e82f14e3e75c47044, corpld=981100006277322, eUId=10251, signObject=2, stampType=2, creatorId=11454972, corpName=电子签章用户, userId=11454983, phone=15674982310, empName= 唐伯武, signatory= 乙方, fileId=a9434f0127da4a679c6f89f043d16728, status=1}]

2025-10-10 09:46:14.512 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId = c.contractId where cc.contractId = 'a9434f0127da4a679c6f89f043d16728' AND cc.`status` != 0 order by cc.createTime desc

2025-10-10 09:46:14.513 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]


2025-10-10 09:46:14.514 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from contract_file where contractId = 'a9434f0127da4a679c6f89f043d16728' and status != 9 order by createTime DESC

2025-10-10 09:46:14.514 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{uploadFile= 租赁合同 -null- 测试 1, corpld=9806319565, createTime=2025-09-03T16:49:30.000+0800, contractId=a9434f0127da4a679c6f89f043d16728, id=119003, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972, fileId=a9434f0127da4a679c6f89f043d16728, status=1}, {uploadFile= 租赁合同 -null- 测试 1,



嘎嘎嘎

试用水印



corpId=9806319565, createTime=2025-09-03T16:49:23.000+0800,
contractId=a9434f0127da4a679c6f89f043d16728, id=119001,
templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972,
fileId=a9434f0127da4a679c6f89f043d16728, status=1}}

2025-10-10 09:46:14.515 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator, c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime, c.wishAuth, c.updateTime, c.deadline, c.completeTime, c.revokeReason, c.contractNo
from contract c where c.contractId = '617fda1a9f9a427d9f5b7040d45e0d6f' group by
c.contractId

2025-10-10 09:46:14.516 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile=租赁合同-null-唐伯武, corpId=9806319565, contractNo=YXDZQZ0000011, initiator=
永州智慧公寓运营平台, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972,
createTime=2025-09-03T17:50:58.000+0800, initiateType=1,
contractId=617fda1a9f9a427d9f5b7040d45e0d6f, contractName= 租赁合同 -null- 唐伯武 ,
deadline=2025-09-06 17:50:57, fileId=617fda1a9f9a427d9f5b7040d45e0d6f, status=9,
wishAuth=}]

2025-10-10 09:46:14.517 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '617fda1a9f9a427d9f5b7040d45e0d6f' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id


2025-10-10 09:46:14.517 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.518 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '617fda1a9f9a427d9f5b7040d45e0d6f' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.518 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.519 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select * from
contract_file where contractId = '617fda1a9f9a427d9f5b7040d45e0d6f' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.519 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]



2025-10-10 09:46:14.520 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '73171710d4f04756992a70b395aa248d' group by
c.contractId

2025-10-10 09:46:14.520 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile=租约合同-null-向, corpId=9806319565, contractNo=YXDZQZ0000012, initiator=永州
智慧公寓运营平台, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454075,
createTime=2025-09-03T17:52:33.000+0800, initiateType=1,
contractId=73171710d4f04756992a70b395aa248d, contractName=租约合同-null-向,
deadline=2025-09-06 17:52:32, fileId=73171710d4f04756992a70b395aa248d, status=9,
wishAuth=}]

2025-10-10 09:46:14.521 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '73171710d4f04756992a70b395aa248d' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.522 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.523 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '73171710d4f04756992a70b395aa248d' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.523 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.524 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select * from
contract_file where contractId = '73171710d4f04756992a70b395aa248d' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.524 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.525 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,



c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '95161fd12569480ebc8462714f305c9d' group by
c.contractId

2025-10-10 09:46:14.525 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile=租约合同-null-聂, corpId=9806319565, contractNo=YXDZQZ0000013, initiator=永州
智慧公寓运营平台, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454353,
createTime=2025-09-04T16:33:41.000+0800, initiateType=1,
contractId=95161fd12569480ebc8462714f305c9d, contractName= 租 约 合 同 -null- 聂 ,
deadline=2025-09-07 16:33:40, fileId=95161fd12569480ebc8462714f305c9d, status=9,
wishAuth=}]

2025-10-10 09:46:14.526 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '95161fd12569480ebc8462714f305c9d' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.527 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.528 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '95161fd12569480ebc8462714f305c9d' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.528 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.529 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select * from
contract_file where contractId = '95161fd12569480ebc8462714f305c9d' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.529 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.530 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '77646442b75d49d49650aa3215e91729' group by
c.contractId

2025-10-10 09:46:14.531 INFO 2398 [http-nio-6225-exec-5]



com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2, uploadFile= 租赁合同 -null- 测试合同 , corpId=9806319565, contractNo=YXDZQZ0000014, initiator= 永州智慧公寓运营平台 , templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454353, createTime=2025-09-04T16:38:59.000+0800, initiateType=1, contractId=77646442b75d49d49650aa3215e91729, contractName=租赁合同 -null- 测试合同 , deadline=2025-09-07 16:38:58, fileId=77646442b75d49d49650aa3215e91729, status=9, wishAuth=}]

2025-10-10 09:46:14.532 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT cs.eCorpId AS corpld, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject, cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName, cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS `eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName = tsl.locationId WHERE cs.contractId = '77646442b75d49d49650aa3215e91729' AND cs.`status` != 0 and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.532 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.533 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId = c.contractId where cc.contractId = '77646442b75d49d49650aa3215e91729' AND cc.`status` != 0 order by cc.createTime desc

2025-10-10 09:46:14.533 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.534 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select * from contract_file where contractId = '77646442b75d49d49650aa3215e91729' and status != 9 order by createTime DESC

2025-10-10 09:46:14.534 INFO 2398 [http-nio-6225-exec-5]


com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.535 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName, c.initiator, c.initiateType, c.isSort, c.corpld, c.status, c.userId, c.createTime, c.wishAuth, c.updateTime, c.deadline, c.completeTime, c.revokeReason, c.contractNo from contract c where c.contractId = 'cdc80c46ec574aa3a739cd43deceed8' group by c.contractId

2025-10-10 09:46:14.535 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2, uploadFile=租赁合同 -null- 向, corpId=9806319565, contractNo=YXDZQZ0000017, initiator=永州智慧公寓运营平台 , completeTime=2025-09-15T15:47:18.000+0800, updateTime=2025-09-15T15:47:18.000+0800,



templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972,
createTime=2025-09-08T13:39:31.000+0800, initiateType=1,
contractId=cdc80c46ec574aa3a739cd43deceed8, contractName= 租 约 合 同 -null- 向 ,
deadline=2025-09-11 13:39:29, fileId=cdc80c46ec574aa3a739cd43deceed8, status=4,
wishAuth=}}

2025-10-10 09:46:14.537 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpld AS corpld, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = 'cdc80c46ec574aa3a739cd43deceed8' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.537 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果
为 :[{signName=b4e247f2fb344ee6826df408c5c82549, corpld=9806319565, eUId=10249,
signObject=2, stampType=1, creatorId=11454972, corpName= 永州智慧公寓运营平台 ,
userId=11454972, phone=15674982310, empName=tangbw, signatory= 甲 方 ,
fileId=cdc80c46ec574aa3a739cd43deceed8, status=1},
{signName=c3ba42e91e6c434e82f14e3e75c47044, corpld=981100006277322, eUId=10253,
signObject=2, stampType=2, creatorId=11454972, corpName=电子签章用户, userId=11454075,
phone=18774888130, empName= 向 , signatory= 乙 方 ,
fileId=cdc80c46ec574aa3a739cd43deceed8, status=1}]

2025-10-10 09:46:14.538 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = 'cdc80c46ec574aa3a739cd43deceed8' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.538 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.539 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = 'cdc80c46ec574aa3a739cd43deceed8' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.539 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{uploadFile=
租 约 合 同 -null- 向 , corpld=9806319565, createTime=2025-09-08T13:40:55.000+0800,
contractId=cdc80c46ec574aa3a739cd43deceed8, id=119009,
templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972,
fileId=cdc80c46ec574aa3a739cd43deceed8, status=1}]

2025-10-10 09:46:14.540 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select



c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName, c.initiator, c.initiateType, c.isSort, c.corpId, c.status, c.userId, c.createTime, c.wishAuth, c.updateTime, c.deadline, c.completeTime, c.revokeReason, c.contractNo from contract c where c.contractId = '8256ebc882f3408090f901d60b6703d1' group by c.contractId

2025-10-10 09:46:14.541 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2, uploadFile=租约合同-null-聂, corpId=9806319565, contractNo=YXDZQZ0000018, initiator=永州智慧公寓运营平台, completeTime=2025-09-15T15:47:09.000+0800, updateTime=2025-09-15T15:47:09.000+0800, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972, createTime=2025-09-08T14:16:10.000+0800, initiateType=1, contractId=8256ebc882f3408090f901d60b6703d1, contractName=租约合同-null-聂, deadline=2025-09-11 14:16:09, fileId=8256ebc882f3408090f901d60b6703d1, status=4, wishAuth=}]

2025-10-10 09:46:14.542 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:SELECT cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject, cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName, cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS `eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName = tsl.locationId WHERE cs.contractId = '8256ebc882f3408090f901d60b6703d1' AND cs.`status` != 0 and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.542 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为 :[{signName=b4e247f2fb344ee6826df408c5c82549, corpId=9806319565, eUId=10249, signObject=2, stampType=1, creatorId=11454972, corpName=永州智慧公寓运营平台, userId=11454972, phone=15674982310, empName=tangbw, signatory=甲方, fileId=8256ebc882f3408090f901d60b6703d1, status=1}, {signName=c3ba42e91e6c434e82f14e3e75c47044, corpId=981100006277322, eUId=10211, signObject=2, stampType=2, creatorId=11454972, corpName=电子签章用户, userId=11451854, phone=15213228338, empName=聂顺超, signatory=乙方, fileId=8256ebc882f3408090f901d60b6703d1, status=1}]

2025-10-10 09:46:14.543 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId = c.contractId where cc.contractId = '8256ebc882f3408090f901d60b6703d1' AND cc.`status` != 0 order by cc.createTime desc

2025-10-10 09:46:14.543 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.544 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from



contract_file where contractId = '8256ebc882f3408090f901d60b6703d1' and status != 9 order by createTime DESC

2025-10-10 09:46:14.545 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{uploadFile=租约合同-null-聂, corpld=9806319565, createTime=2025-09-08T14:16:30.000+0800, contractId=8256ebc882f3408090f901d60b6703d1, id=119011, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972, fileId=8256ebc882f3408090f901d60b6703d1, status=1}]

2025-10-10 09:46:14.546 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName, c.initiator,c.initiateType, c.isSort, c.corpld, c.status, c.userId, c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo from contract c where c.contractId = '900209b74ba942d1bfabc88aadfda42f' group by c.contractId

2025-10-10 09:46:14.546 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2, uploadFile=租约合同-null-祝愿, corpld=9806319565, contractNo=YXDZQZ0000019, initiator=永州智慧公寓运营平台, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454086, createTime=2025-09-08T17:08:07.000+0800, initiateType=1, contractId=900209b74ba942d1bfabc88aadfda42f, contractName=租约合同-null-祝愿, deadline=2025-09-11 17:08:05, fileId=900209b74ba942d1bfabc88aadfda42f, status=9, wishAuth=}]

2025-10-10 09:46:14.547 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT cs.eCorpld AS corpld, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject, cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName, cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS `eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName = tsl.locationId WHERE cs.contractId = '900209b74ba942d1bfabc88aadfda42f' AND cs.`status` != 0 and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.547 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.548 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId = c.contractId where cc.contractId = '900209b74ba942d1bfabc88aadfda42f' AND cc.`status` != 0 order by cc.createTime desc

2025-10-10 09:46:14.549 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.549 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from

contract_file where contractId = '900209b74ba942d1bfabc88aadfda42f' and status != 9 order by createTime DESC

2025-10-10 09:46:14.550 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]


2025-10-10 09:46:14.551 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '0777fd59aff24b03a90961cf9406e0ef' group by c.contractId

2025-10-10 09:46:14.551 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile=租约合同-null-祝愿, corpId=9806319565, contractNo=YXDZQZ0000021, initiator=永
州 智 慧 公 寓 运 营 平 台 , updateTime=2025-09-15T16:00:50.000+0800,
templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454086,
createTime=2025-09-09T09:35:03.000+0800, initiateType=1,
contractId=0777fd59aff24b03a90961cf9406e0ef, contractName= 租 约 合 同 -null- 祝 愿 ,
deadline=2025-09-12 09:35:03, fileId=0777fd59aff24b03a90961cf9406e0ef, status=4,
wishAuth=}]

2025-10-10 09:46:14.552 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '0777fd59aff24b03a90961cf9406e0ef' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.552 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果
为 :[{signName=b4e247f2fb344ee6826df408c5c82549, corpId=9806319565, eUId=10237,
signObject=2, stampType=1, creatorId=11454086, corpName= 永州智慧公寓运营平台 ,
userId=11454086, phone=13875768367, empName= 祝 愿 , signatory= 甲 方 ,
fileId=0777fd59aff24b03a90961cf9406e0ef, status=2},
{signName=c3ba42e91e6c434e82f14e3e75c47044, corpId=981100006277322, eUId=10219,
signObject=2, stampType=2, creatorId=11454086, corpName=电子签章用户, userId=11451903,
phone=13875768367, empName= 祝 愿 愿 , signatory= 乙 方 ,
fileId=0777fd59aff24b03a90961cf9406e0ef, status=1}]

2025-10-10 09:46:14.553 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '0777fd59aff24b03a90961cf9406e0ef' AND cc.`status` != 0
order by cc.createTime desc





2025-10-10 09:46:14.554 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.555 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = '0777fd59aff24b03a90961cf9406e0ef' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.555 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{uploadFile=
租约合同 -null- 祝愿 , corpld=9806319565, createTime=2025-09-09T09:37:54.000+0800,
contractId=0777fd59aff24b03a90961cf9406e0ef, id=119015,
templatedId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454086,
fileId=0777fd59aff24b03a90961cf9406e0ef, status=1}]

2025-10-10 09:46:14.556 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templatedId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpld, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '9ca1e50eeeb4092aa3437c393d86c0e' group by
c.contractId

2025-10-10 09:46:14.556 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile=租约合同-null-余琳凯, corpld=9806319565, contractNo=YXDZQZ0000023, initiator=
永州智慧公寓运营平台, templatedId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454115,
createTime=2025-09-11T16:55:57.000+0800, initiateType=1,
contractId=9ca1e50eeeb4092aa3437c393d86c0e, contractName= 租约合同 -null- 余琳凯 ,
deadline=2025-09-14 16:55:55, fileId=9ca1e50eeeb4092aa3437c393d86c0e, status=9,
wishAuth=}]

2025-10-10 09:46:14.557 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpld AS corpld, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '9ca1e50eeeb4092aa3437c393d86c0e' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.558 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.559 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '9ca1e50eeeb4092aa3437c393d86c0e' AND cc.`status` != 0
order by cc.createTime desc



2025-10-10 09:46:14.559 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.560 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = '9ca1e50eeeb4092aa3437c393d86c0e' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.560 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.561 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '6fd9872912a541a8afdab0bc7ff8d759' group by c.contractId

2025-10-10 09:46:14.562 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile=租约合同-2025-09-16-测试签约, corpId=9806319565, contractNo=YXDZQZ0000026,
initiator= 永州 智慧 公寓 运营 平台 , updateTime=2025-09-19T10:10:10.000+0800,
templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972,
createTime=2025-09-15T15:36:32.000+0800, initiateType=1,
contractId=6fd9872912a541a8afdab0bc7ff8d759, contractName=租约合同-2025-09-16-测试签
约 , deadline=2025-09-18 15:36:31, fileId=6fd9872912a541a8afdab0bc7ff8d759, status=4,
wishAuth=}]

2025-10-10 09:46:14.563 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '6fd9872912a541a8afdab0bc7ff8d759' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.563 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果
为 :[{signName=b4e247f2fb344ee6826df408c5c82549, corpId=9806319565, eUId=10249,
signObject=2, stampType=1, creatorId=11454972, corpName= 永州 智慧 公寓 运营 平台 ,
userId=11454972, phone=15674982310, empName=tangbw, signatory= 甲 方 ,
fileId=6fd9872912a541a8afdab0bc7ff8d759, status=2},
{signName=c3ba42e91e6c434e82f14e3e75c47044, corpId=981100006277322, eUId=10251,
signObject=2, stampType=2, creatorId=11454972, corpName=电子签章用户, userId=11454983,
phone=15674982310, empName= 唐 伯 武 , signatory= 乙 方 ,
fileId=6fd9872912a541a8afdab0bc7ff8d759, status=1}]

2025-10-10 09:46:14.564 INFO 2398 [http-nio-6225-exec-5]



com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId = c.contractId where cc.contractId = '6fd9872912a541a8afdab0bc7ff8d759' AND cc.`status` != 0 order by cc.createTime desc

2025-10-10 09:46:14.564 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.565 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from contract_file where contractId = '6fd9872912a541a8afdab0bc7ff8d759' and status != 9 order by createTime DESC

2025-10-10 09:46:14.565 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{uploadFile=租 约 合 同 -2025-09-16- 测 试 签 约 , corpld=9806319565, createTime=2025-09-15T15:37:36.000+0800, contractId=6fd9872912a541a8afdab0bc7ff8d759, id=119043, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972, fileId=6fd9872912a541a8afdab0bc7ff8d759, status=1}]

2025-10-10 09:46:14.566 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName, c.initiator, c.initiateType, c.isSort, c.corpld, c.status, c.userId, c.createTime, c.wishAuth, c.updateTime, c.deadline, c.completeTime, c.revokeReason, c.contractNo from contract c where c.contractId = '9f7d6a77047b44188d9684680defdabc' group by c.contractId

2025-10-10 09:46:14.567 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2, uploadFile=租 约 合 同 -2025-09-16-1, corpld=9806319565, contractNo=YXDZQZ0000029, initiator=永州智慧公寓运营平台, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972, createTime=2025-09-15T15:54:29.000+0800, initiateType=1, contractId=9f7d6a77047b44188d9684680defdabc, contractName=租 约 合 同 -2025-09-16-1, deadline=2025-09-18 15:54:29, fileId=9f7d6a77047b44188d9684680defdabc, status=9, wishAuth=}]

2025-10-10 09:46:14.568 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT cs.eCorpld AS corpld, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject, cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName, cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS `eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName = tsl.locationId WHERE cs.contractId = '9f7d6a77047b44188d9684680defdabc' AND cs.`status` != 0 and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.568 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.569 INFO 2398 [http-nio-6225-exec-5]



com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId = c.contractId where cc.contractId = '9f7d6a77047b44188d9684680defdabc' AND cc.`status` != 0 order by cc.createTime desc

2025-10-10 09:46:14.569 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.570 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from contract_file where contractId = '9f7d6a77047b44188d9684680defdabc' and status != 9 order by createTime DESC

2025-10-10 09:46:14.570 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.571 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName, c.initiator,c.initiateType, c.isSort, c.corpld, c.status, c.userId, c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo from contract c where c.contractId = 'a305f4e5d978485582c53502cbc6fe53' group by c.contractId

2025-10-10 09:46:14.572 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2, uploadFile= 租 约 合 同 -2025-09-30-12, corpld=9806319565, contractNo=YXDZQZ0000038, initiator= 永州 智慧 公寓 运营 平台 , templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972, createTime=2025-09-16T13:27:24.000+0800, initiateType=1, contractId=a305f4e5d978485582c53502cbc6fe53, contractName= 租 约 合 同 -2025-09-30-12, deadline=2025-09-19 13:27:24, fileId=a305f4e5d978485582c53502cbc6fe53, status=9, wishAuth=}]

2025-10-10 09:46:14.573 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT cs.eCorpld AS corpld, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject, cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName, cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS `eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName = tsl.locationId WHERE cs.contractId = 'a305f4e5d978485582c53502cbc6fe53' AND cs.`status` != 0 and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.573 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.574 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId = c.contractId where cc.contractId = 'a305f4e5d978485582c53502cbc6fe53' AND cc.`status` != 0 order by cc.createTime desc



2025-10-10 09:46:14.574 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.575 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = 'a305f4e5d978485582c53502cbc6fe53' and status != 9 order by
createTime DESC


2025-10-10 09:46:14.575 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.576 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '02b7141ee8724fd182861f2d41498fc8' group by
c.contractId

2025-10-10 09:46:14.577 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile= 租赁合同 -2025-09-16-14, corpId=9806319565, contractNo=YXDZQZ0000039,
initiator= 永州智慧公寓运营平台 , updateTime=2025-09-24T17:22:39.000+0800,
templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972,
createTime=2025-09-16T13:57:53.000+0800, initiateType=1,
contractId=02b7141ee8724fd182861f2d41498fc8, contractName= 租赁合同 -2025-09-16-14,
deadline=2025-09-19 13:57:53, fileId=02b7141ee8724fd182861f2d41498fc8, status=4,
wishAuth=}]

2025-10-10 09:46:14.578 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '02b7141ee8724fd182861f2d41498fc8' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.578 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果
为 :[{signName=b4e247f2fb344ee6826df408c5c82549, corpId=9806319565, eUId=10249,
signObject=2, stampType=1, creatorId=11454972, corpName= 永州智慧公寓运营平台 ,
userId=11454972, phone=15674982310, empName=tangbw, signatory= 甲方 ,
fileId=02b7141ee8724fd182861f2d41498fc8, status=2},
{signName=c3ba42e91e6c434e82f14e3e75c47044, corpId=981100006277322, eUId=10263,
signObject=2, stampType=2, creatorId=11454972, corpName=电子签章用户, userId=11426478,
phone=15008637976, empName= 郭冬妮 , signatory= 乙方 ,
fileId=02b7141ee8724fd182861f2d41498fc8, status=1}]



2025-10-10 09:46:14.579 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '02b7141ee8724fd182861f2d41498fc8' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.579 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.580 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = '02b7141ee8724fd182861f2d41498fc8' and status != 9 order by
createTime DESC


2025-10-10 09:46:14.581 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{uploadFile=
租 约 合 同 -2025-09-16-14, corpId=9806319565, createTime=2025-09-17T10:26:48.000+0800,
contractId=02b7141ee8724fd182861f2d41498fc8, id=119071,
templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972,
fileId=02b7141ee8724fd182861f2d41498fc8, status=1}]

2025-10-10 09:46:14.582 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '47000f5231ee429bbd27e4bc119a46bb' group by
c.contractId

2025-10-10 09:46:14.582 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile= 租 约 合 同 -2025-09-19-1, corpId=9806319565, contractNo=YXDZQZ0000040,
initiator= 永州 智慧 公寓 运营 平台 , templateId=ee1b1a8c51a34ed5b50eee8fb87762e6,
userId=11454972, createTime=2025-09-19T10:22:17.000+0800, initiateType=1,
contractId=47000f5231ee429bbd27e4bc119a46bb, contractName= 租 约 合 同 -2025-09-19-1,
deadline=2025-09-22 10:22:13, fileId=47000f5231ee429bbd27e4bc119a46bb, status=9,
wishAuth=}]

2025-10-10 09:46:14.583 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '47000f5231ee429bbd27e4bc119a46bb' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.583 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]



2025-10-10 09:46:14.584 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '47000f5231ee429bbd27e4bc119a46bb' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.584 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.585 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = '47000f5231ee429bbd27e4bc119a46bb' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.586 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]


2025-10-10 09:46:14.587 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '90266d2583ce474c97f71eee4a78c1da' group by
c.contractId

2025-10-10 09:46:14.587 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile= 租赁合同 -2025-09-19- 他 , corpId=9806319565, contractNo=YXDZQZ0000041,
initiator= 永州智慧公寓运营平台 , templateId=ee1b1a8c51a34ed5b50eee8fb87762e6,
userId=11454972, createTime=2025-09-19T13:54:08.000+0800, initiateType=1,
contractId=90266d2583ce474c97f71eee4a78c1da, contractName= 租赁合同 -2025-09-19- 他 ,
deadline=2025-09-22 13:54:08, fileId=90266d2583ce474c97f71eee4a78c1da, status=9,
wishAuth=}]

2025-10-10 09:46:14.588 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '90266d2583ce474c97f71eee4a78c1da' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.588 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.589 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '90266d2583ce474c97f71eee4a78c1da' AND cc.`status` != 0



```
order by cc.createTime desc
2025-10-10      09:46:14.589      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]
2025-10-10      09:46:14.590      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = '90266d2583ce474c97f71eee4a78c1da' and status != 9 order by
createTime DESC
2025-10-10      09:46:14.590      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]
2025-10-10      09:46:14.591      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = 'a7b1dab4264149c2bf0c4a6ea8a06ac5' group by
c.contractId
2025-10-10      09:46:14.592      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile= 租约合同 -2025-09-22- 测试, corpId=9806319565, contractNo=YXDZQZ0000043,
initiator= 永州智慧公寓运营平台 , updateTime=2025-09-26T15:36:03.000+0800,
templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972,
createTime=2025-09-22T15:53:30.000+0800, initiateType=1,
contractId=a7b1dab4264149c2bf0c4a6ea8a06ac5, contractName= 租约合同 -2025-09-22- 测试,
deadline=2025-09-25 15:53:30, fileId=a7b1dab4264149c2bf0c4a6ea8a06ac5, status=4,
wishAuth=}]
2025-10-10      09:46:14.593      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, ( CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END ) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = 'a7b1dab4264149c2bf0c4a6ea8a06ac5' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id
2025-10-10      09:46:14.593      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果
为 :[{signName=b4e247f2fb344ee6826df408c5c82549, corpId=9806319565, eUId=10249,
signObject=2, stampType=1, creatorId=11454972, corpName= 永州智慧公寓运营平台 ,
userId=11454972, phone=15674982310, empName=tangbw, signatory= 甲 方 ,
fileId=a7b1dab4264149c2bf0c4a6ea8a06ac5, status=2},
{signName=c3ba42e91e6c434e82f14e3e75c47044, corpId=981100006277322, eUId=10251,
signObject=2, stampType=2, creatorId=11454972, corpName=电子签章用户, userId=11454983,
phone=15674982310, empName= 唐 伯 武 , signatory= 乙 方 ,
```



```
fileId=a7b1dab4264149c2bf0c4a6ea8a06ac5, status=1}}
2025-10-10      09:46:14.594      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = 'a7b1dab4264149c2bf0c4a6ea8a06ac5' AND cc.`status` != 0
order by cc.createTime desc
2025-10-10      09:46:14.594      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]
2025-10-10      09:46:14.595      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = 'a7b1dab4264149c2bf0c4a6ea8a06ac5' and status != 9 order by
createTime DESC
2025-10-10      09:46:14.595      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{uploadFile=
租约合同-2025-09-22-测试, corpId=9806319565, createTime=2025-09-22T16:08:59.000+0800,
contractId=a7b1dab4264149c2bf0c4a6ea8a06ac5, id=119115,
templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972,
fileId=a7b1dab4264149c2bf0c4a6ea8a06ac5, status=1}}]
2025-10-10      09:46:14.597      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '3cbc0dbca21e4406b4b55ec188bb0802' group by
c.contractId
2025-10-10      09:46:14.597      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile= 租约合同 -2025-09-30-25, corpId=9806319565, contractNo=YXDZQZ0000045,
initiator= 永州智慧公寓运营平台 , templateId=ee1b1a8c51a34ed5b50eee8fb87762e6,
userId=11454972, createTime=2025-09-25T09:17:55.000+0800, initiateType=1,
contractId=3cbc0dbca21e4406b4b55ec188bb0802, contractName= 租约合同 -2025-09-30-25,
deadline=2025-09-28 09:17:54, fileId=3cbc0dbca21e4406b4b55ec188bb0802, status=9,
wishAuth=}]
2025-10-10      09:46:14.598      INFO      2398      [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, ( CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END ) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '3cbc0dbca21e4406b4b55ec188bb0802' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id
2025-10-10      09:46:14.598      INFO      2398      [http-nio-6225-exec-5]
```



com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.599 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId = c.contractId where cc.contractId = '3cbc0dbca21e4406b4b55ec188bb0802' AND cc.`status` != 0 order by cc.createTime desc

2025-10-10 09:46:14.599 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.600 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from contract_file where contractId = '3cbc0dbca21e4406b4b55ec188bb0802' and status != 9 order by createTime DESC

2025-10-10 09:46:14.600 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.601 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName, c.initiator,c.initiateType, c.isSort, c.corpld, c.status, c.userId, c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo from contract c where c.contractId = 'b8948ff0f7114e95870f7d3705aeee0e' group by c.contractId

2025-10-10 09:46:14.601 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2, uploadFile= 租 约 合 同 -2025-09-25-e, corpld=9806319565, contractNo=YXDZQZ0000046, initiator= 永州 智慧 公寓 运营 平台 , templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11454972, createTime=2025-09-25T14:17:27.000+0800, initiateType=1, contractId=b8948ff0f7114e95870f7d3705aeee0e, contractName= 租 约 合 同 -2025-09-25-e, deadline=2025-09-28 14:17:26, fileId=b8948ff0f7114e95870f7d3705aeee0e, status=9, wishAuth=}]

2025-10-10 09:46:14.602 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT cs.eCorpld AS corpld, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject, cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName, cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS `eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName = tsl.locationId WHERE cs.contractId = 'b8948ff0f7114e95870f7d3705aeee0e' AND cs.`status` != 0 and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.602 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.603 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =



c.contractId where cc.contractId = 'b8948ff0f7114e95870f7d3705aeee0e' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.603 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.604 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = 'b8948ff0f7114e95870f7d3705aeee0e' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.604 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.605 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '678f4faf28e3439ab83ac7be8d372785' group by
c.contractId

2025-10-10 09:46:14.606 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile= 租约合同 -2025-09-30- 测试, corpId=9806319565, contractNo=YXDZQZ0000047,
initiator= 永州智慧公寓运营平台, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6,
userId=11454113, createTime=2025-09-25T15:51:42.000+0800, initiateType=1,
contractId=678f4faf28e3439ab83ac7be8d372785, contractName= 租约合同 -2025-09-30- 测试,
deadline=2025-09-28 15:51:39, fileId=678f4faf28e3439ab83ac7be8d372785, status=9,
wishAuth=}]

2025-10-10 09:46:14.606 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '678f4faf28e3439ab83ac7be8d372785' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.607 INFO 2398 [http-nio-6225-exec-5]


com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.607 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '678f4faf28e3439ab83ac7be8d372785' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.608 INFO 2398 [http-nio-6225-exec-5]

com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]



2025-10-10 09:46:14.608 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = '678f4faf28e3439ab83ac7be8d372785' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.609 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.610 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '10a3bd68bb2c4986bca3a5c99dceaa7a' group by
c.contractId

2025-10-10 09:46:14.610 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile= 租赁合同 -2025-09-25-252, corpId=9806319565, contractNo=YXDZQZ0000048,
initiator= 永州智慧公寓运营平台 , templateId=ee1b1a8c51a34ed5b50eee8fb87762e6,
userId=11454113, createTime=2025-09-25T15:52:29.000+0800, initiateType=1,
contractId=10a3bd68bb2c4986bca3a5c99dceaa7a, contractName= 租赁合同 -2025-09-25-252,
deadline=2025-09-28 15:52:25, fileId=10a3bd68bb2c4986bca3a5c99dceaa7a, status=9,
wishAuth=}]

2025-10-10 09:46:14.611 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '10a3bd68bb2c4986bca3a5c99dceaa7a' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.611 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.612 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '10a3bd68bb2c4986bca3a5c99dceaa7a' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.612 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.613 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = '10a3bd68bb2c4986bca3a5c99dceaa7a' and status != 9 order by
createTime DESC



2025-10-10 09:46:14.613 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.614 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpId, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '2c33964d002e42f09d6c31f8e56d4e02' group by
c.contractId

2025-10-10 09:46:14.614 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile= 租赁合同 -2025-09-30- 测 q, corpId=9806319565, contractNo=YXDZQZ0000049,
initiator= 永州智慧公寓运营平台 , templateId=ee1b1a8c51a34ed5b50eee8fb87762e6,
userId=11456463, createTime=2025-09-26T13:42:20.000+0800, initiateType=1,
contractId=2c33964d002e42f09d6c31f8e56d4e02, contractName= 租赁合同 -2025-09-30- 测 q,
deadline=2025-09-29 13:42:16, fileId=2c33964d002e42f09d6c31f8e56d4e02, status=9,
wishAuth=}]

2025-10-10 09:46:14.615 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = '2c33964d002e42f09d6c31f8e56d4e02' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.615 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.616 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = '2c33964d002e42f09d6c31f8e56d4e02' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.616 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.617 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select * from
contract_file where contractId = '2c33964d002e42f09d6c31f8e56d4e02' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.618 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.619 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select



c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName, c.initiator, c.initiateType, c.isSort, c.corpId, c.status, c.userId, c.createTime, c.wishAuth, c.updateTime, c.deadline, c.completeTime, c.revokeReason, c.contractNo from contract c where c.contractId = '3f1e246ef90f441f93fe8970aad954b6' group by c.contractId

2025-10-10 09:46:14.619 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2, uploadFile= 租赁合同-2025-09-26-阿尔, corpId=9806319565, contractNo=YXDZQZ0000051, initiator= 永州智慧公寓运营平台, templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11456466, createTime=2025-09-26T15:31:44.000+0800, initiateType=1, contractId=3f1e246ef90f441f93fe8970aad954b6, contractName= 租赁合同-2025-09-26-阿尔, deadline=2025-09-29 15:31:44, fileId=3f1e246ef90f441f93fe8970aad954b6, status=9, wishAuth=}]

2025-10-10 09:46:14.620 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT cs.eCorpId AS corpId, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject, cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName, cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS `eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName = tsl.locationId WHERE cs.contractId = '3f1e246ef90f441f93fe8970aad954b6' AND cs.`status` != 0 and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.620 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.621 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select cc.ccUserId, cc.corpId, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId = c.contractId where cc.contractId = '3f1e246ef90f441f93fe8970aad954b6' AND cc.`status` != 0 order by cc.createTime desc

2025-10-10 09:46:14.621 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.622 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select * from contract_file where contractId = '3f1e246ef90f441f93fe8970aad954b6' and status != 9 order by createTime DESC

2025-10-10 09:46:14.622 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.623 INFO 2398 [http-nio-6225-exec-5] com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName, c.initiator, c.initiateType, c.isSort, c.corpId, c.status, c.userId, c.createTime, c.wishAuth, c.updateTime, c.deadline, c.completeTime, c.revokeReason, c.contractNo from contract c where c.contractId = 'a23901586a7d4a27af2d2d7222af4b6d' group by c.contractId



2025-10-10 09:46:14.623 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile= 租 约 合 同 -2025-09-28- 测 试 签 约 人 , corpld=9806319565,
contractNo=YXDZQZ0000052, initiator= 永 州 智 慧 公 寓 运 营 平 台 ,
templateId=ee1b1a8c51a34ed5b50eee8fb87762e6, userId=11455167,
createTime=2025-09-28T13:42:11.000+0800, initiateType=1,
contractId=a23901586a7d4a27af2d2d7222af4b6d, contractName=租约合同-2025-09-28-测试签
约人, deadline=2025-10-01 13:42:10, fileId=a23901586a7d4a27af2d2d7222af4b6d, status=9,
wishAuth=}]

2025-10-10 09:46:14.624 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :SELECT
cs.eCorpld AS corpld, tsl.signatory, tsl.signMethod, tsl.pageNums, tsl.pageSignFlag, (CASE WHEN
cs.signUserId IS NOT NULL THEN cs.signUserId ELSE u.eUserId END) AS userId, cs.signObject,
cs.phone, cs.stampType, cs.userId AS creatorId, cs.contractId AS fileId, cs.signName,
cs.eCorpName as corpName, cs.userName as empName, cs.`status` AS `status`, cs.`eUId` AS
`eUId` FROM contract_sign cs LEFT JOIN v_external_user u ON cs.eUId = u.id LEFT JOIN contract c
ON cs.contractId = c.contractId LEFT JOIN template_sign_location tsl ON cs.signName =
tsl.locationId WHERE cs.contractId = 'a23901586a7d4a27af2d2d7222af4b6d' AND cs.`status` != 0
and cs.`status` != 9 ORDER BY cs.id

2025-10-10 09:46:14.624 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.625 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
cc.ccUserId, cc.corpld, cc.phone from contract_cc cc LEFT JOIN contract c ON cc.contractId =
c.contractId where cc.contractId = 'a23901586a7d4a27af2d2d7222af4b6d' AND cc.`status` != 0
order by cc.createTime desc

2025-10-10 09:46:14.625 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.626 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为:select * from
contract_file where contractId = 'a23901586a7d4a27af2d2d7222af4b6d' and status != 9 order by
createTime DESC

2025-10-10 09:46:14.626 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[]

2025-10-10 09:46:14.627 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 153 [] : 执行的 sql 语句为 :select
c.contractId, c.contractId AS fileId, c.uploadFile AS uploadFile, c.templateId, c.contractName,
c.initiator,c.initiateType, c.isSort, c.corpld, c.status, c.userId,
c.createTime,c.wishAuth,c.updateTime,c.deadline,c.completeTime,c.revokeReason,c.contractNo
from contract c where c.contractId = '78a8c9ff58cc4dc1ad787863644b1633' group by
c.contractId

2025-10-10 09:46:14.628 INFO 2398 [http-nio-6225-exec-5]
com.oncon.contract.common.config.MybatisInterceptor 154 [] : 执行的 sql 结果为:[{isSort=2,
uploadFile=租约合同-2025-09-28-测试签约人, corpld=9806319565,