

Safety Data Sheet(SDS)

Ref: Q/JL SX01P03-202001

SILICONE SEALANT

No.: SDS21EA187EN-A443
JL Code:

Revision date: 2026-03-17 Issue Date: 2026-03-17 1/8

Page:

1. IDENTIFICATION OF THE CHEMICAL AND SUPPLIER

1.1 Product identifier

Product Name : SILICONE SEALANT

1.2 Manufacturer or supplier's details

Company : TAIZHOU ZHONGYI CHEMICAL CO.,LTD...
Office Address : BAIMI VILLAGE, BAIMI TOWN,JIANGYAN CITY,JIANGSU,CHINA,225500
Web : www.taizhouzhongyi.cn
Post code : 311200
Telephone number : +86-0571-8266 1586
Fax number : +86-0571-8282 5986
E-mail : evan.you@favourchem.com

1.3 Recommended use of the chemical and restrictions on use

Recommended Use : Bonding and sealing
Advised Against : At this moment in time we do not have information on use restrictions. They will be included in this document when available.

1.4 Emergency Number

Emergency Number : +86-0571-8282 5982

2. HAZARDS IDENTIFICATION

2.1 GHS Classification

Eye Irrit. : Cate.2A
Skin Irrit. : Cate.2

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance/mixture

3.2 Components

Component	CAS-	Concentration(Wt%)	Classification
Silicon dioxide	7631-86-9	10~20	Not Classified

Safety Data Sheet(SDS)

Silicone rubber,methyl RTV	≥50	Not classified
63148-60-7 107		
Poly(dimethylsiloxane)	63148-62-9 10~20	Not classified

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

4. FIRST AID MEASURES

4.1 Description of necessary first aid measures

- General advice : Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
- Eye contact : Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.

SILICONE SEALANT

Ref: Q/JL SX01P03-202001

No.: SDS21EA187EN-A443

JL Code:

Revision date: 2026-03-17 Issue Date: 2026-03-17 Page: 2/8

- Skin contact : Remove contaminated clothing and shoes immediately. Rinse immediately with plenty of water for at least 15 minutes. Consult a physician if irritation persists or if you feel uncomfortable.
- Ingestion : DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
- Inhalation : Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. May cause an allergic skin reaction, serious eye irritation, damages to organs through prolonged or repeated exposure. Ingestion is likely to be harmful or have adverse effects.

4.3 Protection of first-aiders

- First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- Ensure that medical personnel are aware of the substance involved.
- Take precautions to protect themselves and prevent spread of contamination.

4.4 Notes to physician

- Treat symptomatically and supportively.
- Symptoms may be delayed.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing agent suitable for type of surrounding fire.
- Unsuitable extinguishing media : There is no restriction on the type of extinguisher which may be used.

Safety Data Sheet(SDS)

5.2 Specific hazards arising from the substance or mixture

Development of hazardous combustion gases or vapor possible in the event of fire. May expansion or decompose explosively when heated or involved in fire.

5.3 Advice for firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- Fight fire from a safe distance, with adequate cover.
- Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

- Use personal protective equipment. Keep unprotected persons away.
- Follow safe handling advice and personal protective equipment recommendations.
- Avoid contact with skin, eyes and inhalation of vapors.
- Remove all sources of ignition.
- Use personal protection recommended in Section 8.

6.2 Environmental precautions

- Discharge into the environment must be avoided.
- Prevent further leakage or spillage if safe to do so.Retain and dispose of contaminated wash water.
- Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

- Soak up with inert absorbent material.
- For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
- Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are appl

R Q/JL
e SX01P03-
f 202001
:
N SDS21EA187
o EN-A443
:
:
J
L
C
o
d
e
:
:

SILICONE SEALANT

6.4 Reference to other sections

See Section 7, Ssection 8, Section 13, Senction 15 for more information.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handling is performed in a well ventilated place. Wear suitable protective equipment.

Avoid contact with skin and eyes. Keep away from heat/sparks/open flames/ hot surfaces.

Take care to prevent spills, waste and minimize release to the environment. Persons susceptible to allergic reactions should not handle this product.

7.2 Precautions for storage

Keep containers tightly closed.

Keep containers in a dry, cool and well-ventilated place. Keep away from heat/sparks/open flames/hot surfaces.

Store away from incompatible materials and foodstuff containers.

7.3 Materials to avoid

Strong oxidizing agents, Organic peroxides, Acids, Foodstuffs, Explosives, Hot, Heat.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure limit values

No further relevant information available.

Biological limit values

Biological limit values : No data available

Monitoring methods

EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical agents. GBZ/T 300.1~GBZ/T 300.160-2017; GBZ/T 300.161~GBZ/T 300.164-2018 Determination of toxic substances in workplace air (Series standard).d biological agents.

8.2 Engineering controls

Ensure adequate ventilation, especially in confined areas.

Ensure that eyewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting/equipment.

Set up emergency exit and necessary risk-elimination area.

8.3 Personal protection equipment

Personal protective equipment



Respiratory protection	:	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
Hand protection	:	Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU), US F739 or AS/NZS 2161.1 standard.
Eye protection	:	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US)).
Skin and body protection	:	Wear fire/flame resistant/retardant clothing and antistatic boots. Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SILICONE SEALANT

Ref: Q/JL SX01P03-202001
No.: JL SDS21EA187EN-A443
Code:

Safety Data Sheet(SDS)

Hygienic measures : Ensure that eye flushing systems and safety showers are located close to the working place.

When using do not eat, drink or smoke.Wash contaminated clothing before reuse.

Do not inhale gases / fumes / aerosols.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Paste
Odor	:	Acetic
Odor threshold		No information available
pH	:	Not applicable
Melting point/freezing point	:	No information available
Initial boiling point and boiling range (°C)	:	>35
Flash point (°C)	:	≥93°C (Closed cup)
Evaporation rate	:	No information available
Flammability	:	Not flammable
Upper explosive limits[% (v/v)]	:	No information available
Lower explosive limits[% (v/v)]	:	No information available
Vapor pressure	:	No information available
Relative vapour density (Air = 1)	:	No information available
Relative density (Water=1)	:	0.93~1.13
Solubility (mg/L)	:	Insoluble
n-octanol/water partition coefficient	:	No information available
Dynamic viscosity	:	No information available
Particle characteristics	:	No information available
Explosive properties	:	Non explosive
Oxidizing properties	:	Non oxidizing

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	No information available.
Possibility of hazardous reactions	:	Incompatible materials, heat, flame and spark.
Incompatible materials	:	No information available.
Hazardous decomposition products	:	No date available.

11. TOXICOLOGICAL INFORMATION

11.1 Acute toxicity

Safety Data Sheet(SDS)

Component	CAS-No.	LD50(oral)	LD50(dermal)	LC50(inhalation,4h)
Methylsilanetriyl triacetate	4253-34-3	2060mg/kg(Mouse)	No information available	No information available

11.2 Carcinogenicity

Component	CAS-No.	IARC	NTP
-----------	---------	------	-----

Ref:

Q/JL SX01P03-202001

SILICONE SEALANT

No.: SDS21EA187EN-A443

JL Code:

Revision date: 2026-03-17

Issue Date: 2026-03-17

5/8

Page:

Methylsilanetriyl triacetate	4253-34-3	Not Listed	Not Listed
Silicon dioxide	7631-86-9	Not Listed	Not Listed
Silicone rubber,methyl RTV 107	63148-60-7	Not Listed	Not Listed
Poly(dimethylsiloxane)	63148-62-9	Not Listed	Not Listed

11.3 Others

SILICONE SEALANT	
Skin corrosion/irritation	No further information available
damage/irritation	No further information available Serious eye
Skin sensitization	No further information available
Respiratory sensitization	No further information available
Reproductive toxicity	No further information available
STOT-single exposure	No further information available
STOT-repeated exposure	No further information available
Aspiration hazard	No further information available
Germ cell mutagenicity	No further information available
Reproductive toxicity(additional)	No further information available

12. ECOLOGICAL INFORMATION

12.1 Acute aquatic toxicity	No further relevant information available.
12.2 Chronic aquatic toxicity	No further relevant information available.
12.3 Persistence and degradability	No further relevant information available.
12.4 Bioaccumulative potential	No further relevant information available.
12.5 Mobility in soil	No further relevant information available.

Safety Data Sheet(SDS)

12.6 Results of PBT and vPvB assessment

Component	LD50(oral)	Results of PBT and vPvB assessment (according to (EC) No 1907/2006)
Methylsilanetriyl triacetate	4253-34-3	not PBT/vPvB
Silicon dioxide	7631-86-9	not PBT/vPvB
Silicone rubber,methyl RTV 107	63148-60-7	not PBT/vPvB
Poly(dimethylsiloxane)	63148-62-9	not PBT/vPvB

13. DISPOSAL CONSIDERATIONS

- Disposal methods**
- Waste from residues : Dispose of in accordance with local regulations.
- Contaminated packaging: Empty containers should be taken to an approved waste handling site for recycling or disposal.Do not pierce or burn, even after use. If not otherwise specified: Dispose of as unused product.
- Disposal recommendation: Refer to section waste chemicals and contaminated packaging.

SILICONE SEALANT

R Q/JL
ef SX01P03-
: 202001
N SDS21EA187E
o. N-A443
:
JL
C
o
de
:
Page: 6/8

Revision date: 2026-03-17 Issue Date: 202-03-17

14. TRANSPORT INFORMATION

- 14.1 UNRTDG:**
- UN No. : N/A
- Class : N/A
- Packaging group : N/A

Marine pollutant :

Shipping Name : N/A

- 14.2 Marine transport -Code:**
- Transportation Code: MDG
- UN No. : N/A
- Class : N/A

Safety Data Sheet(SDS)

Pakaging group : N/A

Marine pollutant :

Shipping Name : N/A

14.3 RoadsporADR:

Transport

UN No. : N/A

Class : N/A

Pakaging group : N/A

Marine pollutant :

Shipping Name : N/A

14.4 Air port TA-DGR:

Transport

UN No. : N/A

Class : N/A

Pakaging group : N/A

Marine pollutant :

Shipping Name

: N/A

.

1 REGULATRY INFORMATION

5 O I ON

r the substance or mixture.

16. OTHER INFORMATION

16.1 National Fire Protection Association (U.S.A.)

Health : 1

Ref: Q/JL SX01P03-202001

SILICONE SEALANT

No.: SDS21EA187EN-A443
JL Code:

Safety Data Sheet(SDS)

Flammability : 1
Instability/Reactivity : 1
Special : N/A

16.2 Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC) ,website: <http://www.ilo.org/dyn/icsc/showcard.home>
[2] IARC, website: <http://www.iarc.fr/>
[3] OECD: The Global Portal to Information on Chemical Substances, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en.
[4] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
[5] NLM: ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
[6] EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>
[7] U.S. Department of Transportation: ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
[8] Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>
[9] European Chemicals Agency, <http://echa.europa.eu/>

16.3 Full text of other abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways;
ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road;
IBC: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
IMO: International Maritime Organization; ISHL: Industrial Safety and Health Law (Japan);
OSHA: United States Department of Labor: Occupational Safety and Health Administration;
RID: Regulations concerning the International Carriage of Dangerous Goods by Rail;
UNRTDG: United Nations Recommendations on the Transport of Dangerous Goods;
MARPOL: International Convention for the Prevention of Pollution from Ships;
AICS: Australian Inventory of Chemical Substances; ACGIH: American Conference of Governmental Industrial Hygienists;
AIHA: American Industrial Hygiene Association; O: International Organisation for Standardization;
ASTM: American Society for the Testing of Materials; KECI: Korea Existing Chemicals Inventory;
ATE: Acute toxicity estimate; LC50: Lethal Concentration to 50 %;
CMR: Carcinogen, Mutagen or Reproductive Toxicant; LD50: Lethal Dose to 50%(Median Lethal Dose);
CMR: Carcinogen, Mutagen or Reproductive Toxicant; EC50: Effective Concentration 50%
DSL: Domestic Substances List (Canada); IC50: Half maximal inhibitory concentration;
ECx: Concentration associated with x% response; PICCS: Philippines Inventory of Chemicals and Chemical Substances;
ELx: Loading rate associated with x% response; OECD: Organization for Economic Co-operation and Development;
EmS: Emergency Schedule; n.o.s.: Not Otherwise Specified;
ENCS: Existing and New Chemical Substances (Japan); NO(A)EC: No Observed (Adverse) Effect Concentration;
ErCx: Concentration associated with x% growth rate response; NO(A)EL: No Observed (Adverse) Effect Level;
GLP: Good Laboratory Practice; NZIoC: New Zealand Inventory of Chemicals;
IARC: International Agency for Research on Cancer; OPPTS: Office of Chemical Safety and Pollution Prevention;
IATA: International Air Transport Association; PBT: Persistent, Bioaccumulative and Toxic substance;
ICAO: International Civil Aviation Organization; (Q)SAR: (Quantitative) Structure Activity Relationship;
IECSC: Inventory of Existing Chemical Substances in China; SADT: Self-Accelerating Decomposition Temperature;
IMDG: International Maritime Dangerous Goods; STEL: Short Term Exposure Limit;

Safety Data Sheet(SDS)

NFPA: National Fire Protection Association

TCSI: Taiwan Chemical Substance Inventory;

UN: United Nations;

TSCA: Toxic Substances Control Act (United States);

Ref:

Q/JL SX01P03-202001

SILICONE SEALANT

No.: SDS21EA187EN-A443 JL

Code:

Revision date: 2026-03-17

Issue Date: 2026-03-17

8/8

Page:

TWA: Time-Weighted-Average;

vPvB: Very Persistent and Very Bioaccumulative.

PCAverage-TWA: Permissible concentration -Time Weighted

PC-STEL: Permissible concentration-Short Term Exposure Limit

16.4 Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 7th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

-----END-----