


International Trade Data API User Guide



Contents

3	<i>Introduction</i>
3	<i>Accessing the Census API</i>
4	<i>Uniform Resource Identifiers (URIs) and Endpoints</i>
5	<i>Choosing the Right Endpoint</i>
5	<i>Port and State Level Data</i>
6	<i>Accessing the Trade Data</i>
6	<i>Output Format</i>
7	<i>Parameters</i>
7	<i>Default Value for Parameters</i>
8	<i>Description Parameters</i>
8	<i>Invalid Parameters</i>
9	<i>Missing Required Parameters</i>
9	<i>Invalid Combination of Parameters</i>
10	<i>Valid Request with No Results</i>
11	<i>Units of Quantity</i>
11	<i>Missing Values</i>
12	<i>Hexidecimal Equivalents</i>
13	<i>Example Calls</i>
15	<i>Summary Levels</i>
16	<i>Commodity Aggregation Level (COMM_LVL)</i>
17	<i>Country Grouping Codes</i>
17	<i>Release Schedule</i>
17	<i>Questions</i>
17	<i>Available Variables by Endpoint</i>
18	<i>Appendix A – Export Parameters</i>
21	<i>Appendix B – Import Parameters</i>
25	<i>Appendix C – Export Summary Levels</i>
26	<i>Appendix D – Import Summary Levels</i>
27	<i>Appendix E – Country Grouping Codes</i>

Introduction

This user guide explains how to access the Monthly International Trade Datasets and their associated meta-data as published in the Census API. It also serves as an informational resource about the datasets. This guide assumes that you already have some familiarity with the concepts and techniques of retrieving data from web services. See the *International Trade Developers Page* for more information.

International Trade Query Builder Tool

The *International Trade Query Builder Tool* is a live-connection graphical user interface to the Monthly International Trade Datasets. For new users of the API this tool is an easy method of constructing a properly formatted API call. For more experienced users this tool is an effective shortcut to building complex API calls.

Census API Key

An API Key is needed to access the Census API. A Key is a 40-character string that you append to the end of your API calls in the following format: `&key=<your 40 character key>`.

To request a Key register at https://api.census.gov/data/key_signup.html. To register, you must provide your name (or organization name), a valid email address, and agree to the published terms of service.

After completing the registration form, you will receive an email containing your assigned API Key and an activation link. You must click on the link to activate your Key.

URIs and Endpoints

The Uniform Resource Identifiers (URIs) of the Monthly International Trade Dataset endpoints are as follows:

Exports

[https://api.census.gov/data/timeseries/intltrade/exports/\[dataset\]](https://api.census.gov/data/timeseries/intltrade/exports/[dataset])

Imports

[https://api.census.gov/data/timeseries/intltrade/imports/\[dataset\]](https://api.census.gov/data/timeseries/intltrade/imports/[dataset])

Data set:	Export Endpoints	Import Endpoints
Harmonized System (HS)	https://api.census.gov/data/timeseries/intltrade/exports/hs	https://api.census.gov/data/timeseries/intltrade/imports/hs
Harmonized System (HS) by State	https://api.census.gov/data/timeseries/intltrade/exports/statehs	https://api.census.gov/data/timeseries/intltrade/imports/statehs
Harmonized System (HS) by Port	https://api.census.gov/data/timeseries/intltrade/exports/porths	https://api.census.gov/data/timeseries/intltrade/imports/porths
North American Industry Classification System (NAICS)	https://api.census.gov/data/timeseries/intltrade/exports/naics	https://api.census.gov/data/timeseries/intltrade/imports/naics
NAICS by State	https://api.census.gov/data/timeseries/intltrade/exports/statenaics	https://api.census.gov/data/timeseries/intltrade/imports/statenaics
End-Use	https://api.census.gov/data/timeseries/intltrade/exports/enduse	https://api.census.gov/data/timeseries/intltrade/imports/enduse
Standard International Trade Classification (SITC)	https://api.census.gov/data/timeseries/intltrade/exports/sitc	https://api.census.gov/data/timeseries/intltrade/imports/sitc
Advance Technology (Hi-tech)	https://api.census.gov/data/timeseries/intltrade/exports/hitech	https://api.census.gov/data/timeseries/intltrade/imports/hitech
USDA (Ag or NonAg)	https://api.census.gov/data/timeseries/intltrade/exports/usda	https://api.census.gov/data/timeseries/intltrade/imports/usda

Selecting an Endpoint

Selecting the correct endpoint(s) will depend upon your preferred commodity classification system and geography. For example, if you would like U.S. export data aggregated by NAICS codes then choose the Export NAICS endpoint. HS, NAICS, End-Use, SITC, USDA, and Advanced Technology endpoints all have district and country level detail and totals.

Port and State Level Data


To avoid disclosure, port-level data is only available at the 2-, 4-, and 6-digit HS levels and state-level data is only available at the 2-, 4-, and 6-digit HS levels and 2-, 3-, and 4-digit NAICS levels. These different levels of detail are why state and port endpoints are separate from the others.

Dataset	Level of Detail for Exports	Level of Detail for Imports
Harmonized System (HS)	2-,4-,6-,& 10-digit HS by Country by District by Domestic/Foreign (DF)	2-,4-,6-,& 10-digit HS by Country by District by Rate Provision by Country Subcode
Harmonized System (HS) by State	2-,4-,& 6-digit HS by Country by State	2-,4-,& 6-digit HS by Country by State
Harmonized System (HS) by Port	2-,4-,& 6-digit HS by Country by Port	2-,4-,& 6-digit HS by Country by Port
North American Industry Classification System (NAICS)	2-,3-,4-,5- & 6-digit NAICS by Country by District by DF	2-,3-,4-,5- & 6-digit NAICS by Country by District
NAICS by State	2-,3-,& 4-digit NAICS by Country by State	2-,3-,& 4-digit NAICS by Country by State
End-Use	1-& 5-digit End-Use by Country by District by DF	1-& 5-digit End-Use by Country by District
Standard International Trade Classification (SITC)	SITC by Country by District by DF	SITC by Country by District
Advance Technology (Hi-tech)	Hi-tech by Country by District by DF	Hi-tech by Country by District
USDA (Ag or NonAg)	USDA by Country by District by DF	USDA by Country by District

Accessing International Trade Data

Use the URIs above to access the Monthly Trade Datasets in the Census API. You can retrieve data by sending an HTTPS GET to the URI with the appropriate (querystring) parameters. A comprehensive list of available export and import parameters is found in appendices [A](#) and [B](#).

Here is an example API call. The call specifies that the request is for the January 2016 monthly export value (note: the API Key below is not valid).



For reasons of space and clarity, the following API call examples will not include an API Key. API calls without an API Key will fail.

Output Formats

When unspecified, the default API data format is the Javascript Object Notation (*JSON*) format. There is also an option to obtain a comma-delimited file by specifying `&outputFormat=csv`.

Parameters

There are currently 56 export parameters (*appendix A*) and 85 import parameters (*appendix B*) in the Monthly International Trade Datasets. Note that not all variables are available in each endpoint. The following section gives guidance on how to use these parameters correctly.

Time Parameters

Calls must include either the *time* or YEAR/MONTH parameters. The following API call will result in the following message: "error: missing required variable/predicate: time".



`https://api.census.gov/data/timeseries/intltrade/imports/hs?get=DISTRICT,DIST_NAME,GEN_VAL_YR`

Adding a specified *time* parameter or YEAR/MONTH to the API call resolves the error.



`https://api.census.gov/data/timeseries/intltrade/imports/hs?get=DISTRICT,GEN_VAL_YR&time=2013-03`

There are two methods of requesting a custom time range. The time parameter has a native syntax for date ranges where adding "`&time=from+2022-03+to+2022-07`" will return data from March – July 2022.

That same date range requested using the YEAR/MONTH combination is done as follows:
“&YEAR=2022&MONTH=03&MONTH=04&MONTH=05&MONTH=06&MONTH=07”.



Because ‘time’ is an API defined parameter, and not a variable defined in the dataset, it uses more processing resources, leading to more frequent API timeout errors. For larger requests we recommend using YEAR/MONTH.

Default Values for Parameters

The default value for all *string type parameters* is a dash (-). This means that calls that do not apply filtering parameters will return the total value for the specified string parameter. For example, the following call has no defined parameters other than ALL_VAL_MO, meaning the result will return a total value for that variable in that endpoint and time.

https://api.census.gov/data/timeseries/intltrade/exports/hs?get=ALL_VAL_MO&time=2013-01

```
[["ALL_VAL_MO", "time"],  
["123031879061", "2013-01"]]
```

Adding the parameters for country (CTY_CODE or CTY_NAME), HS (E_COMMODITY), district (DISTRICT), and/or domestic/foreign (DF) will return the total value of all countries, HS codes, districts, and/or DF values in January 2013. If you add the country code parameters (CTY_CODE,CTY_NAME) to your call, then your call will return the total export value for January 2013 broken down by country.

https://api.census.gov/data/timeseries/intltrade/exports/hs?get=CTY_CODE,CTY_NAME,ALL_VAL_MO&time=2013-01

```
[["CTY_CODE", "CTY_NAME", "ALL_VAL_MO", "time"],  
["-", "TOTAL FOR ALL COUNTRIES", "123031879061", "2013-01"],  
["1010", "GREENLAND", "233446", "2013-01"],  
["1220", "CANADA", "23170845914", "2013-01"],  
["2010", "MEXICO", "17902453702", "2013-01"],  
["2050", "GUATEMALA", "425978783", "2013-01"],  
["2080", "BELIZE", "17795867", "2013-01"],  
....]
```



API results are not sorted on a parameter, they are instead returned by record order, meaning “TOTAL FOR ALL COUNTRIES” may not always appear as the first record. Changing the sort order must be done outside of the API.

Similarly, adding DF to the original call returns the total export value broken out by domestic (DF=1) and foreign (DF=2) export value.

https://api.census.gov/data/timeseries/intltrade/exports/hs?get=DF,ALL_VAL_MO&time=2013-01

```
[["DF", "ALL_VAL_MO", "time"],
["-", "123031879061", "2013-01"],
["1", "107249767181", "2013-01"],
["2", "15782111880", "2013-01"]]
```

Description Parameters

There are certain string parameters that must be used in conjunction with their corresponding code parameter. If not, the the call will not return expected results. These parameters are noted in Appendixes A and B.



https://api.census.gov/data/timeseries/intltrade/exports/hs?get=CTY_NAME,ALL_VAL_MO&YEAR=2017&MONTH=04

```
[["CTY_NAME", "ALL_VAL_MO", "YEAR", "MONTH"],
["TOTAL FOR ALL COUNTRIES", "123722329072", "2017", "04"]]
```



https://api.census.gov/data/timeseries/intltrade/exports/hs?get=CTY_CODE,CTY_NAME,ALL_VAL_MO&YEAR=2017&MONTH=04

```
[["CTY_CODE", "CTY_NAME", "ALL_VAL_MO", "YEAR", "MONTH"],
["-", "TOTAL FOR ALL COUNTRIES", "123722329072", "2017", "04"],
["1010", "GREENLAND", "583168", "2017", "04"],
["1220", "CANADA", "22712815642", "2017", "04"], ...]
```

Invalid Parameters

A call that includes any invalid parameters will result in an error message:



https://api.census.gov/data/timeseries/intltrade/exports/sitc?get=SITC,ALL_VAL_MO,GEN_VAL_MO&YEAR=2017&MONTH=04

error: error: unknown variable 'GEN_VAL_MO'



https://api.census.gov/data/timeseries/intltrade/exports/sitc?get=SITC,ALL_VAL_MO,ALL_VAL_YR&YEAR=2017&MONTH=04



An API call that returns an HTTP status of 204 is not an error. HTTP status 204 means that there are no records for that particular combination of parameters. See the following section on Valid Request with No Results.

Invalid Combination of Parameters

There are six different commodity classification systems available in the API for exports and imports. Two of these systems, the Harmonized System (HS) and End-Use, have different codes for exports and imports, while the rest of the codes are the same for exports and imports. End-Use, NAICS, SITC, USDA, and HITECH classification codes are derived from the collection of Harmonized System codes (E_COMMODITY for exports and I_COMMODITY for imports). You can map which HS codes are included in End-Use, NAICS, SITC, USDA, and HITECH codes using the year vintage *concordance* as a guide.

A successful API call references only one endpoint and its associated parameters, do not attempt to combine more than one classification system endpoint or parameters into an API call or you will get an error.

Successful API calls reference only parameters from that endpoint. The tables below match endpoints with their valid parameters.

Exports

Endpoint	Choose parameter(s) from only one row
hs	E_COMMODITY, E_COMMODITY_LDESC, E_COMMODITY_SDESC
enduse	E_ENDUSE, E_ENDUSE_LDESC, E_ENDUSE_SDESC
naics	NAICS, NAICS_LDESC, NAICS_SDESC
sitc	SITC, SITC_LDESC, SITC_SDESC
usda	USDA
hitech	HITECH and HITECH_DESC

Imports

Endpoint	Choose code(s) from only one row
hs	I_COMMODITY, I_COMMODITY_LDESC, I_COMMODITY_SDESC
enduse	I_ENDUSE, I_ENDUSE_LDESC, I_ENDUSE_SDESC
naics	NAICS, NAICS_LDESC, NAICS_SDESC
sitc	SITC, SITC_LDESC, SITC_SDESC
usda	USDA
hitech	HITECH and HITECH_DESC

Valid Request with No Results

If an API call returns no results that does not necessarily mean there is an error. It may mean that there is no data for that combination of parameters. As mentioned above, a successful request with no results returns HTTP status code 204. As an example, the API call below returns an HTTP status code of 204 meaning it is a valid request, but the U.S. did not export any soybeans to the Dominican Republic in January of 2013.



```
https://api.census.gov/data/timeseries/intltrade/exports/enduse?get=E_ENDUSE
,E_ENDUSE_LDESC,CTY_CODE,ALL_VAL_MO,ALL_VAL_YR&YEAR=2013&MONTH=
01&CTY_CODE=2470&E_ENDUSE=00100
```

Units of Quantity

Units of Quantity are only available in the Harmonized System (HS) endpoints and only for the most detailed, 10-digit HS code level. These two quantity parameters (UNIT_QY1 and UNIT_QY2) return the unit of measurement for the corresponding QTY_1 and QTY_2 variables.



```
https://api.census.gov/data/timeseries/intltrade/exports/hs?get=E_COMMODIT
Y,E_COMMODITY_LDESC,UNIT_QY1,UNIT_QY2,ALL_VAL_MO,QTY_1_MO,QTY_1_
MO_FLAG,QTY_2_MO,QTY_2_MO_FLAG&time=2016-05
```



```
https://api.census.gov/data/timeseries/intltrade/imports/hs?get=I_COMMODIT
Y,I_COMMODITY_LDESC,UNIT_QY1,UNIT_QY2,GEN_VAL_MO,GEN_QY1_MO,GE
N_QY1_MO_FLAG,GEN_QY2_MO,GEN_QY2_MO_FLAG&time=2016-05
```



Notice the the QTY_1_MO_FLAG and QTY_2_MO_FLAG parameters in the calls? See the next section for why those are strongly recommended when using UNIT_QY1 and UNIT_QY2.

Missing Value Flags

Occasionally the QTY_1 and QTY_2 variables have missing values. Because this means that some zero quantity values returned by the API are not *true zeros*, but are instead missing values, there are variables to alert you that the data is not a true zero. Both QTY variables have a Missing Value Flag parameter (QTY_1_MO has a QTY_1_MO_FLAG) that should always be paired in an API call. The FLAG parameter will be equal to “M” when a value is missing, otherwise it will be blank field denoting a *true zero*.



```
https://api.census.gov/data/timeseries/intltrade/exports/hs?get=E_COMMODITY,ALL_VAL_
YR,QTY_1_MO,QTY_1_MO_FLAG&time=2013-01&COMM_LVL=HS2
```

Hexadecimal Equivalents

Certain special characters needed for a filtering variable (e.g. Country Subcode J+ or A*) are shared with functions in API calls, so including them may return unexpected results. To avoid this use the *hexadecimal equivalents* of those characters:



```
https://api.census.gov/data/timeseries/intltrade/imports/hs?get=CTY_SUBCODE,GEN_VAL_MO&time=2013-01&CTY_SUBCODE=P%2B
```



```
https://api.census.gov/data/timeseries/intltrade/imports/hs?get=CTY_SUBCODE,GEN_VAL_MO&time=2013-01&CTY_SUBCODE=P+
```

Cardinality and Avoiding Time Out Errors

Because the amount of data available in the Monthly International Trade Datasets it can be very easy for users to overwhelm the API's ability to respond. When this happens users will experience slow performance or system timeouts. As an example, a single query pulling data for all countries and all HS commodities will almost always result in a time out error. Even with other classification systems or a more limited selection of variables these timeouts are possible. The occurrence of these events is unpredictable because the cardinality of the data returned by a request will vary by month, year, commodity, and geography. It can happen that a data call that functioned perfectly when requesting April data will time out when requesting that same report for November because that month had more trade partners or other data points that rapidly multiply the number of unique items in the response.

For this reason our recommended best practice is to query the API with many smaller data calls that always return results rather than larger data calls that will potentially fail. This is particularly critical for an automated data retrieval process. Users have regularly succeeded in retrieving the complete Monthly International Trade Datasets from the API by limiting the size of their query by breaking up the call and recombining the results. One useful tool to accomplish this is to generalize your request by using a wild card "*".



```
https://api.census.gov/data/timeseries/intltrade/imports/porths?get=PORT,CTY_CODE,I_COMMODITY,GEN_VAL_MO,AIR_VAL_MO,AIR_WGT_MO&YEAR=2017&MONTH=09&SUMMARY_LVL=DET&COMM_LVL=HS6
```



```
https://api.census.gov/data/timeseries/intltrade/imports/porths?get=PORT,CTY_CODE,I_COMMODITY,GEN_VAL_MO,AIR_VAL_MO,AIR_WGT_MO&YEAR=2017&MONTH=09&SUMMARY_LVL=DET&COMM_LVL=HS6&I_COMMODITY=1*
```

and

```
https://api.census.gov/data/timeseries/intltrade/imports/porths?get=PORT,CTY_CODE,I_COMMODITY,GEN_VAL_MO,AIR_VAL_MO,AIR_WGT_MO&YEAR=2017&MONTH=09&SUMMARY_LVL=DET&COMM_LVL=HS6&I_COMMODITY=2*
```

and

```
https://api.census.gov/data/timeseries/intltrade/imports/porths?get=PORT,CTY_CODE,I_COMMODITY,GEN_VAL_MO,AIR_VAL_MO,AIR_WGT_MO&YEAR=2017&MONTH=09&SUMMARY_LVL=DET&COMM_LVL=HS6&I_COMMODITY=3*
```

etc...

Splitting your calls by pulling all the classification codes that begin with 1,2,3,...,9 in separate calls but keeping all other parameters constant makes recreating the dataset a simple matter of appending.

Example API Calls

	Data Requested	Time Period	API Call
Totals	Total, Domestic, and Foreign Export Totals	December 2013	https://api.census.gov/data/timeseries/intltrade/exports/hs?get=DF,ALL_VAL_MO,ALL_VAL_YR&YEAR=2013&MONTH=12
	General and Consumption Import Totals	May 2013	https://api.census.gov/data/timeseries/intltrade/imports/hs?get=GEN_VAL_MO,CON_VAL_MO&YEAR=2013&MONTH=05
Transportation	Total Exports by Method of Transportation	September 2013	https://api.census.gov/data/timeseries/intltrade/exports/hs?get=ALL_VAL_MO,ALL_VAL_YR,AIR_VAL_MO,AIR_VAL_YR,CNT_VAL_MO,CNT_VAL_YR,VES_VAL_MO,VES_VAL_YR&YEAR=2013&MONTH=09
	General Imports by Method of Transportation	March 2013	https://api.census.gov/data/timeseries/intltrade/imports/hs?get=GEN_VAL_MO,GEN_VAL_YR,AIR_VAL_MO,AIR_VAL_YR,CNT_VAL_MO,CNT_VAL_YR,VES_VAL_MO,VES_VAL_YR&YEAR=2013&MONTH=03
Country	Total Exports by Country and Country Groupings	June 2013	https://api.census.gov/data/timeseries/intltrade/exports/hs?get=CTY_CODE,CTY_NAME,ALL_VAL_MO,ALL_VAL_YR&time=2013-06
	Total Exports to Canada and Mexico	April 2013	https://api.census.gov/data/timeseries/intltrade/exports/hs?get=CTY_CODE,CTY_NAME,ALL_VAL_MO,ALL_VAL_YR&time=2013-04&CTY_CODE=1220&CTY_CODE=2010
	General Import Values for Unique Country Subcodes	January 2013	https://api.census.gov/data/timeseries/intltrade/imports/hs?get=CTY_SUBCODE,GEN_VAL_MO&time=2013-01
Subnational	State Export Totals	January 2013	https://api.census.gov/data/timeseries/intltrade/exports/statehs?get=STATE,ALL_VAL_MO,ALL_VAL_YR&time=2013-01
	District Exports from Baltimore	October 2013	https://api.census.gov/data/timeseries/intltrade/exports/hs?get=DISTRICT,DIST_NAME,ALL_VAL_MO,ALL_VAL_YR&time=2013-10&DISTRICT=13
	Port Imports to All Ports	June 2013	https://api.census.gov/data/timeseries/intltrade/imports/porths?get=PORT,PORT_NAME,GEN_VAL_MO,GEN_VAL_YR&time=2013-06
Commodity Level	HS Export Totals for all 2-, 4-, 6-, and 10-digit codes	March 2013	https://api.census.gov/data/timeseries/intltrade/imports/hs?get=I_COMMODITY,I_COMMODITY_SDESC,I_COMMODITY_LDESC,GEN_VAL_MO,GEN_VAL_YR&time=2013-03
	Import Totals for Video Games (9504.50.0000)	March 2013	https://api.census.gov/data/timeseries/intltrade/imports/hs?get=I_COMMODITY,I_COMMODITY_SDESC,I_COMMODITY_LDESC,GEN_VAL_MO,GEN_VAL_YR&time=2013-03&I_COMMODITY=9504500000
Time Series	Export Totals from January to November 2013	January 2013 to November 2013	https://api.census.gov/data/timeseries/intltrade/exports/hs?get=ALL_VAL_MO,ALL_VAL_YR&time=from+2013-01+to+2013-11
	Import Totals from April 2013 on	April 2013 to Most Recent	https://api.census.gov/data/timeseries/intltrade/imports/hs?get=GEN_VAL_MO,GEN_VAL_YR&time=from+2013-04

	Data Requested	Time Period	API Call
EndUse Code	Export Totals by enduse code	November 2013	https://api.census.gov/data/timeseries/intltrade/exports/enduse?get=E_ENDUSE,ALL_VAL_MO,ALL_VAL_YR&YEAR=2013&MONTH=11
	Monthly Card Count Import Totals by HS	October 2013	https://api.census.gov/data/timeseries/intltrade/imports/hs?get=I_COMMODITY,CC_MO,GEN_VAL_MO,CON_VAL_MO&YEAR=2013&MONTH=10
Hitech/USDA	Year-to-date vessel Weight for Agricultural and Non-agricultural commodities	January 2013	https://api.census.gov/data/timeseries/intltrade/exports/usda?get=USDA,ALL_VAL_MO,ALL_VAL_YR,AIR_VAL_MO,AIR_VAL_YR,CNT_VAL_MO,CNT_VAL_YR,VES_VAL_MO,VES_VAL_YR&YEAR=2013&MONTH=01
	Advanced Technology Imports by Method of Transportation	February 2013	https://api.census.gov/data/timeseries/intltrade/imports/hitech?get=HITECH,GEN_VAL_MO,GEN_VAL_YR,AIR_VAL_MO,AIR_VAL_YR,CNT_VAL_MO,CNT_VAL_YR,VES_VAL_MO,VES_VAL_YR&YEAR=2013&MONTH=02
NAICS	Total Exports by Country and Country Groupings	May 2013	https://api.census.gov/data/timeseries/intltrade/exports/naics?get=CTY_CODE,CTY_NAME,ALL_VAL_MO,ALL_VAL_YR&time=2013-05
	Total General Imports from Canada and Mexico by 3- digit NAICS code	June 2013	https://api.census.gov/data/timeseries/intltrade/imports/naics?get=NAICS,CTY_CODE,CTY_NAME,GEN_VAL_MO,GEN_VAL_YR&time=2013-06&COMM_LVL=NA3&CTY_CODE=1220&CTY_CODE=2010
	General Import Value of All Manufactured Goods	January 2013	https://api.census.gov/data/timeseries/intltrade/imports/naics?get=NAICS,GEN_VAL_MO&time=2013-01&COMM_LVL=MAN
Port (HS)	Port Export Totals from Rochester, NY	April 2013	https://api.census.gov/data/timeseries/intltrade/exports/porths?get=PORT,PORT_NAME,ALL_VAL_MO,ALL_VAL_YR&PORT=0903&time=2013-04
	Port Exports of Rye Seed (1002.10)	June 2013	https://api.census.gov/data/timeseries/intltrade/exports/porths?get=PORT,PORT_NAME,ALL_VAL_MO,ALL_VAL_YR&time=2013-06&E_COMMODITY=100210
	Port Imports to All Ports	August 2013	https://api.census.gov/data/timeseries/intltrade/imports/porths?get=PORT,PORT_NAME,GEN_VAL_MO,GEN_VAL_YR&time=2013-08
SITC	SITC Export Totals with descriptions	March 2013	https://api.census.gov/data/timeseries/intltrade/imports/sitc?get=SITC,SITC_LDESC,GEN_VAL_MO,GEN_VAL_YR&time=2013-03
	Import Totals for Liquid Natural Gas (34310)	July 2013	https://api.census.gov/data/timeseries/intltrade/imports/sitc?get=SITC,SITC_LDESC,GEN_VAL_MO,GEN_VAL_YR&time=2013-07&SITC=34310
State	Export Totals from Alaska by 2-digit HS Code from January to March 2013	January 2013 to March 2013 (1 st Quarter)	https://api.census.gov/data/timeseries/intltrade/exports/statehs?get=E_COMMODITY,ALL_VAL_MO,ALL_VAL_YR&COMM_LVL=HS2&time=from+2013-01+to+2013-03
	Import Totals from April 2013 on by NAICS code	April 2013 to Most Recent	https://api.census.gov/data/timeseries/intltrade/imports/statenaics?get=NAICS,GEN_VAL_MO,GEN_VAL_YR&time=from+2013-04

Summary Levels

The two parameters SUMMARY_LVL and SUMMARY_LVL2 in the International Trade Datasets allow you to define different levels of data summarization.

SUMMARY_LVL

SUMMARY_LVL has only two potential values: CGP and DET. CGP indicates common country groupings including geographic regions (e.g. Africa), international organizations (e.g. European Union), or free trade agreements (e.g. USMCA). "DET" indicates individual trading partner data. The SUMMARY_LVL parameter allows you to limit the returned data to individual trade partners (&SUMMARY_LVL=DET) or to country groupings (&SUMMARY_LVL=CGP). It also allows you to see sort and group country groupings apart from individual partners.

```
https://api.census.gov/data/timeseries/intltrade/exports/hs?get=CTY_CODE,CTY_NAME,ALL_VAL_MO,ALL_VAL_YR&SUMMARY_LVL&time=2013-06
```

```
[["CTY_CODE","CTY_NAME","ALL_VAL_MO","ALL_VAL_YR","SUMMARY_LVL","time"],
["-","TOTAL FOR ALL COUNTRIES","134550410192","780097405136","DET","2013-06"],
["1010","GREENLAND","736003","13477046","DET","2013-06"],
["1220","CANADA","25393740866","150486828704","DET","2013-06"],
["1610","ST PIERRE AND MIQUELON","0","251067","DET","2013-06"],
["2010","MEXICO","17986313583","110705488223","DET","2013-06"],
...
["4XXX","EUROPE","28895861434","163631270188","CGP","2013-06"],
["5XXX","ASIA","40653581774","232504626191","CGP","2013-06"],
["6XXX","AUSTRALIA AND OCEANIA","2845898699","14708183536","CGP","2013-06"],
["7XXX","AFRICA","3235940151","18140824146","CGP","2013-06"]]
```

SUMMARY_LVL2

The second parameter representing different levels of data summarization is SUMMARY_LVL2, which allows you to request all unique combinations of specified parameters from the API. For example, the SUMMARY_LVL2 parameter can be asked to pull all combinations of NAICS (NA), CTY_CODE (CY), and Domestic/Foreign (DF) by submitting the following API call:

```
https://api.census.gov/data/timeseries/intltrade/exports/naics?get=NAICS,NAICS_SDESC,CTY_CODE,CTY_NAME,DF,ALL_VAL_MO&time=2013-05&SUMMARY_LVL2=NACY
```



Lists of all SUMMARY_LVL2 codes are found in [Appendix C \(exports\)](#) and [Appendix D \(imports\)](#).

Commodity Level (COMM_LVL)

The COMM_LVL parameter is used in combination with E_COMMODITY/I_COMMODITY, NAICS, or E_ENDUSE/I_ENDUSE to specify a level(s) of commodity detail:

Parameters Combined with COMM_LVL	COMM_LVL	Level of Aggregation
E_COMMODITY/I_COMMODITY	HS2	2-digit HS
E_COMMODITY/I_COMMODITY	HS4	4-digit HS
E_COMMODITY/I_COMMODITY	HS6	6-digit HS
E_COMMODITY/I_COMMODITY	HS10	10-digit HS
NAICS	NA2	2-digit NAICS
NAICS	NA3	3-digit NAICS
NAICS	NA4	4-digit NAICS
NAICS	NA5	5-digit NAICS
NAICS	NA6	6-digit NAICS
NAICS	MAN	Total Manufactured Commodities
E_ENDUSE, I_ENDUSE	EU1	1-digit End-Use
E_ENDUSE, I_ENDUSE	EU5	5-digit End-Use



To protect respondent confidentiality HS10, NA5, and NA6 records are not available in the statehs, statenaics, and porths datasets.

Example API calls using COMM_LVL and the results:

```
https://api.census.gov/data/timeseries/intltrade/exports/enduse?get=E_END
USE,ALL_VAL_MO,COMM_LVL&time=2013-01
```

```
[["E_ENDUSE", "ALL_VAL_MO", "COMM_LVL", "time"],
["-", "123031879061", "", "2013-01"],
["0", "11908153216", "EU1", "2013-01"],
["00000", "753852825", "EU5", "2013-01"],
["00010", "185697951", "EU5", "2013-01"],
["00110", "330346856", "EU5", "2013-01"],
...
```

```
https://api.census.gov/data/timeseries/intltrade/imports/hs?get=I_COMMO
DITY,GEN_VAL_MO&time=2013-01&COMM_LVL=HS2
```

```
[["I_COMMODITY", "GEN_VAL_MO", "time", "COMM_LVL"],
["01", "221313094", "2013-01", "HS2"],
["02", "503382248", "2013-01", "HS2"],
["03", "1052835760", "2013-01", "HS2"],
["04", "165756808", "2013-01", "HS2"],
...
```


Country Grouping Codes

The CTY_CODE codes for country groupings are not *Schedule C codes*. They are codes created specifically for the API that represent country groupings. For a list of all country grouping codes and names that can be used with the CTY_CODE parameter, see Appendix E.

Release Schedule

The Trade Datasets in the Census API will be updated with the most recent month of trade statistics, after 8:30AM on the morning of the International Trade in Goods and Services (FT-900) release. You can find the FT-900 release dates in our *online release schedule*.

Questions

If you have any questions about the Monthly International Trade Datasets or trade data in general please contact the International Trade Macro Analysis Branch at 1-800-549-0595 Option#4 or email to eid.international.trade.data@census.gov. For technical questions regarding the Census API, please visit the *API Developers Forum*.

Variables by Endpoint

The API includes a list of valid parameters by endpoint. To view them please reference the hyperlinks below.

Endpoint	Export Variables	Import Variables
enduse	https://api.census.gov/data/timeseries/intltrade/exports/enduse/variables.html	https://api.census.gov/data/timeseries/intltrade/imports/enduse/variables.html
hitech	https://api.census.gov/data/timeseries/intltrade/exports/hitech/variables.html	https://api.census.gov/data/timeseries/intltrade/imports/hitech/variables.html
naics	https://api.census.gov/data/timeseries/intltrade/exports/naics/variables.html	https://api.census.gov/data/timeseries/intltrade/imports/naics/variables.html
sitc	https://api.census.gov/data/timeseries/intltrade/exports/sitc/variables.html	https://api.census.gov/data/timeseries/intltrade/imports/sitc/variables.html
usda	https://api.census.gov/data/timeseries/intltrade/exports/usda/variables.html	https://api.census.gov/data/timeseries/intltrade/imports/usda/variables.html
hs	https://api.census.gov/data/timeseries/intltrade/exports/hs/variables.html	https://api.census.gov/data/timeseries/intltrade/imports/hs/variables.html
porths	https://api.census.gov/data/timeseries/intltrade/exports/porths/variables.html	https://api.census.gov/data/timeseries/intltrade/imports/porths/variables.html
statehs	https://api.census.gov/data/timeseries/intltrade/exports/statehs/variables.html	https://api.census.gov/data/timeseries/intltrade/imports/statehs/variables.html
statenaics	https://api.census.gov/data/timeseries/intltrade/exports/statenaics/variables.html	https://api.census.gov/data/timeseries/intltrade/imports/statenaics/variables.html

Appendix A – Export Parameters

Parameter Name	Parameter Description	Type	Endpoints
AIR_VAL_MO	<u>Air Value</u>	Int	All
AIR_VAL_YR	<u>Year-to-Date Air Value</u>	Int	All
AIR_WGT_MO	<u>Air Shipping Weight</u>	Int	All
AIR_WGT_YR	<u>Year-to-Date Air Shipping Weight</u>	Int	All
ALL_VAL_MO	<u>Total Value</u>	Int	All
ALL_VAL_YR	<u>Year-to-Date Total Value</u>	Int	All
CC_MO	<u>Card Count</u>	Int	hs, naics, enduse, usda, sitc, hitech
CC_YR	<u>Year-to-Date Card Count</u>	Int	hs, naics, enduse, usda, sitc, hitech
CNT_VAL_MO	<u>Containerized Vessel Value</u>	Int	All
CNT_VAL_YR	<u>Year-to-Date Containerized Vessel Value</u>	Int	All
CNT_WGT_MO	<u>Containerized Vessel Shipping Weight</u>	Int	All
CNT_WGT_YR	<u>Year-to-Date Containerized Vessel Shipping Weight</u>	Int	All
COMM_LVL	4-character Aggregation Levels for Commodity, NAICS, and End-Use. Available values include HS2, HS4, HS6, HS10, NA6, NA5, NA4, NA3, EU5, and EU1 (see page 10).	String	hs, naics, enduse, statenaics, statehs, porths
CTY_CODE	4-character <u>Country Code</u>	String	All
CTY_NAME	50-character Country Name **API call must also include CTY_CODE parameter**	String	All
DF	1-character <u>Domestic</u> or <u>Foreign</u> Code	String	hs, naics, enduse, usda, sitc, hitech
DISTRICT	2-character <u>District Code</u>	String	hs, naics, enduse, usda, sitc, hitech
DIST_NAME	50-character District name **API call must also include DISTRICT parameter**	String	hs, naics, enduse, usda, sitc, hitech
E_COMMODITY	2-, 4-, 6-, or 10-character <u>Export Harmonized System Code</u>	String	hs, statehs, porths
E_COMMODITY_LDESC	150-character Export Harmonized Code Description **API call must also include E_COMMODITY parameter**	String	hs, statehs, porths
E_COMMODITY_SDESC	50-character Export Harmonized Code Description **API call must also include E_COMMODITY parameter**	String	hs, statehs, porths

Appendix A – Export Parameters

Parameter Name	Parameter Description	Type	Endpoints
E_ENDUSE	1- or 5-character <u>Export ENDUSE Code</u>	String	enduse
E_ENDUSE_LDESC	100-character Export ENDUSE Description **API call must also include E_ENDUSE parameter**	String	enduse
E_ENDUSE_SDESC	50-character Export ENDUSE Description **API call must also include E_ENDUSE parameter**	String	enduse
HITECH	2-character <u>HITECH Code</u>	String	hitech
HITECH_DESC	40-character HITECH Description **API call must also include HITECH parameter**	String	hitech
LAST_UPDATE	10-character Date of Last Update	String	All
MONTH	2-character <u>Month</u>	String	All
NAICS	3-, 4-, 5-, or 6-character <u>NAICS Code</u>	String	naics, statainaics
NAICS_LDESC	150-character NAICS Description **API call must also include NAICS parameter**	String	naics, statainaics
NAICS_SDESC	50-character NAICS Description **API call must also include NAICS parameter**	String	naics, statainaics
PORT	4-character <u>Port Code</u>	String	porths
PORT_NAME	150-character Port Name **API call must also include PORT parameter**	String	porths
QTY_1_MO	<u>Quantity 1</u>	Int	hs
QTY_1_MO_FLAG	1-character Missing Value Flag for <u>Quantity 1</u>	String	hs
QTY_1_YR	<u>Year-to-Date Quantity 1</u>	Int	hs
QTY_1_YR_FLAG	1-character Missing Value Flag for <u>Year-to-Date Quantity 1</u>	String	hs
QTY_2_MO	<u>Quantity 2</u>	Int	hs
QTY_2_MO_FLAG	1-character Missing Value Flag for <u>Quantity 2</u>	String	hs
QTY_2_YR	<u>Year-to-Date Quantity 2</u>	Int	hs
QTY_2_YR_FLAG	1-character Missing Value Flag for Year-to-Date <u>Quantity 2</u>	String	hs
SITC	5-character <u>SITC Code</u>	String	sitc
SITC_LDESC	150-character SITC Description **API call must also include SITC parameter**	String	sitc
SITC_SDESC	50-character SITC Description **API call must also include SITC parameter**	String	sitc
STATE	2-character <u>State of Origin of Movement</u>	String	statehs, statainaics
<u>SUMMARY_LVL</u>	Detail or Country Grouping record	String	All
<u>SUMMARY_LVL2</u>	Variables being summarized	String	All
Time	<YYYY>-<MM> (where YYYY represents the year and MM represents the month of data)	Datetime	All
UNIT_QY1	3-character Export Unit of <u>Quantity 1</u> **API call must also include E_COMMODITY parameter**	String	hs
UNIT_QY2	3-character Export Unit of <u>Quantity 2</u>	String	hs

Appendix A – Export Parameters

<u>Parameter Name</u>	<u>Parameter Description</u>	<u>Type</u>	<u>Endpoints</u>
API call must also include E_COMMODITY parameter			
USDA	1-character <u>USDA Code</u>	String	usda
VES_VAL_MO	<u>Vessel Value</u>	Int	All
VES_VAL_YR	<u>Year-to-Date Vessel Value</u>	Int	All
VES_WGT_MO	<u>Vessel Shipping Weight</u>	Int	All
VES_WGT_YR	<u>Year-to-Date Vessel Shipping Weight</u>	Int	All
YEAR	4-character Year	String	All

Appendix B – Import Parameters

Variable Name	Parameter Description	Type	Endpoints
AIR_CHA_MO	<u>Air Charges</u>	Int	hs, naics, enduse, usda, sitc, hitech
AIR_CHA_YR	<u>Year-to-Date Air Charges</u>	Int	hs, naics, enduse, usda, sitc, hitech
AIR_VAL_MO	<u>Air Value</u>	Int	All
AIR_VAL_YR	<u>Year-to-Date Air Value</u>	Int	All
AIR_WGT_MO	<u>Air Shipping Weight</u>	Int	All
AIR_WGT_YR	<u>Year-to-Date Air Shipping Weight</u>	Int	All
CAL_DUT_MO	<u>Imports for Consumption, Calculated Duty</u>	Int	hs, naics, enduse, usda, sitc, hitech
CAL_DUT_YR	<u>Year-to-Date Imports for Consumption, Calculated Duty</u>	Int	hs, naics, enduse, usda, sitc, hitech
CC_MO	<u>Card Count</u>	Int	hs, naics, enduse, usda, sitc, hitech
CC_YR	<u>Year-to-Date Card Count</u>	Int	hs, naics, enduse, usda, sitc, hitech
CNT_CHA_MO	<u>Containerized Vessel Charges</u>	Int	hs, naics, enduse, usda, sitc, hitech
CNT_CHA_YR	<u>Year-to-Date Containerized Vessel Charges</u>	Int	hs, naics, enduse, usda, sitc, hitech
CNT_VAL_MO	<u>Containerized Vessel Value</u>	Int	All
CNT_VAL_YR	<u>Year-to-Date Containerized Vessel Value</u>	Int	All
CNT_WGT_MO	<u>Containerized Vessel Shipping Weight</u>	Int	All
CNT_WGT_YR	<u>Year-to-Date Containerized Vessel Shipping Weight</u>	Int	All
COMM_LVL	4-character Aggregation Levels for Commodity, NAICS, and End-Use. Available values include HS2, HS4, HS6, HS10, NA6, NA5, NA4, NA3, EU5, and EU1 (see page 10).	String	hs, naics, enduse, statenaics, statehs, porths
CON_CHA_MO	Imports for Consumption, <u>Charges</u>	Int	hs, naics, enduse, usda, sitc, hitech
CON_CHA_YR	<u>Year-to-Date Imports for Consumption, Charges</u>	Int	hs, naics, enduse, usda, sitc, hitech
CON_CIF_MO	Imports for Consumption, <u>CIF Value</u>	Int	hs, naics, enduse, usda, sitc, hitech

Appendix B – Import Parameters

Variable Name	Parameter Description	Type	Endpoints
CON_CIF_YR	Year-to-Date Imports for Consumption, CIF Value	Int	hs, naics, enduse, usda, sitc, hitech
CON_QY1_MO	Imports for Consumption, <u>Quantity</u> 1	Int	hs
CON_QY1_MO_FLAG	1-character Missing Value Flag for Imports for Consumption <u>Quantity</u> 1	String	hs
CON_QY1_YR	Year-to-Date Imports for Consumption, <u>Quantity</u> 1	Int	hs
CON_QY1_YR_FLAG	1-character Missing Value Flag for Year-to-Date Imports for Consumption <u>Quantity</u> 1	String	hs
CON_QY2_MO	Imports for Consumption, Quantity 2	Int	hs
CON_QY2_MO_FLAG	1-character Flag Imports for Consumption, Quantity 2	String	hs
CON_QY2_YR	Year-to-Date Imports for Consumption, Quantity 2	Int	hs
CON_QY2_YR_FLAG	1-character Missing Value Flag for Year-to-Date Imports for Consumption, Quantity 2	String	hs
CON_VAL_MO	Imports for Consumption, Total Value	Int	hs, naics, enduse, usda, sitc, hitech, statehs, statenaics
CON_VAL_YR	Year-to-Date Imports for Consumption, Total Value	Int	hs, naics, enduse, usda, sitc, hitech, statehs, statenaics
CTY_CODE	4-character <u>Country Code</u>	String	All
CTY_NAME	50-character <u>Country Name</u> **API call must also include CTY_CODE parameter**	String	All
CTY_SUBCODE	1- or 2-character <u>Country subcode</u>	String	hs
DIST_NAME	50-character <u>District</u> name **API call must also include DISTRICT parameter**	String	hs, naics, enduse, usda, sitc, hitech
DISTRICT	2-character <u>District of Entry</u> Code	String	hs, naics, enduse, usda, sitc, hitech
DUT_VAL_MO	Imports for Consumption, <u>Dutiable Value</u>	Int	hs, naics, enduse, usda, sitc, hitech
DUT_VAL_YR	Year-to-Date Imports for Consumption, Dutiable Value	Int	hs, naics, enduse, usda, sitc, hitech
GEN_CHA_MO	<u>General Imports, Charges</u>	Int	hs, naics, enduse, usda, sitc, hitech
GEN_CHA_YR	Year-to-Date <u>General Imports, Charges</u>	Int	hs, naics, enduse, usda, sitc, hitech

Appendix B – Import Parameters

Variable Name	Parameter Description	Type	Endpoints
GEN_CIF_MO	<u>General Imports, CIF Value</u>	Int	hs, naics, enduse, usda, sitc, hitech
GEN_CIF_YR	Year-to-Date General Imports, CIF Value	Int	hs, naics, enduse, usda, sitc, hitech
GEN_QY1_MO	<u>General Imports, Quantity 1</u>	Int	hs
GEN_QY1_MO_FLAG	1-character Missing Value Flag for General Imports, Quantity 2	String	hs
GEN_QY1_YR	Year-to-Date General Imports, Quantity 1	Int	hs
GEN_QY1_YR_FLAG	1-character Missing Value Flag for Year-to-Date General Imports, Quantity 2	String	hs
GEN_QY2_MO	<u>General Imports, Quantity 2</u>	Int	hs
GEN_QY2_MO_FLAG	1-character Missing Value Flag for General Imports, Quantity 2	String	hs
GEN_QY2_YR	Year-to-Date General Imports, Quantity 2	Int	hs
GEN_QY2_YR_FLAG	1-character Missing Value Flag for Year-to-Date General Imports, Quantity 3	String	hs
GEN_VAL_MO	<u>General Imports, Total Value</u>	Int	All
GEN_VAL_YR	Year-to-Date General Imports, Total Value	Int	All
HITECH	<u>2-character HITECH Code</u>	String	hitech
HITECH_DESC	40-character <u>HITECH</u> Description **API call must also include HITECH parameter**	String	hitech
I_COMMODITY	<u>2-, 4-, 6-, or 10-character Import Harmonized System Code</u>	String	hs, statehs, porths
I_COMMODITY_LDESC	150-character Import Harmonized Code Description **API call must also include I_COMMODITY parameter**	String	hs, statehs, porths
I_COMMODITY_SDESC	50-character Import Harmonized Code Description **API call must also include I_COMMODITY parameter**	String	hs, statehs, porths
I_ENDUSE	<u>1- or 5-character Import End-Use Code</u>	String	enduse
I_ENDUSE_LDESC	100-character Import ENDUSE Description **API call must also include I_ENDUSE parameter**	String	enduse
I_ENDUSE_SDESC	50-character Import ENDUSE Description **API call must also include I_ENDUSE parameter**		enduse
LAST_UPDATE	10-character Date of Last Update	String	All
MONTH	<u>2-character Month</u>	String	All
NAICS	<u>3-, 4-, 5-, or 6-character NAICS Code</u>	String	naics, statenaics
NAICS_LDESC	150-character NAICS Description **API call must also include NAICS parameter**	String	naics, statenaics
NAICS_SDESC	50-character NAICS Description **API call must also include NAICS parameter**	String	naics, statenaics
PORT	<u>4-character Port of Entry Code</u> (2-Digit District of Entry + 2-Digit Port of Entry)	String	porths
PORT_NAME	150-character Port Name **API call must also include PORT parameter**	String	porths
RP	<u>2-character Rate Provision Code</u>	String	hs
SITC	<u>5-character SITC Code</u>	String	sitc

Appendix B – Import Parameters

Variable Name	Parameter Description	Type	Endpoints
SITC_LDESC	150-character SITC Description **API call must also include SITC parameter**	String	sitc
SITC_SDESC	50-character SITC Description **API call must also include SITC parameter**	String	sitc
SUMMARY_LVL	Detail or Country Grouping record	String	All
SUMMARY_LVL2	Variables being summarized	String	All
STATE	2-character <u>State</u> of Destination, using US Postal Service State Abbreviations. "XX" = Unidentified	String	statehs, statenaics
time	<YYYY>-<MM> (where YYYY represents the year and MM represents the month of data)	Datetime	All
UNIT_QY1	3-character Import Unit of <u>Quantity</u> 1 **API call must also include I_COMMODITY parameter**	String	hs
UNIT_QY2	3-character Import Unit of Quantity 2 **API call must also include I_COMMODITY parameter**	String	hs
USDA	1-character <u>USDA</u> Code	String	usda
VES_CHA_MO	Vessel Charges	Int	hs, naics, enduse, usda, sitc, hitech
VES_CHA_YR	Year-to-Date Vessel Charges	Int	hs, naics, enduse, usda, sitc, hitech
VES_VAL_MO	Vessel Value	Int	All
VES_VAL_YR	Year-to-Date <u>Vessel Value</u>	Int	All
VES_WGT_MO	Vessel Shipping Weight	Int	All
VES_WGT_YR	Year-to-Date Vessel <u>Shipping Weight</u>	Int	All
YEAR	4-character Year	String	All

Appendix C – Export Summary Levels

SUMMARY_LVL2 Types

TO – Total Exports

DF – Domestic(1) or Foreign(2)

DT – District

PT – Port

CY – Country

ST – State of Origin of Movement of Goods

HS – Schedule B Commodity Classification Number

NA – NAICS code of Commodity

EU – End-Use Classification Code of Commodity

US – 1-digit USDA code of Commodity

SI – SITC code of Commodity

HT – 2-digit Hi-tech code of Commodity

Listed below are all the different summary levels included in the monthly export dataset. Summary levels are the variable combinations that are available in the trade datasets. For example, if you would like to know if you could pull the export value of cellphones (HS), exported out of Baltimore (DT), to Canada (CY) you could look at the following table and see that variable combination is available (HSDTCY).

CY	HSDTDF	NASTCY
CYDF	HSPT	PT
DF	HSPTCY	PTCY
DT	HSST	SI
DTCY	HSSTCY	SICY
DTCYDF	HT	SICYDF
DTDF	HTCY	SIDF
EU	HTCYDF	SIDT
EUCY	HTDF	SIDTCY
EUCYDF	HTDT	SIDTCYDF
EUDF	HTDTCY	SIDTDF
EUDT	HTDTCYDF	ST
EUDTCY	HTDTDF	STCY
EUDTCYDF	NA	TO
EUDTDF	NACY	US
HS	NACYDF	USCY
HSCY	NADF	USCYDF
HSCYDF	NADT	USDF
HSDF	NADTCY	USDT
HSDT	NADTCYDF	USDTCY
HSDTCY	NADTDF	USDTCYDF
HSDTCYDF	NAST	USD TDF

Appendix D – Import Summary Levels

SUMMARY_LVL2 Types

TO – Total Imports

DT – District

PT – Port

CS – Country Subcode

CY – Country

RP – Rate Provision

ST – State of Destination

HS – HTS Commodity Classification Number

NA – NAICS code of Commodity

EU – End-Use Classification Code of Commodity

US – 1-digit USDA code of Commodity

SI – SITC code of Commodity

HT – 2-digit Hi-tech code of Commodity

Listed below are all the different summary levels included in the monthly import dataset. Summary levels are the variable combinations that are available in the trade datasets. For example, if you would like to know if you could pull the import value of cellphones (HS), imported into Baltimore (DT), from Canada (CY) you could look at the following table and see that variable combination is available (HSDTCY).

CS	HSCSRP	NA
CSDT	HSCSRPDT	NACY
CSDTRP	HSCY	NACYDT
CSRP	HSCYCS	NADT
CY	HSCYCSDT	NAST
CYCS	HSCYCSDTRP	NASTCY
CYCSDT	HSCYCSRP	PT
CYCSDTRP	HSCYDT	PTCY
CYCSRP	HSCYRP	RP
CYDT	HSCYRPDT	SI
CYDTRP	HSDT	SICY
CYRP	HSPT	SICYDT
DT	HSPTCY	SIDT
DTRP	HSRP	ST
EU	HSRPDT	STCY
EUCY	HSST	TO
EUCYDT	HSSTCY	US
EUDT	HT	USCY
HS	HTCY	USCYDT
HSCS	HTCYDT	USDT
HSCSDT	HTDT	

Appendix E – Country Grouping Codes

CTY_CODE	Country Grouping
0001	OPEC
0003	EUROPEAN UNION
0014	PACIFIC RIM COUNTRIES
0017	CAFTA-DR
0020	NAFTA
0021	TWENTY LATIN AMERICAN REPUBLICS
0022	OECD
0023	NATO
0024	LAFTA
0025	EURO AREA
0026	APEC
0027	ASEAN
0028	CACM
1XXX	NORTH AMERICA
2XXX	CENTRAL AMERICA
3XXX	SOUTH AMERICA
4XXX	EUROPE
5XXX	ASIA
6XXX	AUSTRALIA AND OCEANIA
7XXX	AFRICA