



SECURE & EFFICIENT OTA UPDATES OF THE ENTIRE VEHICLE

Richard Kinder, HARMAN Connected Services

16th June 2016




Agenda

1. Market drivers
2. Introduction to OTA
3. Security goals for vehicle OTA
4. Complexity of the vehicle OTA
5. Secure OTA update of all ECUs




Car Connectivity



Software driving
the automotive
ecosystem evolution



Increased security and
regulatory requirements



Currently OEMs are updating TCUs and Head Units OTA

ADAS is next in-line with the full car to follow

The controlled environment of the dealership cable update can be replaced with a Secure OTA Update process

redbend



Installed
on >15
million vehicles



>30 million
successful
updates





10 active
automotive
customers






95% smaller updates;
100% update
success rate



Agenda

1. Market drivers
2. Introduction to OTA
3. Security goals for vehicle OTA
4. Complexity of the vehicle OTA
5. Secure OTA update of all ECUs










Agenda

1. Market drivers
2. Introduction to OTA
3. Security goals for vehicle OTA
4. Complexity of the vehicle OTA
5. Secure OTA update of all ECUs



TOP LEVEL SECURITY GOALS

Authentication

Trust establishment between relevant actors in the system

Authorization

The requesting actor is authorised to use the requested resource


Confidentiality

OEM proprietary data is not readily available to a malicious actor


Integrity

Software updates cannot be tampered with or installed by a malicious actor


AUTHENTICATION




AUTHORIZATION



CONFIDENTIALITY



INTEGRITY



Agenda

1. Market drivers
2. Introduction to OTA
3. Security goals for vehicle OTA
4. Complexity of the vehicle OTA
5. Secure OTA update of all ECUs

Networks

Complex network topology

Different networks and sub-networks

Different speeds and purpose

ECUs

RAM


FLASH

Network access

Hardware and software architecture

Functionality

UDS/KWP2000 in common



Agenda


1. Market drivers

2. Introduction to OTA

3. Security goals for vehicle OTA

4. Complexity of the vehicle OTA

5. Secure OTA update of all ECUs




Manage



Delta Update



Full Update



Manage



Delta Update




Full Update

A photograph of a red car driving on a road. The car's side profile is visible, showing the rearview mirror and a red taillight. The road curves through a landscape with green trees and distant mountains under a clear blue sky.

In summary, secure and efficient update of the entire car requires:

1. Comprehensive client-server architecture
2. Secure “In car entire update”
3. Cyber-secure analysis and system design
4. Strong capabilities in gateway controller MCUs



Harman RedBend's trusted expertise in OTA Software Management and Virtualization is used by the world's leading manufacturers and service providers to manage over 2 Billion connected devices.



richard.kinder@harman.com



Richard Kinder

