Introduction.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css"/>
    <link rel="stylesheet" href="./css/index.css">
</head>
<body>
<header class="container">
    <div class="row text-center mt-5">
        <div class="col-sm-10 col-md-10 col-lg-10">
            <h1>Home Repair</h1>
        </div>
        <div class="col-sm-2 col-md-2 col-lg-2">
            <a href="#">Login/Register</a>
        </div>
    </div>
    <nav class="navbar mt-3">
        <a class="nav" href="./introduction.html">Introduction</a>
        <a class="nav" href="./engineers.html">Engineers</a>
        <a class="nav" href="./home_issues.html">Home Issues</a>
        <a class="nav" href="./news.html">News</a>
    </nav>
</header>
<main>
    <div class="container">
        <div class="row mb-4">
            <p class="text-center">Every year, thousands of homes are damaged and need repairs. Our vision is to help homeowners get their
                houses repaired as quickly as possible, with the highest quality.</p>
        </div>
        <div class="row mb-4">
            <img class="w-100" style="max-height: 400px" src="./img/introduction-damaged house 1.png"
                alt="damaged house1">
        </div>
        <div class="row mb-4">
            <img class="w-100" style="max-height: 400px" src="./img//introduction-damaged house2.png" alt="damaged house2">
        </div>
    </div>
</main>
<footer>
    <div class="text-center">&copy; Home Repaire</div>
```

```
</footer>
</body>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-
w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
    crossorigin="anonymous"></script>
</html>
```

engineers.html

Engineers.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/css/bootstrap.min.css" />
  <link rel="stylesheet" href="./css/index.css">
</head>

<body>
  <header class="container">
    <div class="row text-center mt-5">
      <div class="col-sm-10 col-md-10 col-lg-10">
        <h1>Home Repair</h1>
      </div>
      <div class="col-sm-2 col-md-2 col-lg-2">
        <a href="#">Login/Register</a>
      </div>
    </div>
    <nav class="navbar mt-3">
      <a class="nav" href="./introduction.html">Introduction</a>
      <a class="nav" href="./engineers.html">Engineers</a>
      <a class="nav" href="./home_issues.html">Home Issues</a>
      <a class="nav" href="./news.html">News</a>
    </nav>
  </header>
  <main>
    <div class="container">
      <div class="row mb-4 gap-3">
        <h1>Star Engineer</h1>
        <div class="card" style="width: 18rem;">
          <img src="./img/star engineer1.png" class="card-img-top" alt="...">
          <div class="card-body">
            <p class="card-text">Some quick example text to build on the card title and
make up the bulk of
```

```html
                    the card's content.</p>
              </div>
          </div>
          <div class="card" style="width: 18rem;">
              <img src="./img/star engineer2.png" class="card-img-top" alt="...">
              <div class="card-body">
                  <p class="card-text">Some quick example text to build on the card title and
make up the bulk of
                      the card's content.</p>
              </div>
          </div>
          <div class="card" style="width: 18rem;">
              <img src="./img/star engineer3.png" class="card-img-top" alt="...">
              <div class="card-body">
                  <p class="card-text">Some quick example text to build on the card title and
make up the bulk of
                      the card's content.</p>
              </div>
          </div>
      </div>
      <div class="row mb-4">
          <h1>Engineer List</h1>
          <div class="btn-group" role="group" aria-label="Basic example">
              <button type="button" class="btn text-success-emphasis">Type</button>
              <button type="button" class="btn text-success-emphasis">Area</button>
              <button type="button" class="btn text-success-
emphasis">Saticifaction</button>
              <button type="button" class="btn text-success-emphasis">Price</button>
          </div>
          <div class="mb-4 col-lg-4 col-md-6 col-sm-10">
              <div class="card col-lg-6" style="width: 18rem;">
                  <img src="./img/engineer list1.png" class="card-img-top" alt="...">
                  <div class="card-body">
                      <p class="card-text">Some quick example text to build on the card title
and make up the bulk
                          of
                          the card's content.</p>
                  </div>
              </div>
          </div>
          <div class="mb-4 col-lg-4 col-md-6 col-sm-10">
              <div class="card" style="width: 18rem;">
                  <img src="./img/engineer list2.png" class="card-img-top" alt="...">
                  <div class="card-body">
                      <p class="card-text">Some quick example text to build on the card title
and make up the bulk
                          of
                          the card's content.</p>
                  </div>
              </div>
          </div>
```

```html
        <div class="mb-4 col-lg-4 col-md-6 col-sm-10">
          <div class="card col-lg-6" style="width: 18rem;">
            <img src="./img/engineer list3.png" class="card-img-top" alt="...">
            <div class="card-body">
              <p class="card-text">Some quick example text to build on the card title
and make up the bulk
                of
                the card's content.</p>
            </div>
          </div>
        </div>
        <div class="mb-4 col-lg-4 col-md-6 col-sm-10">
          <div class="card col-lg-6" style="width: 18rem;">
            <img src="./img/engineer list4.png" class="card-img-top" alt="...">
            <div class="card-body">
              <p class="card-text">Some quick example text to build on the card title
and make up the bulk
                of
                the card's content.</p>
            </div>
          </div>
        </div>
      </div>

    </div>
  </main>
  <footer>
    <div class="text-center">&copy; Home Repaire</div>
  </footer>
</body>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-
w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
  crossorigin="anonymous"></script>

</html>
```

home_issues.html

Home_issues.html
| ```html
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/css/bootstrap.min.css" />
``` |

```html
    <link rel="stylesheet" href="./css/index.css">
</head>

<body>
  <header class="container">
    <div class="row text-center mt-5">
      <div class="col-sm-10 col-md-10 col-lg-10">
        <h1>Home Repair</h1>
      </div>
      <div class="col-sm-2 col-md-2 col-lg-2">
        <a href="#">Login/Register</a>
      </div>
    </div>
    <nav class="navbar mt-3">
      <a class="nav" href="./introduction.html">Introduction</a>
      <a class="nav" href="./engineers.html">Engineers</a>
      <a class="nav" href="./home_issues.html">Home Issues</a>
      <a class="nav" href="./news.html">News</a>
    </nav>
  </header>
  <main>
    <div class="container">
      <h1>Emergency</h1>
      <div class="row mb-4">
        <div class="col-lg-8">
          <img src="./img/emergency house 1.png" alt="house info 1">
        </div>
        <div class="col-lg-4">
          <p class="text-center">House Info</p>
        </div>
      </div>
      <div class="row mb-4">
        <div class="col-lg-8">
          <img src="./img/emergency house 2.png" alt="house info 1">
        </div>
        <div class="col-lg-4">
          <p class="text-center">House Info</p>
        </div>
      </div>
      <h1>Urgent List</h1>
      <div class="row">
        <div class="mb-4 col-lg-6 col-md-6 col-sm-10">
          <div class="card col-lg-6" style="width: 18rem;">
            <img src="./img/urgent list1.png" class="card-img-top" alt="...">
            <div class="card-body">
              <p class="card-text">Some quick example text to build on the card title
and make up the bulk
                of
                the card's content.</p>
            </div>
          </div>
```

```
            </div>
            <div class="mb-4 col-lg-6 col-md-6 col-sm-10">
                <div class="card" style="width: 18rem;">
                    <img src="./img/urgent list2.png" class="card-img-top" alt="...">
                    <div class="card-body">
                        <p class="card-text">Some quick example text to build on the card title
and make up the bulk
                        of
                        the card's content.</p>
                    </div>
                </div>
            </div>
        </div>
    </div>
  </main>
  <footer>
    <div class="text-center">&copy; Home Repaire</div>
  </footer>
</body>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/js/bootstrap.bundle.min.js"
   integrity="sha384-
w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
   crossorigin="anonymous"></script>

</html>
```

news.html

News.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/css/bootstrap.min.css" />
  <link rel="stylesheet" href="./css/index.css">
</head>

<body>
  <header class="container">
    <div class="row text-center mt-5">
      <div class="col-sm-10 col-md-10 col-lg-10">
        <h1>Home Repair</h1>
      </div>
      <div class="col-sm-2 col-md-2 col-lg-2">
        <a href="#">Login/Register</a>
```

```html
        </div>
      </div>
    <nav class="navbar mt-3">
      <a class="nav" href="./introduction.html">Introduction</a>
      <a class="nav" href="./engineers.html">Engineers</a>
      <a class="nav" href="./home_issues.html">Home Issues</a>
      <a class="nav" href="./news.html">News</a>
    </nav>
  </header>
  <main>
    <div class="container">
      <h1>Emergency</h1>
      <div class="row mb-4">
        <div class="col-lg-8">
          <img src="./img/emergency house 1.png" alt="house info 1">
        </div>
        <div class="col-lg-4">
          <p class="text-center">House Info</p>
        </div>
      </div>
      <div class="row mb-4">
        <div class="col-lg-8">
          <img src="./img/emergency house 2.png" alt="house info 1">
        </div>
        <div class="col-lg-4">
          <p class="text-center">House Info</p>
        </div>
      </div>
      <h1>Urgent List</h1>
      <div class="row">
        <div class="mb-4 col-lg-6 col-md-6 col-sm-10">
          <div class="card col-lg-6" style="width: 18rem;">
            <img src="./img/urgent list1.png" class="card-img-top" alt="...">
            <div class="card-body">
              <p class="card-text">Some quick example text to build on the card title and make up the bulk
                of
                the card's content.</p>
            </div>
          </div>
        </div>
        <div class="mb-4 col-lg-6 col-md-6 col-sm-10">
          <div class="card" style="width: 18rem;">
            <img src="./img/urgent list2.png" class="card-img-top" alt="...">
            <div class="card-body">
              <p class="card-text">Some quick example text to build on the card title and make up the bulk
                of
                the card's content.</p>
            </div>
          </div>
```

```
          </div>
        </div>
      </div>
    </main>
    <footer>
      <div class="text-center">&copy; Home Repaire</div>
    </footer>
</body>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/js/bootstrap.bundle.min.js"
  integrity="sha384-
w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
  crossorigin="anonymous"></script>

</html>
```

login.html

Login.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-
alpha1/dist/css/bootstrap.min.css" />
  <link rel="stylesheet" href="./css/index.css">
</head>

<body>
  <header class="container">
    <div class="row text-center mt-5">
      <div class="col-sm-10 col-md-10 col-lg-10">
        <h1>Home Repair</h1>
      </div>
    </div>
  </header>
  <main>
    <div class="offset-3 col-6">
      <form>
        <div class="mb-3">
          <label for="emailOrPhone" class="form-label">Email address/Phone</label>
          <input type="text" class="form-control" id="emailOrPhone" aria-
describedby="userInputHelp">
          <div id="userInputHelp" class="form-text">We'll never share your email/phone
with anyone else.</div>
        </div>
```

```
        <div class="mb-3">
          <label for="password" class="form-label">Password</label>
          <input type="password" class="form-control" id="password">
        </div>
        <button type="submit" class="btn btn-primary">Submit</button>
        <button type="reset" class="btn btn-info">Reset</button>
      </form>
    </div>
  </main>
</body>

</html>
```

register.html

```html
        </div>
        <div class="mb-3">
          <label for="phone" class="form-label">Phone</label>
          <input type="phone" class="form-control" id="phone">
        </div>
        <div class="mb-3">
          <label for="email" class="form-label">email</label>
          <input type="email" class="form-control" id="email">
        </div>
        <div class="mb-3">
          <label for="workArea" class="form-label">Work Area</label>
          <input type="text" class="form-control" id="workArea">
        </div>
        <div class="mb-3">
          <label for="state" class="form-label">state</label>
          <input type="text" class="form-control" id="state">
        </div>
        <div class="mb-3">
          <label for="subcode" class="form-label">Subcode</label>
          <input type="text" class="form-control" id="subcode">
        </div>
        <div class="mb-3">
          <label for="experience" class="form-label">Experience</label>
          <input type="text" class="form-control" id="experience">
        </div>

        <button type="submit" class="btn btn-primary">Register</button>
        <button type="button" class="btn btn-info">Cancel</button>
      </form>
    </div>
  </main>
</body>

</html>
```