

```

<%- include('header'); -%>

<header>
  <div class="container-fluid bg-primary-subtle">
    <div class="col-sm-8 mx-auto text-center py-2">
      <h1 class="display-4">dKin Caps</h1>
      <p class="lead ">A young and inspiring organisation whose
        primary purpose is to bring you the highest quality headwear available.</p>
    </div>
  </div>
</header>

<main>
  <div class="container">
    <h3 class="mt-3">dKin Caps: Membership</h3>

    <p>
      Signing up to become a member of the <strong>dKin Caps</strong> community
      is very rewarding. Please use the <em>web-based form</em>
      below to give us your details and you will receive some great offers from us!
    </p>

    <h5>Membership</h5>
    <p>
      Please complete the form below to provide some valuable feedback on your
      favourite ice cream.
    </p>

    <div id="formContainer">

      <form action="/submitmembership" method="post"
id="postMembershipForm">
        <div class="row mb-3">
          <label for="inputFirstname" class="col-sm-2 pt-2 col-form-label-sm text-sm-
end">
            Firstname:
          </label>
          <div class="col-sm-10">
            <input type="text" class="form-control" id="inputFirstname"
name="firstname">
          </div>
        </div>
        <div class="row mb-3">
          <label for="inputSurname" class="col-sm-2 pt-2 col-form-label-sm text-sm-
end">Surname:</label>
          <div class="col-sm-10">
            <input type="text" class="form-control" id="inputSurname"
name="surname">
          </div>
        </div>
      </form>
    </div>
  </div>

```

```

end">
    <div class="row mb-3">
        <label for="inputEmail" class="col-sm-2 pt-2 col-form-label-sm text-sm-
            Email:
        </label>
        <div class="col-sm-10">
            <input type="text" class="form-control" id="inputEmail" name="email">
        </div>
    </div>
    <div class="row mb-3">
        <label for="inputMobile" class="col-sm-2 pt-2 col-form-label-sm text-sm-
end">
        Mobile:
        </label>
        <div class="col-sm-10">
            <input type="tel" class="form-control" id="inputMobile"
name="mobileNumber"
            placeholder="04xxxxxxxx" title="Invalid Number 04xxxxxxxx"
pattern="[0-9]{10}">
        </div>
    </div>

    <div class="row mb-3">
        <legend for="inputNumCaps" class="col-sm-2 pt-2 col-form-label-sm text-
sm-end">
            Number of caps owned:
        </legend>
        <div class="col-sm-10 pt-2">
            <div class="form-check form-check-inline">
                <input class="form-check-input" type="radio" id="inlineCheckbox1"
name="inputNumCaps"
                value="0 caps">
                <label class="form-check-label" for="inlineCheckbox1">No caps
yet</label>
            </div>
            <div class="form-check form-check-inline">
                <input class="form-check-input" type="radio" id="inlineCheckbox2"
name="inputNumCaps"
                value="1 - 10 caps">
                <label class="form-check-label" for="inlineCheckbox2">Between 1 and
10
                caps</label>
            </div>
            <div class="form-check form-check-inline">
                <input class="form-check-input" type="radio" id="inlineCheckbox3"
name="inputNumCaps"
                value="11 - 29 caps">
                <label class="form-check-label" for="inlineCheckbox3">Between 11 and
29
                caps</label>
            </div>
        </div>
    </div>

```

```

        <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio" id="inlineCheckbox4"
name="inputNumCaps"
            value="30+ caps">
            <label class="form-check-label" for="inlineCheckbox4">More than 30
caps</label>
        </div>
    </div>
</div>

<div class="row mb-3">
    <legend class="col-form-label-sm col-sm-2 pt-0 text-sm-end"
for="capstyles">Favourite Cap(s):
    </legend>
    <div class="col-sm-10">
        <select class="form-select" id="capstyles" name="capstyle" aria-
label="Select a cap style">
            <option disabled selected>Select a cap style...</option>
            <option value="Snapback Cap">Snapback Cap</option>
            <option value="Trucker Cap">Trucker Cap</option>
            <option value="Bucket Hat">Bucket Hat</option>
            <option value="Beanie">Beanie</option>
            <option value="Beret Cap">Beret Cap</option>
            <option value="Runners Cap">Runners Cap</option>
        </select>
    </div>
</div>
<div class="row mb-2">
    <label class="col-sm-2 col-form-label-sm text-sm-end"
for="comments">Comments:</label>
    <div class="col-sm-10">
        <!-- NOTE: No space between <textarea></textarea> tags! -->
        <textarea rows="3" class="form-control" id="comments"
name="comments"
            placeholder="Please provide a few words to describe your favourite
cap..."></textarea>
    </div>
</div>

<div class="row mt-4">
    <div class="col-sm mx-auto d-flex justify-content-center ">
        <button type="submit" class="btn btn-primary">Submit</button>
    </div>
    <div class="col-sm mx-auto d-flex justify-content-center">
        <button type="reset" class="btn btn-primary">Reset</button>
    </div>
</div>
</form>
</div>
<h5 class="mt-4">List Feedback</h5>

```

```
<p>
  The following button will issue a <code>GET</code> request to the
<code>/feedback</code>
  route to retrieve feedback stored in the DB.
</p>
<div class="d-grid gap-5d-md-flex justify-content-md-center mb-4">
  <a href="/membershipdetails">
    <button class="btn btn btn-success" id="getfeedbackBtn">
      Retrieve Membership Details From Database
    </button>
  </a>
</div>

</div>
</main>

<%- include('footer'); -%>
```