8.3D: Writing a Multi-Route Template Server Application

Tasks

In this task your objective is to create a server application that can serve *dynamic* pages using a template engine within Express, in this case Encapsulated JS (**EJS**).

The server provides a simple interface to a access and display data on dKin Cap sales, including details on who the salesperson was, when it was purchased and for how much. You will be provided with sample (very *simple*) data in the form of JSON files and will include:

- dKin Cap details
- Cap Colour types
- Sales Staff details
- Sales transaction details
 - Cap type purchased (indexed)
 - ∘ Salse staff ID
 - Purchased date
 - A list (array) of items purchased


The routes your server should support include:

- http://localhost:3000/
- http://localhost:3000/captypes [returns JSON data]
- http://localhost:3000/colourtypes [returns JSON data]
- http://localhost:3000/stafflist [returns JSON data]
- http://localhost:3000/transactions [returns JSON data]
- http://localhost:3000/sales

The default / (home) and the /sales routes should both render dynamic pages, while the remaining routes all return raw JSON data for their respective data files.

An example of the output from the default / (home) page is shown below (**NOTE**: The date/time shown on the page is dynamic):

2024/T2 1/8



Task8.3.1 Node.js application serving the / route

The routes that return raw JSON data should display output similar to that shown below:

Task8.3.2 JSON repsonse to the /captypes route - formmated output


Although, if your browser doesn't automatically display formatted/indented JSON, it may appear as plain text, as below:

2024/T2 2/8



Task8.3.2-b JSON repsonse to the /captypes route - unformatted output


Sample output for the two remaining JSON data routes /colourtypes, /stafflist and /transactions are:



Task8.3.3 JSON repsonse to the /colourtypes, /stafflist and /transactions - formatted output


The final route /sales should render a dynamic page that combines all four data resources into a list of purchase transactions and present the details of these neatly on the page. A sample of how this may be presented is shown in the screenshot below:

2024/T2 3/8



Task8.3.4 Dynamically rendered page to the /sales route

2024/T2 4/8



Task8.3.5 Dynamically rendered page to the /sales route (page 2)

Resources Provided

The following resources are provided for this task:

- The EJS template files used to render the default / (home) route:
 - ∘ index.ejs
 - header.ejs The *include* files used in index.ejs
 - o footer.ejs The include files used in index.ejs
 - o error.ejs Skeleton error template file
- The raw JSON data file for:
 - o captypes.json The Cap details
 - o colours.json Details of the cap colours
 - o staff.json Sales staff details
 - \circ trasnactions.json List of the transactions

Steps

Follow the steps below to complete this task:

1. Create your own local directory (or you can use the same local directory


2024/T2 5/8

created in Task 8.1).

2. Add a new Node Module package to install the template engine for express supporting *Encapsulated JS* or ejs

```
onpm install ejs
```

- 3. Create a new folder in your project called data, to hold the JSON data files
- 4. Create a new folder in your project called views, to hold the ejs template file to render your output pages
- 5. Your directory structure should be as shown below:



Task8.3.6 Project directory structure

- 6. Use express module to create a Node.js application (i.e., index.js) that will set a local web server. The server listens to the port **3000**.
- 7. Add to your index.js server the access to the path module (already installed along with the express module):

```
const path = require('path');  // Added to support access to file system paths
```

8. Add variables (constants) to access the JSON data provided for the cap types, colours, staff and transactions:

```
const jsonCapTypeData = require(path.join(__dirname, 'data/captypes'));
const jsonColourData = require(path.join(__dirname, 'data/colours'));
const jsonStaffData = require(path.join(__dirname, 'data/staff'));
const jsonTransactionData = require(path.join(__dirname, 'data/transactions'));
```

2024/T2 6/8

9. Add and configure the EJS template engine:

```
// view engine setup
app.set('views', path.join(__dirname, 'views'));
app.set('view engine', 'ejs');
```

10. Add a route handler for a GET request on the path / to respond with a rendered page from the EJS template index.ejs using the res.render() command. Note the arguments provided include the name of the template to use and the data to use inside the template as the second parameter, such as:

```
app.get('/', (req, res, next) => {
    res.render('index', { title: 'dKin Cap Sales' });
});
```

11. Add the route handlers to respond with the JSON data files using the res.json()

```
app.get('/captypes', (req, res, next) => {
    res.json(jsonCapTypeData);
});
... // add others for `/colourtypes`, `/stafflist` and `/transactions`
```

- 12. Create and build a new template for the page to display the list of feedback comments showing the users and their ratings. This should be held in a list.ejs file.
- 13. Add the route handler for /sales to render a template list.ejs using the data from the JSON files. It could be called with multiple parameters, such as:

```
app.get('/sales', (req, res, next) => {
  res.render('list', {
    title: 'dKin Cap Sales',
    transactions: jsonTransactionData.transactions,
    types: jsonCapTypeData.captypes,
    colours: jsonColourData.colours,
    staff: jsonStaffData.staff
  });
}):
```

- 14. Run your project npm run start:dev in a Command Prompt (Windows) or Terminal (Mac OS) within your local directory to start the server.
- 15. Open a web browser and use the address to test the routes you have implemented:
 - o http://localhost:3000/
 - Should return a rendered web page
 - o http://localhost:3000/captypes
 - Should return JSON data
 - o http://localhost:3000/colourtypes

2024/T2 7/8

- Should return JSON data
- o http://localhost:3000/stafflist
 - Should return JSON data
- o http://localhost:3000/transactions
 - Should return JSON data
- o http://localhost:3000/sales
 - Should return a rendered web page

Hints

To complete this task, review the **EJS Documentation** (https://www.npmjs.com/package/ejs) on using template elements to display content; especially that on loops.

What will you submit?

You should submit:

- Source code of the **server** file index.js
- Source code of the **template** file list.ejs
 - o This needs to be in PDF format as Ontrack doesn't accept files of lejs type
- 6 x Screenshots of the responses to:
 - o http://localhost:3000/
 - o http://localhost:3000/captypes
 - o http://localhost:3000/colourtypes
 - o http://localhost:3000/stafflist
 - o http://localhost:3000/transactions
 - ∘ http://localhost:3000/sales

2024/T2 8/8