
3.1P: Create a web page with Internal Styles

Tasks

In the task you are required to write a number of CSS rules to style a given HTML page (task3-1.html). This webpage breaks up the content into various logical/structural containers supported by the HTML tags <header>, <nav>, <main>, <section> and <footer>.

The output of this **un-styled** webpage is shown in the image below:



Task3.1.1 NoCSS

Review the HTML code and familiarise yourself with the various sections and html tags.

CSS Styling

Recall that CSS rules can be applied in three ways:

2024/T2 1/5

- 1. *inline* inline with the direct html tag and content **only applies to specific tag** this is the least portable, avoid/minimise using this approach.
- 2. internal style rules are grouped together and defined at the start of the HTML file, within the <head> ... </head> section rules available to entire contents of the (single) HTML document one rule can be applied to multiple parts/selectors but not between HTML files using this approach.
- 3. external the CSS rules are moved into a separate text file (e.g., styles.css), and referenced from the HTML file where the rules are to be applied most flexible the rules can be shared across multiple HTML files for greater consistency/maintainability.

In this task you are asked to define a set of **internal** CSS style rules and applies to the given HTML file.

Styles to Define

The set of styles you are asked to define as **internal rules**, along with the sections/selectors within the HTML document to apply them to, are shown in the list below:

```
    html selector:

            font family is Georgia, Garamond, 'Times New Roman', serif

    body selector:

            background color is cornsilk

    nav selector:

            font-size: 1.2em;
            margin: 1.5em;

    section selector:

            border-style: solid;
            margin is 0.5em
```


- footer selector:
 - o text color is white
 - $\circ \ text \ alignment \ is \ center$
 - opadding is 0.2em
 - ∘ background color is #008F88
- h1, h2, h3 selectors:
 - o font family is Verdana, Tahoma, sans-serif
- h1 selector:

2024/T2 2/5

- ∘ background color is #004643
- ∘ text color is white
- ∘ padding is 1.1rem
- o text alignment is center
- h2 and h3 selectors:
 - o background color is gold
 - ∘ text color is #0c1618
 - ∘ padding top is 0.8em
 - \circ padding bottom is 0.3em
 - ∘ padding left & rigth is 0
- Specific .highlight class selector:
 - o background color is peachpuff
 - ∘ text font weight bold

After adding these as *internal* rules within the HTML file, your web page should render as shown below:

2024/T2 3/5



Task3.1.2 With Internal CSS

Please note: The definition of colours are shown in 3 different ways possible - for demonstration purposes.

Specific Tasks

Please complete the following for submission:

- 1. Copy the original html file to task3-1-Internal.html
- 2. Add to the <head> section the appropriate CSS style rules as described in the table above.
- 3. NOTE: Although inline rules should be avoided, you should see that the

2024/T2 4/5

- ... tag uses the create selector class .highlight to change the
 background-color for that specific part of the document to yellow and bold the
 font.
- 4. Add **comments** to the HTML file detail the various effects the CSS rules have on the webpage.

What will you submit?

You should submit:

- One screen-shot of your final web page showing the application of the required internal styles.
- Your updated task3-1-Internal.html file showing the definition of the appropriate internal style rules.

2024/T2 5/5