USER GUIDE

Community-Based Sarcopenia Screening Tool for Older Adults

Illustrated instructions for batch screening, result interpretation, and safe use

> Research and preliminary screening use only. This tool does not diagnose sarcopenia and must not be used as the sole basis for treatment or referral decisions.


Document item	Current release
Document version	1.0
Web application version	1.1.3
Locked model version	1.0.0
Last updated	November 2026
Screening mode	Batch upload using CSV or XLSX

Source code, synthetic examples, automated tests, validation evidence, and documentation are available at https://github.com/wenzisgjm/KNHANES_community-sarcopenia-screening-tool.

1. Purpose and scope

This guide explains how trained community-health, primary-care, and research personnel can prepare batch data, run the web-based screening tool, interpret the output, and manage the results safely.

The tool is intended for preliminary sarcopenia risk screening among adults aged 65 years and older. It is a research demonstration and screening aid, not a diagnostic system or a substitute for clinical judgement. A screen-positive result requires a standardised sarcopenia assessment according to the applicable local protocol.



Screening interface

2. Before use

Users should:

1. Understand the variable definitions and coding rules in Section 4.
2. Understand the difference between screening and diagnosis.
3. Know the local procedures for confirmatory assessment and referral.
4. Remove unnecessary direct identifiers before uploading data.
5. Confirm that institutional policy permits use of the selected hosting environment.

The current release supports batch screening only. Users can upload batch data in CSV or Excel format.

Supported formats:

- CSV (`.csv`)
- Excel Workbook (`.xlsx`)

Legacy Excel `.xls` files are not supported and should be saved as `.xlsx` or `.csv` before upload.

3. Quick-start workflow

1. Download the CSV input template from the **How to Use** tab or use `examples/sample_input.csv`.
2. Download the illustrated PDF manual from **How to Use > User Manual** when an offline copy is required.
3. Enter one participant per row and retain the required column names exactly.
4. Confirm that all participants are aged 65 years or older and code ages 80 years or older as 80.
5. Confirm that categorical values use the required numeric codes.
6. Open the **Screening** tab and upload the `.csv` or `.xlsx` file.
7. Review warnings or errors. Correct the source file and upload it again when an error is displayed.
8. Review the screening summary and participant-level results.
9. Download the result CSV and store it according to institutional policy.
10. Arrange standardised assessment for screen-positive participants according to the local protocol.

4. Required input data

The uploaded file must contain the following columns. Column names are case-sensitive and should not be renamed.

Column	Definition and permitted coding
`ID`	Non-identifying participant code. Required for result management; not used by the model.
`sex`	Participant sex. Retained for result management; not used by the model.
`age`	Numeric age in years; ages 80 years or older must be coded as 80.
`EQ5D`	Numeric EQ-5D health utility index.
`pa_aerobic`	Meets the specified aerobic activity recommendation = 0; does not meet it = 1.
`is_allownc`	Current/previous National Basic Livelihood Security receipt = 1; no history = 0.
`Chew_Diff`	Difficulty chewing = 1; no difficulty chewing = 0.
`Prot_Deficiency`	Protein intake is insufficient = 1; sufficient = 0. Insufficient means below 60 g/day for men and below 50 g/day for women.
`N_EN`	Numeric daily energy intake in kcal/day.
`HE_wc`	Numeric waist circumference in cm.
`obe_4class`	Normal weight = 0; underweight = 1; overweight = 2; obesity = 3.

Weight-status categories use the following BMI definitions:

- Normal weight: 18.5 to less than 23 kg/m²
- Underweight: less than 18.5 kg/m²
- Overweight: 23 to less than 25 kg/m²
- Obesity: 25 kg/m² or greater

> Important: numeric codes must match those used in the model-development data. Do not replace `0`, `1`, `2`, or `3` with free-text labels.

5. Uploading and validating a file

Open the **Screening** tab and choose **Select a file for batch prediction**. Processing begins after a supported file is selected.

The application checks:


- whether all required columns are present;
- whether model inputs are numeric;

- whether age is present and between 65 and 80 after coding ages 80 years or older as 80;
- whether binary fields contain only 0 or 1;
- whether `obe_4class` contains only 0, 1, 2, or 3;
- whether participant identifiers are missing or duplicated; and
- whether any model input contains a missing value.

If any model input is missing, the entire upload is rejected and no screening result is generated. Complete all required model inputs from the source records and upload the corrected file. The web application does not impute missing model inputs for scoring.

6. Reviewing and downloading results

The results page presents the number screened, the numbers classified as screen positive and screen negative, a summary chart, and a participant-level table.



Batch screening results

The downloaded CSV retains the required input fields and adds:

Output field	Meaning
`model_score`	Model-generated screening score. It is not a confirmed individual clinical probability.
`screening_result`	`Screen positive` or `Screen negative`, determined using the locked threshold.
`recommended_action`	Standardised next-step guidance associated with the screening classification.


Recommended actions:

- **Screen positive:** Arrange a standardised sarcopenia assessment according to the local protocol.
- **Screen negative:** No automatic referral based on this tool alone; assess further if symptoms or clinical concern are present.

Do not interpret a screen-positive result as a diagnosis. Do not interpret a screen-negative result as proof that sarcopenia is absent.

7. On-screen guidance

The **How to Use** tab describes the recommended workflow, training requirements, input requirements, and interpretation principles. It provides both a downloadable PDF user manual and a CSV input template.


Deploy

2. Remove unnecessary direct identifiers and upload a correctly formatted CSV or Excel file.
3. Review participants classified as screen positive.
4. Confirm findings using established assessments of muscle strength, muscle mass, and physical performance.
5. Refer participants for clinical assessment according to local protocols when appropriate.

Training Before Use

Users should understand the variable definitions and coding rules, the meaning of a screen-positive result, the limits of model-generated scores, and their local confirmatory assessment and referral procedures. The tool should only be introduced within an organization after an appropriate clinical or research lead has reviewed these requirements with users.

User Manual

Download the illustrated user manual for batch-data preparation, variable coding, file upload, result interpretation, troubleshooting, privacy, and governance guidance.

Download User Manual (PDF)

Input Requirements

Variable	Requirement
ID	Participant identifier; required for result management and not used by the model.
sex	Participant sex; retained for result management and not used by the model.
age	Numeric age in years; ages 80 years or older must be coded as 80.
EQ5D	Numeric EQ-5D health utility index.
pa_aerobic	Binary code: meets the specified aerobic activity recommendation=0, does not meet it=1.
is_allownc	Current/previous National Basic Livelihood Security receipt = 1; no history = 0.
Chew_Diff	Binary code: difficulty chewing=1, no difficulty chewing=0.
Prot_Deficiency	Binary code: insufficient protein intake=1, sufficient protein intake=0.
N_EN	Numeric daily energy intake in kcal/day.
HE_wc	Numeric waist circumference in cm.

How to Use tab

8. Model and application information

The model and web application are versioned separately:

- Locked model version: `1.0.0`
- Web application versio 1.1.3

Changes to the interface, documentation, or software-validation evidence do not imply that the locked model was retrained.

Deploy

Community-Based Sarcopenia Screening Tool for Older Adults

Strong bodies build strong communities.

Target users: adults aged 65 years and older.

Use case: preliminary sarcopenia risk screening in community or primary care settings.

Research and preliminary screening use only. This tool is a research demonstration and preliminary sarcopenia screening aid. It is not a validated clinical decision-support system, does not provide a diagnosis, and must not be used as the sole basis for treatment or referral decisions.

Screening How to Use Model Info Governance

Model Information

Item	Details
Algorithm	LogisticRegression
Model version	1.0.0
Web application version	1.1.3
Current status	Research demonstration and preliminary screening aid
Web framework	Streamlit
Hosting platform	Render
Predictor set	Model_2
Number of predictors	9
Development sample	2022 dataset, n=889
Temporal validation sample	2024 dataset, n=1156
Screening threshold	0.082884 (8.2884%)
Threshold selection	Locked Youden threshold from 2022 out-of-fold predictions in the 2022 development analysis

Model information

The Model Info tab reports temporal validation using 2024 KNHANES data (n = 1,156). These estimates describe performance in the reported validation sample and do not guarantee equivalent performance in another population or setting. Independent external validation remains necessary before clinical implementation.

Deploy

Deploy

Web application version	1.1.3
Current status	Research demonstration and preliminary screening aid
Web framework	Streamlit
Hosting platform	Render
Predictor set	Model_2
Number of predictors	9
Development sample	2022 dataset, n=889
Temporal validation sample	2024 dataset, n=1156
Screening threshold	0.082884 (8.2884%)
Threshold selection	Locked Youden threshold from 2022 out-of-fold predictions in the 2022 development analysis
scikit-learn version	1.6.1
Last updated	November 2026

Temporal Validation Performance

Performance of the locked final model in the 2024 KNHANES temporal validation dataset.

Metric	Estimate	95% CI
ROC-AUC	0.837	0.792-0.877
PR-AUC	0.324	0.251-0.425
Accuracy	0.767	0.742-0.792
Balanced accuracy	0.776	0.729-0.822
Sensitivity	0.786	0.702-0.869
Specificity	0.766	0.740-0.791
PPV	0.208	0.183-0.235
NPV	0.979	0.970-0.987
F1 score	0.329	0.292-0.369
Brier score	0.058	0.054-0.061


9. Governance, privacy, and prohibited uses

The application code does not intentionally write uploaded participant files to persistent application storage. Files are processed during the active application session. This guide does not claim or guarantee a specific hosting-level upload retention period or encryption method for data at rest. Institutions should review the hosting provider's current security and retention documentation before uploading personal or sensitive data.

Users should:

- use non-identifying participant codes;
- remove unnecessary direct identifiers;
- restrict access to input and output files;
- follow applicable institutional and data-protection requirements; and
- retain or delete downloaded results according to an approved data-management plan.

The tool must not be used to diagnose sarcopenia, make autonomous treatment decisions, replace professional judgement, or screen people outside the intended population.



Governance information

10. Troubleshooting

Message or problem	Recommended response
Unsupported file type	Save the file as `.csv` or `.xlsx` and upload it again.
Missing required columns	Restore the exact required column names and check spelling and capitalisation.
Non-numeric values	Replace text in model-input fields with valid numeric values or codes.
Participant younger than 65 years	Remove the record; the model is restricted to adults aged 65 years and older.
Age above 80	Code ages 80 years or older as 80 and upload the file again.
Invalid binary code	Use only 0 or 1 according to the definition for that variable.
Invalid weight-status code	Use only 0, 1, 2, or 3 according to the defined BMI categories.

Message or problem	Recommended response
Missing model inputs error	Complete every missing model input from the source records and upload the corrected file. No screening result is generated until all model inputs are present.
Missing or duplicate `ID` warning	Correct identifiers so results can be matched to the intended participant records.
Model files could not be loaded locally	Install the pinned dependencies and confirm that all locked model artifacts are present.

11. Reproducibility and validation evidence

The repository contains:

- synthetic input and expected-output files in `examples/`;
- automated checks in `tests/`;
- pinned Python and package versions;
- locked model artifacts; and
- validation procedures and limitations in `VALIDATION.md`.

To run the automated checks from the repository root:

```
python -m unittest discover -s tests -v
```

The supplied screenshots were generated using synthetic records only and contain no participant or clinical-study data.

12. Additional information

Source code, examples, tests, validation evidence, and the current application documentation are available at:

https://github.com/wenzisgjm/KNHANES_community-sarcopenia-screening-tool