

Презентация по лабораторной работе №6

Установка и конфигурация операционной
системы на виртуальную машину

Раднаве Ардан, НКАбд04-24

Цель работы

Развить навыки администрирования ОС Linux.
Получить первое практическое знакомство с технологией SELinux1. Проверить работу SELinux на практике совместно с веб-сервером Apache.

```
Left File Command Options
<- /etc/httpd/conf .[^>
.n Name Size Modify time
/.. UP--DIR Feb 21 17:59
httpd.conf 12005 Feb 21 18:28

httpd.service - The Apache HTTP Server
Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; preset: disabled)
Active: active (running) since Sat 2026-02-21 18:03:55 MSK; 2min 11s ago
Docs: man:httpd.service(8)
Main PID: 3502 (httpd)
Status: "Total requests: 0; Idle/Busy workers 100/0; Requests/sec: 0; Bytes served/sec: 0"
Tasks: 177 (limit: 10519)
Memory: 13.9M (peak: 14.1M)
CPU: 111ms
CGroup: /system.slice/httpd.service
├─3502 /usr/sbin/httpd -DFOREGROUND
├─3511 /usr/sbin/httpd -DFOREGROUND
├─3516 /usr/sbin/httpd -DFOREGROUND
├─3517 /usr/sbin/httpd -DFOREGROUND
└─3518 /usr/sbin/httpd -DFOREGROUND

Feb 21 18:03:55 user.localdomain systemd[1]: Starting The Apache HTTP Server...
Feb 21 18:03:55 user.localdomain systemd[1]: Started The Apache HTTP Server.
Feb 21 18:03:55 user.localdomain httpd[3502]: Server configured to listen on...
```

httpd.conf 11G/17G (66%)

Настройка 1

```
• httpd.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/httpd.service; enabled; preset: disabled)
   Active: active (running) since Sat 2026-02-21 18:03:55 MSK; 2min 11s ago
     Docs: man:httpd.service(8)
  Main PID: 3502 (httpd)
    Status: "Total requests: 0; Idle/Busy workers 100/0; Requests/sec: 0; Bytes served/sec: 0"
    Tasks: 177 (limit: 10519)
   Memory: 13.9M (peak: 14.1M)
      CPU: 111ms
   CGroup: /system.slice/httpd.service
           └─3502 /usr/sbin/httpd -DFOREGROUND
             └─3511 /usr/sbin/httpd -DFOREGROUND
               └─3516 /usr/sbin/httpd -DFOREGROUND
                 └─3517 /usr/sbin/httpd -DFOREGROUND
                   └─3518 /usr/sbin/httpd -DFOREGROUND

Feb 21 18:03:55 user.localdomain systemd[1]: Starting The Apache HTTP Server...
Feb 21 18:03:55 user.localdomain systemd[1]: Started The Apache HTTP Server.
```

```
system_u:system_r:httpd_t:s0    root          3502  0.0  0.7  23992 13152 ?
Ss  18:03   0:00 /usr/sbin/httpd -DFOREGROUND
system_u:system_r:httpd_t:s0    apache        3511  0.0  0.3   23816  5424 ?
S   18:03   0:00 /usr/sbin/httpd -DFOREGROUND
system_u:system_r:httpd_t:s0    apache        3516  0.0  0.5 1114244  9072 ?
Sl  18:03   0:00 /usr/sbin/httpd -DFOREGROUND
system_u:system_r:httpd_t:s0    apache        3517  0.0  0.5  983108  8844 ?
Sl  18:03   0:00 /usr/sbin/httpd -DFOREGROUND
system_u:system_r:httpd_t:s0    apache        3518  0.0  0.5  983108  8844 ?
Sl  18:03   0:00 /usr/sbin/httpd -DFOREGROUND
unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 root 3772 0.0  0.5 240564
10272 pts/1 S+ 18:06   0:00 sudo systemctl status httpd
unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 root 3774 0.0  0.5 238344
9752 pts/1 S+ 18:06   0:00 systemctl status httpd
unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 tvbondar 3811 0.0  0.1 221
672 2384 pts/0 S+ 18:07   0:00 grep --color=auto httpd
[tvbondar@user ~]$
```

← →

Firefo

```

system_u:system_r:httpd_t:s0    root      3502  0.0  0.7  23992 13152 ?
Ss  18:03  0:00 /usr/sbin/httpd -DFOREGROUND
system_u:system_r:httpd_t:s0    apache    3511  0.0  0.3  23816  5424 ?
S   18:03  0:00 /usr/sbin/httpd -DFOREGROUND
system_u:system_r:httpd_t:s0    apache    3516  0.0  0.5 1114244  9072 ?
Sl  18:03  0:00 /usr/sbin/httpd -DFOREGROUND
system_u:system_r:httpd_t:s0    apache    3517  0.0  0.5  983108  8844 ?
Sl  18:03  0:00 /usr/sbin/httpd -DFOREGROUND
system_u:system_r:httpd_t:s0    apache    3518  0.0  0.5  983108  8844 ?
Sl  18:03  0:00 /usr/sbin/httpd -DFOREGROUND
unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 root 3772 0.0  0.5 240564
10272 pts/1 S+ 18:06  0:00 sudo systemctl status httpd
unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 root 3774 0.0  0.5 238344
9752 pts/1 S+ 18:06  0:00 systemctl status httpd
unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 tvbondar 3811 0.0  0.1 221
672 2384 pts/0 S+ 18:07  0:00 grep --color=auto httpd
[tvbondar@user ~]$

```

Настройка

```
SELinux status:                enabled
SELinuxfs mount:              /sys/fs/selinux
SELinux root directory:       /etc/selinux
Loaded policy name:            targeted
Current mode:                  enforcing
Mode from config file:         enforcing
Policy MLS status:             enabled
Policy deny_unknown status:    allowed
Memory protection checking:    actual (secure)
Max kernel policy version:     33
```

Policy booleans:

```
abrt_anon_write                off
abrt_handle_event              off
abrt_upload_watch_anon_write   on
antivirus_can_scan_system      off
antivirus_use_jit              off
auditadm_exec_content          on
authlogin_nsswitch_use_ldap    off
authlogin_radius               off
authlogin_yubikey              off
awstats_purge_apache_log_files off
boinc_execmem                  on
```



http://127.0.0.1:81/test.html

 Firefox automatically sends some data to Mozilla so that we can improve your exp

Test

```
SELinux status:                enabled
SELinuxfs mount:              /sys/fs/selinux
SELinux root directory:       /etc/selinux
Loaded policy name:            targeted
Current mode:                  enforcing
Mode from config file:        enforcing
Policy MLS status:             enabled
Policy deny_unknown status:    allowed
Memory protection checking:    actual (secure)
Max kernel policy version:     33
```

Policy booleans:

```
abrt_anon_write                off
abrt_handle_event              off
abrt_upload_watch_anon_write   on
antivirus_can_scan_system      off
antivirus_use_jit              off
auditadm_exec_content          on
authlogin_nsswitch_use_ldap    off
authlogin_radius               off
authlogin_yubikey              off
awstats_purge_apache_log_files off
boinc_execmem                  on
```


SELinux status:	enabled
SELinuxfs mount:	/sys/fs/selinux
SELinux root directory:	/etc/selinux
Loaded policy name:	targeted
Current mode:	enforcing
Mode from config file:	enforcing
Policy MLS status:	enabled
Policy deny_unknown status:	allowed
Memory protection checking:	actual (secure)
Max kernel policy version:	33

File	Command	Options
<- /etc/httpd/conf		.[^]>
Name	Size	Modify time
UP--DIR		Feb 21 17:59



Получилось