





**ENTRYGARD®**

**RECOMMENDED SCREWS:**

WOOD: 5 (P/N 1924Q.XX) #8 X 1 1/2 PHILLIPS, FLAT HEAD,  
SHEET METAL SCREWS.  
PVC & METAL: 5 - #8 PHILLIPS, FLAT HEAD SCREWS.  
(LENGTH AND THREAD TYPE TO BE DETERMINED BY PROFILE)


① PREFERRED MOUNTING HOLES  
USE L, F, AND LINK THICKNESS TO  
CALCULATE BRACKET MOUNTING HEIGHT  
(SEE STUD BRACKETS FOR "F" DIM.)

	<u>Link Offset</u>	<u>Clip</u>			
15-10-00-001	Up	Top	4.00"	(Longest Arm—very popular)	LH
15-10-00-002	Up	Top	4.00"	(Longest Arm—very popular)	RH
15-16-00-001	Up	Top	3 5/16"	(Also very popular)	LH
15-16-00-002	Up	Top	3 5/16"	(Also very Popular)	RH
15-15-00-001	Up	Top (Egress)	2 11/32"		LH
15-15-00-002	Up	Top (Egress)	2 11/32"		RH
15-63-00-001	Up	Bottom	4.00"		LH
15-63-00-002	Up	Bottom	4.00"		RH
15-73-00-001	Down	Bottom	4.00"		LH
15-73-00-002	Down	Bottom	4.00"		RH

ENTRYGARD®				ENTRYGARD®	
					
<b>15-11-00-001</b> LH Link Offset Down Clip Top <b>15-11-00-002</b> RH Link Offset Down Clip Top				<b>15-94-00-001</b> LH <b>15-94-00-002</b> RH	
15-76-00-001	LH	Link Offset Down	Clip Bot.		
15-76-00-002	RH	Link Offset Down	Clip Bot.		

**ENTRYGARD®**

15-32-03-051	Single Arm	13.5"	Bronze	LH
15-32-03-052	Single Arm	13.5"	Bronze	RH
15-32-08-061	Single Arm	13.5"	Coppertone	LH
15-32-08-062	Single Arm	13.5"	Coppertone	RH
15-32-32-061	Single Arm	13.5"	White	LH
15-32-32-062	Single Arm	13.5"	White	RH
15-32-78-001	Single Arm	13.5"	Blue White	LH
15-32-78-002	Single Arm	13.5"	Blue White	RH
15-09-78-051	Single Arm Offset	13.5"	Blue White	LH
15-09-78-052	Single Arm Offset	13.5"	Blue White	RH
15-31-03-051	Single Arm	9.5"	Bronze	LH
15-31-03-052	Single Arm	9.5"	Bronze	RH
15-31-08-061	Single Arm	9.5"	Coppertone	LH
15-31-08-062	Single Arm	9.5"	Coppertone	RH
15-31-32-001	Single Arm	9.5"	White	LH
15-31-32-002	Single Arm	9.5"	White	RH
15-08-32-061	Single Arm Offset	9.5"	White	LH
15-08-32-062	Single Arm Offset	9.5"	White	RH
15-56-08-061	Single Arm	7.5"	Coppertone	LH
15-56-08-062	Single Arm	7.5"	Coppertone	RH
15-56-32-061	Single Arm	7.5"	White	LH
15-56-32-062	Single Arm	7.5"	white	RH




15-18-08-001 Split Arm (no clip) Coppertone LH  
 15-18-08-002 Split Arm (no clip) Coppertone RH

15-18-32-001 Split Arm (no clip) White LH  
 15-18-32-002 Split Arm (no clip) White RH

15-66-xx-xxx Split Arm Top Clip

15-67-xx-xxx Split Arm Bottom Clip


We're your warehouse! t. 1-877-744-2634 f. 1-877-744-1877 [sales@tiipinc.com](mailto:sales@tiipinc.com)

Maxim® Dual Arm Operator

50-00-11-011 Maxim® Dual Arm Coppertone LH  
50-00-11-012 Maxim® Dual Arm Coppertone RH

50-00-32-011 Maxim® Dual Arm White LH  
50-00-32-012 Maxim® Dual Arm White RH


50-00-24-011 Maxim® Dual Arm Beige LH  
50-00-24-012 Maxim® Dual Arm Beige RH

Maxim® Dyad Operator

50-50-11-011 Maxim® Dyad Coppertone LH  
50-50-11-012 Maxim® Dyad Coppertone RH


50-50-32-011 Maxim® Dyad White LH  
50-50-32-012 Maxim® Dyad White RH

50-50-24-011 Maxim® Dyad Beige LH  
50-50-24-012 Maxim® Dyad Beige RH

Maxim® Awning Operator


51-00-11-011 Maxim® Awning Coppertone

51-00-32-001 Maxim® Awning White


Maxim® Reverse Dyad (5" dual arm ♂ to ♂)

50-70-11-011 Maxim® Reverse Dyad Coppertone LH  
50-70-11-012 Maxim® Reverse Dyad Coppertone RH


50-70-32-011 Maxim® Reverse Dyad White LH  
50-70-32-012 Maxim® Reverse Dyad White RH




10-10-03-001	Single Pull Lever Lock	20.50"	Bronze	
10-10-03-002	Single Pull Lever Lock	20.50"	Bronze	(OPPOSITE HAND)
10-10-08-001	Single Pull Lever Lock	20.50"	Coppertone	
10-10-08-002	Single Pull Lever Lock	20.50"	Coppertone	(OPPOSITE HAND)
10-10-32-001	Single Pull Lever Lock	20.50"	White	



10-11-03-001	Dual Pull Lever Lock	23.25"	Bronze	
10-11-08-001	Dual Pull Lever Lock	23.25"	Coppertone	
10-11-08-002	Dual Pull Lever Lock	23.25"	Coppertone	(OPPOSITE HAND)
10-11-32-001	Dual Pull Lever Lock	23.25"	White	
10-11-32-002	Dual Pull Lever Lock	23.25"	White	(OPPOSITE HAND)
10-19-11-001	Removable Escutcheon	23.25"	Coppertone	
10-19-32-001	Removable Escutcheon	23.25"	White	







## Roto Gear Awning Operators

NOTE:  
PREFERRED MOUNTING HOLES ①

		<u>A =</u>	
11-10-03-001	Roto Gear Awning Operator	21.500"	Bronze
11-10-08-001	Roto Gear Awning Operator	21.500"	Coppertone
11-10-24-001	Roto Gear Awning Operator	21.500"	Beige
11-10-32-001	Roto Gear Awning Operator	21.500"	White
11-12-08-001	Roto Gear Awning Operator	16.125"	Coppertone
11-12-24-001	Roto Gear Awning Operator	16.125"	Beige
11-12-32-001	Roto Gear Awning Operator	16.125"	White
11-30-11-001	Roto Gear Awning Operator	12.000"	Coppertone
11-30-32-001	Roto Gear Awning Operator	12.000"	White




11-14-03-001	Roto Gear Awning Operator Dual Pull	25.00"	Bronze
11-14-08-001	Roto Gear Awning Operator Dual Pull	25.00"	Coppertone
11-14-32-001	Roto Gear Awning Operator Dual Pull	25.00"	White




11-16-03-001	Roto Gear Awning Operator	24.75"	Bronze
11-16-08-001	Roto Gear Awning Operator	24.75"	Coppertone
11-16-32-001	Roto Gear Awning Operator	24.75"	White

11-44-00-001


28.75"

OUNTING HOLE LOCATIONS  
HOWN IN FIG. 2.

DYAD OPERATOR


23-46-32-001	White	LH
23-46-32-002	White	RH
23-46-23-001	Chestnut Bronze	LH
23-46-23-002	Chestnut Bronze	RH
23-65-32-001	White (w/Stability Tab)	LH
23-65-32-002	White (w/Stability Tab)	RH

STABILITY TAB AVAILABLE ON 23-65

DYAD OPERATOR OFFSET

23-66-01-001	Alum (w/Stability Tab)	LH
23-66-01-002	Alum (w/Stability Tab)	RH
23-66-32-001	White (w/Stability Tab)	LH
23-66-32-002	White (w/Stability Tab)	RH

STABILITY TAB AVAILABLE ON 23-66

COMMERCIALLY HANDED W/STEEL ROLLER

C = 9.5"


## Steel Roller

23-00-32-001	Rear Mount	White	LH
23-00-32-002	Rear Mount	White	RH
23-01-32-001	Face Mount	White	LH
23-01-32-002	Face Mount	White	RH
23-01-03-001	Face Mount	Bronze	LH
23-01-03-002	Face Mount	Bronze	RH
23-01-19-001	Face Mount	Brushed-Copper-Nickel	LH
23-01-19-002	Face Mount	Brushed-Copper-Nickel	RH

23.38.XX.XXX  
LEFT HAND SHOWN

C = 7.5"


23-38-32-001	Rear Mount	White	LH
--------------	------------	-------	----



C = 13.5"


23-03-32-001	Face Mount	White	LH
23-04-01-001	Rear Mount w/pivot shoe	Alum.	LH
23-04-32-001	Rear Mount w/pivot shoe	White	LH

We're your warehouse! t. 1-877-744-2634 f. 1-877-744-1877 [sales@tiipinc.com](mailto:sales@tiipinc.com)




## PIVOT SHOE ROTO OPERATOR

22-10-19-103	A = 27 3/4"	Front Mount	Brushed Copper Nickel
22-10-32-003	A = 27 3/4"	Front Mount	White
22-10-78-002	A = 27 3/4"	Front Mount	Blue White
22-17-01-002	A = 16 3/4"	Front Mount	Aluminum
22-17-19-003	A = 16 3/4"	Front Mount	Brushed Copper Nickel
22-17-32-003	A = 16 3/4"	Front Mount	White
22-18-01-102	A = 25 3/4"	Front Mount	Aluminum
22-18-19-102	A = 25 3/4"	Front Mount	Brushed Copper Nickel
22-18-32-003	A = 25 3/4"	Front Mount	White
22-19-01-002	A = 27 3/4"	Rear Mount	Aluminum
22-19-32-002	A = 27 3/4"	Rear Mount	White



## SCISSORS ARM OPERATOR



22-21-32-002	A = 21 1/2"	B = .250"	O = 1.403"	Front Mount	White
22-23-32-002	A = 16"	B = .340"	O = 1.497"	Front Mount	White
22-27-32-002	A = 21 1/2"	B = .250"	O = 1.403"	Rear Mount	White
22-29-32-002	A = 16"	B = .340"	O = 1.497"	Rear Mount	White



## TELESCOPING PUSH BAR OPERATOR

12-41-00-100	Telescoping Push Bar	27/32" Yoke Length	Silver Painted
12-44-00-100	Telescoping Push Bar	1 9/32" Yoke Length	Silver Painted

Super-fast shipping! t. 1-877-744-2634 f. 1-877-744-1877 [sales@tiipinc.com](mailto:sales@tiipinc.com)



**AWNING HINGE**

**CASEMENT HINGE CONCEALED**

\*All Tracks are Stainless Steel

**Steel**


13-13-00-014	Concealed	10"	LH
13-13-00-015	Concealed	10"	RH
13-14-00-003	Concealed	14"	LH
13-14-00-004	Concealed	14"	RH
13-15-00-003	Concealed	18"	LH
13-15-00-004	Concealed	18"	RH
13-16-00-014	Concealed	22"	LH
13-16-00-015	Concealed	22"	RH
13-17-00-014	Concealed	26"	LH
13-17-00-015	Concealed	26"	RH

	<u>Arm &amp; Rivet</u>	<u>A</u>	<u>Track</u>	
14-05-00-501	Steel Adjustable	4.906"	10"	LH
14-05-00-502	Steel Adjustable	4.906"	10"	RH
14-06-00-501	Steel Adjustable	5.531"	10"	LH
14-06-00-502	Steel Adjustable	5.531"	10"	RH
14-17-00-004	Steel Snap Stud	6.938"	14"	LH
14-17-00-005	Steel Snap Stud	6.938"	14"	RH
14-75-00-019	Steel Snap Stud	4.906"	10"	LH
14-75-00-020	Steel Snap Stud	4.906"	10"	RH
14-76-00-009	Steel Snap Stud	5.531"	10"	LH
14-76-00-010	Steel Snap Stud	5.531"	10"	RH
14-77-00-009	Steel (Egress)	2.281"	10"	LH
14-77-00-010	Steel (Egress)	2.281"	10"	RH
14-97-00-005	Steel		13"	LH
14-97-00-006	Steel		13"	RH



 Limit Device/  
Friction Adjustor

**LIMIT DEVICE**


99-20-00-001


**HIGH PERFORMANCE CONCEALED CASEMENT HINGE**
**DISCONTINUED**

14-96-00-001	10.688"	Steel	LH
14-96-00-002	10.688"	Steel	RH



**STANDARD & HEAVY DUTY  
4-BAR HINGE**

			<u>Stack Height</u>	<u>Stop</u>
34-10-00-101	Standard Duty	Stainless Steel	8"	.500" 54°
34-11-00-102	Standard Duty	Stainless Steel	10"	.500" 55°
34-12-00-100	Standard Duty	Stainless Steel	12"	.500" 55°
34-13-00-102	Standard Duty	Stainless Steel	14"	.500" 55°
34-14-00-100	Standard Duty	Stainless Steel	16"	.500" 55°
34-16-00-100	Standard Duty	Stainless Steel	20"	.500" 55°
34-17-00-104	Standard Duty	Steel	8"	.500" 54°
34-18-00-100	Standard Duty	Steel	10"	.500" 55°
34-19-00-104	Standard Duty	Steel	12"	.500" 55°
34-20-00-100	Standard Duty	Steel	14"	.500" 55°
34-21-00-102	Standard Duty	Steel	16"	.500" 55°
34-23-00-102	Standard Duty	Steel	20"	.500" 55°
34-24-00-100	Heavy Duty	Stainless Steel	10"	.625" 58°
34-33-00-100	Heavy Duty	Steel	10"	.625" 58°
34-34-00-106	Heavy Duty	Steel	12"	.625" 52°
34-35-00-100	Heavy Duty	Steel	14"	.625" 48°
34-36-00-103	Heavy Duty	Steel	16"	.625" 49°
34-37-00-100	Heavy Duty	Steel	18"	.625" 49°
34-81-00-100	Standard Duty	All Stainless Steel (for casement only)	12"	.531" 90°


**4-BAR HINGE**
**EGRESS**


35-09-00-100 Standard Duty  
Stainless Steel  
12"

35-12-00-101 Heavy Duty  
Stainless Steel  
16.5"




10341-03	Plastic	Bronze
10341-08	Plastic	Coppertone
10341-22	Plastic	Clay
10341-24	Plastic	Beige
10341-32	Plastic	White

CONTOUR HANDLE




11454-01	Aluminum
11454-03	Bronze
11454-08	Coppertone
11454-19	Brushed Copper Nickel
11454-23	Chestnut Bronze
11454-24	Beige
11454-32	White
11454-78	Blue White




METAL ENTRYGARD® COVER

11328-01	Aluminum
----------	----------




FOLDING HANDLE

11329-03	Bronze
11329-08	Coppertone
11329-19	Brushed Copper Nickel
11329-23	Chestnut Bronze
11329-24	Beige
11329-32	White




40096-32 CRANK HANDLE EXTENSION

LONG HANDLE




INCLUDES SET SCREW.




30439 INSERT

10579-01	Aluminum
10579-03	Bronze
10579-08	Coppertone
10579-19	Brushed Copper Nickel
10579-23	Chestnut Bronze
10579-32	White




**SASH LOCK**

16-16-01-100	Aluminum	LH
16-16-01-101	Aluminum	RH
16-16-03-110	Bronze	LH
16-16-03-111	Bronze	RH
16-16-11-114	Coppertone	LH
16-16-11-115	Coppertone	RH
16-16-32-110	White	LH
16-16-32-111	White	RH





Sash Hook for 16-16



**SASH LOCK**


**NON-HANDED**

16-52-11-300	Coppertone
16-52-32-300	White




**SASH LOCK**

16-27-08-001	Coppertone	LH
16-27-08-002	Coppertone	RH
16-27-32-001	White	LH
16-27-32-002	White	RH




Keeper for 16-27



**SASH LOCK**


**NON-HANDED**

16-18-08-210	Coppertone
16-18-32-210	White




Keeper for 16-18


**Section E**




24-10-03-200 A = 3/8" Bronze  
24-10-32-200 A = 3/8" White  
24-11-03-200 A = 1/2" Bronze  
24-11-32-200 A = 1/2" White



24-13-19-204 Brushed Copper Nickel  
24-13-19-205 Locking Cam Only





24-23-19-200 Brushed Copper Nickel  
24-23-32-200 White




**REAR MOUNT  
(DISCONTINUED)**

24-21-32-100 White




**Rear Mount**

24-25-03-200 Bronze  
24-25-08-200 Coppertone  
24-25-24-300 Beige  
24-25-32-200 White  
24-25-75-200 Brown




**21088** Keeper (24 Series Locking Handles) **E = .500"** **F = 4.647"**


**21089** Keeper (24 Series Locking Handles) **E = .562"** **F = 4.593"**




**31376** Keeper (24 Series Locking Handles) **E = .590"** **F = 4.593"**




**20800** Keeper (24 Series Locking Handles)




**30569-32** Strike Plate (for 25-29-xx-xx Cam Handle Lock)



**20008-92** Sash Lock (for Lever, Scissor Arm and/or Awning Operators)




**31336-92** Sash Lock (for Lever, Scissor Arm and/or Awning Operators)




**31217-92** Keeper (Multi-Point Locking System) **LH**


**31218-92** Keeper (Multi-Point Locking System) **RH**




**45140** Adjustable Tie Bar Guide (Multi-Point Locking System)




### STUD BRACKETS & TRACK




30473-92 11 3/8" Single Arm Operator Track




10795-92 Stud Bracket LH  
10796-92 Stud Bracket RH




30150-92 13 3/4" Single Arm Operator Track




10339-92 Stud Bracket LH  
10340-92 Stud Bracket RH




30706-92 11 3/8" Single Arm Operator Track



10402-92 Stud Bracket LH  
10403-92 Stud Bracket RH




30175 A = 13 1/8" Track




**NON-HANDED**

**10558** Stud Bracket

**10968** Stud Bracket w/Snap Stud




LEFT HAND SHOWN




**12510-92** Stud Bracket LH

**12511-92** Stud Bracket RH




**10917** Stud Bracket LH

**10918** Stud Bracket RH




**10583-92** Stud Bracket LH

**10584-92** Stud Bracket RH



**10415-92** Stud Bracket LH


**10416-92** Stud Bracket RH



**11576-92**

**MAXIM DUAL ARM TRACK**


for Maxim System Operators




**11577-92**

**MAXIM DUAL ARM TRACK**


for Maxim System Operators




**40181-92**  
**TORSION BAR**  
for  
**Lever**  
&  
**Awning**  
**Operators**



**31877**      **Slider for Maxim Operators/Track**



**11577-92 SHOE**      **for Maxim Operators/Track**



41-10-24-100


Secondary Patio Door Lock

Beige

41-10-32-100

Secondary Patio Door Lock

White



41-13-32-100

A = .234"

B = 2.625"

White

41-14-08-100


A = .734"

Coppertone

41-14-32-100


A = .734"

White




20824-32

Keeper



30672-32

Keeper




30680-03

Bronze


30680-32

White




1148-8

**SINGLE POINT MORTISE LOCK  
w/Face Plate**




**39-10-00-103 STEEL WHEEL & HOUSING  
OLD STYLE - NO LONGER AVAILABLE**



39-14-00-202

**STEEL WHEEL & HOUSING**

Inverted Mounting Tabs




39-10-00-203

**STEEL WHEEL & HOUSING**


Standard Mounting Tabs

Tee-style Handle set shown



40-11-03-100

**TEE HANDLE INSIDE PULL**



**BRONZE**

40-12-08-100


**OUTSIDE PULL W/LOCK  
COPPERTONE**



We're your warehouse! t. 1-877-744-2634 f. 1-877-744-1877 [sales@tiipinc.com](mailto:sales@tiipinc.com)

**Trimline™ Cam Lock**


No alignment lugs, but available on other cam locks



17-38-32-200

White


**Trimline™ Cam Lock Keeper**



40904-32

White


**ENTRYGARD® Cam Lock**



17-14-32-100

White w/Keeper


**Sash Lift Low Profile**



18-10-08-100 Coppertone

18-10-32-100 White

**POLE OPERATED CAM HANDLE LOCK**





25-74-19-102 LH

25-74-19-103 RH


**BRUSHED COPPER NICKLE**

**Sash Lift**



18-11-03-101 Bronze


18-11-08-101 Coppertone



**TRIMLINE™ CAM HANDLE LOCK**


25-29-32-100 Offset Base White LH

25-29-32-101 Offset Base White RH




**TELESCOPING POLE**


<u>Drive</u>	<u>'A' Extended</u>	<u>'A' Collapsed</u>
10637 w/Hex Ball	122.000"	73.375"
10638 w/Hook	122.750"	74.125"
10864 w/Hex Ball	73.000"	48.000"
10855 w/Hook	73.875"	48.875"




**30476 CLERESTORY POLE CRANK**



**42-65 ANGLE DRIVE MODULE**




**42-75 STRAIGHT DRIVE MODULE**




**40470 SASH BRACKET**


**20642 DETACHABLE SASH PIN**




**30681 3 FOOT POLE EXTENSION**

**ENCORE AWNING OPERATOR (SILL MOUNT)**


51-10-XX-011

**ENCORE DYAD OPERATOR (SILL MOUNT)**


50-60-XX-011

**ENCORE DUAL ARM OPERATOR (SILL MOUNT)**

50-10-XX-011

**ENCORE DUAL ARM OPERATOR (SILL MOUNT)**

50-11-XX-011

**ENCORE TANGO HANDLE/COVER**

12614-XX


SPECIFY COLOUR

LH (SHOWN)

12616-XX

SPECIFY COLOUR

RH

**STUD BRACKET**

12510-92

LH (SHOWN)

12511-92

RH

*Super-fast shipping!*   t. 1-877-744-2634   f. 1-877-744-1877   [sales@tiipinc.com](mailto:sales@tiipinc.com)