11/1/2016 Udacity Reviews



#### PROJECT SPECIFICATION

## **Build a Portfolio Site**

## Design

CRITERIA	MEETS SPECIFICATIONS
Required Elements	The page at minimum includes all of the following:
	<ul> <li>at least 4 images</li> <li>title text (h1, h2, etc.)</li> <li>regular (paragraph) text</li> <li>a logo.</li> </ul>
Semantic HTML	HTML5 semantic tags such as <a href="header">  <footer< a="">, <a href="header">  </a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></footer<></a>

## Responsiveness

|--|

Cross-Device Compatibility	All content is responsive and displays on all display sizes. This includes:
	<ul> <li>Desktop</li> <li>Mobile: Google Nexus 5</li> <li>Tablet: Apple iPad</li> </ul>
	An image's associated title and text renders next to the image in all viewport sizes.
	TIP: Test responsiveness with Chrome Developer Tools device emulation by right-clicking anywhere on page, selecting 'Inspect Element', clicking the rectangle to the left of the Elements tab, select Apple iPad or Google Nexus 5 from Device drop-down list, and click reload.
Provide All Content	All content is rendered on all three devices. No content should be hidden on mobile devices.
Viewport meta Tag	Viewport meta tag is included in HTML. (i.e. <meta )<="" name="viewport" td=""/>
Responsive Images	If a CSS framework is used, classes provided by the CSS framework are used to make images responsive, otherwise media-queries are used to ensure responsiveness of images.

## **Separation of Concerns**

CRITERIA	MEETS SPECIFICATIONS
Styles Separated From HTML	Portfolio completely separates structure (HTML) from design/style (CSS). There are no style attributes present in the body of the HTML document. There are no <style> elements in the document.</td></tr><tr><td></td><td>Note: It is acceptable to include height and width attributes in <img> elements.</td></tr><tr><td>File structure</td><td>Files are organized with a directory structure that separates files based on functionality. For example:  \[ \css/ \] for stylesheets  \[ \img/ \] for images  \[ \js/ \] for JavaScript files</td></tr></tbody></table></style>

# Code Quality

CRITERIA	MEETS SPECIFICATIONS	
----------	----------------------	--

11/1/2016 Udacity Reviews

	outerly reviews
HTML Formatting rules	<ul> <li>All code ( HTML element names, attributes, attribute values) is lowercase (except text/CDATA).</li> <li>Code does not have trailing white spaces.</li> <li>Indentation is consistent (either all tabs or all 2 spaces or all 4 spaces etc).</li> <li>Code uses a new line for every block, list or table element and indent every such child element (it's acceptable to put all <li>elements in one line).</li> <li>[Optional] When quoting attribute values, code uses double quotation marks.</li> </li></ul>
HTML Style Rules	<ul> <li>HTML documents use HTML5 <!DOCTYPE html>    .</li> <li>Code passes HTML and CSS validators.</li> <li>*[Optional] Code does not use entity references unless necessary e.g. characters with special meaning in HTML (like &lt; and &amp;) as well as control or "invisible" characters (like no-break spaces).</li> <li>[Optional] Code omits type attributes for style sheets and scripts.</li> </ul>
CSS Formatting Rules	<ul> <li>Code does not have trailing white spaces.</li> <li>Indentation is consistent (either all tabs or all 2 spaces or all 4 spaces etc).</li> <li>Code indents all block content, that is rules within rules as well as declarations to reflect hierarchy and improve understanding.</li> <li>Code uses a semicolon after every declaration for consistency and extensibility reasons.</li> <li>Code always uses a space after a property name's colon, but no space between property an colon, for consistency reasons.</li> <li>Code always use a single space between the last selector and the opening brace that begins the declaration block.</li> <li>Code always start a new line for each selector and declaration.</li> <li>Code always put a blank line (two line breaks) between rules.</li> <li>[Optional] Code uses double quotation marks for attribute selectors or property values. Do not use quotation marks in URI values (url()).</li> </ul>
CSS Style Rules	<ul> <li>Code uses meaningful or generic ID and class names that are as short as possible but as long as necessary.</li> <li>Code does not use element names in conjunction with IDs or classes.</li> <li>Code uses shorthand properties where possible.</li> <li>[Optional] Code omits unit specification after 0 values.</li> <li>[Optional] Code includes leading 0s in decimal values for readability.</li> <li>[Optional] Code uses 3-character hexadecimal notation where possible.</li> <li>[Optional] Code separate words in ID and class names by a hyphen.</li> <li>[Optional] Code avoids user agent detection as well as CSS "hacks"—try a different approach first.</li> </ul>
General Meta Rules	• HTML templates and documents use UTF-8 encoding. (no B0M) i.e. <meta charset="utf-8"/> .  *[Optional] Mark todos and action items with T0D0

#### Suggestions to Make Your Project Stand Out!

Use srcset in the img elements to provide optimized images to users on all device sizes.

 $Include\ additional\ Java Script\ functionality,\ while\ maintaining\ required\ components.\ For\ example:\ Bootstrap\ Navbar,\ Polymer\ Components.$ 

Student FAQ