




# The Vaadin Project Structure

By Gerald Koch



## The Vaadin Project Structure

# Root Folder

- `.mvn` → Maven settings folder
- `src` → sources folder
- `.gitignore` → defines files and folders which should be ignored when committing to the repository
- `.prettierrc.json` → information for pretty printers
- `LICENSE.md` → placeholder for your application's license. Replace with your own license, or delete if you don't need it.
- `mvmw` → start script for unix based environments
- `mvmw.cmd` → start script for Windows based environments
- `pom.xml` → Maven project definition file
- `README.md` → readme file for project documentation and start-up assistance

# src Folder

- `src/main/frontend` → folder for client side code like CSS and HTML (See slide “frontend Folder”)
- `src/main/java` → contains the source code
- `src/main/resources` → contains configuration files and web and application resources (See slide “resources Folder”)
- `src/main/webapp` → optional folder that contains static resources like images  
Attention: If the vaadin application is a multi module maven project then the static resources are located in `/src/main/resources/META-INF/resources`
- `src/test/java` → contains test code
- `src/test/resources` → optional folder that application test resources

# frontend Folder

- `index.html` → Template for the application web site. It contains placeholders which are filled by the Vaadin application.
- `themes` → This folder contains all theme folders. Themes can be switched using the `@Themes` annotation. Normally Vaadin applications have only one theme.
- `themes/<my-theme>` → The theme folder is the base folder for all client side code references like fonts, scripts and CSS. It contains the following items:
  - `theme.json` → definition for automatic Lumo (default Vaadin theme) imports
  - `style.css` → root file for theming
  - `components` → optional folder for overriding vaadin component base styles

# resources Folder

- application.properties → Spring Boot application parameters
- application-\*.properties → Spring Boot application parameters for different spring profiles
- META-INF/resources → optional folder for static resources when packed as JAR instead of WAR