

keyle

v0.2.1

2026-06-01

MIT

This package provides a simple way to style keyboard shortcuts in your documentation.

MAGICWENLI

✉ yxnian@outlook.com

Table of Contents

About	2
Usage	3
II.1 Importing	3
II.2 Quick Start	3
Themes	4
III.1 Built-in Themes	4
III.2 Custom Themes	4
Symbols	5
IV.1 Mac Keyboard Symbols	5
IV.2 Linux Biolinum Keyboard Symbols .	6
Available commands	8
Index	11

Part I

About

KEYLE is a library that allows you to create HTML `<kbd>` like keyboard shortcuts simple and easy.

The name, keyle, is a combination of key and theme.

This project is inspired by [auth0/kbd](http://github.com/auth0/kbd)¹ and [dogezzen/badgery](https://github.com/dogezzen/badgery)². Send them respect!

¹<http://github.com/auth0/kbd>

²<https://github.com/dogezzen/badgery>

Part II

Usage

II.1 Importing

KEYLE is imported using

```
#import "@preview/keyle:0.2.1"
```

II.2 Quick Start

Generate a keyboard renderer with `#config` function. Section [Section III.1](#) lists available themes.

```
#let kbd = keyle.config()
#kbd("Ctrl", "Shift", "Alt", "Del")

#let kbd = keyle.config(
  theme: keyle.themes.bioluminum,
  delim: keyle.bioluminum-key.delim_plus
)
#kbd("Ctrl", "Shift", "Alt", "Del")
```

Ctrl + Shift + Alt + Del

Ctrl + ⇧ + Alt + Del

There are `compact` and `delim` options to make the output more compact and change the delimiter between keys.

You can either use them in `#config` function or directly in generated `kbd` function.

```
#let kbd = keyle.config(compact: true, delim: "-")
#kbd("Ctrl", "Shift", "Alt", "Del")

#let kbd = keyle.config()
#kbd("Ctrl", "Shift", "Alt", "Del", compact: true, delim: "-")
```

Ctrl-Shift-Alt-Del

Ctrl-Shift-Alt-Del

Part III

Themes

III.1 Built-in Themes

Themes function are available at `#keyle.themes` dictionary.

`#keyle.themes.standard`

`#keyle.themes.deep-blue`

`#keyle.themes.type-writer`

`#keyle.themes.bioluminum`

Home

HOME

HOME

Home

III.2 Custom Themes

You can create your own theme by defining a function that takes a string and returns a themed content.

```
// https://www.radix-ui.com/themes/playground#kbd
#let radix_kdb(content) = box(
  rect(
    inset: (x: 0.5em),
    outset: (y: 0.05em),
    stroke: rgb("#1c2024") + 0.3pt,
    radius: 0.35em,
    fill: rgb("#fcfcfd"),
    text(fill: black, font: (
      "Helvetica Neue",
      "TeX Gyre Heros",
    ), content),
  ),
)
#let kbd = keyle.config(theme: radix_kdb)
#kbd("% D") #kbd("^ F")
```

⌘ D

^ F

Part IV

Symbols

IV.1 Mac Keyboard Symbols

KEYLE provides symbols for Mac keyboard. You may need install Fira Code font to see the symbols correctly.

- [Fira Code @ Google Fonts](https://fonts.google.com/specimen/Fira+Code?preview.text=%E2%8C%98%E2%87%A7%E2%8C%A5%E2%8C%83%E2%86%A9&query=fira+code)³
- [Apple Mac Keyboard Symbols](https://support.apple.com/en-hk/guide/mac-help/cpmh0011/mac)⁴

³<https://fonts.google.com/specimen/Fira+Code?preview.text=%E2%8C%98%E2%87%A7%E2%8C%A5%E2%8C%83%E2%86%A9&query=fira+code>

⁴<https://support.apple.com/en-hk/guide/mac-help/cpmh0011/mac>

```
#let mac-key = keyle.mac-key
#let kbd = keyle.config(theme: keyle.themes.standard)
#let mac-key-font = (
  "TeX Gyre Cursor",
  "Linux Libertine Mono",
)
#grid(
  columns: (2fr, 1fr, 2fr, 1fr),
  rows: 2em,
  align: horizon,
  ..mac-key.pairs().map(item => (
    raw("#mac-key." + item.at(0)),
    kbd(
      text(font: mac-key-font, item.at(1))
    ),
  )).flatten()
)
```

#mac-key.command		#mac-key.shift	
#mac-key.option		#mac-key.control	
#mac-key.return		#mac-key.delete	
#mac-key.forward-delete		#mac-key.escape	
#mac-key.left		#mac-key.right	
#mac-key.up		#mac-key.down	
#mac-key.pageup		#mac-key.pagedown	
#mac-key.home		#mac-key.end	
#mac-key.tab-right		#mac-key.tab-left	

IV.2 Linux Biolinum Keyboard Symbols

KEYLE provides symbols for Linux Biolinum Keyboard font.

- [Linux Biolinum Keyboard⁵](https://libertine-fonts.org/)

⁵<https://libertine-fonts.org/>

```
#let biolinum-key = keyle.biolinum-key
#let kbd = keyle.config(theme: keyle.themes.biolinum)
#grid(
  columns: (5fr, 3fr, 5fr, 3fr),
  rows: 2em,
  align: horizon,
  ..biolinum-key.pairs().map(item => (
    raw("#biolinum-key." + item.at(0)),
    kbd(item.at(1)),
  )).flatten()
)
```

#biolinum-key.Strg		#biolinum-key.Alt	
#biolinum-key.Ctrl		#biolinum-key.Shift	
#biolinum-key.Tab		#biolinum-key.Enter	
#biolinum-key.Capslock		#biolinum-key.Home	
#biolinum-key.Del		#biolinum-key.Ins	
#biolinum-key.End		#biolinum-key.Space	
#biolinum-key.Esc		#biolinum-key.PageUp	
#biolinum-key.PageDown		#biolinum-key.Back	
#biolinum-key.Pad_0		#biolinum-key.Pad_1	
#biolinum-key.Pad_2		#biolinum-key.Pad_3	
#biolinum-key.Pad_4		#biolinum-key.Pad_5	
#biolinum-key.Pad_6		#biolinum-key.Pad_7	
#biolinum-key.Pad_8		#biolinum-key.Pad_9	
#biolinum-key.Pad_Div		#biolinum-key.Pad_Add	
#biolinum-key.Pad_Sub		#biolinum-key.Pad_Mul	
#biolinum-key.Pad_Enter		#biolinum-key.Mac_Cmd	
#biolinum-key.Mac_Opt		#biolinum-key.Mac_FDel	
#biolinum-key.Mac_Del		#biolinum-key.GNU	
#biolinum-key.Win		#biolinum-key.Tux	
#biolinum-key.delim_plus+		#biolinum-key.delim_minus-	-

Part V

Available commands

<code>#config</code>	<code>#theme-func-biolinum</code>	<code>#theme-func-type-writer</code>
<code>#gen-examples</code>	<code>#theme-func-deep-blue</code>	
<code>#join-keys</code>	<code>#theme-func-standard</code>	

#config(**{theme}**): **themes.standard**, (**compact**): **false**, (**delim**): **"+"**) → **function**

Config function to generate keyboard rendering helper function.

Argument

{theme}: **themes.standard**

function

The theme function to use.

Argument

{compact}: **false**

bool

Whether to render keys in a compact format.

Argument

{delim}: **"+"**

str

The delimiter to use between keys.

#gen-examples(**{kbd}**) → **content**

Generate examples for the given keyboard rendering function.

Argument

{kbd}

function

The keyboard rendering function.

#join-keys(**{keys}**, **{theme}**, **{delim}**)

Join rendered keys with a delimiter between them.

#theme-func-biolinum(**{sym}**) → **content**

Theme function to render keys in a Linux Biolinum Keyboard style.

You need to have the font installed on your system.


```
#let kbd = keyle.config(theme: keyle.themes.bioluminum, delim: keyle.bioluminum-
key.delim_plus)
#keyle.gen-examples(kbd)
```

Ctrl + A Alt + P

Home End Ins Del

Argument

{sym}

str

The key symbol to render.

#theme-func-deep-blue(({sym})) → **content**

Theme function to render keys in a deep blue style.

```
#let kbd = keyle.config(theme: keyle.themes.deep-blue)
#keyle.gen-examples(kbd)
```

CTRL + A ALT+P

HOME END INS DEL

Argument

{sym}

str

The key symbol to render.

#theme-func-standard(({sym})) → **content**

Theme function to render keys in a standard style.

```
#let kbd = keyle.config(theme: keyle.themes.standard)
#keyle.gen-examples(kbd)
```

Ctrl + A Alt+P

Home End Ins Del

Argument

{sym}


str

The key symbol to render.

#theme-func-type-writer(({sym})) → **content**

Theme function to render keys in a type writer style.

```
#let kbd = keyle.config(theme: keyle.themes.type-writer)
#keyle.gen-examples(kbd)
```



Argument

(sym)

str

The key symbol to render.

Part VI

Index

C

`#config` 3, 8

G

`#gen-examples` 8

J

`#join-keys` 8

T

`#theme-func-biolinum` 8

`#theme-func-deep-blue` 8, 9

`#theme-func-standard` . 8, 9

`#theme-func-type-writer...`
8, 9