

# 4-side comparison — Qwen3 Coder MoE

Date: 2026-05-29

## Sides

**baseline** — raw one-line goal + file content. No simplicio.  
**cli** — the simplicio-cli 6-layer task contract (role/stack, goal, target, criteria, constraints, output shape).  
**cli + sp** — same contract wrapped as user-input-X inside the simplicio-prompt v1.9 Tuple-Space + Yool runtime template.  
**cli + ag** — same contract, with classified failure feedback (PHPUnit tail or missed regex patterns) fed back over up to 3 attempts. Mirrors simplicio task --verify.

## Metrics

**functional** — real vendor/bin/phpunit --configuration phpunit.xml.dist on wesleysimplicio/sistema-sindico (PHP 8). Pass = full suite green.  
**regex** — structural pattern match against the generated output (cheap proxy used by bench/run\_offline.py).

## Headline — pass rate per side, both metrics

| Model                        | Metric     | baseline | cli  | cli+sp | cli+ag | Δcli | Δcli+sp | Δcli+ag |
|------------------------------|------------|----------|------|--------|--------|------|---------|---------|
| Qwen3-Coder-30B-A3B-Instruct | functional | 33%      | 91%  | 91%    | 91%    | +58  | +58     | +58     |
| Qwen3-Coder-30B-A3B-Instruct | regex      | 36%      | 90%  | 98%    | 90%    | +54  | +62     | +54     |
| Qwen3-Coder-Next             | functional | 50%      | 83%  | 83%    | 91%    | +33  | +33     | +41     |
| Qwen3-Coder-Next             | regex      | 44%      | 100% | 94%    | 100%   | +56  | +50     | +56     |

## Agents verify-loop convergence

Lower attempts = the model resolved the case earlier; 1 means it passed on the first try. Max attempts capped per harness.

| Model                        | Metric     | avg attempts (cli+ag) |
|------------------------------|------------|-----------------------|
| Qwen3-Coder-30B-A3B-Instruct | functional | 1.17                  |
| Qwen3-Coder-30B-A3B-Instruct | regex      | 2.00                  |
| Qwen3-Coder-Next             | functional | 1.17                  |
| Qwen3-Coder-Next             | regex      | 1.00                  |

## Cost & latency per call (functional bench)

Tokens/call averaged across the 12 cases. cli+ag burns more tokens AND wall-clock per case because it may run up to 3 attempts.

| Model                        | Side     | tokens/call | ms/call |
|------------------------------|----------|-------------|---------|
| Qwen3-Coder-30B-A3B-Instruct | baseline | 1259        | 5030    |
| Qwen3-Coder-30B-A3B-Instruct | cli      | 1449        | 4983    |
| Qwen3-Coder-30B-A3B-Instruct | cli+sp   | 2412        | 4879    |
| Qwen3-Coder-30B-A3B-Instruct | cli+ag   | 1579        | 5332    |
| Qwen3-Coder-Next             | baseline | 1280        | 3571    |
| Qwen3-Coder-Next             | cli      | 1449        | 3485    |
| Qwen3-Coder-Next             | cli+sp   | 2416        | 3398    |

|                  |        |      |      |
|------------------|--------|------|------|
| Qwen3-Coder-Next | cli+ag | 1858 | 4210 |
|------------------|--------|------|------|

## Per-task × model (functional, base / cli / cli+sp / cli+ag)

P = pass, . = fail. cli+ag suffix is the attempt count (1-3). 1 means no feedback loop needed; 3 with . means the loop ran to exhaustion and still failed (model-capability ceiling).

| Task                             | Qwen3-C-30B-A3B-Instruct | Qwen3-C-Next    |
|----------------------------------|--------------------------|-----------------|
| password_strength                | . /P/P/P(1)              | . /P/P/P(1)     |
| password_require_symbol          | . / . / . / . (3)        | . /P/ . /P(1)   |
| env_get_int                      | . /P/P/P(1)              | P/P/P/P(1)      |
| env_get_bool                     | . /P/P/P(1)              | . / . /P/P(1)   |
| admin_only_allowed_roles         | P/P/P/P(1)               | P/P/P/P(1)      |
| rate_limit_bucket_key            | . /P/P/P(1)              | . /P/P/P(1)     |
| base_repository_build_where_sql  | . /P/P/P(1)              | . /P/P/P(1)     |
| router_has                       | . /P/P/P(1)              | P/P/P/P(1)      |
| bugfix_password_policy_lowercase | P/P/P/P(1)               | P/P/ . /P(1)    |
| password_assess                  | P/P/P/P(1)               | P/P/P/P(1)      |
| base_repository_build_update_sql | . /P/P/P(1)              | . / . /P/ . (3) |
| router_extract_params            | P/P/P/P(1)               | P/P/P/P(1)      |