

simplicio-cli - Benchmark

Date: 2026-05-27

Models (3): local:Qwen/Qwen2.5-Coder-1.5B-Instruct, Qwen/Qwen2.5-Coder-3B-Instruct, Qwen/Qwen2.5-Coder-7B-Instruct

Cases: 10 across stacks: angular, dotnet, react

Base: <https://router.huggingface.co/v1>

Checks: 156 total (10 cases x 3 models)

Method

Same model on both sides; only the prompt structure changes. The WITHOUT run sends the raw one-line goal; the WITH run wraps the same goal in simplicio's 6-layer contract (role/stack, goal, target, precedent, contract states, output shape). Each check is a deterministic regex against the model output (target-file mention, DIFF block, TEST block, contract-state words). No LLM judges the LLM. Models prefixed 'local:' run on CPU via transformers; the rest go through the OpenAI-compatible endpoint at the base URL above.

Headline

Side	Checks passed	Rate
Without simplicio	54/156	34%
With simplicio	147/156	94%
Delta	+93 checks	+60 pts (+172%)

Per-model breakdown

Model	Without	With	Delta(pts)	Rel.gain
local:Qwen/Qwen2.5-Coder-1.5B-Instruct	16/52 (30%)	48/52 (92%)	+62	+200%
Qwen/Qwen2.5-Coder-3B-Instruct	18/52 (34%)	49/52 (94%)	+60	+172%
Qwen/Qwen2.5-Coder-7B-Instruct	20/52 (38%)	50/52 (96%)	+58	+150%

Per-case (avg across models)

#	Stack	Goal	Without	With	Delta
1	angular	Hide the Delete button when the current user is no	40%	93%	+53
2	angular	Disable the email field unless the profile role is	33%	93%	+60
3	angular	Only show the audit log link for users with role '	20%	100%	+80
4	angular	Show 'Approve' button only when the order status i	33%	94%	+61
5	react	Render the export menu item only for users in the	27%	93%	+67
6	react	Disable the 'Save Draft' button while the form is	50%	100%	+50
7	react	Show a 'No results' empty state when the search re	40%	93%	+53
8	dotnet	Require the 'CanApprove' policy on the Approve end	27%	93%	+67
9	dotnet	Restrict the GET /reports endpoint so only users i	33%	87%	+53
10	angular	Show a warning banner if the user has unsaved chan	40%	93%	+53

Per-stack

Stack	Without	With	Delta(pts)
angular	33%	95%	+62
dotnet	30%	90%	+60
react	40%	96%	+56

Output-quality signals (rate across all runs)

Signal	Without simplicio	With simplicio
DIFF block present	0% (0/30)	100% (30/30)
TEST block present	73% (22/30)	100% (30/30)
Target file mentioned	0% (0/30)	100% (30/30)
Avg criteria-keywords / run	8.8	9.9
Avg output length (chars)	2047	2466

Cost - tokens & latency

Per-model, average per run

Model	Side	Prompt	Compl	Total	Latency
local:Qwen/Qwen2.5-Coder-1.5B-Instruct	without	46	412	458	90727 ms
local:Qwen/Qwen2.5-Coder-1.5B-Instruct	with	230	674	904	152316 ms
Qwen/Qwen2.5-Coder-3B-Instruct	without	46	443	489	4699 ms
Qwen/Qwen2.5-Coder-3B-Instruct	with	230	533	763	5216 ms
Qwen/Qwen2.5-Coder-7B-Instruct	without	46	513	559	8117 ms
Qwen/Qwen2.5-Coder-7B-Instruct	with	230	477	707	7605 ms

Aggregate over the full bench (30 runs / side)

Side	Total tokens	Wall-clock	Tok / run	ms / run
without	15,077	1035.4s	502	34514
with	23,749	1651.4s	791	55045
delta	+8,672 (+57%)	+615.9s (+59%)		

Appendix - per-model x per-case checks

local:Qwen/Qwen2.5-Coder-1.5B-Instruct

#	Stack	Without	With	Delta
1	angular	2/5	4/5	+2
2	angular	1/5	4/5	+3
3	angular	1/5	5/5	+4
4	angular	2/6	6/6	+4
5	react	1/5	5/5	+4
6	react	3/6	6/6	+3
7	react	2/5	4/5	+2
8	dotnet	1/5	5/5	+4
9	dotnet	1/5	4/5	+3
10	angular	2/5	5/5	+3

Qwen/Qwen2.5-Coder-3B-Instruct

#	Stack	Without	With	Delta
1	angular	2/5	5/5	+3
2	angular	2/5	5/5	+3
3	angular	1/5	5/5	+4
4	angular	2/6	5/6	+3
5	react	1/5	4/5	+3
6	react	3/6	6/6	+3
7	react	2/5	5/5	+3
8	dotnet	1/5	4/5	+3
9	dotnet	2/5	5/5	+3
10	angular	2/5	5/5	+3

Qwen/Qwen2.5-Coder-7B-Instruct

#	Stack	Without	With	Delta
1	angular	2/5	5/5	+3
2	angular	2/5	5/5	+3
3	angular	1/5	5/5	+4
4	angular	2/6	6/6	+4
5	react	2/5	5/5	+3
6	react	3/6	6/6	+3
7	react	2/5	5/5	+3
8	dotnet	2/5	5/5	+3
9	dotnet	2/5	4/5	+2
10	angular	2/5	4/5	+2

How to reproduce

BENCH_BASE_URL=https://router.huggingface.co/v1

BENCH_API_KEY=...

BENCH_MODELS="local:Qwen/Qwen2.5-Coder-1.5B-Instruct,Qwen/Qwen2.5-Coder-3B-Instruct,Qwen/Qwen2.5-Coder-7B-Instruct" python3 bench/run_offline.py

Raw model outputs per case/side are saved under `.simplicio/bench_runs/<model>/case_NN/{sem,com}.txt` for audit. Charts are SVG under `bench/charts/`; aggregated data under `bench/results.json`.