

Panel-Mounted Worksurface Supports Integration Matrix

This matrix shows recommended panel-mounted supports for specific panel and worksurface combinations.

Refer to the appropriate Solutions Specification Guide (Answer or Montage) for detailed information.

	Answer Panel		Montage Panel		Kick Panel	
	Universal Systems Worksurfaces— with 1/2" Cord Drop	Universal Systems Worksurfaces— Full Depth	Universal Systems Worksurfaces— with 1/2" Cord Drop	Universal Systems Worksurfaces— Full Depth	Universal Systems Worksurfaces— with 1/2" Cord Drop	Universal Systems Worksurfaces— Full Depth
Universal Systems on-module supports, U style numbers Example: UCANT ▶ Page 545	●	●			●	●
Universal Systems supports for Montage panels, Z style numbers Example: ZUCANT ▶ See <i>Montage Solutions Specification Guide</i> .			●	●		

Legend

- = Recommended solution
Tip: Alignment tabs will need to be knocked down when full-depth worksurfaces are used.

Universal Worksurface Thought Starters

Universal Worksurface


Products provide a variety of traditional and non-traditional methods of applying worksurfaces and supports. Worksurfaces can be supported in on-module and off-module panel-supported applications, freestanding configurations, tethered to Post and Beam, and many combinations of these applications. The thought starters included on the following pages can help leverage the benefits of the worksurfaces in new and unique ways.

Universal Worksurface**Products provide significant planning flexibility:**

- Systems Worksurfaces and Tables can be used together, and a wide range of worksurface shapes and sizes allow various footprints to be achieved.
- Systems Worksurfaces can be used with Answer, Kick, and Montage frames. They can be panel-supported or freestanding.
Tip: Corner 120° Systems Worksurfaces may not be panel-supported with Montage panels due to the unique design of the Montage 120° junction.
- Freestanding, mobile worksurfaces and tables allow user control of the workspace to provide either privacy or team collaboration.
- 26"H and 28½"H legs may be installed 3", 6", or 9" from the edge of most Tables to accommodate nesting and slip-fit capability.
- Adjustable-height legs are available on Systems Worksurfaces and Tables. Legs adjust 25½"H to 31½"H in ¾" increments.
- Tether brackets are available to secure Tables to Post and Beam fence.

Freestanding tables

with legs installed 6" or 9" from the edge allow the worksurface to slip-fit over the panel-mounted Systems Worksurface. This configuration also allows the user to face the aisle while working at the computer.




U-Configuration with Large Footprint

Recommended Worksurfaces

One 24"D x 72"W left-hand bubble jetty table	BFJ2472LP
One 23½"D x 60"W straight worksurface (P-edge)	US2460P
One 23½"D x 23½"D x 41½"W x 41½"W corner, curved-front worksurface (P-edge)	UCC224242P
One 23½"D x 30"W visitor, curved-front worksurface (P-edge)	UVC2430RP

Full depth systems worksurfaces

allow L-configurations without uneven gaps. This configuration uses an angled peninsula worksurface to provide an aisle-facing place for active work and meetings. A 96" long straight worksurface creates a large, unbroken area to spread out work in progress. All the worksurfaces in this configuration are symmetrical, making it easy to plan mirror image applications.




L-Configuration with Large Footprint

Recommended Worksurfaces

One 24"D x 24"D x 60"L angled peninsula worksurface	WPA2460
One 24"D x 24"W straight worksurface	WS2424
One 24"D x 96"W straight worksurface	WS2496

Universal Worksurface Thought Starters, continued

Systems worksurfaces with 1/2" cord drop allow easy cord management with uniform gaps whenever corner worksurfaces are used. This U-configuration uses 18³/₈"D worksurfaces to create a spacious workstation in a 6x7 footprint.




U-Configuration with Medium Footprint

Recommended Worksurfaces

Two 18 ³ / ₈ "D x 30"W straight worksurfaces	US1830
Two 18 ³ / ₈ "D x 18 ³ / ₈ "D x 41 ¹ / ₂ "W x 41 ¹ / ₂ "W corner, curved-front worksurfaces	UCC114242

Tapered worksurface shapes can maximize space for the user by providing extra depth for the computer only where it's needed. This configuration uses a taper-flat worksurface and an 18⁷/₈"D return to give the user more space in a 6x6 footprint. The user can also face toward the aisle while working at the computer.




L-Configuration with Small Footprint A

Recommended Worksurfaces

One 30"D x 24"D x 72"W taper-flat worksurface	WTTF3272
One 18 ⁷ / ₈ "D x 48"W straight worksurface	WS1848

Freestanding tables with nesting-height legs allow tables to nest under panel-mounted Systems Worksurfaces. This configuration uses an 18"D Systems Worksurface and allows a small workstation to expand and decrease, giving users control over their space.



L-Configuration with Small Footprint B

Recommended Worksurfaces

One 24"D x 48"W capsule table (P-edge)	BFK2448P
One 18 ³ / ₈ "D x 60"W straight worksurface (P-edge)	US1860P


Spacious U-configurations with a minimum number of panels and worksurfaces can be created with 60"W x 60"W corner, curved-front and linking peninsula Systems Worksurfaces.

Penta Cube

Recommended Worksurfaces

Six 24"D x 60"W x 60"W x 24"D corner, curved-front worksurfaces (3 mm edge)	UCC226060
Five linking peninsula worksurfaces (3 mm edge)	UPAC2748
One straight worksurface (3 mm edge)	US2460

Tip: Size of linking peninsula worksurface to be used is determined by the panel system which it will be used with. Answer panels are shown at left.




Universal Systems Worksurfaces

► Specifying Systems
Worksurfaces, page 506

**Systems worksurfaces—
with 1/2" Cord Drop** feature
built-in cable management flexi-
bility, allowing cords to drop
below the worksurface at any
point along the back edge.


**Systems worksurfaces—
Full Depth** feature a tighter fit
to panels for a cleaner
aesthetic.




Product Details

High-Pressure Laminate Worksurfaces


Front (user's) edge profile is available in two shapes.



3 mm edge profile



P-edge edge profile



Knife edge profile


PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. See surface material listing in this book for specific PVC-free availability.

P-edge profile rises slightly above the laminate surface and curves into a 3/8" radius which optimizes ergonomic benefit for the user. Back and side edges are flat.

Knife edge with 3 mm user edge is available on straight and tapered systems worksurfaces and on round tables.


Edge profile finishes are specified separately from laminate color.

Wood Veneer Worksurfaces




Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.


Edge Profiles




Edge profile is applied to front (user's) edge only.




P-edge profile work surface depths are $\frac{3}{8}$ " deeper than 3 mm edge profile worksurfaces. Both edge profiles provide a flush interface with universal pedestals.




Dual-worksurfaces are two pieces - a large monitor surface with a smaller keyboard surface attached. A dual-arm spring mechanism provides superior stability when compared to the single-arm spring mechanism used in worksurfaces with an adjustable keyboard shelf.




Keyboard surface on dual work surface can be adjusted to positions up to 6" higher or 5" lower than the monitor work surface.





Keyboard surface tilts with a range of 25°.




A 1" gap separates the sides of the keyboard surface and adjacent worksurfaces. There is also a $1\frac{1}{2}$ " space between the keyboard and monitor surfaces.



30"D straight, tapered, and transition cantilevered worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return work surface.





Taper-flat worksurfaces can be supported at the larger end with a side support bracket and a post leg. If the larger end is 30"D, a 24"D end panel can also be used.



Spanner worksurfaces with 3" notch accommodate Answer panels. Legs and cantilevers or column and cantilevers must be used for support.

Notch is not included on spanner worksurfaces for freestanding applications without panels.





3 mm edge bullet peninsula, jetty, and bubble jetty worksurfaces can be supported two ways:

- With a cantilever, a center support panel and a column
- With a cantilever, a side support bracket, and two post legs



In certain applications, a center support panel should not be used because the unfinished top edge of the support panel would be exposed. Use a cantilever, a side support bracket, and two post legs instead. These applications include:

- Bullet peninsula with P-edge
- Jetty with P-edge
- Bubble jetty with P-edge
- Angled peninsula with 3 mm edge and $\frac{1}{2}$ " cord drop



Linking peninsula worksurfaces and linking worksurfaces with 3" notch accommodates Answer panels. Legs and cantilevers or column and cantilevers must be used to support linking peninsula worksurfaces. One leg and two cantilevers must be used to support linking worksurfaces.

Universal Systems Worksurfaces, continued




3 mm edge visitor worksurfaces must be supported by either a cantilever and a center support panel, or by a cantilever, a side support bracket, and a leg.

In P-edge profile work-surface applications, a side support bracket, a cantilever, and a leg must be used for support. A center support panel should not be used because the unfinished top edge of the support panel would be exposed.

Connections

Worksurfaces can be used freestanding or in panel-supported installations.

Supports are ordered separately and installed in the field.



For panel-supported applications you can use:

- Closed loop
- Open loop
- Half loop
- Intermediate support
- Off-module work surface-to-panel connector
- Side support brackets
- Cantilever with tie plate
- End panel
- Standing-height end panel
- Support plate
- Center support panel with tie plate
- Standing-height center support panel with tie plate
- Columns or legs


▶ See page 180 for *Panel-Mounted Universal Systems Worksurface Supports*.

- Universal pedestal with filler
- Universal lateral file with underwork surface lateral file filler.

▶ See *Storage Specification Guide*.

Tip: Selected worksurfaces with P-edge profile include alignment slots to accept cabby legs for column support:

- Use two legs for panel-mounted spanner, bullet peninsula, linking peninsula, jetty, and bubble jetty worksurfaces.
- Use one leg for visitor and linking worksurfaces.




For Answer Freestanding desk applications you can use:

- End supports
- Peninsula supports
- Corner support
- Columns and legs
- Closed loop or open loop
- Modesty panels
- Pedestals
- Lateral files and storage cabinets

▶ See *Answer Freestanding Specification Guide*.

Tip: Peninsula support is not compatible with P-edge bullet peninsula, jetty, or bubble jetty worksurfaces. Legs or other alternate supports are recommended.




For leg-based applications you can use:


- Closed loop
- Open loop
- Intermediate support
- Post legs
- Double post leg
- Double post C-leg
- Support plate

▶ See page 224 for *Legs and Columns for Universal Systems Worksurfaces*.

Tip: Pedestal can also be used in leg-based freestanding installations.



Intermediate supports replace the need for other types of work surface support when used with 1-High or 1.5-High Universal storage.




Long work surface spans must be supported with cantilevers, pedestals, legs, or other supports at least every 54". Reinforcing channel (TS7WKSPT) allows the distance between supports to be increased to 60" for worksurfaces that will be heavily loaded, or up to 72" for worksurfaces with lighter expected loads. Reinforcing channel must be specified separately.
▶ Page 546


Knife edge worksurfaces require reinforcement channels for unsupported spans greater than 48". Use TS7WKSPT39 for 54"W worksurfaces, TS7WKSPT for 60"W and 66"W worksurfaces, and TS7WKSPT72 for 72" worksurfaces.

Soft edge worksurfaces and power and data access door and tray worksurfaces require reinforcement channel or other support on worksurfaces 60" or larger.


Wiring & Cabling



Worksurface depth is 1/2" less than nominal and allows cords and cables to pass over at any point. Cable scallops provide space for plugs to pass over the back edge of the work surface.



Cable scallop allows cord plugs to easily pass below the work surface. Worksurface wire managers are available to convert cable scallops into grommets in freestanding applications. Wire managers are included with wood veneer worksurfaces. Wire managers for use with laminate work surface must be ordered separately.



Corner worksurfaces have scallops located 12 1/2" from the rear corner of the work surface to the center of the scallop. Taper-flat worksurfaces have a single scallop located 18 1/2" from the larger end. Scallops are centered on the rear edge of all other worksurfaces that include them.

Cable scallop can be omitted for freestanding applications or panel-supported applications where plugs do not need to pass over the back edge of the worksurface.

Cable management devices are available to help manage conventional and fiber-optic cables beneath the worksurface.
▶ See *Worksurface Power and Communication*, page 555.

Surface Materials

High-Pressure Laminate Worksurfaces

- Laminate
- ▶ See *Surface Materials Reference Manual*.
- Open Line laminate (option)
A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- ▶ See *Surface Materials Reference Manual*.

Front (user's) edge(s)

- Plastic

Back and side edges

- Plastic color default to match user's edge

Wood Veneer Worksurfaces

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Square (3 mm) edge profile


- Wood veneer to match worksurface

Front (user's) edge(s)


- Wood edge band

Application Topics

P-Edge Profile Application Rules





P-edge profiles will produce a valley when installed perpendicular to adjacent worksurfaces. The additional $\frac{3}{8}$ " depth of P-edge profiles causes an interference fit in on-module panel-mounted applications. For L-configurations using two worksurfaces, the 3 mm edge profile is recommended.




P-edge profile worksurface depth prevents modesty panels from fitting properly in return or bridge Answer Freestanding desk applications. Modesty panels cannot be used when a return or bridge worksurface is attached to the front edge of a P-edge worksurface. The 3 mm edge profile is recommended for return or bridge applications.

Answer Freestanding peninsula support is not compatible with P-edge bullet peninsula, jetty or bubble jetty worksurfaces. Legs or other alternate supports are recommended.




Full-depth worksurfaces provide an uninterrupted working surface and are designed to allow traditional corner or L-configuration planning without creating uneven gaps.

Plan using worksurfaces actual dimensions when panel-wrapping worksurfaces because worksurface depths and widths vary by type. Straight and transition worksurfaces are full-width to correspond directly with panel width. Corner, extended corner, 120° corner, bullet peninsula, jetty, visitor, and linking worksurfaces are $\frac{1}{2}$ " less than panel width to allow for a consistent $\frac{1}{2}$ " cable-management gap when used in combination with straight worksurfaces.
Tip: To avoid uneven gaps in panel-supported applications, use full-depth worksurfaces to create L-configurations.



Screens mount to worksurfaces in privacy position or below the worksurface for modesty.
▶ See *Screens*, page 586.

Worksurfaces used in panel-supported installations must follow applicable panel stability guidelines.
▶ Page 124



Do not use a Universal Systems Worksurface as a top for storage that matches the worksurface width. Universal Systems Worksurfaces are slightly undersized for panel-wrapped applications and will not fit over full-width storage. Use field-installed storage tops for this type of application.
▶ See *Storage Specification Guide*.

Knife edge worksurfaces have limitations for support options and application restrictions.
▶ See page 226 for *Knife Edge Worksurface Application Guidelines*

Shipping

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 5–50 worksurfaces depending on worksurface size. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of four or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.

Universal Systems Worksurfaces with Soft Edge, Power and Data Access Door and Tray, and Personal Caddy

Soft edge provides a comfortable user experience reducing strain on wrists and forearms.

► Specifying page 510

Power and data access door and tray provides desk top access and management of cords.

► Specifying page 540

Personal caddy offers convenient access to the contents of a worker's bag.


► Specifying page 542

Cutout is optional; power and data access door and tray is ordered separately. 24"W cutout is centered near the back of the worksurface.

Personal caddy is available on straight Universal Systems Worksurfaces with 1/2" cord drop and full depth.

Edge is soft to the touch and flexes to conform to the arm.

Power and data access door and tray is available with cord or with modular or hardwire connection.



Soft edge is 36" wide centered on the worksurface; balance of front edge is 3 mm radius. Back and side edges are flat.

Soft edge and power and data access door and tray are available on straight and taper Universal Systems Worksurfaces with 1/2" cord drop and full depth.

Tray includes six simplex receptacles and cutout for data access.

Cutout is optional. Personal caddy is ordered separately. Cutout is available on the left- or right-hand side.

Soft Edge, Power and Data Access Door and Tray, and Personal Caddy Worksurface Availability

	48"W	54"W	60"W	66"W	72"W	78"W	84"W	90"W	96"W
Straights									
23 1/2"D and 24"D	1	1 2	1 2	1 2 3	1 2 3 4	1	1	1	1
29 1/2"D and 30"D	1	1 2	1 2	1 2 3	1 2 3 4	1	1	1	1
Tapered									
29 1/2"D or 30"D to 23 1/2"D or 24"D	1		1		1				

1 Only soft edge, only power & data access door & tray, or both

2 Only personal caddy


3 Personal caddy and power & data access door & tray

4 Soft edge, power & data access door & tray, and personal caddy

Dimensions

	Soft edge	Cutout for Door	Tray (below worksurface)	Caddy
Width	36"	24"	27 1/8"	10"
Depth	3"	4 5/8"	6"	18"
Thickness	1/2" at front	N.A.	N.A.	N.A.
Height	N.A.	N.A.	4 3/4"	8"

Product Details



Soft edge profile is polyurethane and is available with Bactiblock™ antimicrobial protection.

High-Pressure Laminate Worksurfaces


PVC-free, 3 mm edge profiles are proprietary polyolefin blend for all solid colors and seven woodgrain finishes. Matching 1 mm side and back edges are also PVC-free. See surface material listing in this book for specific PVC-free availability.

3 mm front edge is specifiable. Back and side edges match 3 mm front edge.


Edge profile finish for 3 mm front edge is specified separately from laminate color.

Wood Veneer Worksurfaces

Front (user's) edge profile is wood veneer with a square (3 mm) radius. Back edge and edge that joins to adjacent worksurfaces are flat. Wood edge color matches finish specified for worksurface.




Scallops are omitted on worksurface when door and tray cutout option is selected.



Inner tray provides under the surface power and data connections and access and cord management.


Outer tray provides cover and management for harness, cord, and/or data cables to and from the panel.



Modular, cord and plug, or hardwire options are available.


Corded version includes 10' cord with plug. Modular and hardwire versions each include 8' of harness.

Three wiring schematics are available in the modular version – 3+1, 2+2, and 3 separate neutrals (3SN). Each has a single circuit. 3+1 and 2+2 have the option for line 1, 2, 3, or 4 with either a system or isolated ground. 3SN has the option for line 1, 2, or 3 with either a system or isolated ground.



Data cutout in tray can accommodate either a single gang or a modular furniture communication faceplate. Tray includes adapter to accommodate modular faceplate.


Filler packages are available to fill unused data cutouts. Order separately in packages of 20.



With the modular and hardwire version, the harness enters the panel through a field cut opening in a fabric skin. A grommet is included to provide a finished edge to the field cut opening in the skin where the harness enters the panel. Inside the panel the harness can connect to a powerkit or it can use either a harness to harness connector or a branching harness to harness connector to connect to other modular harness trays or modular harnesses.


Cord and plug version has an integrated overload circuit breaker.

Non-PVC versions are available for each power solution.




Caddy is available in three molded plastic colors: Midnight, Platinum Solid, and Arctic White; pad is Grey V5.

Connections




Fixed storage can be used with worksurfaces with soft edge but must not encroach the 36" width of the edge.




Worksurfaces connected perpendicular should not encroach the 36" width of the soft edge.


Soft edge worksurfaces are available with the same support options and follow the same application rules as other Universal Systems worksurfaces. ▶ See page 206 for Universal Systems Worksurfaces Understanding. *Exception: 48"W worksurface with soft edge used with the FrameOne post leg has some limitations.*



In an end-of-run condition, the FrameOne post leg will not fit when used with 48"W soft edge worksurfaces, use half, open, or closed loop legs.



In shared applications, the FrameOne post leg can be angled and positioned at the front edge or for a square orientation it must be inset 1" from the front edge when used with 48"W soft edge worksurfaces.



Access holes in tray allow power and data to be routed straight back when worksurface is against the panel or routed to the sides when the worksurface is perpendicular to the panel.


Worksurfaces with power and data access door and tray are available with the same support options and follow the same application rules as other Universal Systems worksurfaces. ▶ See page 206 for Universal Systems Worksurfaces Understanding.

Universal Systems Worksurfaces with Soft Edge and Power and Data Access Door and Tray, and Personal Caddy, continued

Tray with cord and plug can be used in a freestanding table application.


Worksurfaces with power and data access door and tray with modular or hardwire power cannot be used in a freestanding application.

The worksurface must either be attached to a panel on one end or if the worksurface is attached to low storage with an intermediate support on one end, the cabinet must be attached to the panel or ganged to another storage cabinet. This applies to both parallel or perpendicular to the panel applications.



Height of tray is 4 3/4" so lower storage height must be accounted for when used adjacent to tray.

Width of outer tray below the worksurface is 27 1/8" so adjacent lower storage dimensions must be accounted for on each worksurface width.




Tray with cord and plug includes two cord clips to help manage the cord below the worksurface.




Tray with modular harness or hardware includes two harness clips to help manage the harness below the worksurface.

Soft edge worksurfaces and power and data access door and tray worksurfaces require reinforcement channel or other support on worksurfaces 60"W or larger.




Personal caddy is available on straight worksurfaces with 3 mm, soft or wood square edges, 24"D or 30"D. Caddy is available on worksurfaces 54"W to 72"W (if only with caddy), 66"W and 72"W (if with tray and caddy), and 72"W (if with soft edge and caddy).




Worksurface and caddy bracing is included with the caddy package. Two brace lengths are available and length is specified as an option. The shorter brace fits 54"W and 60"W worksurfaces. The longer brace fits worksurfaces 66" and 72"W.


Tip: In panel-mounted applications where a 24"D worksurface is applied parallel to the panel, the caddy brace will interfere with panel-mounted cantilevers that are within 54" of the side edge of the worksurface where the caddy is positioned. Use center support panel as an alternative in this condition.




Worksurfaces greater than 72"W require additional support such as cantilevers, pedestals, or legs beyond the brace.




Cutout is 6 5/8" from edge of worksurface, bracing is 5 1/2" from the edge.




FrameOne legs for Universal, closed, open, and half loops work in conjunction with personal caddy.




Post version only works in shared worksurface applications where the leg is angled to the front edge of the worksurface.



Cabby leg will work on worksurfaces with personal caddy only if leg is in 90° orientation.



Universal double post leg will work in shared worksurface applications. *Tip: Legs other than those shown on this page will not work adjacent to the personal caddy.*



Front edge support is recommended if two caddies are planned side-by-side.

Wiring & Cabling

Chicago, New York, and Los Angeles have special requirements.

Underwriter Laboratory (UL) listed.

The power and data tray has been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

Surface Materials

High-Pressure Laminate Worksurfaces

- Laminate
- ▶ See *Surface Materials Reference Manual*.
- Open Line laminate (option)
- A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- ▶ See *Surface Materials Reference Manual*.

Soft edge

- 6615 Grey V5 Plastic

3 mm front edge

- Plastic

Back and side edges

- Plastic color default to match 3 mm front edge

Wood Veneer Worksurfaces

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Soft edge

- 6615 Grey V5 Plastic

Square (3 mm) edge profile

- Wood veneer to match worksurface

Front (user's) edge(s)

- Wood edge band

Power and Data Access Door and Tray

Door

- Paint
- Anodized aluminum

Door bezel

- 6694 Slate Plastic

Inner and outer tray

- 7237 Slate Paint

End caps for outer tray

- 6694 Slate Plastic

Panel grommet

- Plastic:
 - 6000 Black
 - 6009 Arctic White
 - 6249 Platinum Solid
 - 6654 Sand
 - 6697 Fog

Personal Caddy

- Plastic:
 - 6009 Arctic White
 - 6249 Platinum Solid
 - 6695 Midnight

Pad

- 6615 Grey V5 Plastic


Transaction Worksurfaces

Transaction worksur-
face provides a surface
that can be used by stand-
ing visitors or serve as a
shelf.

► Specifying, page 538

Worksurface has a
wood core with a High-
Pressure Laminate or wood
veneer surface and is
1³/₁₆" thick.

Attachment brackets
are included.




Shortened top caps are
included with the transaction
worksurface. Top caps are
available in thin, square, or
oval styles and are compati-
ble with same-height or
change-of-height
applications.

Product Details

High-Pressure Laminate Worksurfaces

Edge profile is available
in two shapes.




3 mm
edge profile P-edge
edge profile


Both edge profiles
are plastic, and are specified
separately from laminate
color.

P-edge profile rises
slightly above the laminate
surface and curves into a
3/8" radius which optimizes
ergonomic benefit for the
user.

Wood Veneer Worksurfaces



Edge profile is wood
veneer with a square (3 mm)
radius. Wood edge color
matches finish specified for
worksurface.



Edge profile is applied to
all edges.



Actual Dimensions


Square and Oval

A	B		A	B	
15"	23"	for use on 30"W panel	15"	28"	for use on 30"W panel
15"	29"	for use on 36"W panel	15"	34"	for use on 36"W panel
15"	35"	for use on 42"W panel	15"	40"	for use on 42"W panel
15"	41"	for use on 48"W panel	15"	46"	for use on 48"W panel
15"	53"	for use on 60"W panel	15"	58"	for use on 60"W panel

Thin

Tip: Wood veneer transaction worksurfaces are not available in 23"W.

Connections




Transaction work surface support brackets connect to the top of a horizontal connecting bar. Horizontal bar must be connected to junctions in top position.

Transaction work surfaces cannot be used when a transparent window, pass-thru window, or consolidation point cabinet are assembled at the top of a panel.


In square and oval trim applications, a transaction top cannot be used on a 48"H panel when the panel is connected to a taller panel in a change-of-height condition.

Spanning two panels with thin trim is possible.




Exception: 58"W transaction work surface cannot span multi-panels because it has an additional support bracket that conflicts with the junction between two 30"W panels.

Spanning two panels with square or oval trim is possible.



Exception: 53"W transaction work surface cannot span multi-panels because it has an additional support bracket that conflicts with the junction between two 30"W panels.



Width of transaction work surface with thin trim is 2" shorter than the width of corresponding panel to accommodate change-of-height applications.


Width of transaction work surface with square and oval trim is 7" shorter than the width of corresponding panel to accommodate change-of-height applications.

Panels on one or on both sides of the transaction work surface can be higher or lower than the panel that supports the transaction work surface.


Transaction work surfaces with thin or oval trim include top trim that accommodates all standard and change-of-height applications (one end or both ends).

Transaction work surfaces with square trim include top trim that accommodates both standard and slim change-of-height applications (one end or both ends). Change-of-height option must be specified when used adjacent to cable management change-of-height (one end or both ends).

Recommended standing height for transaction work surface is achieved by attaching it to 42"H panels.



Utility2 shelf lights can be installed beneath transaction work surfaces using screws and keyhole slots in light fixture.



Transaction work surface must be centered on the panel.

Wiring & Cabling

Transaction work surface blocks cable routing in the top cable tray but cable routing is still available lower in the panel.

Surface Materials

High-Pressure Laminate Worksurfaces

- Laminate
- ▶ See *Surface Materials Reference Manual*.
- Open Line laminate (option)
- A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- ▶ See *Surface Materials Reference Manual*.

Edges

- Plastic

Top caps

- Paint
- Wood

Support brackets

- Black paint only

Wood Veneer Worksurfaces

- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Square (3 mm) edge profile

- Wood veneer to match work surface

Top caps

- Paint
- Wood

Support brackets

- Black paint only

Universal Panel-Mounted Worksurface Supports

For Answer Panel Applications

On-module supports can be used to panel support worksurfaces in various configurations.

► Specifying, page 545

Worksurface supports feature alignment tab used to set a depth for Universal Systems Worksurfaces—with 1/2" cord drop. This tab is bent down when installing full-depth worksurfaces.


Cantilever can be used to panel-support a worksurface at any height.

Side support brackets can be used to support the ends of straight and corner worksurfaces and to support the back corner of any corner worksurface.


End panel can be used to support the end of a worksurface.

Center support panel can be shared by two worksurfaces and may be required for longer runs of worksurfaces.


Product Details



On-module worksurface supports engage the slots in the vertical uprights of Answer panels.



Side support brackets support worksurfaces at any height in 1" increments. Brackets ship as a left- and right-hand pair and are ordered separately.




Side support brackets can be used to support the end of a worksurface that is wrapped by a panel with the same width dimension that matches the worksurface depth.


Actual Dimensions

	Cantilever	Center support panel	End panel
Height	12 1/4"	28 1/2" or 40 7/8"*	28 1/2" or 40 7/8"*
Depth	15 1/2"	11"	23 3/4" or 29 3/4"
Glide Range	N.A.	1 1/4"	1 1/4"


*Height dimensions include the thickness of a worksurface.




Single side support bracket can be used to support the rear corner of corner, extended corner, and 120° corner worksurfaces.
Tip: For off-module fin wall applications, the single side support bracket must be handed appropriately for connection to the fin wall.




Single side support bracket can be used to support the user's side rear corner of bullet peninsula, angled peninsula, visitor, jetty, and bubble jetty worksurfaces.




Cantilevers support worksurfaces at any height in 1" increments. Cantilever is non-handed and can be used to support either end of a worksurface, or shared to support two worksurfaces at the same height simultaneously. One tie plate ships with each cantilever.



30°D straight, tapered, and transition cantilevered worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.




Adjacent cantilevered worksurfaces must be the same height in order to connect with a tie plate and provide panel stability.
Tip: Answer panel junctions can accommodate only one support at each worksurface seam.




Center support panel is an alternative to a cantilever in supporting longer runs of worksurfaces for additional panel stability. Refer to the applicable panel stability guidelines for specific requirements.

Center support panels are available in seated and standing heights, and cannot be used in freestanding applications or as a substitute for an end panel. One tie plate ships with each center support panel.




Center support panels should not be installed along the user's edge on P-edge profile jetty and visitor worksurfaces. The unfinished top edge of the center support panel would be exposed. Use single side support bracket and a post or cabby leg.



End panels can be used to support the end of a worksurface for additional panel stability. Refer to the applicable panel stability guidelines for specific requirements.



End panels are available in seated and standing heights, and cannot be used in freestanding applications.

All panel mounted supports can be removed and repositioned later without any permanent damage to panels or skins.



Pedestals and lateral files with a filler can be used to support the end of a worksurface in place of an end panel.

► See *Storage Specification Guide*.



Long workspan spans must be supported with cantilevers, pedestals, legs, or other supports at least every 54". Reinforcing channel (TS7WKSP) allows the distance between supports to be increased to 60" for worksurfaces that will be heavily loaded, or up to 72" for worksurfaces with lighter expected loads. Reinforcing channel must be specified separately.

► Specifying, page 546

Surface Materials

Side support bracket and reinforcing channel

- Black paint only

Cantilever, center support panel, and end panel


- Paint

Application Topics

Worksurfaces used in panel-supported installations must follow applicable panel stability guidelines.


► Page 124

Off-Module Worksurface-to-Panel Connector



Connector attaches into the slotted channels of the panel junctions.

Product Details




Connects 18"D, 24"D, and 30"D worksurface to wider panels eliminating the need to match panel width to worksurface depth. Replaces side supports, cantilevers, and the need for front edge support with 30"D worksurfaces.

Application Topics


Worksurface can be positioned anywhere along the width of the off-module connector.

Off-module worksurface to panel connector cannot be used at the same elevation on adjacent inline panels.

Off-module worksurface to panel connector can support a single worksurface only.



Off-module worksurface to panel connector cannot replace cantilevers and side support brackets when worksurface is parallel to the panel.



Off-module worksurface to panel connector cannot be used in front of or on the adjacent panel next to a 12"H or a 24"H slatwall skin positioned in the second 12" skin module from the base of the panel.

Surface Materials

Connector

- Paint

Actual Dimensions


Width - 24", 30", 36", 42", 48", 60", or 72"
Height - 3"
Depth - 1/2"

FrameOne Legs and Supports for Universal Worksurfaces


Legs and supports

share a common visual with FrameOne bench and support Universal worksurfaces in freestanding, storage-supported, or panel-supported applications.


► Specifying page 549



Spacers between top of legs and worksurface provide a floating look to the worksurface and match visual of FrameOne bench.



Intermediate support is used with Universal One-High or 1.5-High storage as a worksurface support allowing for nesting of low storage.



Leveling glide allows worksurface height to be adjusted on uneven floors.

Post leg is square to provide a complementary visual to FrameOne legs. Post leg can be used as a column support.

Dimensions


	Closed, Open, and Half-Loop Legs	Post Leg	Intermediate Supports	
			For One-High storage	For 1.5-High storage
Height*	28½"	28½"	28½"	28½"
Height	N.A.	N.A.	11¼"	5¼"
Depth	24" or 30"	N.A.	16"	16"
Width	N.A.	N.A.	2⅜"	2⅜"
Glide range	2¼"	1"	N.A.	N.A.

*Height dimensions include the thickness of the worksurface.


Product Details




Closed, open, and half-loop legs are handed when panel supporting and must be specified left or right when facing the front of the worksurface. Freestanding tethered and table versions are non-handed.




Closed, open, and half-loop legs are available in panel supporting versions. They support the ends of worksurface; they are not shared supports between two worksurfaces.




Closed and open-loop legs are available in tethered versions in which one side of the worksurface is attached to a panel or storage.




Closed and open-loop legs are available in table versions in which both sides of the worksurface are supported by the legs. Post legs can also be used to create freestanding tables.




Half-loop leg is always panel supporting, however panels cannot exceed 48"H or support overhead storage above.




Closed, open, and half-loop legs do not align properly with knife-edge worksurfaces. Instead use cantilevers. ▶ See page 226 for knife-edge worksurface application guidelines.




27"H mobile, free-standing, or fixed pedestals do not fit flush to the inside of the closed, open, or half-loop leg, there is a 3" gap due to the worksurface support plate. 25 1/2"H freestanding pedestals or 21"H mobile pedestals will fit flush.




27"H mobile, free-standing, or fixed pedestals do not fit flush to the inside of the post leg, there is a 5 3/4" gap due to the worksurface support plate. 25 1/2"H freestanding pedestals or 21"H mobile pedestals will fit flush.



Post leg can be shared between two worksurfaces.



Post leg in shared applications can be square or oriented angled to the front edge of the worksurface.




Intermediate supports replace the need for other types of worksurface support when used with One-High or 1.5-High Universal storage.


Steel top storage requires additional bracing inside the storage when used with an intermediate support. Bracing is an option to the intermediate support and is specified to match the width of the storage.

Bracing is field-installed.

Number of braces is determined by the orientation of the intermediate support to storage. It is not determined by the orientation of the worksurface to storage.




Side-to-side (parallel) orientation of intermediate support relative to storage requires one brace.




Front-to-back (perpendicular) orientation of intermediate support relative to storage requires two braces.


Storage with laminate or wood tops do not require additional bracing with intermediate support.




Side-to-side (parallel) application of intermediate support allows worksurface to be oriented perpendicular to storage.




Front-to-back (perpendicular) application of intermediate support allows worksurface to be oriented in-line with storage.



Intermediate support must be at least 1" from the front, back, or side edges of the storage unit to allow clearance for installation.




On cabinets with steel tops, in parallel applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations and can be positioned anywhere front to back on the unit. On cabinets with laminate or wood tops, in parallel applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.




On cabinets with steel tops, in perpendicular applications, the intermediate support can be positioned left or right 1" or 7" from the side edge of the storage unit to align with bracing hole locations and can be positioned anywhere front to back on the unit. On cabinets with laminate or wood tops, in perpendicular applications, the intermediate support can be positioned left or right anywhere between 1" and 7" from the side edge of the storage unit.


FrameOne Legs and Supports for Universal Worksurfaces, continued



Worksurfaces 18\"D or 24\"D allows intermediate support to be positioned below the worksurface 1\" from the front or back.



Worksurfaces 30\"D requires intermediate support centered below the worksurface.



Worksurface may extend up to 10\" maximum overhang of intermediate support as long as the other end of the worksurface is anchored to the panel.

Surface Materials

Legs and intermediate support

- Paint

Spacer caps for panel attached legs

- Black plastic only

Glide cap for legs

- 6694 Slate only

Shipping

Closed, open, and half-loop legs are packed in boxes of six when ordered on the same line item.

Bracing for intermediate supports ship separately from intermediate supports and are field installed into storage cases.


Infills for FrameOne Legs for Universal Worksurfaces

Infills for FrameOne Legs for Universal Worksurfaces

Infills are available in laminate and veneer and are used with open and closed loop FrameOne legs.

► Specifying page 550

Infills provide added privacy.



Product Details

Infills can be used with both panel connected or freestanding versions of open and closed loop FrameOne legs for universal worksurfaces.

Connectors attach to the back side of the legs.

Surface Materials

Surfaces

- Laminate
- Veneer

Planning Dimension

Infills are available 24"W and 30"W.

Legs and Columns for Universal Systems Worksurfaces

Without Alignment Tab

Legs are available to support worksurfaces in free-standing or panel-supported applications.

► Specifying, page 552

Double post C-leg

can be used on a single worksurface or in a shared application.

Post leg

can be used on a single worksurface. Non-locking caster and glide versions are available.

Column is 4" in diameter and can be used as a column support on a single worksurface. Adjustable and non-adjustable versions are available.

Double post leg can be used as a column support on a single worksurface or to support a shared application.

Adjustable-height leg can be used with a single worksurface. Locking caster and glide versions are available.

Adjustable-height leg adjusts from 25½"H to 31½"H in ¾" increments.

Support plate can be used with a double post leg to join and support two worksurfaces. Plate is 14"D or 20"D and 31¼"W.

Leveling glide allows worksurface height to be adjusted on uneven floors.

Actual Dimensions							
	Column	Adjustable column	Double post leg	Post leg	Adjustable-height leg	Double post C-leg	Support plate
Height*	28½"	28½"–31⅝"	28½" or 40⅞"	26", 28½", or 40⅞"	25½"– 31½"	28½"	N.A.
Glide range, for legs equipped with glides	1½"	3⅛"	¾"	¾"	¾"	¾"	N.A.

*Height dimensions include the thickness of a worksurface.

Product Details


Legs support Systems Worksurfaces at 26"H nesting, 28½"H standard, 40⅞"H standing or 25½"H to 31½"H adjustable heights.

Legs for Systems Worksurfaces do not include alignment tabs. Pilot holes help the installer locate the proper leg position under the worksurface.




45° orientation


Post legs are always installed at a 45° orientation.




26"H nesting height legs allow worksurfaces to nest underneath an adjacent worksurface supported with 28½"H legs or a panel-supported worksurface.




Double post leg can be used in a shared application with a support plate, or it can be used as a column support for spanner, jetty, bubble jetty, bullet peninsula, angled peninsula, and linking peninsula worksurfaces in panel-mounted applications.




Post leg, in conjunction with two cantilevers or center support panels, can be used as column support for linking worksurfaces.




Post leg, in conjunction with a side support bracket, can be used to support the end of a visitor or taper-flat worksurface.



Two post legs can be used in place of one double post leg as column support for spanner, jetty, bubble jetty, bullet peninsula, and angled peninsula worksurfaces for added stability.



Standing-height post or double post legs can be used as column support in panel-mounted applications only.



Column can be used on spanner, bullet peninsula, angled peninsula, linking peninsula, jetty, and bubble jetty worksurfaces in panel supported applications.

For Answer Freestanding desk applications, column can be used on bullet peninsula and jetty worksurfaces. Adjustable and non-adjustable versions are available.

Column cannot be used in a shared application.





Bottom View
Column




Bottom View
Post Leg



Column is not recommended for applications that include post legs because it has a round shape, while post legs are more of an elliptical shape. Use single or double post legs as a column support in applications that include other post legs.



Adjustable-height legs adjust from 25½"H to 31½"H in ¾" increments. Legs can be used to support the primary worksurface, or legs can support a worksurface in a nesting application.



P-edge profile worksurfaces include alignment slots to accept cabby legs as an alternative column support for visual consistency in applications that include tables with cabby legs. Panel-mounted spanner, bullet peninsula, linking peninsula, jetty, and bubble jetty worksurfaces accept two legs. Visitor and linking worksurfaces accept one leg.



Long worksurface spans must be supported with cantilevers, pedestals, legs, or other supports at least every 54". Reinforcing channel (TS7WKSPT) allows the distance between supports to be increased to 60" for worksurfaces that will be heavily loaded, or up to 72" for worksurfaces with lighter expected loads. Reinforcing channel must be specified separately.
▶ Specifying, page 546

Surface Materials

Post legs, C-leg, and adjustable column

- Paint

Post leg caster

- Black plastic only

Adjustable-height leg

- 4750 Champagne Metallic
- 4798 Sterling Metallic
- 4799 Platinum Metallic
- 7207 Black
- 7225 Sand
- 7239 Midnight

Support plate and reinforcing channel

- Black paint only


Application Topics

Freestanding Guidelines for Systems Worksurfaces


▶ Page 182

Knife Edge Worksurface Application Guidelines


When planning an L-configuration, two UFB flat brackets should be used to support the worksurfaces. A cantilever is not wide enough to support the gap where the knife edge worksurface comes together.



Freestanding L-configuration should be avoided due to profile on the backside of the worksurface.




25 1/2"H Pedestal
(cantilever supported worksurface)




Boxfile
(cantilever supported worksurface)

Compatible storage includes 25 1/2"H pedestal with freestanding conversion kit, box/file mobile pedestals, and 1-high storage.




Knife Edge with 27"H Lateral
and 27"H Pedestal











Knife Edge with 25 1/2"H Pedestal

Knife edge worksurface over 27"H storage can make files difficult to access. Use a 25 1/2"H pedestal that is flush with the front edge of the worksurface to avoid this issue.

Knife edge worksurfaces require reinforcement channels for unsupported spans greater than 48". Use TS7WKSP39 for 54"W worksurfaces, TS7WKSP39 for 60"W and 66"W worksurfaces, and TS7WKSP72 for 72" worksurfaces.



Although a 25 1/2"H pedestal looks good when paired with knife edge, keep in mind that it does not align with other storage – drawers and base trim do not align. Use a box/file mobile pedestal instead.



End panels, 27"H standard pedestals, side support brackets and FrameOne legs for Universal do not align properly with knife edge worksurfaces. Instead, use cantilevers as shown.

****Side support brackets will work to support the back end of a worksurface; front end is where they won't align properly.**

Understanding Universal Tables


	
Statement of Line	228

	
Product Details	
Universal Tables	234
Bases for Universal Tables	237
Legs for Universal Tables	238
Worksurface Screens	240
Divisio Side Screen	242
Application Topics	
Table and Base Combinations	243
Table and Leg Combinations	244
Table Leg Positions	245
Wiring and Cabling Accessories	246

Statement of Line

All table sizes and shapes are available in High-Pressure Laminate with 3 mm edge. Most sizes and shapes are also available in High-Pressure Laminate with P-edge or in wood veneer with square edge. See Specifying pages for details.


Table dimensions shown apply to both wood veneer and High-Pressure Laminate versions of each table.



Understanding
 ▶ Page 234
 Specifying
 ▶ Page 566

Straight Tables

29³/₄" 711 sq. in.	35³/₄" 855 sq. in.	41³/₄" 999 sq. in.	47³/₄" 1143 sq. in.	53³/₄" 1287 sq. in.	59³/₄" 1431 sq. in.	65³/₄" 1575 sq. in.	71³/₄" 1719 sq. in.	77³/₄" 1863 sq. in.	24"
35³/₄" 1069 sq. in.	41³/₄" 1249 sq. in.	47³/₄" 1429 sq. in.	53³/₄" 1610 sq. in.	59³/₄" 1789 sq. in.	65³/₄" 1969 sq. in.	71³/₄" 2149 sq. in.	77³/₄" 2329 sq. in.	30"	




Understanding
 ▶ Page 234
 Specifying
 ▶ Page 568

Transition Tables*



30" [59 ³ / ₄ " 10" 1581 sq. in.] 24"	30" [65 ³ / ₄ " 16" 1725 sq. in.] 24"	30" [71 ³ / ₄ " 22" 1869 sq. in.] 24"	30" [77 ³ / ₄ " 28" 2013 sq. in.] 24"
36" [59 ³ / ₄ " 10" 1940 sq. in.] 30"	36" [65 ³ / ₄ " 16" 2120 sq. in.] 30"	36" [71 ³ / ₄ " 22" 2300 sq. in.] 30"	36" [77 ³ / ₄ " 28" 2480 sq. in.] 30"

*Left-hand units shown.
 Right-hand units available.




Understanding
▶ Page 234
Specifying
▶ Page 570

Corner, 120° Tables



Understanding
▶ Page 234
Specifying
▶ Page 571

Capsule Tables



Tip: Wood veneer capsule tables are available in 72"W, 84"W, and 96"W only.


Universal Tables

Statement of Line, continued





Understanding
▶ Page 234
Specifying
▶ Page 572

Spanner Tables




Understanding
▶ Page 234
Specifying
▶ Page 573


Peninsula Table



Understanding
▶ Page 234
Specifying
▶ Page 574


Tapered Peninsula Tables





Understanding
 ▶ Page 234
 Specifying
 ▶ Page 575

Bubble Jetty Tables




*Left-hand units shown.
 Right-hand units available.




Understanding
 ▶ Page 234
 Specifying
 ▶ Page 576

Round Tables




Understanding
 ▶ Page 234
 Specifying
 ▶ Page 577

Square Tables





Tip: Wood veneer square tables are available in 30"W, 42"W, 48"W, and 54"W only.

Statement of Line, continued




Understanding
 ▶ Page 234
 Specifying
 ▶ Page 578

Rectangle Tables




Understanding
 ▶ Page 234
 Specifying
 ▶ Page 579

Oval Tables




Tip: Oval tables are available in 3 mm edge High-Pressure Laminate only.



Understanding
 ▶ Page 234
 Specifying
 ▶ Page 580


Hex Conference Tables



Tip: Hex conference tables are available in 3 mm edge High-Pressure Laminate only.


Understanding
 ▶ Page 237
 Specifying
 ▶ Page 581

Bases for Universal Tables




Understanding
 ▶ Page 240
 Specifying
 ▶ Page 582

Legs for Universal Tables



Tip: Height dimensions include the thickness of a table.



Understanding
 ▶ Page 240
 Specifying
 ▶ Page 586

15" H Knit Screen

	20 ¹ / ₄ "W	26 ¹ / ₄ "W	32 ¹ / ₄ "W	38 ¹ / ₄ "W
15"H	●	●	●	●




Understanding
 ▶ Page 242
 Specifying
 ▶ Page 586

Divisio Side Screen

	29 ¹ / ₂ "D
11 ⁵ / ₈ "H	●

Understanding
 ▶ Page 246
 Specifying
 ▶ Page 556


Power and Data Strip



Universal Tables

Universal tables can be used in a variety of individual and team settings.
 ▶ Specifying tables, page 566

Table top has a wood core with a High-Pressure Laminate or wood veneer surface and is 1³/₁₆" thick.




Radius corner eliminates sharp edges and is appropriate for freestanding, mobile furniture.

Edge profile is continuous around all edges of the table.

Product Details


High-Pressure Laminate Tables

Continuous edge profile is available in two shapes.



3 mm edge profile

P-edge profile



Knife edge profile

PVC-free, 3 mm edge profiles are a proprietary polyolefin blend for all solid colors and seven woodgrain finishes. See surface material listing in this book for specific PVC-free availability.


P-edge profile rises slightly above the laminate surface and curves into a 3/8" radius, which optimizes ergonomic benefit for the user.

Knife edge with 3 mm user edge is available on straight and tapered systems worksurfaces and on round tables.


Edge profile finishes are specified separately from laminate color.

Wood Veneer Tables

Edges of worksurfaces are available in square (3 mm) profile.




Square (3 mm) edge profile



Square (3 mm) edge profile is achieved by adding wood veneer surfaces to table core. This technique can be applied to tables that are straight or curved.

Connections


Universal tables are supported by bases or legs, which are ordered separately and installed in the field.



Use the Table and Base Combinations matrix to determine the type and number of bases you need to order for the tables you choose.


Tip: Not all sizes and shapes of tables can be supported by bases.

► Page 243




Use the Table and Legs Combinations matrix to determine the type and number of legs you need to order for the table you choose. *Tip: Not all sizes and shapes of tables can be supported by legs.*

► Page 243



Reinforcing channels are available to support tables that are wider than 60"W and supported by legs. When installed, the channels add 1" below the table. Channels are available as an option on larger tables and are field installed. Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table is 96" or smaller and will be supported by T- or X-bases. Channels are required and are always included with tables 120" and larger.



Underside of table has inset locations that support slip-fit and nesting applications. Cabby legs can be positioned in a 45° or 90° orientation. Post legs are positioned in 45° orientation only.

► See *Table Leg Positions*, page 245.




90° orientation



45° orientation


Legs installed in a 90° orientation allow for greater storage and knee-space below the table.

45° leg orientation is a preferred aesthetic for many customers. Cabby legs installed at a 45° orientation will appear to have more curvature when viewed from the front edge of table.



Legs may be installed inset from the edge of the table to accommodate slip-fit planning. Amount of available space (3", 6", or 9") is measured from the edge of the table to the edge of the leg. Amount of slip-fit varies by table shape and size.

► See *Table Leg Positions*, page 245.



Slip-fit planning allows workstation footprint to expand or decrease, and is ideal for off-module applications.








Table with 28 1/2"H legs installed at 6" or 9" inset can slip over adjacent tables that are supported with 26"H legs.




Adjustable-height legs adjust 25 1/2"H to 31 1/2"H in 3/4" increments. Legs can be used to support the table in a standard height or nesting application.



26"H legs allow tables to nest underneath an adjacent table with 28 1/2"H legs or a panel-mounted worksurface.



Spanner table enables conferencing at the end of two tables that are placed back-to-back.



52"W or 64"W spanners should be used when tables are separated by a panel or Post and Beam.

Universal Tables, continued

Surface Materials

High-Pressure Laminate Tables

- Laminate
- ▶ See *Surface Materials Reference Manual*.
- Open Line laminate (option)
- A program including non-Steelcase laminates which are suitable for use on Steelcase products.
- ▶ See *Surface Materials Reference Manual*.

3 mm or P-edge profile

- Plastic

Wood Veneer Tables



- Wood veneer (standard)
- Customiz stain (option)
- Full-fill finish (option)

Square (3 mm) edge profile

- Wood veneer to match table



Application Topics

Table Fit in Panel Environments:



Dimensions on straight and transition tables are 1/4" less than nominal dimension. This allows for an easy fit of freestanding tables in panel-wrapped environments and allows tables to move in and out of the area with ease.


Example: A 48"W x 72"W corner is actually 47³/₄"W x 71³/₄"W.



Mobile pedestals up to 24¹/₂"H will fit under 26"H tables without reinforcing channels.

Mobile pedestals up to 27"H will fit under 28¹/₂"H tables without reinforcing channels.

Tables with reinforcing channel will reduce the available space by 1"



Screens can be used on corner, 120° tables.

- 24"W screens can be used on tables with dimensions C and D each equal to 43".
- 24"W and 30"W screens can be used on tables with dimensions C and D each equal to 49".

Tip: Corner, 120° tables with dimensions C and D each equal to 37" cannot accommodate screens.

Table and Base Combinations

▶ Page 243

Table and Leg Combinations

▶ Page 244

Table Leg Positions

▶ Page 245

Wiring and Cabling Accessories

▶ Page 246

Shipping

Palletizing streamlines unloading and staging of worksurfaces. Identical worksurfaces ordered on the same line item are packed on pallets containing 5-50 worksurfaces depending on worksurface size. Remaining worksurfaces are packed individually in cartons. If palletizing is not desired, order in quantities of four or less per line item. For maximum unload efficiency, utilize pallet handling equipment at job site whenever possible. Wood veneer worksurfaces cannot be palletized.

Hex conference tables 150"W or larger are shipped in two pieces. Tight-joint fasteners are supplied for proper assembly.

Bases for Universal Tables

Pedestal-base tables


fill a variety of needs for conference and work tables in general offices, institutions, and educational work spaces. Tables and bases are ordered separately.

► Specifying, page 581


Adjustable leveling glides

allow tables to remain level when installed on uneven floors.

Column support includes a cylindrical steel column and a base with feet.




T-base




X-base

Product Details



26"W or 36"W



26"W or 36"W

Bases are available 26"W and 36"W and are 27⁹/₁₆"H.

Surface Materials

Column support

- Paint (standard)
- 9201 Polished Chrome (option)

Base

- Paint (standard)
- 9201 Polished Chrome (option)

Application Topics

Table and Base Combinations

► Page 243

Shipping

Bases are shipped knocked down (K.D.) and will require assembly.

Legs for Universal Tables

Legs attach to a table to make it freestanding or tethered to Post and Beam.
 ▶ Specifying, page 582

Alignment tab helps installers locate proper leg position under the table.

Cabby leg and adjustable-height legs are available with locking casters or glides.

Post legs are available with non-locking casters or glides.

Double post C-leg is an individual support and is used at the ends of a table.

Leveling glides, included, allow table height to be adjusted on uneven floors.

Elliptical leg is available in glide version, either nesting or desk-height.

Adjustable-height leg adjusts from 25½"H to 31½"H in ¾" increments.

Product Details

Legs support tables at 26"H or 28½"H overall, including table thickness.

Table legs are ordered separately and installed on site.
 ▶ See *Table and Leg Combinations*, page 244.

Table legs are non-handed to accommodate left- and right-hand applications.





Table legs cannot be used in a shared application with two tables. Radius corners do not provide enough attachment space for leg plate. When a shared leg application is required, order Universal Systems Worksurfaces.




Cabby legs can be installed in either a 45° or 90° orientation on most tables. Elliptical leg installed in the first inset position may only be in a 45° orientation. Single post legs can only be installed in a 45° orientation.
 ▶ See *Table Leg Positions*, page 245.

Actual Dimensions


	Cabby leg	Adjustable-height leg	Elliptical leg	Post leg	Double post C-leg
Height* (standard)	26" or 28½"	25½"–31½"	26" or 28½"	26" or 28½"	28½"
Glide range, for legs equipped with glides	¾"	¾"	5/8"	¾"	5/8"

*Height dimensions include the thickness of a table.




Legs installed in a 90° orientation allow for greater storage and knee-space below the worksurface.

45° leg orientation is a preferred aesthetic for many customers. Cabby legs installed at a 45° orientation will appear to have more curvature when viewed from the front edge of worksurface.



Legs may be installed inset from the edge of the worksurface to accommodate slip-fit planning. Amount of available space (3", 6", or 9") is measured from the edge of the worksurface to the edge of the leg.



Slip-fit planning allows workstation footprint to expand or decrease, and is ideal for off-module applications.

Alignment tab corresponds to under worksurface alignment slots in tables. Alignment features ensure legs are installed in the proper 45° or 90° orientation and slip-fit position.







Table with 28 1/2"H legs installed at 6" or 9" inset can slip over adjacent tables that are supported with 26"H legs.



Adjustable-height legs adjust 25 1/2"H to 31 1/2"H in 3/4" increments. Legs can be used to support the table in a standard height or nesting application.



26"H legs allow tables to nest underneath an adjacent table with 28 1/2"H legs or a panel-mounted worksurface.

Surface Materials

Cabby legs

- 4743 Mineral Metallic
- 4750 Champagne Metallic
- 4798 Sterling Metallic
- 4799 Platinum Metallic
- 7207 Black
- 7225 Sand
- 7239 Midnight

Adjustable-height legs

- 4750 Champagne Metallic
- 4798 Sterling Metallic
- 4799 Platinum Metallic
- 7207 Black
- 7225 Sand
- 7239 Midnight

Elliptical leg

- Paint
- 9201 Polished Chrome

Elliptical leg glide

- 7207 Black
- 7230 Basalt
- 8042 Brushed Aluminum
- 8046 Polished Aluminum

Post, post with caster, and double post C-legs

- Paint

Post leg caster

- Black plastic

Application Topics

Table and Leg Combinations

► Page 244



Table Leg Positions

► Page 245

Worksurface Screens

Screens provide light-weight space division. All screens mount in two positions for either desktop privacy or below worksurface modesty. Available in four widths.

► Specifying worksurface screens, page 586




Foot mounts to top of clamp for desktop privacy, or mounts to underside of clamp for modesty. Clamps are ordered separately.

Cover attaches to the top of the clamp to hide attachment holes when 15"H screens are not used.

Cushion protects the work-surface from marring.

Knob can be tightened by hand and allows easy movement of screens.




Actual Dimensions

15"H Knit Screen


Screen width	20 $\frac{1}{4}$ ", 26 $\frac{1}{4}$ ", 32 $\frac{1}{4}$ ", or 38 $\frac{1}{4}$ "
Overall width	21 $\frac{1}{2}$ ", 27 $\frac{1}{2}$ ", 33 $\frac{1}{2}$ ", or 39 $\frac{1}{2}$ "
Height	15"

Tip: Overall width includes the width of both clamps.


Product Details



15"H screens mount to worksurfaces in privacy position or below the worksurface for modesty. In privacy applications, the overall height of the screen from the floor is 43 $\frac{1}{2}$ "H.



Gap between 15"H screen to top of worksurface is 1".




Gap between bottom of worksurface to 15"H screen is 1 1/2".

Connections




Clamps allow attachment to worksurfaces 1 1/8" to 1 3/16" thick, which include Universal Worksurfaces and Tables, Answer, and Ellipse worksurfaces. Clamps cannot be used with Series 9000 and Avenir 1 1/2" thick worksurfaces.

Clamps are specified as a pair and ordered separately from the screen.




15"H screen mounts to the top or bottom of the clamp.


Multiple screens can share clamps that attach to a worksurface.




Three clamps can be used to support screens of various sizes.




15"H screens can be applied to the side of a worksurface.



For corner privacy applications where 15"H screens are desired on the back and side of the worksurface, the screen for use on the side of the worksurface should be specified 6" smaller. For example, a 30"D x 42"W worksurface with a 38 1/4"W x 15"H screen on the back, requires a 20 1/4"W x 15"H screen on the side.



Screens can be planned to match the width of the worksurface. However, if worksurfaces are slip-fit, screen sizes must be planned accordingly.



For corner, 120° table applications, the following screens can be used:

- 20 1/4"W screens can be used on tables with dimensions C and D each equal to 43".
- 20 1/4"W and 26 1/4"W screens can be used on tables with dimensions C and D each equal to 49".

Tip: Corner, 120° tables with dimensions C and D each equal to 37" cannot accommodate screens.

Surface Materials

Vertical surface fabric

Applies to knit screen:

- B902 Soft White
- B903 Fog
- B904 Sand

Screen frame and foot

- 4799 Platinum only

Clamp

- 4799 Platinum only

Clamp adjustment knob and cover

- 7237 Slate only


Application Topics

15"H screens can be used on fences in Post and Beam applications. For attachment hardware style number and additional information, refer to the *Post and Beam Solutions Specification Guide*.

Divisio Side Screen

Divisio side screen is magnetic and provides a territorial boundary between users. The user-movable functionality allows users to decide when and where they need additional privacy. The screens may be used on any 3/4"- to 1 1/2"-thick worksurface.

► Specifying, page 586



Actual Dimensions	
Depth	29 1/2" (total), 21 1/2" (sits on worksurface)
Width	1 1/4"
Height	14 1/4" (total), 11 5/8" (above worksurface)


Table and Base Combinations

Table and Base
Combinations

	26"W T-Base 	36"W T-Base 	26"W X-Base 	36"W X-Base 
Straight Tables				
24"D x 36"W			 ①	
30"D x 36"W–42"W				 ①
30"D x 48"W–78"W	 ②			
Capsule Tables				
24"D x 48"W			 ②	
30"D x 60"W	 ②			
36"D x 72"W				
42"D x 84"W		 ②		
48"D x 96"W				
Round Tables				
30" diameter			 ①	
36" diameter				
42" diameter				 ①
48" diameter				
54" diameter				
Square Tables				
30"D x 30"W			 ①	
36"D x 36"W				 ①
42"D x 42"W				
48"D x 48"W		 ②		
54"D x 54"W				
Rectangle Tables				
36"D x 60"W	 ②			
36"D x 66"W				
36"D x 72"W				
42"D x 84"W		 ②		
48"D x 96"W				
Oval Tables				
30"D x 42"W			 ①	
36"D x 48"W				 ①
30"D x 60"W	 ②			
36"D x 72"W				
42"D x 78"W				
48"D x 96"W		 ②		
Hex Conference Tables				
36"D x 60"W	 ②			
36"D x 66"W				
36"D x 72"W				
42"D x 96"W		 ②		
48"D x 120"W		 ③		
48"D x 150"W				
48"D x 180"W				

① = Number of bases to order.
Blank spaces in matrix designate table and base combinations that are not valid.

Table and Leg Combinations

	Cabby Leg, Adjustable-Height Leg, Elliptical Leg, or Post Leg 	Double Post C-Leg 
Straight Tables	④ 	② 
Transition Tables	④ 	②  <i>Tip: Do not apply a double post C-leg to a 36"D side.</i>
Corner, 120° Tables <i>Tip: Corner, 120° tables can be supported by one post leg and two double post C-legs.</i>	⑤  ① 	② 
Round Tables	④ 	
Square Tables	④ 	
Rectangle Tables	④ 	
Spanner Tables	④ 	
Capsule Tables	④ 	
Peninsula Tables	④ 	
Tapered Peninsula Tables	④ 	
Bubble Jetty Tables	⑤ 	<i>Tip: Double post C-leg can only be applied to the square end of bubble jetty tables.</i>
Oval Tables, up to 36"D x 72"W <i>Tip: Oval tables 21"D x 42"W and 30"D x 42"W may only use legs with glides. Legs with casters may not be used on these table sizes.</i>	④ 	

► See *Post and Beam Solutions Specification Guide* for tethered capsule tables support information.

Tip: Hex conference tables and oval tables 42"D x 78"W and larger, can only be supported with T-bases.

① = Number of legs to order.
Blank spaces in matrix designate table and leg combinations that are not valid.

Table Leg Positions

Table leg positions

allow for slip-fit and nesting capabilities. Both 45° and 90° angled leg positions are available on most tables.

However, certain tables accommodate either 45° or 90° angled positions only. Leg positions on the underside of tables are shown at right.

Legs installed in positions 1, 2, or 3 will vary in their distance from the work-surface edge:

Position 1 is 3" from edge

Position 2 is 6" from edge

Position 3 is 9" from edge

Tip: Positions 2 and 3 are not available on every table.

Position 1



Straight Table

24"D x 30"W


Position 1 2



Straight Table

24"D x 36"W
30"D x 36"W
30"D x 42"W

Position 1 2 3



Straight Table


24"D x 48"W 30"D x 48"W
24"D x 54"W 30"D x 54"W
24"D x 60"W 30"D x 60"W
24"D x 66"W 30"D x 66"W
24"D x 72"W 30"D x 72"W
24"D x 78"W 30"D x 78"W

Position 1 2 3 2 1



Transition Table

Position 3



Corner, 120° Table


Position 1



Round Table

30" Diameter
36" Diameter
42" Diameter
48" Diameter

Position 1 2



Round Table

54" Diameter


Position 1



Square Table

24"D x 24"W
30"D x 30"W


Position 1 2



Square Table

36"D x 36"W
42"D x 42"W
48"D x 48"W
54"D x 54"W

Position 1 2



Rectangle Table

Position 1



Spanner Table


Position 1



Capsule Table

24"D x 48"W
30"D x 60"W

Position 1 2



Capsule Table


36"D x 72"W
42"D x 84"W
48"D x 96"W

Position 1




Peninsula Table

Position 1 2 3



Tapered Peninsula Table

Position 1 2 3



Bubble Jetty Table

Position 1



Oval Table

21"D x 42"W 30"D x 60"W
30"D x 42"W 36"D x 72"W
36"D x 48"W

Legend


⌘ = Both 45° and 90°

⦿ = Either 45° or 90°

Wiring and Cabling Accessories


Power and Data Strip

Powerstrip with cord and worksurface bracket



Powerstrip includes three simplex receptacles and space for customer-supplied voice/data outlets.

Powerstrip with cord and slatwall bracket



Bracket attaches to slatwall.

Product Details

Power and data strip provides additional electrical and voice and data receptacles.

Power and data strips are field-installed on either a worksurface or on slatwall. Specify appropriate attachment bracket depending on application.

Power and data strip worksurface bracket attaches to worksurfaces 59/64" to 15/8" thick.

Wiring & Cabling

Available with an 8'-long cord with plug.

Chicago, New York City, and Los Angeles have special requirements.

Underwriters Laboratory (UL) listed. These products have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so consult with your local authority having jurisdiction as they have final say if the products as installed are compliant with local code. Consult a qualified electrician or electrical engineer for proper installation of all electrical equipment.

Surface Materials

Power and data strip

- 8043 Clear Anodized Aluminum cover with black faceplate

Attachment brackets

- 4799 Platinum paint only

Actual Dimensions

Depth	2¼"
Width	10¼"
Height	3"

Understanding TS Series Storage Products




Statement of Line	248
--------------------------	------------

TS Series Pedestals	250
TS Series Bins	252
TS Series Laminate Common Shelves	254
TS Series Under-Worksurface Lateral Files	256
TS Series Tower Too	258
TS 200 Series Lateral Files	260
TS 200 Series Lateral Files with Lift-Up Doors and Roll-Out Shelves	264

Statement of Line


For the full Universal Storage offering,
see *Storage Specification Guide*.



Understanding
▶ Page 250
Specifying
▶ Page 590

TS Series Fixed Pedestals


15 1/4"W
27"H



Understanding
▶ Page 250
Specifying
▶ Page 592

TS Series Mobile Pedestals with Steel Top

15 1/4"W
21"H
26 5/8"H




Understanding
▶ Page 250
Specifying
▶ Page 593

TS Series Mobile Pedestals with Seat Cushion

15 1/4"W 16 1/4"W
22 3/4"H


*With handle



Understanding
▶ Page 252
Specifying
▶ Page 595

TS Series Bins


24"W 30"W 36"W 42"W 48"W 60"W 72"W
15 3/4"D



Understanding
▶ Page 254
Specifying
▶ Page 597

TS Series Laminate Common Shelves


24"W 30"W 36"W 42"W 48"W
15"D



Understanding
▶ Page 256
Specifying
▶ Page 598

TS Series Under-Worksurface Lateral Files

30 1/2"W 36"W
27"H




Understanding
▶ Page 258
Specifying
▶ Page 600

TS Series Tower Too

24"W
48"H
54"H
66"H

*Available with open side shelving only.



Understanding
▶ Page 260
Specifying
▶ Page 602

TS 200 Series Lateral Files

30"W 36"W 42"W
28"H
40"H
52"H
65 1/2"H

TS Series Pedestals

TS Series pedestals

provide fixed and mobile storage for personal items and filing of infrequently referenced materials.

► Specifying, page 590

Top of pedestal is open to attach beneath the workspace.

Finished back and sides are standard.

Leveling glides on pedestals adjust to install furniture on uneven floors. Leveling glide range is 1".

Handle pull is standard. Ledge pulls are available as an option on drawers and doors.


Pedestal file drawers are made of steel with steel ball-bearing suspensions and open their full depth for total access to the contents. File drawer accommodates letter- and legal-size filing (legal filing requires the use of optional dividers).

Handle on mobile pedestal can be positioned in front or at rear to access contents of drawer. Also available without handle.


Lock is standard keyed random and controls all of the drawers. Lock cylinders must be specified separately. Consecutive and specific keying options are available. Master-keyed locks are also available. Products with locks ship with a lock face ring and removable plastic plug to accommodate a lock cylinder installed on site.

► Lock and Keying Options, page 726

Product Details




Handle pull




Ledge pull

Pull Choices



Extra handle pull, available as an option on mobile pedestals, allows pedestals to be moved easily within the workstation.




Box drawer and file drawer dividers and pencil tray for use with fixed pedestals are available as optional accessories. Mobile pedestals have different dividers that are not interchangeable.

Cushions are 1¾" and upholstered with piping along the top and bottom edges.


Actual Dimensions

	Fixed Pedestals	Mobile Pedestals with Steel Top	with Cushion Top
Depth	21 ³ / ₁₆ ", 27 ¹³ / ₁₆ "	23"	22"
Width	15 ³ / ₁₆ "	15 ³ / ₁₆ "	15 ³ / ₁₆ "
Height	27"	21", 26 ⁵ / ₈ "	21"




Dividers and pencil tray for use with mobile pedestals must be ordered separately. Mobile pedestal accessories are not interchangeable with under-worksurface pedestal accessories.

► Page 594



To file legal-size or side-to-side letter-size filing in pedestal file drawers, specify optional 15"W file rails.




Large ($\frac{3}{16}$ " diameter) perforation is available as an option on mobile pedestal drawer fronts.

Counterweights are included to provide added stability. All pedestals are shipped with a factory-installed counterweight package that meets or exceeds standards for the industry.

Connections

Box, box, file and file, file pedestals attach beneath 24"D and 30"D worksurfaces. Attachment hardware is provided.



Pedestal filler, ordered separately, adds structure and fills the gap between the pedestal and panel. TS Series pedestal filler works with Kick panels only.

Application Topics

Mobile pedestal fits under 24"D and 30"D worksurfaces or can be moved wherever storage is needed.

► For interior dimensions, see *Storage Capacities and Dimensions* in the *Storage Specification Guide*.

Surface Materials

Pedestal

- Paint

Handle pull

- 0835 Black
- 9211 Nickel

Ledge pull

- 4799 Platinum
- 7207 Black

Lock

- 9201 Polished Chrome

Cushion top

- Upholstery

TS Series Bins

TS Series bins can be attached to Answer and Kick with integrated hooks. These storage bins provide overhead storage in the workspace.

► Specifying, page 595

On-module attachment hooks are integral to the end supports and are used to mount bins on panels of the same width as bins.

Safety catch locks overhead storage unit to frame to prevent accidental removal.

Bin is steel and ships assembled.

Backstop prevents notebooks and equipment from damaging the surface of the panels or walls.

Flat-front and radius-front lift-up doors open and close quietly. When up, the doors rest on top of the case to provide more storage space inside.


Locks are standard on bins to secure the door(s). Lock is located underneath the center of the shelf. Locks are standard factory-installed, keyed random. Two-door units are keyed alike.

► Lock and Keying, page 726

Recess beneath unit can accommodate a shelf light.


► Page 332

Product Details




Lock in bin is concealed from view beneath the shelf. Locks are available factory-or field-installed. Factory-installed locks are standard and available keyed random only. Two-door units are keyed alike. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► Lock and Keying, page 726




Shelf lights are available for use beneath bins. Lights recess into the bottom of overhead bins.

► Page 332



Dividers are available as an option for use on bins. Dividers ship in a package of four.

► Page 286




Actual Dimensions

Depth 15¾"

Width 24", 30", 36", 42", 48", 60", or 72"


Height 16¼"



Back of storage bin is open to allow panel surface to show. Metal backstop prevents contents of bin from damaging panel surface.


Overhead storage bin height accepts standard and A4 binders.

Connections



Steel support hooks on end supports insert into the slotted channel of a panel or wall channel and lock into place with a safety catch.


On-module steel support hooks can be used above and adjacent to slat-wall on panels.




Width of overhead bin must match the width of the panel or panels that it is attached to. Bin may span up to two frames.

Additional support for stability may be required when overhead bins are attached to panels. Counterbalancing loads on opposite sides of the panels increases stability.

TS Series bins cannot be attached to upmount brackets.




Wall channels are available to attach bins to concrete or block walls. Wall channels can be used to attach bins and tackboards to wood, dry wall, or plaster walls if the wall is reinforced.
▶ Page 288



Wall channel horizontal brace is required with wall channels to support shelves and bins that are wider than 48".
▶ Page 288

Wiring & Cabling



Vertical wire managers are available to conceal cords that are routed from light mounted beneath overhead storage.
▶ Page 342

Surface Materials

Overhead bin

- Paint


Lock

- 9201 Polished Chrome

Dividers

- White plastic

Application Topics



Clearance between Universal Systems worksurfaces or Universal tables and bottom of overhead bins is 21 3/8" when storage unit is installed in the highest position on a 66"H panel and glides are adjusted all the way into the panel.

Storage Capacities and Dimensions

▶ See *Storage Specification Guide*


Bracket Application Rules

▶ Page 296


Stability Guidelines

▶ Page 124

Guidelines for Stackable Components



Correct



Incorrect


TS Series bins, Universal bins, and shelves can hang from the first stacked tier only.

TS Series Laminate Common Shelves

► Specifying, page 597


Laminate common shelf has a wood core and is covered with Low-Pressure Laminate and High-Pressure Laminate. Plastic edge band is selectable.

Tip: For anticipated heavy loads on 42" and 48"W laminate common shelves, a field-installed reinforcing channel (TSATRC39) can be used.




Laminate common shelf

Product Details



Laminate common shelf ships with steel support brackets. Support brackets hook into the vertical panel slots or wall channel and lock into place with a safety catch. Support brackets can be used in either orientation.

Wiring and Cabling



Vertical wire managers are available to conceal cords that are routed from light mounted beneath overhead storage.

► Page 699

Surface Materials

Shelf

- Laminate

Edge

- Plastic

Supports

- Paint

Actual Dimensions

Depth	15"
Width	24", 30", 36", 42", or 48"
Height	7 ³ / ₄ "

TS Series Under-Worksurface Lateral Files


► Specifying, page 598

Top of lateral file is open to attach beneath the worksurface.

Finished back and sides are standard.

Leveling glides on lateral files adjust to install furniture on uneven floors. Leveling glide range is 1".

Tip: The actual depth of under-worksurface lateral files is 18 1/8"D, which will not accommodate the use of the 18"D Kick straight worksurfaces.




Lock cylinders are specified separately from the lateral file. Random, consecutive, and specific keying are available. Master-keyed locks are also available. Products with locks ship with a lock face ring and removable plastic plug to accommodate a lock cylinder installed on site. ► Lock and Keying Options, page 726


Lateral file drawers are made of steel with steel ball-bearing suspensions and open their full depth for total access to the contents.

Lateral file drawers are standard with two side-to-side hanging file frames to file letter- or legal- size papers. Clearance is provided for two rows of filing.

Product Details




Handle pull




Ledge pull

Pull Choices

Handle pull is standard. Ledge pulls are available as an option on drawers and doors.



Large (3/16" diameter) perforation is available as an option on the 30 1/2"W under-worksurface lateral only.



Under-worksurface lateral file drawer dividers, front-to-back file rails, and side-to-side hanging file frames, ordered separately, are available for use with under-worksurface lateral files.


Actual Dimensions

Depth 18 1/8"

Width 31 1/2" or 36"

Height 27"

Connections



Kick plate (2"H) and lock bar align with under-worksurface pedestal and Tower Too.

Surface Materials

Lateral file

- Paint

Handle pull

- 0835 Black
- 9211 Nickel

Ledge pull

- 4799 Platinum
- 7207 Black

Lock

- 9201 Polished Chrome

TS Series Tower Too

TS Series Tower Too

accommodates paper filing, miscellaneous storage, and wardrobe storage.


► Specifying, page 600

Finished top, sides, and back allow storage cabinet to be positioned anywhere.

Shelves are fixed and can accommodate binders or other storage needs.

Lock, standard, is located on the lock bar and secures file drawers below. Lock cylinders are specified separately from the tower. Random, consecutive, and specific keying are available. Consecutive and specific keying options are available. Master-keyed locks are also available. Products with locks ship with a lock face ring and removable plastic plug to accommodate a lock cylinder installed on site.

► Lock and Keying Options, page 726



Doors open 98° for access to contents.


Safety interlock system allows only one drawer to be opened at a time.

Drawers open their full depth for total access to the contents. Drawers have full-height sides; hanging file folder frames are not needed for front-to-back letter-size filing. Legal or side-to-side filing is accommodated using Universal filing rails. Tower Too file drawers and optional box drawers are made of steel with steel ball-bearing suspensions.


► For interior dimensions see *Storage Capacities and Dimensions* in the *Storage Specification Guide*.

Leveling glides on lateral files adjust to install furniture on uneven floors. Leveling glide range is 3/4".


Product Details



Handle pull



Ledge pull



Contemporary pull

Pull Choices


Handle pull is standard. Ledge pulls are available as an option on drawers and doors. Contemporary pulls are available as unique Tower Too style numbers.

Actual Dimensions


Depth 24"

Width 24"

Height 48", 54", or 66"




66"H Wardrobe left




54"H Wardrobe left



48"H Wardrobe right




66"H Wardrobe right




54"H Wardrobe right


TS Series Tower Too is available 48"H, 54"H, or 66"H. Wardrobe storage can be left or right. 48"H is open side only.




Wardrobe interior can be specified with wardrobe hook or wardrobe rod with shelf.




Two box drawers in place of top file drawer is available as an option on 48"H, 54"H, and 66"H towers. Box drawers have 3/4 extension.



Dome, field-installed only, can be added to Tower Too for a unique aesthetic.




All locking (one lock for wardrobe, second lock for drawer, third lock for cabinet if applicable), is available as an option on 48"H, 54"H, and 66"H towers.



Towers are available with open side shelving in place of the upper cabinet. Fixed shelves provide two openings (with clearance of 5"H on 48"H units, 12"H on 54"H units, and 18"H on 66"H units).

Connections



Kick plate (2"H) and lock bar align with fixed pedestals and under-work-surface lateral files.

Surface Materials

Tower Too

- Paint

Handle pull

- 0835 Black
- 9211 Nickel

Ledge pull

- 4799 Platinum
- 7207 Black

Lock

- 9201 Polished Chrome

TS 200 Series Lateral Files

TS 200 Series lateral

files are ideal for high-density paper storage. They accommodate basic paper filing needs at an economical price.

► Specifying, page 602

Finished back is standard.


Lock is standard on lateral files and secures all drawers and lift-up door. On 52"H and 65½"H files, lock is located at top left corner of drawer that is third from the bottom. On 28"H and 40"H files, lock is located at top left corner of top drawer.

Locks are standard factory-installed, keyed random.

► Lock and Keying Options, page 726

Base is 3"H and is integral to the case.

Leveling glides adjust up to 7/8" to install lateral files on uneven floors.




Top is standard 1"H steel. Other top options are available.

Label holders are included with each drawer. Label holder fits inside the integral pull or can be affixed to the front of the drawer or door. Perforated labels are included and can be created using the template available on www.steelcase.com/label.


Drawers open their full depth for total access to the contents and are standard 12"H. TS 200 Series drawers and lift-up doors have flush fronts.

Pulls on TS 200 Series drawers and receding doors are inset and full width to provide a neutral look. They are located at the top of a drawer and at the bottom of a receding door.

Product Details




TS 200 Series lateral drawer and door fronts are flush with integral pulls.



Drawer interiors include one hanging folder bar per drawer, which accommodates side-to-side filing of letter-, A4 international-, and legal-size hanging folders. Alternative interiors are available as options; your specification will apply to all the drawers within a single lateral file. Additional bars are available and must be specified separately.


► Page 672



Rails accommodate front-to-back filing of letter-, A4 international-, and legal-size hanging folders. Rail packages accommodate two rows of letter-size files in 30"W and 36"W drawers and three rows of letter-size files in 42"W drawers. See *Storage Capacities and Dimensions* in the *Storage Specification Guide* for additional details. Additional rails are available and must be specified separately.


Actual Dimensions

Depth	18"
Width	30", 36", and 42"
Height	28", 40", 52", and 65½"




Dividers accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers and one hanging folder bar per drawer. Additional dividers are available and must be specified separately.

► Page 673




Lift-up door with fixed shelf is standard in the top position of 65½"H cases. Door is 13½"H to accommodate standard-height binders. Door recesses inside the case.

Lift-up door is available with an optional roll-out shelf in place of the standard fixed shelf.




Roll-out shelf includes three dividers and one hanging file folder bar to function as a backstop.

Safety interlock system allows only one drawer or roll-out shelf to be opened at a time.




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.


► *Lock and Keying*, page 726



No-top lateral files are available for installations where cases will be installed under a worksurface or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface. No-top option reduces height of file by 1".



Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are ¾" taller than steel tops and will add that dimension to the overall height of the lateral file.





Security top is available as an option for installations where the file will be installed beneath a worksurface, but not physically attached. Thin steel top prevents unauthorized access to the contents of the cabinet. Security top is not structural and can be specified on 28"H files only. Security top reduces overall height of file to approximately 27"H.


Counterweight packages must be specified as an option for lateral files that are not ganged to another case, attached to a worksurface, or bolted to the floor or wall. Counterweights can also be ordered separately.

► Page 676


Connections



Ganging hardware is included to increase stability and maintain alignment by joining adjacent components side by side, back to back, or both. Lateral files can also be bolted to the floor, or attached to a worksurface or wall for stability.




Wood veneer
with square
edge profile



Laminate
with square
edge profile

Field-installed tops are available in two choices—wood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.

► Page 668



Field-installed accessories are available, including drawer accessories and counterweight packages.

► Page 671


Anchor bracket secures file, cabinet, or tower to floor in seismic zones to reduce the risk of hazards during earthquakes. Four bracket packages are required for each cabinet.

Note: Local seismic requirements vary.

Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact *Specials*.

Tip: Anchor bracket cannot be used with pedestals.

► Page 676



Overfile cabinets are separate components that are field installed on top of lateral files, combination cabinets, storage cabinets, and wardrobe cabinets to provide space for additional files, ring binders, or miscellaneous storage.

► See *Storage Specification Guide*

Surface Materials

Lateral file, including steel top, drawer fronts, lift-up door, fixed shelf, and TS 200 Series pulls

- Paint

Wood veneer top

- Wood veneer—
 - Open pore finishes
- Customiz stain (option)

Laminate top

- Laminate
- Open Line laminate (option)

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, roll-out shelves, hanging folder bars, rails, and dividers

- Black

Application Topics

Storage Capacities and Dimensions

▶ See *Storage Specification Guide*

Shipping

Lateral files are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

Counterweight packages ship separately from case and must be field-installed.

TS 200 Series Lateral Files with Lift-Up Doors and Roll-Out Shelves


TS 200 Series lateral files with lift-up doors and roll-out shelves are ideal for high-density side-tab filing. They accommodate basic paper filing needs at an economical price.
 ▶ Specifying, page 604

Finished back is standard.

Lock is standard on lateral files and secures all lift-up doors. Lock is located at top left corner of the top. Locks are standard factory-installed, keyed random.
 ▶ Lock and Keying Options, page 726

Base is 3"H and is integral to the case.

Leveling glides adjust up to 7/8" to install lateral files on uneven floors.



Top is standard 1"H steel. Other tops are available field-installed.


Lift-up doors are equipped with roll-out shelves.

Roll-out shelves open their full depth for total access to the contents and are standard 12"H. TS 200 Series lift-up doors have flush fronts.


Label holders are included with each drawer. Label holder fits inside the integral pull or can be affixed to the front of the drawer or door. Perforated labels are included and can be created using the template available on www.steelcase.com/label.

Pulls on TS 200 Series lift-up doors are inset and full width to provide a neutral look. They are located at the bottom of a lift-up door. Pedestals with TS 200 Series pulls are also available.
 ▶ See *Avenir Systems Furniture Specification Guide*.

Product Details



Lift-up door in the top position of 65 1/2"H cases is 13 1/2"H to accommodate standard-height binders. All other doors are 12"H and accommodate side-tab files. All doors recede inside the case.




Each roll-out shelf includes one divider package to function as a back-stop. Divider package includes three dividers and one hanging folder bar. Two hanging folder bars are available as an option and replace the divider package when specified.

Safety interlock system allows only one roll-out shelf to be opened at a time.

Actual Dimensions


Depth	18"
Width	30", 36", and 42"
Height	28", 40", 52", and 65 1/2"




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.
▶ *Lock and Keying*, page 726

Counterweight packages must be specified as an option for lateral files that are not ganged to another case, or bolted to the floor or wall. Counterweights can also be ordered separately.
▶ Page 676


Connections



Ganging hardware is included to increase stability and maintain alignment by joining adjacent components side by side, back to back, or both. Lateral files can also be bolted to the floor, or attached to a worksurface or wall for stability.




Field-installed tops are available in two choices—wood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.
▶ Page 668



Field-installed accessories are available, including roll-out shelf accessories and counterweight packages.
▶ Page 671

Anchor bracket secures file, cabinet, or tower to floor in seismic zones to reduce the risk of hazards during earthquakes. Four bracket packages are required for each cabinet.
Note: Local seismic requirements vary. Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Specials.
Tip: Anchor bracket cannot be used with pedestals.
▶ Page 676



Overfile cabinets are separate components that are field installed on top of lateral files, combination cabinets, storage cabinets, and wardrobe cabinets to provide space for additional files, ring binders, or miscellaneous storage.
▶ See *Storage Specification Guide*

Surface Materials

Lateral file, including steel top, lift-up door, and TS 200 Series pulls

- Paint

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Roll-out shelves, hanging folder bars, and dividers

- Black

Application Topics

Storage Capacities and Dimensions

▶ See *Storage Specification Guide*

Shipping

Lateral files are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.


Counterweight packages ship separately from case and must be field-installed.

Understanding Universal Storage Products


Statement of Line	268
Universal Pedestals 272	
Universal Sliding Door Bins	276
Universal Over the Case and In The Case Bins	280
Dimensions for Custom Field-Installed Picture Frame Door Inserts	283
Universal Shelves and Universal Personal Shelves Dividers	284
Horizontal Wall Attachment Brackets	286
Wall Hang Channels and Horizontal Braces	287
Universal Curved Front Bins	288
Universal L-Shelves and Stationary Shelves	290
Accessories for Universal Curved Front Bins and Universal L-Shelves	292
Slim Shelves	294
Bracket Application Rules for Bins and Shelves	295
Bracket Application Rules for Universal Curved Front Bin and Universal L-Shelf	296
Application Rules for Overhead Storage on Answer and Kick Panels	298
Universal One-High, 1.5-High, and Two Drawer Lateral Files	299
Universal Towers and Workstation Verticals	300
Universal Lateral Files	304
Connectors	308
	311

Statement of Line

For the full Universal Storage offering, see *Storage Specification Guide*.



Understanding
▶ Page 272
Specifying
▶ Page 608




Understanding
▶ Page 272
Specifying
▶ Page 612

Universal Fixed Pedestals

15"W	
25 1/2"H	●
27"H	●

Universal Mobile Pedestals

15"W	
21"H	●
27"H	●




Understanding
▶ Page 276
Specifying
▶ Page 616

Universal Sliding Door Bins

For Use with Answer

	36"W	42"W	48"W	60"W	66"W	72"W
15 3/4"D	●	●	●	●	●	●




Understanding
▶ Pages 280
Specifying
▶ Page 618


Universal Over the Case and In the Case Bins with Flat, Radius, and Wood Flat Fronts

For Use with Answer

	24"W	30"W	36"W	42"W	48"W	60"W	66"W	72"W
15 3/4"D	●	●	●	●	●	●	●	●



Universal Shelf




Universal Personal Shelf

Understanding
 ▶ Page 284
 Specifying
 ▶ Page 622

Universal Shelves and Universal Personal Shelves

For Use with Answer

	24"W	30"W	36"W	42"W	48"W	60"W	72"W
Universal Personal Shelves 13 1/16"D	•	•	•	•	•		
Universal Shelves 14 3/4"D	•	•	•	•	•	•	•




Understanding
 ▶ Page 290
 Specifying
 ▶ Page 629


Universal Curved Front Bins with Steel and Wood Doors

For Use with Answer

	30"W	36"W	42"W	48"W
16 1/2"D	•	•	•	•



Universal L-Shelf




Universal Stationary Shelf

Understanding
 ▶ Page 292
 Specifying
 ▶ Page 630

Universal L-Shelves and Universal Stationary Shelves

For Use with Answer

	30"W	36"W	42"W	48"W
14"D	•	•	•	•



Understanding
 ▶ Page 295
 Specifying
 ▶ Page 632


Slim Shelves

	24"W	30"W	36"W	42"W	48"W	60"W	72"W	96"W
6"D	•	•	•	•	•	•	•	•


Statement of Line, continued

For the full Universal Storage offering, see *Storage Specification Guide*.

Universal One-High



Universal 1.5-High




Understanding
 ▶ Page 300
 Specifying
 ▶ Page 634


Universal One-High and 1.5-High Lateral Files

	30"W	36"W	42"W
One-High 16"H	●	●	●
1.5-High 22"H	●	●	●

Tip: 42"W lateral files are available 18"D and 18⁷/₈"D only.



Understanding
 ▶ Page 304
 Specifying
 ▶ Page 640



Understanding
 ▶ Page 304
 Specifying
 ▶ Page 644

Universal Open Side Towers


	24"W
47 ¹ / ₂ "H	●
52"H	●
65 ¹ / ₂ "H	●

Drawings show door hinged left.
 Units are also available with door hinged right.

Universal Dual Door Towers

	24"W
47 ¹ / ₂ "H	●
52"H	●
65 ¹ / ₂ "H	●

Drawings show door hinged left.
 Units are also available with door hinged right.




Understanding
 ▶ Page 304
 Specifying
 ▶ Page 650

Universal Full Front Towers

24"W	
52"H	●
65 1/2"H	●

Drawings show door hinged left.
 Units are also available with door hinged right.




Understanding
 ▶ Page 304
 Specifying
 ▶ Page 654

Universal Vertical Drawer Towers

24"W	
52"H	●
65 1/2"H	●


Drawings show door hinged left.
 Units are also available with door hinged right.



Understanding
 ▶ Page 304
 Specifying
 ▶ Page 658

Universal Workstation Verticals

15"W	
52"H	●
65 1/2"H	●



Understanding
 ▶ Page 308
 Specifying
 ▶ Page 660

Universal Lateral Files

	30"W	36"W	42"W
28"H	●	●	●
40"H	●	●	●
52"H	●	●	●
65 1/2"H	●	●	●

Tip: 42"W lateral files are available 18"D and 18 7/8"D only.

Universal Pedestals

27"H fixed pedestals

are floor-standing and can support worksurfaces at 28½"H.

► Specifying, page 608

► Specifying *Storage Accessories*, page 671

Top is open and accommodates attachment to a work-surface. Attachment hardware is included.

Lock is standard on pedestals and secures all drawers. Lock is located in the top drawer. Locks are standard factory-installed, keyed random.

► *Lock and Keying*, page 726

Leveling glides adjust to install pedestals on uneven floors. 25½"H pedestals have a ⅞" adjustable glide range, and 27"H pedestals have a 1⅞" adjustable glide range.


Mobile pedestals fit under a worksurface and can be moved wherever storage is needed. They provide an auxiliary work-surface when you need more space to spread out your work.

► Specifying, page 612

► Specifying *Storage Accessories*, page 671

Finished back and sides are standard.

Four casters are hard composition and non-locking, with a full-rotation swivel mechanism. Casters are exposed at the base of box/ file pedestals and concealed with the base of box/box/file and file/file pedestals.



Drawer fronts are available in steel or wood veneer. Mobile pedestals maintain drawer pull and drawer front alignment with other storage components that have a 3" base.



Pull on proud-front pedestal is available in a variety of shapes.

3"H base is integral to 27"H pedestal case.

Pull on flush-front pedestal is full width and integral. This pull is available on steel drawer fronts only. Full-width wood pull is available as an option. Wood pull, if selected, ships separately from pedestal and is field installed, attaching to the integral pull with double-sided tape.

Drawers open their full depth for total access to the contents. Box and file drawers are available.


Top on mobile pedestal is ⅞"H steel. Additional top options are available.




Mobile pedestal cushion top provides a temporary seat ideal for informal gatherings. Optional handle can be extended to easily transport mobile pedestal. Available factory- or field-installed.

► Specifying, page 639

Product Details




Box drawers are a welded steel construction and available with proud or flush fronts. One divider is included with each box drawer.



File drawers are a welded steel construction and available with proud or flush fronts. Drawer body sides are full height and accommodate front-to-back filing of hanging letter-size file folders.

Optional rails accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders.


Exception: Legal-size file folders cannot be filed in 17⅞"D or 18⅜"D pedestals.



Drawer fronts can be removed and changed in the field to create a different aesthetic or to replace damaged drawer fronts.


Actual Dimensions

	Fixed	Box/File	Box/Box/File and File/File
Depth with flush steel front	17½", 22⅝", and 28⅝"	17½" and 22⅝"	17½" and 22⅝"
Depth with proud steel or wood front	18⅜", 23½", and 29½"	18⅜" and 23½"	18⅜" and 23½"
Width	15"	15"	15"
Height	25½" and 27"	N.A.	N.A.
Overall height with ⅞"H top	N.A.	21"	27"



Pencil tray to hold small office supplies is included with each box/box/file pedestal.


Optional basic drawer interior allows box/box/file pedestals to be ordered without rails, box drawer dividers, or pencil trays.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 128 mm and available on steel or wood veneer drawers. c:scape pulls (200 mm) are available on steel drawers only.

Label holders are available through Service Parts. Label holder fits inside the integral pull of flush-front drawers and over the top edge of drawer front on proud-front drawers.


Safety interlock system allows only one drawer to be opened at a time for added stability.




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately. ▶ *Lock and Keying*, page 726

Individual drawer locks are available on file/file pedestals for applications where you want to limit access to each drawer. Pedestals include a security shield above each drawer to prevent unauthorized access. Individual locking drawers are only available with field-installed lock cylinders. Consecutive, specific, and random keying options are available. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately. ▶ *Lock and Keying*, page 726


Non-locking pedestal is available as an option.



27"H fixed pedestals have base alignment with other Universal Storage components that have a 3"H base.




Steel, laminate, and wood veneer tops are available in place of standard 1/8"H steel tops. 1"H steel tops, 1 3/16"H laminate with square edge profile, 1 7/16"H laminate with bullnose edge profile on the front edge, and 1 3/16"H wood veneer with square edge profile.




Handle of mobile pedestal cushion top is retractable. In the stowed position, handle is flush with mobile pedestal front. In the travel position, handle is completely extended and articulates upward for longer distance transport. Cushion top is also available without a handle.

Mobile pedestal cushion top for field-installation can be used with mobile pedestals RPM2421CP, RPM2421CF, and RPM2421CW only.


Connections



Fixed pedestals are intended to attach under a worksurface for security and support. Three pedestal depths are available to correspond with Universal Worksurface depths. Proud-front pedestals exactly match the depth of Universal Worksurfaces. Flush-front pedestals are 7/8" shorter.




Filler conceals the gap that may exist between the face of a panel and the back of a 27"H pedestal. Fillers are also used to provide stability for pedestal and worksurface configurations that are not panel-wrapped. *Tip: Fillers for proud front pedestals conceal a 1/2" gap. Fillers for flush front pedestals conceal a 1 3/8" gap.*



Pedestals may require counterweights when used in stand-alone desks. ▶ *Desk Stability Guidelines*, page 124

Freestanding applications that don't require attachment to a worksurface should be used with a conversion kit that includes a steel top, counterweight package, and components to convert the locking system to a safety interlock system.

▶ Page 611



Field-installed accessories are available, including pencil trays, stationery trays, dividers, and rails.

▶ Page 671

Wiring & Cabling

Fixed pedestals do not accommodate cable-routing. Plan accordingly when installing pedestals underneath worksurfaces with grommets or other cable-routing accessories.

Universal Pedestals, continued

Surface Materials

Pedestal, steel drawer fronts, and integral pulls

- Paint

Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

c:scape pull

- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum Metallic

Wood veneer drawer fronts

- Wood veneer—
Open pore finishes
- Customiz stain (option)

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, drawer suspensions, rails, dividers, and glides

- Black

Laminate top

- Laminate
- Open Line laminate (option)

Square edge profile on laminate top

- Plastic

Tip: Bullnose edge tops have a self-edge

Bullnose edge profile on laminate top

- Plastic edge default

Cushion top

- Upholstery

Application Topics

Storage Capacities and Dimensions

▶ See *Storage Specification Guide*

Safe Use of Storage Products

▶ Page 728

Shipping

Pedestals are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

Universal Sliding Door Bins

For Use with Answer

Universal sliding door bins attach to panels with an on-module bracket and provide overhead storage in the work space. Door is available in steel or wood.

► Specifying, page 616

Safety catch locks overhead storage unit to frame to prevent accidental removal.

On-module attachment brackets are used to mount bins on panels of the same width as bins and are included with the bin as a standard component.

Steel and wood front doors glide smoothly from one side of the case to the other.

Bin ships assembled.

Metal backstop prevents notebooks and equipment from damaging panel surface.

Lock is standard on bins to secure the door. The door can be locked in the closed position on either the right- or left-hand side of the bin. Lock is located underneath the center of the shelf. Lock is standard factory-installed, keyed random. A no-lock option is available.


► Lock and Keying, page 726

Recess beneath unit can accommodate a shelf light.

► Page 332


Product Details

On-module attachment brackets are independent of the storage bin and unique to the panel system they are used on. If the storage bin needs to be attached to a different panel in the future, additional on-module attachment brackets can be purchased through Service Parts.




Vertical off-module brackets, optional, can be used to mount one or two sides of an overhead bin off-module on Answer, Kick, Series 9000, Avenir, and Montage with vertical slot patterned panels. To mount an overhead bin with one side off-module, specify with one vertical off-module bracket. To mount an overhead bin with two sides off-module, specify with two vertical off-module brackets. Both of these brackets attach to the on-module bracket that comes standard with the overhead bin.

Vertical off-module brackets are used with bins up to 12" wider than the panel, allowing them to overhang the panel seam.




Actual Dimensions

Depth	15 ³ / ₄ "
Width	36", 42", 48", 60", 66", and 72"
Height	16 ¹ / ₄ "




Upmount brackets, optional, are for use on Answer, Kick, Series 9000, Avenir, and Montage. Brackets enable overhead storage to be used on lower panel heights. Bins using an upmount bracket must be installed on a panel of the same width. For Montage, upmount brackets attach near the top of a 55"H frame.




Two upmount bin brackets can be hung side-by-side in an in-line, T-, or X- application. Bin can be upmounted on slatwall skin as long as there is not another bin or another slatwall skin on the adjacent in-line panel.

Omit brackets option must be specified when bin is being used in hutch kit or Series 9000 service module application, or when attaching bin to a horizontal wall attachment bracket. Order hutch kit or Series 9000 service module package separately.




Universal sliding door bin may be mounted at 38"H or lower if another panel-mounted component prevents it from being seated upon.




Lock in bin is concealed from view beneath the shelf. Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► *Lock and Keying*, page 726




Shelf lights are available for use beneath bins. Lights recess into the bottom of the overhead storage unit.

► *Page 332*



Dividers are available as an option for use on bins. Dividers ship in a package of four.




Back of storage bin is open to allow panel surface to show. Metal backstop prevents contents of bin from damaging panel surface.


Overhead storage bin height accepts standard and A4 binders.

When mounting on Answer or Kick panels, top of bin cannot be loaded.

Connections




Steel support hooks on end supports insert into the slotted channel of a panel or wall channel and lock into place with a safety catch.




Width of overhead bin must match the width of the panel or panels that it is attached to when using an on-module bracket. Bin may span up to two frames.


Additional support for stability may be required when overhead bins are attached to panels. Counterbalancing loads on opposite sides of the panels increases stability.



Horizontal wall attachment brackets are available to attach storage bins to wall of building. Specify as separate style number. *Tip: Select the omit brackets option when ordering the bin.*




Wall channels are available to attach bins to concrete or block walls. Wall channels can be used to attach bins and tackboards to wood, dry wall, or plaster walls if the wall is reinforced. ► *Page 288*



Wall channel horizontal brace is required with wall channels to support bins that are wider than 48". ► *Page 288*

Wiring & Cabling



Vertical wire managers are available to conceal cords that are routed from light mounted beneath overhead storage. ► *Page 342*

Universal Sliding Door Bins for Use with Answer, continued

Surface Materials

Overhead bin

- Paint
- Wood door (optional)

Locks

- 9201 Polished Chrome
- 9250 Ember Chrome (optional)

On-module and vertical off-module attachment brackets

- Black paint only


Upmount brackets

- Paint

Dividers

- White plastic


Application Topics




Clearance between Universal Systems Worksurfaces or Universal tables and bottom of overhead bins is 2 13/16" when storage unit is installed in the highest position on a 66"H panel and glides are adjusted all the way into the panel.

Storage Capacities and Dimensions

► See *Storage Specification Guide*



Hanging components cannot be hung in front of a double-pane window.



Hanging components cannot be used next to a double-pane window at a 90 degree corner.

Bracket Application Rules

► Page 296



Stability Guidelines

► Page 124

Guidelines for Answer Panel-Hung Components

► Page 125

Guidelines for Stackable Components



TS Series bins, Universal bins, and shelves can hang from the first stacked tier only.

Universal Over The Case and In The Case Bins

For Use with Answer

Universal over the case bins can be attached to panels with an on-module bracket and provide overhead storage in the work space.

► Specifying, page 618

Safety catch locks overhead storage unit to frame to prevent accidental removal.



On-module attachment brackets are used to mount bins on panels of the same width as bins and are included with the bin as a standard component.

Backstop prevents notebooks and equipment from damaging the surface of the panels or walls.


Bin is steel and ships assembled.

Universal in the case bins, attach to panels with an on-module bracket and provide overhead storage in the work space. Door is available in steel or wood.

► Specifying, page 620




Flat-front and radius-front lift-up doors open and close quietly. When up, the doors rest on top of the case to provide more storage space inside.



Locks are standard on bins to secure the door(s). Lock is located underneath the center of the shelf. Locks are standard factory-installed, keyed random. Two-door units are keyed alike. A no-lock option is available.

► Lock and Keying, page 726



Flat-front lift-up doors (steel or wood) recess into the overhead storage bin.

Product Details


On-module attachment brackets are independent of the storage bins and unique to the panel system they are used on. The following style number suffixes indicate the panels they attach to:

TAK = Answer and Kick
S9 = Series 9000

AVR = Avenir

MON = Montage

If the storage bin needs to be attached to a different panel in the future, additional on-module attachment brackets can be purchased through Service Parts.



Vertical off-module brackets, optional, can be used to mount one or two sides of an overhead bin off-module on Answer, Kick, Series 9000, Avenir, and Montage with vertical slot patterned panels. To mount an overhead bin with one side off-module, specify with one vertical off-module bracket. To mount an overhead bin with two sides off-module, specify with two vertical off-module brackets. Both of these brackets attach to the on-module bracket that comes standard with the overhead bin.


Vertical off-module brackets are used with bins up to 12" wider than the panel, allowing them to overhang the panel seam.

Actual Dimensions


Depth 15¾"

Width 24", 30", 36", 42", 48", 60", 66", and 72"

Height 16¼"




Upmount brackets are optional for use on Answer, Kick, Series 9000, Avenir, and Montage. Brackets attach the bin near the top of 54"H panel to enable overhead storage to be used on lower panel heights. Bins using an upmount bracket must be installed on a panel of the same width.



Two upmount bin brackets can be hung side by side in an in-line, T-, or X-application. Bin can be upmounted on slatwall skin as long as there is not another bin or another slatwall skin on the adjacent in-line panel.

Omit brackets option must be specified when bin is being used in hutch kit or Series 9000 service module application, or when attaching bin to a horizontal wall attachment bracket. Order hutch kit or Series 9000 service module package separately.




Picture frame door, optional, is available on Universal over the case and in the case bins with flat steel fronts only, and is an aluminum door frame with acrylic, markerboard, or glass inserts. An omit insert option is also available which allows custom material to be field installed in the aluminum door frame.

The acrylic door insert is a white acrylic. A door assist mechanism is not available as an option on a bin with an acrylic door insert due to the light weight door.


The markerboard door insert is a e³ ceramicsteel writing surface allowing smooth writing, easy erasability, and resistance to chemicals, scratches, bacteria, and fire. If a markerboard door insert option is specified and a door assist mechanism is also required, an assist mechanism must be specified as a separate option to the storage bin.

The glass door insert is tempered translucent glass. If a glass door insert option is specified and a door assist mechanism is also required, an assist mechanism must be specified as a separate option to the storage bin. Due to the weight of the glass door insert, it is recommended to specify the optional door assist mechanism.

The omit insert custom material must be ordered from a material vendor. If an omit insert option is specified and a door assist mechanism is also required, an assist mechanism must be specified as a separate option to the storage bin. The weight of a custom insert on a Universal over the case bin can not exceed 10½ pounds. An insert for a Universal over the case storage bin door with an assist mechanism must weigh within the range of 7 ¼ pounds to 10½ pounds or the assist mechanism will not function correctly. Custom materials being installed in a door insert must comply with local building codes. Consult with local authorities to determine compliance requirements. The use of safety glass is required if installing custom glass in a door insert. To install customer provided material in a picture frame door with the insert omitted, make sure the material is cut precisely to the sizes listed on the dimensions matrix. ▶ See *Dimensions for Custom Field-Installed Picture Frame Door Inserts*, page 283




Door assist mechanism, optional, consist of a gas cylinder and spring that provides an assisted open and close of the door. When opening the door, the spring pulls the door to the fully recessed position. When closing the door, the assist mechanism will slowly close the door. Universal bins ship with two assist mechanisms per door when specified.




Lock in bin is concealed from view beneath the shelf. Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Two-door units are keyed alike. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

▶ *Lock and Keying*, page 726




Shelf lights are available for use beneath bins. Lights recess into the bottom of overhead bins.

▶ Page 332



Divider is available as an option on overhead bins. Dividers ship in a package of four.

▶ Page 286




Back of storage bin is open to allow panel surface to show. Metal backstop prevents contents of bin from damaging panel surface.


Overhead storage bin height accepts standard and A4 binders.

When mounting on Answer or Kick panels, top of bin cannot be loaded.

Connections




Steel support hooks on end supports insert into the slotted channel of a panel or wall channel and lock into place with a safety catch.




Width of overhead bin must match the width of the panel or panels that it is attached to when using an on-module bracket. Bin may span up to two frames.

Universal Over The Case and In The Case Bins for Use with Answer, continued


Additional support for stability may be required when overhead bins are attached to panels. Counterbalancing loads on opposite sides of the panels increases stability.



Horizontal wall attachment brackets are available to attach storage bins to wall of building. Specify as a separate style number.
Tip: Select the omit brackets option when ordering the bin.




Wall channels are available to attach bins to concrete or block walls. Wall channels can be used to attach bins and tackboards to wood, dry wall, or plaster walls if the wall is reinforced.
▶ Page 288



Wall channel horizontal brace is required with wall channels to support bins that are wider than 48".
▶ Page 288

Wiring & Cabling



Vertical wire managers are available to conceal cords that are routed from light mounted beneath overhead storage.
▶ Page 342

Surface Materials

Overhead bin

- Paint

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (optional)

On-module and vertical off-module attachment brackets

- Black paint only

Horizontal off-module attachment brackets for Montage

- Paint to match bin


Upmount brackets

- Paint

Dividers

- White plastic


Application Topics




Clearance between work surfaces and bottom of overhead bins is 21 $\frac{3}{8}$ " when storage unit is installed in the highest position on a 66"H panel and glides are adjusted all the way into the panel.

Storage Capacities and Dimensions

▶ For interior dimensions, see *Storage Capacities and Dimensions* in the *Storage Specification Guide*.



Hanging components cannot be hung in front of a double-pane window.



Hanging components cannot be used next to a double-pane window at a 90 degree corner.

Bracket Application Rules

▶ Page 296



Stability Guidelines

▶ Page 124

Guidelines for Answer Panel-Hung Components

▶ Page 125

Guidelines for Stackable Components



TS Series bins, Universal bins, and shelves can hang from the first stacked tier only.

Dimensions For Custom Field-Installed Picture Frame Door Inserts

Dimensions For Custom
Field-Installed Picture
Frame Door Inserts

For Universal Over the Case Bins

Bin Width	Door Width	Custom Picture Frame Door Inserts		
		Height +/-0.02"	Width +/-0.02"	Thickness +/-0.02"
24"	24"	15.933"	23.314"	0.138"
25"	25"	15.933"	24.314"	0.138"
30"	30"	15.933"	29.314"	0.138"
35"	35"	15.933"	34.314"	0.138"
36"	36"	15.933"	35.314"	0.138"
42"	42"	15.933"	41.314"	0.138"
45"	45"	15.933"	44.314"	0.138"
48"	48"	15.933"	47.314"	0.138"
60"	30" (per door)	15.933"	29.314"	0.138"
66"	33" (per door)	15.933"	32.314"	0.138"
70"	35" (per door)	15.933"	34.314"	0.138"
72"	36" (per door)	15.933"	35.314"	0.138"
75"	37½" (per door)	15.933"	36.314"	0.138"
.	.	.	.	.

Tip: A custom insert cannot be factory installed. Custom insert must be ordered from a material vendor and will not be handled like a Steelcase Customer's Own Material. In selecting materials for customer supplied inserts, consider material characteristics, such as effects from thermal changes, humidity changes, aging characteristics, and strength of material. Do not use materials that allow the overall size of the custom insert to deviate by amounts larger than the acceptable tolerances listed in the matrix.

For Universal In the Case Bins

Bin Width	Door Width	Custom Picture Frame Door Inserts		
		Height +/-0.02"	Width +/-0.02"	Thickness +/-0.02"
24"	24"	15.000"	23.164"	0.138"
25"	25"	15.000"	24.164"	0.138"
30"	30"	15.000"	29.164"	0.138"
35"	35"	15.000"	34.164"	0.138"
36"	36"	15.000"	35.164"	0.138"
42"	42"	15.000"	41.164"	0.138"
45"	45"	15.000"	44.164"	0.138"
48"	48"	15.000"	47.164"	0.138"
60"	30" (per door)	15.000"	29.164"	0.138"
66"	33" (per door)	15.000"	32.164"	0.138"
70"	35" (per door)	15.000"	34.164"	0.138"
72"	36" (per door)	15.000"	35.164"	0.138"
75"	37½" (per door)	15.000"	36.664"	0.138"
.	.	.	.	.

Tip: A custom insert cannot be factory installed. Custom insert must be ordered from a material vendor and will not be handled like a Steelcase Customer's Own Material. In selecting materials for customer supplied inserts, consider material characteristics, such as effects from thermal changes, humidity changes, aging characteristics, and strength of material. Do not use materials that allow the overall size of the custom insert to deviate by amounts larger than the acceptable tolerances listed in the matrix.

Universal Shelves and Universal Personal Shelves

For Use with Answer

Universal shelves—supported by Answer, Kick, Series 9000, Avenir, and Montage— provide overhead storage in the work space.
► Specifying, page 622


Universal personal shelves provide a wall-supported surface that attaches to Answer, Kick, Series 9000, and Avenir.
► Specifying, page 622

Metal backstop on Universal shelves prevents notebooks and equipment from damaging panel surface. Universal personal shelves do not have a backstop.


On-module attachment hooks are integral to the end supports and are used to mount shelves on panels of the same width as bins.

Safety catch locks shelf units to frame to prevent accidental removal.


Shelves are steel and ship ready to assemble.



Product Details



Shelf lights are available for use beneath shelves. Lights recess into the bottom of the overhead storage unit.
► Page 332



Dividers are available field installed for use on Universal shelves. Dividers ship in a package of four. Dividers cannot attach to Universal personal shelves.


A 1 1/2" gap exists between the personal shelf and the panel to allow for cable routing.

The height dimension of the bracket (from top of personal shelf to the bottom of the bracket) is 6 1/2" H.

Actual Dimensions


	Universal shelves	Universal personal shelves
Depth	14 ³ / ₄ "	13 ¹¹ / ₁₆ "
Width	24", 30", 36", 42", 48", 60", and 72"	24", 30", 36", 42", and 48"
Height	7 1/2" (Kick, Answer, Series 9000, and Avenir)	1 11/16" (thickness of shelf)

Connections




Steel support hooks
on end supports insert into the slotted channel of a panel or wall channel and lock into place with a safety catch.

On-module attachment hooks cannot be attached to upmount brackets.




Width of shelf must match the width of the panel or panels that it is attached to with the on-module brackets. Shelves may span up to two frames.



Wall channels are available to attach shelves to concrete or block walls. Wall channels can be used to attach shelves to wood, dry wall, or plaster walls, if wall is reinforced.
▶ Page 288

Wiring & Cabling




Vertical wire managers conceal cords and cables that are routed vertically outside of the panels.
▶ Page 342

Surface Materials


Shelf
• Paint

Application Topics

Storage Capacities and Dimensions
▶ For interior dimensions, see *Storage Capacities and Dimensions* in the *Storage Specification Guide*.



Hanging components cannot be hung in front of a double-pane window.





Hanging components cannot be used next to a double-pane window at a 90 degree corner.

Bracket Application Rules
▶ Page 296

Stability Guidelines

▶ Page 124

Guidelines for Stackable Components



TS Series bins, Universal bins, and shelves can hang from the first stacked tier only.


Dividers

Dividers



► Specifying, page 623

Product Details



Divides space in panel-supported bins and Universal shelves. Dividers will not work in universal curved front bins or bins and shelves introduced prior to March 2007.

Divider can be used on hutch kit or Series 9000 service module package accessory rail.

Specifying

A carton of four dividers is available as an option on overhead bins and Universal shelves.


Surface Materials

Divider
• White plastic only

Actual Dimensions


Depth	7½"
Width	¼" 1½" at the back
Height	6½"

Dividers for Overhead Storage Bins and Shelves Introduced prior to March 2007



► Specifying, page 624

Product Details



Divides space in bins and shelves.

Surface Materials

Divider
• Clear textured plastic only


Actual Dimensions

Depth	10¾"
Width	4" at the back ½" at the front
Height	4½"

Horizontal Wall Attachment Brackets

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins

Horizontal Wall
Attachment Brackets




Horizontal wall attachment brackets can attach to wall of building to accept Universal sliding door, Universal Over the Case, and Universal In the Case storage bins. Brackets will not accept bins introduced prior to March 2007, TS Series bins or universal curved front bins.

► Specifying, page 623


Tip: Specify as a separate style number.

Product Details



Horizontal wall attachment brackets must match the width of the storage bin.

Tip: Select the omit brackets option when ordering the bin.




Horizontal wall attachment brackets include brackets and a steel back to enclose the storage bin.


Horizontal wall attachment brackets can be positioned on wall at height needed.

Connections

Horizontal wall attachment brackets can be used to attach Universal sliding door, Universal over the case, and Universal in the case bins to a building wall. TS Series and Universal curved front bins cannot attach to horizontal wall attachment brackets.




Shelves cannot hang off horizontal wall attachment brackets.



Mounting of horizontal wall attachment brackets must include attachment to at least two wall studs, but it is recommended to attach to all studs in wall behind the storage bin. Storage bins that are 24"W or 25"W can only be mounted with horizontal wall attachment brackets if wall is constructed with 16" stud centers.

Field install:

- Concrete walls with Hilti type anchors.
- Drywall or plywood with 5/8" thick Toggler R-type 3/16" wall anchors with countersunk flat head screw.
- Wood studs with #10 wood screws of appropriate length with countersunk flat head screw.
- Steel studs with #10 sheet metal screws of appropriate length with countersunk flat head screw.



Limit of one bin for each horizontal wall attachment bracket.

Attaching worksur-
faces to horizontal wall attachment brackets is not possible.

Horizontal wall attachment brackets allow overhead storage bin to fit flush to wall.

Actual Dimensions

Width 24", 30", 36", 42", 48", 60", and 72".

Surface Materials

Brackets and steel back


- Paint

Wall Hang Channels and Horizontal Braces


For Use with Overhead Storage Bins and Shelves

Slotted steel channel can attach to wall of building to accept shelves, overhead storage bins, worksurfaces, or tackboards. Channel will accept all universal bins and shelves, TS Series bins and bins and shelves introduced prior to March 2007.

► Specifying, page 626
Tip: Must specify bin or shelf with Answer, Kick, Avenir, or Series 9000 bracket to hang on wall channel.



Screw hole positions




Actual Dimensions

Wall hang channels and horizontal braces

Depth	1 1/8" (28 mm)
Width	15/16" (24 mm)
Height	66" (1676 mm)

Product Details



Wall channel can be positioned on wall at height needed.


Connections

Wall channels can be used to support shelves, overhead storage bins, worksurfaces, and tackboards. Wall channels can be shared.


Field install:

- Concrete walls with Hilti type anchors.
- Drywall or plywood with 5/8" thick Toggler R-type 3/16" wall anchors with countersunk flat head screw.
- Steel or wood studs with #10 sheet metal or wood screws of appropriate length with countersunk flat head screw.

Anchors must be used in each screw hole location on the wall channel.




Components attach at 1" increments, but screws block some slot locations.




Component limits for each pair of wall channels are as follows:

- Two bins or shelves
- One worksurface and two shelves
- One worksurface and one bin



Horizontal brace is available to reinforce vertical wall channels that support storage bins, shelves, or worksurfaces that are attached to walls. Bins and shelves that are 48"W or less do not require a horizontal brace. All worksurfaces require horizontal braces.




Wall channel horizontal brace is required for EACH storage bin or shelf that is wider than 48". The brace should be placed at the position along the vertical wall channel where the top of the bin or shelf will be placed.

Width of horizontal brace must match width of shelf or storage bin.

Wall channel horizontal brace is also available in 42" and 48" widths and can be used in applications where there is concern regarding the strength of the wall. These braces must also be used with wall-mounted worksurfaces.

Wall hang channels for shelves, overhead storage bins, or tackboards cannot be used with a wall start junction.




Worksurfaces may be attached to wall channels with cantilevers, subject to the following application guidelines:

- All worksurfaces must be 24"D or less.
- Worksurfaces must be supported by a cantilever or legs every 42" or 48". Cantilevers can be shared when worksurfaces are adjacent.
- Wall channel horizontal braces must be installed directly behind all wall-mounted worksurfaces, and also at the top of the wall channels.
- Worksurface-supported pedestals cannot be hung from a wall-mounted worksurface.

Application Topics

Reinforce wall by positioning studs where wall channels will be attached. See dimensions below.

Distance between center lines of reinforced wall channels matches width of overhead storage unit.



Tip: Wall channels can be shared.

Surface Materials

Wall channel

- Paint

Horizontal brace

- Paint

Universal Curved Front Bins

For Use with Answer

Bins, supported by frames, provide overhead storage in the work space. Bin shelf, top, and back are steel. Side panels are plastic. Door is steel or wood. Bins ship fully assembled.
 ▶ Specifying, page 629

Safety catches lock overhead storage unit to bracket and frame to prevent accidental removal.

Basic attachment brackets are used to mount bins on panels with vertical slot patterns. Bracket allows bin to be flush with the bracket or to extend beyond the bracket up to 12".




Basic and open design upmount brackets are optional. Brackets attach bin near the top of 54"H panel to enable overhead storage to be used on lower panel heights.
Exception: Open design upmount bracket cannot be used when double-pane window is in top position of panel.
Tip: When using upmount brackets with overhead storage and daisy chaining lights, use the open design upmount bracket for better cord management.

Locks are standard on the bin. Lock is centered on the underside of the case and angled forward to provide a clean aesthetic, yet it is easy to access. Locks are standard factory-installed, keyed random.
 ▶ Lock and Keying, page 726


Easy open AND easy close doors open over the top of the bin.

Actual Dimensions

Overhead storage bin	
Depth	16½"
Inside depth	13¾"
Width	30", 36", 42", or 48"
Inside width	27¼", 33¼", 39¼", or 45¼"
Height	15"
Height with door open	23"
Inside height	13¾"




Product Details



Lock is angled forward so it provides a clean aesthetic, yet it is easy to access. Locks are available factory-or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► **Lock and Keying**, page 726




Bin has access holes in bottom of bin for wire management.


When curved front bin is in upmounted position, slotted channels are visible. A flat steel back is available through Specials.

Upmounted curved front bins can be attached above or adjacent to a slatwall as long as there is not another bin or another slatwall skin on the adjacent in-line panel.


Open design upmount bracket cannot be used when double-pane window is in top position of panel.



Bookends hold books and other materials upright in bin.




Top of bin can align with the top of the frame.



Back of bin is closed.


Bin height accepts standard and A4 binders.

Top of bin cannot be loaded.



Ganging bracket is recommended on all panels. It joins adjacent overhead bins and shelves for optimal visual alignment. Ganging bracket is ordered separately.

Stationary shelves can be added to bins on site.




Stationary shelf hangs from the bottom of curved front bins with KBIN_ style numbers. Space between bottom of bin and top of stationary shelf is 5 1/2". Overall stationary shelf height dimension is 6 5/32". Specify the same width as corresponding bin. Shelf is steel with molded endcaps. *Tip: Stationary shelf cannot hang from an upmounted bin or shelf.*

Connections


Bin comes standard with basic attachment bracket. Upmount brackets are optional.

► See *Bracket Application Rules*, page 298.



Underline task light's 3/4" profile makes it the ideal task lighting solution for Universal bins and shelves. Underline task light includes the lamp, ballast, and 9' cord. It virtually disappears when mounted beneath these storage solutions. Underline mounts flush to the bottom of Universal bins and shelves using screws. Task light is field-installed and pre-drilled holes are provided. Spiral 9' cord option is designed to drop straight down from fixture. This option is an aesthetic alternative to the traditional cord. Housing is 24"W and 3/4"H and is available in dark champagne, pewter, and black.

For New York City, tool-free clips are required for flush mount applications within New York. Clips allow removal of Underline without use of a tool.



Wall channels are available to attach bins to concrete or block walls. Wall channels can be used to attach bins and tackboards to wood, dry wall, or plaster walls if the wall is reinforced.

► Page 288

Surface Materials

Bins

- Paint
- Metallic paint (optional)

Side panel

- Color molded plastic to match bin color if textured paint is specified for bin
- Painted plastic to match bin color if metallic paint is specified for bin

Fronts

- Paint
- Metallic paint (optional)
- Wood (optional)

Locks

- 9201 Polished Chrome
- 9250 Ember Chrome (optional)

Basic attachment brackets

- Black

Basic upmount bracket

- Painted to match bin

Open design upmount bracket

- Shiny chrome

Stationary shelf

- Paint
- Metallic paint (optional)

Endcaps for stationary shelf

- 6695 Midnight only


Attachment rods for stationary shelf

- Shiny chrome


Application Topics

Storage Capacities and Dimensions


► For interior dimensions, see *Storage Capacities and Dimensions* in the *Storage Specification Guide*.



Hanging components cannot be hung in front of a double-pane window.



Hanging components cannot be used next to a double-pane window at a 90 degree corner.



Open design upmount bin and shelf bracket

cannot be used when double-pane window is in top position of panel.

Bracket Application Rules

► Page 298

Stability Guidelines

► Page 124

Guidelines for Answer Panel-Hung Components

► Page 125

Universal L-Shelves and Stationary Shelves

For Use with Answer

L-shelf, supported by frames, provide overhead storage in the work space. L-shelf and back are steel. L-shelf is partially field-assembled.

► Specifying, page 630

Safety catches lock overhead storage unit to bracket and frame to prevent accidental removal.

Basic attachment brackets are used to mount bins on panels with vertical slot patterns. Bracket allows bin to be flush with the bracket or to extend beyond the bracket up to 12".

Spacers on shelf attach back to shelf.

Basic and open design upmount brackets are optional. Brackets attach shelf near the top of 54"H panel to enable overhead storage to be used on lower panel heights.

Exception: Open design upmount bracket cannot be used when double-pane window is in top position of panel.


Tip: When using upmount brackets with overhead storage and daisy chaining lights, use the open design upmount bracket for better cord management.

Endcaps are molded plastic.


5/16" diameter rods provide an open aesthetic to the sides of the L-shelf.

Actual Dimensions


	Shelf
Depth	14 1/4"
Width	29 7/8", 35 7/8", 41 7/8", or 47 7/8"
Inside width	25 3/4", 31 3/4", 37 3/4", or 43 3/4"
Height	15"
Shelf thickness	5/8"




Product Details



Spacers on shelf provide 1/4" gap between back and shelf. Back screws to shelf through spacers.



Bookends hold books and other materials upright on shelf.




Top of L-shelf can align with the top of the frame.

L-shelves can be mounted in front of slatwall skin or upmounted on Answer slatwall as long as there is not another bin or shelf or slatwall skin on the adjacent in-line panel.

L-shelves are intended as a companion to the Universal curved front bins. They will not align horizontally if mounted adjacent to a Universal over the case or Universal in the case bin in standard or upmount applications.


Open design upmount bracket cannot be used when double-pane window is in top position of panel.

Stationary shelves can be added to bins on site.



Stationary shelf hangs from the bottom of L-shelves with KLSHF_ style numbers. Space between bottom of L-shelf and top of stationary shelf is 5 1/2". Overall stationary shelf height dimension is 6 5/32". Specify the same width as corresponding L-shelf. Shelf is steel with molded endcaps.

Tip: Stationary shelf cannot hang from an upmounted bin or shelf.




Ganging bracket is recommended on all panels. It joins adjacent overhead bins and shelves for optimal visual alignment. Ganging bracket is ordered separately.

Connections


L-shelves come standard with basic attachment bracket. Upmount brackets are optional.

▶ See *Bracket Application Rules*, page 298.



Underline task light's 3/4" profile makes it the ideal task lighting solution for Universal bins and shelves. Underline task light includes the lamp, ballast, and 9' cord. It virtually disappears when mounted beneath these storage solutions. Underline mounts flush to the bottom of Universal bins and shelves using screws. Task light is field-installed and pre-drilled holes are provided. Spiral 9' cord option is designed to drop straight down from fixture. This option is an aesthetic alternative to the traditional cord. Housing is 24"W and 3/4"H and is available in dark champagne, pewter, and black.

For New York City, tool-free clips are required for flush mount applications within New York. Clips allow removal of Underline without use of a tool.



Wall channels are available to attach L-shelves to concrete or block walls. Wall channels can be used to attach L-shelves and tackboards to wood, dry wall, or plaster walls if the wall is reinforced.

▶ Page 288

Surface Materials

L-shelves

- Paint
- Metallic paint (optional)

Endcaps for L-shelf and stationary shelf

- 6695 Midnight only

Basic attachment brackets

- Black

Spacers

- Plastic: 6695 Midnight only

Rods

- Shiny chrome

Basic upmount bracket

- Painted to match shelf

Open design upmount bracket

- Shiny chrome

Stationary shelf

- Paint
- Metallic paint (optional)

Endcaps for stationary shelf

- 6695 Midnight only


Attachment rods for stationary shelf

- Shiny chrome


Application Topics

Storage Capacities and Dimensions


▶ For interior dimensions, see *Storage Capacities and Dimensions* in the *Storage Specification Guide*.



Hanging components cannot be hung in front of a double-pane window.



Hanging components cannot be used next to a double-pane window at a 90 degree corner.



Open design upmount bin and shelf bracket cannot be used when double-pane window is in top position of panel.

Bracket Application Rules


▶ Page 298

Stability Guidelines

▶ Page 124

Accessories for Universal Curved Front Bins and Universal L-Shelves

Bookends



Product Details

Divides space in bins and shelves.


Surface Materials

Bookend
• 6695 Midnight only

Actual Dimensions

Depth	5¼"
Width	6"
Height	8"

ADA Pull




Product Details

ADA pull mounts to inside of bin door and makes it possible to close the bin from a seated position. ADA pull is ordered separately.

Surface Materials

• 6695 Midnight only

Ganging Bracket



Product Details

Ganging bracket is recommended on all panels. It joins adjacent overhead bins and shelves for optimal visual alignment. Ganging bracket is ordered separately.

Surface Materials


• Paint
• Metallic paint (option)

Slim Shelves

Slim shelves provide a panel-supported surface that attaches to Answer, Kick, Series 9000, Avenir, and Montage with panel-specific brackets.


► Specifying, page 632

Slim shelf is an extruded aluminum shelf that provides storage for small items.




Product Details

Slim shelves attach to Answer, Kick, Series 9000, Avenir, and Montage with panel-specific brackets.




Gap at back of slim shelf allows routing of shelf light cord.



Slim shelves can be mounted off-module. No more than 12" overhang on either side of panel is recommended. Brackets attach on vertical seams of panel, while the shelf adjusts off-module on the brackets.

Two attachment brackets are included with shelves less than or equal to 48"W. Two attachment brackets and a mid-span support are included with shelves wider than 48"W.



Answer will not support two shelves installed end to end.

Surface Materials

Slim shelves

- Paint

Attachment brackets

- Painted to match shelf

Actual Dimensions

Depth	6 $\frac{3}{8}$ "
Width	24", 30", 36", 42", 48", 60", 72", 96"

Bracket Application Rules for Bins and Shelves

For TS Series Bins, Universal Sliding Door Bins, Universal Over the Case Bins, Universal In the Case Bins, and Universal Shelves


Tip: This matrix does not include Universal curved front bins or Universal L-shelves.

► See page 298 for bracket application rules for those products.

Bracket Application Matrix


Panels	TS Series Bins, Universal Bins, and Universal Shelves— On-Module	Universal Bins— Single Side Vertical Off- Module	Universal Bins— Two Sided Vertical Off- Module	Universal Bins— Horizontal Off- Module (for use with and Montage only)	Universal Bins— Upmount
Answer	•	•	•		•
Kick	•	•	•		•
Series 9000	•	•	•		•
Avenir	•	•	•		•
Montage	•	•	•	•	•

On-Module Brackets and Hooks



On-module brackets and hooks are used to mount overhead bins and Universal shelves to panels with vertical slot patterns. Answer, Kick, Series 9000, Avenir, and Montage panels can support on-module attachment brackets.


Universal personal shelves can attach on-module to all panels except Montage.



Width of overhead storage unit must match the width of the panel or panels that it is attached to. Storage bins or shelves may span up to two panels.

Additional support for stability may be required when shelves and overhead storage bins are attached to panels. Counterbalancing loads on the opposite sides of the panels increases stability.

Tip: See Stability Guidelines in each corresponding specification guide.





On-module attachment brackets install in panel seams.

On-module brackets can be used above and adjacent to slatwall on Answer and Montage Panels.

On-module brackets can be used with a panel stacker on Answer, Kick, and Montage panels. Follow standard panel stacker guidelines for each panel.

Off-module brackets are used with bins up to 12" larger than the panel, allowing them to overhang the panel seam.


Off-Module Brackets



Vertical off-module brackets, optional, can be used to mount one or two sides of the overhead bin off-module on Answer, Kick, Series 9000, Avenir, and Montage with vertical-slot-patterned panels. Both of these brackets attach to the on-module bracket that comes standard with the overhead bin. Vertical off-module brackets allow bins to be installed a maximum of 12" off-module. Vertical off-module brackets can be used with 30"W to 60"W Montage bins only.

Vertical off-module brackets can be used above and adjacent to slatwall on Answer and Montage panels.

Vertical off-module brackets can be used with a panel stacker on Answer, Kick, and Montage panels. Follow standard panel stacker guidelines for each panel.




Horizontal off-module brackets, optional, accommodate off-module installations of overhead storage bins on panels with horizontal slot patterns. Enhanced off-module Montage frames can support horizontal off-module brackets. Horizontal off-module brackets can be used with 24"W to 48"W Montage bins only.

Horizontal off-module brackets can be used above and adjacent to slatwall on Montage panels.

Horizontal off-module brackets can be used above and adjacent to slatwall on Answer and Montage panels. Follow standard panel stacker guidelines for each panel.


Enhanced off-module Montage frames have horizontal slot patterns and must be specified for horizontal off-module Montage configurations.

Horizontal off-module brackets push bin out from panel 5/8" on enhanced off-module Montage panels.



Horizontal off-module brackets cannot span a vertical or joint where two frames come together on enhanced off-module Montage panels. Shift the bin to avoid the joint.

Only two pairs of off-module brackets and associated storage can be mounted per frame.



Upmount brackets, optional, can be used with Universal sliding door, Universal over the case, and Universal in the case bins. Brackets attach bins near the top of 54"H panels. TS Series bins and Universal shelves cannot be attached to upmount brackets.

Upmount bin width must match the width of the panel or panels that it attaches to. Upmounted bins and shelves cannot be supported off-module.

Upmount brackets can be used with a panel stacker on Answer, Kick, and Montage panels. Follow standard panel stacker guidelines for each panel.

Omit Brackets

Omit brackets option must be specified when bin is used in hutch kit or Series 9000 service module application, or when attaching bin to a horizontal wall attachment bracket. Order hutch kit or Series 9000 service module package separately. Hutch kit supports bin at 66" height. Service module package supports bin at 65" height on Series 9000.


Bracket Application Rules for Universal Curved Front Bin and Universal L-Shelf

Bracket Application Matrix


	Basic	Full off-module	Upmount
Answer	•		•
Avenir	•		
Kick	•		•
Montage	•		
Enhanced Off-Module Montage	•	•	
Series 9000	•		

Basic Brackets

Basic brackets are used to mount bins and shelves to panels with vertical slot patterns. Basic attachment brackets push bins and shelves 1/4" from frame.





Width of overhead bin or shelf must match or be wider than the width of the panel or panels that it is attached to.



Basic attachment brackets install in panel seams and allow bins and shelves that are wider to be attached. Total width of bin or shelf can extend 12" beyond the bracket on one side.

Upmount Brackets



Basic and open design upmount brackets, optional, attach bins and shelves near the top of 54"H panels.

Tip: Stationary shelf cannot hang from an upmounted bin or shelf.

Upmounted bin and shelf height is 66"H when installed on 54"H panels.

Upmount bin or shelf width must match the width of the panel or panels that it attaches to. Upmounted bins and shelves cannot be supported off-module.


Upmounted bin or shelf can be attached in front of, above or adjacent to a slat-wall as long as there is not another bin, shelf or another slatwall skin on the adjacent in-line panel.

Tip: When using upmount brackets with overhead storage and daisy chaining lights, use the open design upmount bracket for better cord management.

Application Rules for Overhead Storage on Answer and Kick Panels

Application Rules for
Overhead Storage on
Answer and Kick Panels

Answer Panel



Guidelines for Universal Bins. Applies to universal sliding door bin, universal in the case bin, or universal curved front bin on Answer and Kick panels.

The following application restrictions must be complied with when hanging universal overhead bins and universal curved front bins on Answer and Kick panels. Otherwise, standard Answer and Kick application guidelines apply.



- If bins or shelves are applied at an elevation higher than 66", a perpendicular panel of same height (or up to 24" lesser height) is required.
- The maximum panel run length when using a universal overhead bin or universal curved front bin on Answer or Kick panels is 12'.
- Top of universal sliding door bin is not designed to support the weight of a seated person. The bin may be mounted at 38"H or lower only if another panel mounted component prevents it from being seated upon.
- When ganging binder bins, the use of a tie plate is required.

CAUTION

Failure to comply to these guidelines may result in personal injury.

Tip: For panel specific stability guidelines, see the corresponding panel specification guide.

Kick Panel



Universal One-High, 1.5-High, and Two Drawer Lateral Files

One-High and Two Drawer lateral files

serve a dual purpose as high-density storage and as an inviting space for guests.

► Specifying, page 634

1.5-high lateral files

provide multi-zone storage for binders, hanging folders, and piling surfaces at a height which allows for comfortable guest seating in collaborative environments.

► Specifying, page 634

Label holders are included with each drawer. Label holder fits inside the integral pull or can be affixed to the front of the drawer or door. Perforated labels are included and can be created using the template available on www.steelcase.com/label.

Finished back is standard.

Three base options are available: the universal 3" base, FrameOne foot, and c:scape glide. All three bases have the same overall height.

Lock is standard on lateral files and is located at top left corner of drawer. Locks are standard factory-installed, keyed random.

► **Lock and Keying**, page 726


Actual Dimensions

Depth with flush steel or open front 18" and 23¹/₈"

Depth with proud steel or wood front 18⁷/₈" and 24"

Width 30", 36", and 42"


Height 16", 22", and 28"




Pulls on flush-front lateral files are full width and integral.

Pulls on proud-front lateral files are available in a variety of shapes.

Top is standard 1"H steel on units with steel fronts and standard 1³/₁₆"H wood veneer on units with wood fronts. Other top options are available.



Drawer fronts are available in steel or wood veneer.




Leveling glides adjust up to ³/₄" for universal 3" base and up to 1" for c:scape glide and FrameOne foot base to install lateral file on uneven floors.

Drawers are standard 12"H and open full depth for total access to the contents.

Product Details

Base options



Universal 3" Base




c:scape Glide Base



FrameOne Foot Base

Tip: All base options have same overall height.

Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.



Flush-front pull is full width and integral with the drawer. Pull is available on steel drawers only.




Contemporary pull



Handle pull



Jazz pull




Bar pull




c:scape pull


Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 192 mm and available on steel or wood veneer drawers. c:scape pulls (200 mm) are available on steel only.



Drawer interiors include one hanging folder bar per drawer in each 18"D case and two rails per drawer in each 24"D case. Alternative interiors are available as options.




Hanging folder bar accommodates side-to-side filing of letter-, A4 international-, and legal-size hanging folders. Additional bars are available and must be specified separately. ▶ Page 672




Rails accommodate front-to-back filing of letter-, A4 international-, and legal-size hanging folders. Rail packages accommodate two rows of letter-size files in 30"W and 36"W drawers and three rows of letter-size files in 42"W drawers. See *Storage Capacities* for additional details. Additional rails are available and must be specified separately.

▶ For interior dimensions, see *Storage Capacities and Dimensions* in the *Storage Specification Guide*.




Dividers accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers per drawer, 12"H file drawers also include one hanging folder bar per drawer. Additional dividers are available and must be specified separately. ▶ Page 673

Safety interlock system allows only one drawer to be opened at a time.




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately. ▶ *Lock and Keying*, page 726


Individual drawer locks are available as an option for an application that would limit access to each drawer. Lateral files include a security shield between drawers to prevent unauthorized access. Individual locking drawers are only available with field-installed locks. Consecutive, specific, and random keying are available. Field-installed lock cylinders must be specified separately. ▶ *Lock and Keying*, page 726



No-top lateral files are available for use with cushion top or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface. No-top option reduces height of file by 1"




Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3/16" taller than steel tops and will add that dimension to the overall height of the lateral file.



FrameOne top matches the height of a FrameOne bench. A 3/4"H wood or laminate top floats above a painted steel security top using six black plastic spacers. FrameOne top can be specified on 28"H files only, making the overall height 28 1/2"H.


Universal One-High, 1.5-High, and Two Drawer Lateral Files, continued




Security top is available as an option for installations where the file will be installed beneath a worksurface, but not physically attached. Thin steel top prevents unauthorized access to the contents of the cabinet. Security top is not structural and can be specified on 28"H files only. Security top reduces overall height of file to approximately 27"H.

Counterweight packages must be specified as an option for lateral files that are not ganged to another case or bolted to the floor or wall. Counterweights can also be ordered separately.
▶ Page 676


Connections




Intermediate support is used with Universal One-High or 1.5-High storage as a worksurface support allowing for nesting of low storage.




Tether bracket is used with One-High and 1.5-High storage to add stability and eliminate the need for a counterweight when used with the c:scape beam.




Cushion top is ordered separately for use on one-high lateral files without top.




Ganging hardware is included to increase stability and maintain alignment by joining adjacent components side by side, back to back, or both. Lateral files can also be bolted to the floor or wall for stability.



Storage to panel bracket connects One-High, 1.5-High, 2-High, 3-High laterals and cabinets to panel to provide added stability to panels and eliminate the need for return panels.
▶ See page 665




Field-installed tops are available in two choices — wood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.
▶ Page 668



Field-installed accessories are available, including drawer accessories and counterweight packages.
▶ Page 671

Anchor bracket secures file, cabinet, or tower to floor in seismic zones to reduce the risk of hazards during earthquakes. Four bracket packages are required for each cabinet.
Note: Local seismic requirements vary. Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Specials.
Tip: Anchor bracket cannot be used with pedestals.
▶ Page 676



Overfile cabinets are separate components that are field installed on top of lateral files, combination cabinets, storage cabinets, and wardrobe cabinets to provide space for additional files, ring binders, or miscellaneous storage.
▶ See Storage Specification Guide

Surface Materials

Lateral, including steel top, fixed shelf, and integral pulls

- Paint

Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

c:scape pull

- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum Metallic

Wood veneer top, lift-up door, and drawer fronts

- Wood veneer —
 - Open pore finishes
- Customiz stain (option)
- Full-fill finish (option) is available on field-installed wood veneer tops only.
Tip: Specify file with no top option.

Laminate top

- Laminate
- Open Line laminate (option)

Lock


- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, hanging folder bars, rails, and dividers

- Black

Cushion top


- Fabric
- Leather



Cushion top will be manufactured in a four seam pattern in all standard solid color seating upholstery, leather, vinyls, COM leathers, and COM vinyls.

These upholsteries are:

- Brisa
- Buzz2
- Chainmail
- Cogent: Connect
- Cricket
- Elmosoft Leather
- Gaja – C2C
- Hampstead
- Leather
- Stand In
- Vinyl



Cushion top will be manufactured in a two seam pattern for all approved standard patterned seating upholstery, leather, vinyl, COM leathers, and COM vinyls. All approved standard textured upholsteries will also be manufactured in a two seam pattern including leather, vinyl, COM leathers, and COM vinyls.

Application Topics

Storage Capacities and Dimensions

► See *Storage Specification Guide*

Shipping

Lateral files are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

Counterweight packages ship separately from case and must be field-installed.

Universal Towers and Workstation Verticals

Towers provide storage of a variety of work and personal items for an individual, including paper, binders, books, and coats.
 ▶ Specifying, page 640 — 659

Finished back is standard.

Interior of tower is available in a variety of configurations combining coat storage, fixed and adjustable shelves, and file drawers.

Pull on flush-front tower is integral and full height on doors and full width on drawers.

Locks are standard on door and drawers. Locks are standard factory-installed, keyed random. Door and drawer locks are keyed alike.
 ▶ Lock and Keying, page 726

Three base options are available: the universal 3" base, FrameOne foot, and c:scape glide. All three bases have the same overall height. All other universal towers are available with the universal 3" base only.

Drawers open their full depth for total access to the contents.

Leveling glides adjust up to $\frac{3}{4}$ " for universal 3" base and up to 1" for c:scape glide and FrameOne foot base to install tower on uneven floors.

Top is standard 1"H steel. Other top options are available.

Door is available in steel or wood veneer. Hinges are European-style and allow doors to open to 110° for full access to the interior. Door is available hinged on left or right.

Locker space is 9" wide and standard with a coat rod.

Pull on proud-front tower is available in a variety of shapes.

Drawer fronts are available in steel or wood veneer.

Product Details

Base options



Universal 3" Base



c:scape Glide Base



FrameOne Foot Base

All base options have same overall height. FrameOne foot base and c:scape glide base are only available on 18"D and 24"D openside towers.


Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

Actual Dimensions


Depth with flush steel front	18", 23 $\frac{1}{8}$ ", and 29 $\frac{1}{8}$ "
Depth with proud steel or wood front	18 $\frac{7}{8}$ ", 24", and 30"
Width	24"
Height	47 $\frac{1}{2}$ ", 52", and 65 $\frac{1}{2}$ "



Interior of tower combines coat storage, box and file drawers, fixed and adjustable shelves.




Flush-front pull is integral and full height on the door and full width on the drawers. Pull is available on steel doors and drawers only.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Door pull is 192 mm and drawer pulls are 128 mm. Proud-front pulls are available on steel or wood veneer doors and drawers. c:scape pulls (200 mm) are available on steel only.


Lift-up door is standard on 65½"H vertical drawer towers and workstation verticals, and includes a fixed shelf. Lift-up door recedes into the case and proud-front door lifts above case.

Adjustable shelves on 52"H and 65½"H open side towers are recessed from the front and side of the tower. Shelves adjust in 2½" vertical increments. Opening on 47½"H tower is 13½"H and does not come with an adjustable shelf.




Frosted glass adjustable shelves are available as an option on open side towers. *Tip: If glass shelves are selected, they will replace all steel shelves in the unit.*

Post on open side towers supports adjustable shelves and is painted to match the case.




Adjustable shelves in dual door and full front towers can be positioned in the interior of the tower in ¾" vertical increments using a reversible bracket. The first shelf above a file drawer is a fixed shelf.



Drawer accessories include one divider and one pencil tray in each box drawer. File drawers can accommodate front-to-back filing of letter-size hanging folders without the use of additional accessories.

Safety interlock system allows only one drawer to be opened at a time.



Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Door and drawer locks are keyed alike. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► *Lock and Keying*, page 726


Drawer lock in open side tower is located in the top file drawer.

Drawer lock in dual door tower, full front tower, vertical drawer tower, and workstation vertical tower is located approximately 36" from the floor and also secures the lift-up door on 65½"H units.


Individual drawer locks are available as an option on workstation verticals for applications where you want to limit access to each drawer. Workstation verticals include a security shield above each drawer to prevent unauthorized access. In 65½"H towers, the lift-up door is controlled by the lock in the drawer directly below. Individual locking drawers are only available with field-installed locks. Consecutive, specific, and random keying options are available. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately.

► *Lock and Keying*, page 726

Exception: Individual drawer locks are not available on towers with 6"H drawers.



Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are ¾" taller than steel tops and will add that dimension to the overall height of the tower.




Top will default to steel on towers with proud wood fronts since the door overlaps and partially conceals the top. Wood top is available as an option.

Counterweight packages must be specified for certain towers that are not ganged to another tower, or bolted to the floor or wall. Counterweights can also be ordered separately.


► Page 676

Universal Towers and Workstation Verticals, continued




Door on full front towers is full height and can be hinged on the left or right. Coat storage space is always located on the same side as the door hinge.

Connections




Ganging hardware is included to increase stability and maintain alignment by joining adjacent components side by side, back to back, or both. Towers can also be bolted to the floor or wall for stability.




High storage to panel connector provides added stability to panels and eliminates the need for return panels.

► See page 665



Work surface to tower connector eliminates the need for other work surface supports such as legs or end supports next to the tower.
► See page 664

Work surface to tower alignment. Proud front towers align with 23½"D, 24"D, 29½"D, and 30"D work surfaces. Flush front towers extend 7/8" beyond 24"D and 30"D work surfaces, and 1/8" beyond 23½"D and 29½"D work surfaces.



Field-installed accessories are available, including drawer accessories and shelf bookends.
► Page 671

Anchor bracket secures file, cabinet, or tower to floor in seismic zones to reduce the risk of hazards during earthquakes. Four bracket packages are required for each cabinet.

Note: Local seismic requirements vary. Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact Specials.

Tip: Anchor bracket cannot be used with pedestals.

► Page 676

Surface Materials

Tower, including steel top, hinged door, integral pulls, drawer fronts, and adjustable shelves

- Paint

Post

- Paint to match tower (default)

Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

c:scape pull

- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum Metallic

Wood veneer top, hinged doors, and drawer fronts

- Wood veneer—
Open pore finishes
- Customiz stain (option)

Laminate top

- Laminate
- Open Line laminate (option)

Glass adjustable shelves

- Frosted tempered glass

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, pencil tray, and box drawer divider

- Black

Coat rod

- Black with black supports

Application Topics

Storage Capacities and Dimensions

► See *Storage Specification Guide*

Shipping

Towers are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

Counterweight packages ship separately from case and must be field installed.

Universal Lateral Files

Lateral files are ideal for high-density paper storage.
 ▶ Specifying, page 660

Finished back is standard.

Lock is standard on lateral files and secures all drawers and lift-up door. On 52"H and 65½"H files, lock is located at top left corner of drawer that is third from the bottom. On 28"H and 40"H files, lock is located at top left corner of top drawer. Locks are standard factory-installed, keyed random.
 ▶ Lock and Keying, page 726

Base is 3"H and is integral to the case.


Leveling glides adjust up to ¾" for universal 3" base and up to 1" for c:scape glide and FrameOne foot base to install lateral file on uneven floors.

Drawer and lift-up door fronts are available in steel or wood veneer.


Pulls on proud-front lateral files are available in a variety of shapes. Pulls are located at the top of a drawer and at the bottom of a lift-up door.

Top is standard 1"H steel on units with steel fronts and standard 1⅜"H wood veneer on units with wood fronts. Other top options are available.

Product Details



Flush-front pull is full width and integral with the drawer. Pull is available on steel drawers only.



Proud-front pulls are available in the following styles—contemporary, handle, jazz, and bar. Each pull is 192 mm and available on steel or wood veneer doors and drawers. c:scape pulls (200 mm) are available on steel only.


Drawers open their full depth for total access to the contents are standard 12"H.

Label holders are included with each drawer. Label holder fits inside the integral pull or can be affixed to the front of the drawer or door. Perforated labels are included and can be created using the template available on www.steelcase.com/label.

Pull on flush-front lateral file is full width and integral.


Actual Dimensions

Depth with flush steel front	18" and 23⅛"
Depth with proud steel or wood front	18⅞" and 24"
Width	36" and 42"
Height	40", 52", and 65½"




Drawer interiors include one hanging folder bar per drawer in each 18"D case and two rails per drawer in each 24"D case. Alternative interiors are available as options.


Tip: Your specification for optional drawer interiors will apply to all the drawers within a single lateral file.




Hanging folder bar accommodates side-to-side filing of letter-, A4 international-, and legal-size hanging folders. Additional bars are available and must be specified separately. ▶ Page 672




Rails accommodate front-to-back filing of letter-, A4 international-, and legal-size hanging folders. Rail packages accommodate two rows of letter-size files in 30"W and 36"W drawers and three rows of letter-size files in 42"W drawers. See *Storage Capacities* for additional details. Additional rails are available and must be specified separately. ▶ For interior dimensions, see *Storage Capacities and Dimensions* in the *Storage Specification Guide*.



Dividers accommodate side-to-side filing of expandable folders and other objects. Divider packages include three dividers and one hanging folder bar per drawer. Additional dividers are available and must be specified separately. ▶ Page 673




Lift-up door with fixed shelf is standard in the top position of 65½"H cases. Door is 13½"H to accommodate standard-height binders. Door on lateral files with flush-front recesses inside the case; door on proud-front case lifts up above the case.




Lift-up door on flush-front cases is available with an optional roll-out shelf in place of the standard fixed shelf. Roll-out shelf includes three dividers and one hanging file folder bar to function as a backstop.

Safety interlock system allows only one drawer or roll-out shelf to be opened at a time.




Locks are available factory- or field-installed. Factory-installed locks are standard and available keyed random only. Optional field-installed locks are available with consecutive, specific, and random keying options. Master-keyed locks are also available. Field-installed lock cylinders must be specified separately. ▶ *Lock and Keying*, page 726

Individual drawer locks are available as an option for applications where you want to limit access to each drawer. Lateral files include a security shield above each drawer to prevent unauthorized access. In 65½"H cases, the lock in the drawer below controls the lift-up door in the top position. Individual locking drawers are only available with field-installed locks. Consecutive, specific, and random keying options are available. Field-installed lock cylinders must be specified separately. ▶ *Lock and Keying*, page 726





No-top lateral files are available for installations where cases will be installed under a worksurface or beneath a common top shared among several lateral files. Hardware is included to attach case to worksurface. No-top option reduces height of file by 1".




Laminate and wood veneer tops with square-edge profiles are available in place of standard 1"H steel tops. Laminate and wood veneer tops are 3/16" taller than steel tops and will add that dimension to the overall height of the lateral file.

Counterweight packages must be specified as an option for lateral files that are not ganged to another case, attached to a worksurface or bolted to the floor or wall. Counterweights can also be ordered separately. ▶ Page 676

Connections




Ganging hardware is included to increase stability and maintain alignment by joining adjacent components side by side, back to back, or both. Lateral files can also be bolted to the floor, or attached to a worksurface or wall for stability.



Low and medium storage-to-panel connectors are used with One-High, 1.5-High, 2-High, 3-High laterals and cabinets to provide added stability to panels and eliminate the need for return panels. ▶ See page 665


Universal Lateral Files, continued



Wood veneer with square edge profile Laminate with square edge profile

Field-installed tops are available in two choices—wood veneer with square edge profile or laminate with square edge profile. Tops can be used on an individual lateral file, or larger tops can be used to connect files to make a credenza.

► Page 668



Field-installed accessories are available, including drawer accessories and counterweight packages.

► Page 671


Anchor bracket secures file, cabinet, or tower to floor in seismic zones to reduce the risk of hazards during earthquakes. Four bracket packages are required for each cabinet.

Note: Local seismic requirements vary.

Compliance with local code requirements is the responsibility of the customer or their authorized agent. For a California Office of Statewide Health Planning and Development (OSHPD) approved anchor bracket, contact *Specials*.

Tip: Anchor bracket cannot be used with pedestals.

► Page 676



Overfile cabinets are separate components that are field installed on top of lateral files, combination cabinets, storage cabinets, and wardrobe cabinets to provide space for additional files, ring binders, or miscellaneous storage.

► See *Storage Specification Guide*

Surface Materials

Lateral file, including steel top, drawer fronts, lift-up door, fixed shelf, and integral pulls

- Paint

Contemporary, handle, jazz, and bar pulls

- 0835 Black
- 9201 Polished Chrome
- 9211 Nickel
- 9212 Silver

c:scape pull

- 4140 Arctic White Gloss
- 4144 Black Gloss
- 4799 Platinum Metallic

Wood veneer top, lift-up door, and drawer fronts

- Wood veneer—
 - Open pore finishes
 - Customiz stain (option)
 - Full-fill finish (option) is available on field-installed wood veneer tops only.
- Tip:** Specify file with no top option.

Laminate top

- Laminate
- Open Line laminate (option)

Lock

- 9201 Polished Chrome
- 9250 Ember Chrome (option)

Drawer bodies, roll-out shelves, hanging folder bars, rails, and dividers

- Black

Application Topics

Storage Capacities and Dimensions

► See *Storage Specification Guide*


Shipping

Lateral files are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

Counterweight packages ship separately from case and must be field-installed.


Connectors

Worksurface-to-Tower Connectors



► Specifying page 664

Product Details



Connects worksurface to tower eliminating the need for other worksurface supports such as legs or end supports next to the tower.

► See *Application Rules for Panel Stability*, page 124.

Tip: When used with TS Series Tower Too in Answer applications, worksurface must be placed at 28½" height (floor to top of worksurface).

Tip: When using the work-surface-to-tower connector, the depth of the worksurface must match the depth of the tower.

Surface Materials


Connector

- Paint

Actual Dimensions


Depth: 20", 26"

Storage-to-Panel Connectors




► Specifying page 665

Product Details




Low storage-to-panel connector connects One-High laterals and cabinets to panel to provide added stability to panels and eliminate the need for return panels.

Overhead storage or panels over 48"H can not be used in conjunction with low storage-to-panel connector.



Medium storage-to-panel connector connects 1.5-High, 2-High, 3-High laterals and cabinets to panels to provide added stability to panels and eliminate the need for return panels.



Tall storage-to-panel connector connects towers to panels to provide added stability to panels and eliminate the need for return panels. Tall storage-to-panel connector can be used with 48"H, 4-high, and 5-high towers.

Application Topics

Storage-to-panel connector can be positioned on the back or side of the cabinet. Connector must be located only on the ends of the back or side of the cabinet. It cannot be positioned anywhere else on the case side or back.

Storage-to-panel connectors can only be used with select storage products:
 –Universal lateral files and towers, 900 Series lateral files, or TS 200 Series lateral files manufactured on or after November 2005
 –TS Series Tower Too manufactured on or after January 2009.

Surface Materials

Connector

- Black paint only


Actual Dimensions

Height: 8 $\frac{3}{4}$ ", 16", 39 $\frac{5}{8}$ "

Understanding Duo Storage Products

	
Statement of Line	314
	
Duo Tall Storage	316
Stability Guidelines	318


Statement of Line



Understanding
▶ Page 316
Specifying
▶ Page 680

Duo Tall Storage

	15"H
54"W	●
66"W	●
78"W	●



Understanding
▶ Page 316
Specifying
▶ Page 681


Duo Tall and Slim Storage (For Use with Answer Top Cap Mounted Storage)

	Tall Individual	Tall Shared	Slim
54"W	●	●	●
66"W	●	●	●

Duo Tall Storage


Duo tall storage can be used to attach to Answer in-line, L, T, and end-of-run junctions.

Panel stabilizer



Panel bracket connects box into panel junction slots.


Duo tall and slim storage can be used to attach to the top of Answer panels with thin trim. Attachment brackets and trims are sold separately.





Wood core construction with laminate surface

Ledge provides support for office supplies.


Magnets can be used to display items on painted steel divider cover.




Product Details



Two interior configurations of Tall Storage are available. Individual box has a ledge on one side and space for binder storage on the opposite side. Shared box is divided down the center with half ledge and half binder storage on each side.



66"W and 78"W individual boxes have a center divider on the binder storage side for additional support.




Column height at shortest level is 29 7/8"H. Column will then adjust upward 3" for leveling.

Height from floor to top of box is approximately 45".

Actual Dimensions

	Tall Storage	Slim Storage
Box exterior height	15"	7 1/2"
Box exterior depth	18"	25"
Box exterior width	54", 66", and 78"	54", 66", and 78"
Box interior height	13 3/8"	6"
Box interior depth	13 5/8" (binder storage area)	12" (each side)
Box interior depth (ledge)	3 1/2"	N.A.
Box interior width	52 3/8", 64 3/8", and 76 3/8"	52 3/8", 64 3/8", and 76 3/8"
Leg height	29 7/8"	N.A.

Connections



Attaches perpendicular (90°) to Answer panel at in-line, end-of-run, L or T junction. Works with 42"H or taller panels only. Attaches on-module only.

Panel-mounted worksurfaces are required when connecting Duo Tall Storage to Answer panels at an in-line, L, T, or end-of-run junction. Worksurface brackets are included to attach to Duo Tall Storage worksurfaces to improve stability.

In seismic zones 3 and 4, consult with local building code officials for specific code requirements applicable to your installation.

When mounting Duo Tall or Slim Storage on top of an Answer panel, top cap mounting brackets and additional panel top caps will need to be specified separately.
▶ Page 388

Surface Materials

Box

- Laminate

Interior divider cover


- Paint

Brackets and leg

- 4799 Platinum paint


Stability Guidelines

Stability Guidelines for Answer and Duo Tall Storage




Duo Tall Storage cannot be mounted off-module.

A minimum 30"W Answer panel return at 90° or 36"W at 120° must be used with Duo Tall Storage.




If Duo Tall Storage is mounted in an end-of-run application, a 30"W minimum panel return must be used on the other end of the run.



Duo Tall Storage cannot be mounted off-module.

A minimum 30"W Answer panel return at 90° or 120° must be used with Duo Tall Storage.




A 30"W minimum panel return is required when Duo Tall Storage is used on a panel that is supporting additional components.

Stability Guidelines for Duo Tall Storage-to-Answer Panel Application in Seismic Zones

- Follow traditional planning guidelines.
- Tall Storage leg base must be bolted to the floor per local building code.
- Worksurface brackets included must be installed.


Stability Guidelines for Answer Panels and Duo Overhead Storage or Duo Slim Storage on Post and Beam Fence



A minimum 18"W return is required, or a post with large base bolted to the floor.

On a single Post and Beam fence, no more than one Overhead or Slim Storage box can be attached.

Fences with Overhead or Slim Storage spaced no more than 10' apart can stabilize a wall.



A minimum 18"W return is required, or a post with large base bolted to the floor.

On a single Post and Beam fence, no more than one Overhead or Slim Storage box can be attached.

Fences with Overhead or Slim Storage spaced no more than 8' apart can stabilize a wall with upper storage.

Understanding Victor2 Products



Statement of Line


322



Understanding


324

Statement of Line



Understanding
▶ Page 324
Specifying
▶ Page 684

Mobile Unit



Understanding
▶ Page 324
Specifying
▶ Page 686

Freestanding Unit



Understanding
▶ Page 324
Specifying
▶ Page 688

Tray Shelf



Understanding
▶ Page 324
Specifying
▶ Page 688

Display


Victor2

Victor2 is a recycling solution that is appropriate for supporting larger work groups, conference rooms, and cafés. A mobile unit and two freestanding units are available. ▶ Specifying, pages 684-688

Mobile unit has three openings. Eight insert options are available to pick for the openings. These eight insert options contain English, Spanish, and French.

Receptacles contain features to accommodate oversized bags.


Four non-locking casters are standard. Two casters swivel, and two casters are fixed.



Soft-touch integral handle allows easy movement from one location to another.

Receptacles fit bags from 30 gallon size and larger.

Freestanding unit has four or five openings. Eight insert options are available to pick for the openings. These eight insert options contain English, Spanish, and French.




Leveling glides are fully adjustable up to 1 1/2".


Actual Dimensions

	Mobile Unit	Freestanding Unit
Depth	18"	25"
Width	36"	48" or 60"
Height	36"	36"


Product Details




Mobile and freestanding units are standard with a metal case and top. Front and back of unit are available in wood or laminate.




Acrylic inserts etched with recycling icons are standard on mobile and freestanding units. The verbiage for each icon is in English/Spanish/French on the same insert.



Mobile unit is standard with three openings for inserts and sloped receptacles with built-in bag holding system.




Top on the mobile unit can be used for food service use or tray storage.




Hinged doors on the back are standard on the mobile unit for easy access to receptacles.

Four non-locking concealed casters, two swivel and two fixed, are standard on the mobile unit.


Receptacles in mobile unit can accommodate 12 gallons each. Receptacles in freestanding unit can accommodate 30 gallon size and larger.



Soft-touch integral handle on mobile unit allows for easy movement from one location to another.




Freestanding unit is standard with either four or five openings for inserts on the top of the unit.




Hinged doors on the front are standard on the freestanding unit for easy access to the receptacles.

Leveling glides on freestanding units are fully adjustable to 1 1/2".




Tray shelf can only be used with the freestanding unit.

Tray shelf fits most trays up to 20 3/4" x 12".




Freestanding four- or five-slot opening will accommodate two tray shelves.
Tip: A gap of 15" will separate the two tray shelves on a five-opening unit.


Maximum capacity of tray is 20 food trays with maximum size of tray 20" x 20".




Display holds two 8 1/2" x 11" papers or one 11" x 17" paper.
Tip: Paper will be between two acrylic plates. Paper can easily be replaced with tools.



Display can only be used with the freestanding unit.



Freestanding four- or five-slot opening will accommodate two displays.
Tip: A gap of 18 1/2" will separate the two displays on a five-opening unit.



One tray shelf and one display can be used on the freestanding unit.

Surface Materials

Top and sides

- Paint

Back and front

- Wood
- Laminate (HPL)
- Customiz stain (option on wood)

Understanding Lighting

	
Statement of Line and Comparison	328

	
Product Details	
Shelf Lights	332
LED Shelf Lights	336
LED Personal Task Lights	338
Application Topics	
Daisy Chaining	340
Related Products	
Vertical Wire Manager	342

Underwriters Laboratory (UL) and Canadian Standards Association (CSA) listed. These lights have been designed to meet U.S. and Canadian national electrical and energy codes and most local building codes. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.


Statement of Line and Comparison

Shelf lights mount into the recessed bottom of storage shelves and bins to illuminate the worksurface. Five types of shelf lights are available to control the quality of light for specific applications. Each type is compatible with Steelcase systems furniture and all major competitive furniture lines.


Shelf Lights

Storage-Mounted Lights

Standard Shelf Light



Utility2 Shelf Light




Mounting Options	• Universal mounting package (standard) • Flush mount • Competitive mounting package	• Universal and flush mounting package (standard)
	Understanding ▶ Page 332 Specifying ▶ Page 690	Understanding ▶ Page 332 Specifying ▶ Page 692
Depth	9¼"	6⅞"
Width	25", 37", or 49"	25", 37", or 49"
Color Temperature	3500K	3500K
Description	The right choice for the majority of people in today's workplace who switch frequently from task to task throughout the day.	Designed for use in display areas, service centers, under transaction tops, and other applications where glare control is not a primary consideration.
Optics	Faceted, white reflector Contrast sleeve that can be manually rotated to vary light	Silver reflector Prismatic lens — flat acrylic diffuser intensity
Ballasts	• Electronic ballast • High power factor	• Electronic ballast • High power factor • Normal-power-factor ballast
Electronic Dimmer	• Not available	• Not available
Lens Options	None	• Batwing lens option
Average Rated Lamp Life	• 20,000 hours	• 20,000 hours
Warranty	• Ballast - 5 years • Fixture - 12 years	• Ballast - 5 years • Fixture - 12 years

Shelf lights offer end users added control and adjustability to place the proper amount of shelf lighting to create a holistic work setting. Ideally suited for recessed mount applications to bottom of bin or shelf.


Shelf Lights

Storage-Mounted Lights

Underline Light



Bottomline Light



Mounting	Standard includes universal spring bracket for recessed mount or screw-in for flush mount (tool free clips for New York applications).	Standard includes universal spring bracket for recessed mount or screw-in for flush mount (tool free clips for New York applications).
	Understanding ▶ Page 334 Specifying ▶ Page 694	Understanding ▶ Page 334 Specifying ▶ Page 696
Depth	4¾"	4½"
Width	22"	23¼", 35", or 46¾"
Height	¾"	1¼"
Weight	2.7 lb	4.02 lb, 4.95 lb, or 6.9 lb
Color Temperature	3500K	3500K
Description	¾ of an inch slim profile along with environmentally friendly technology provides an even distribution of light on the worksurface. Ideal under shelves and bins.	Designed to be environmentally friendly providing 15% more light with an even distribution of light on the worksurface. Ideally suited for recessed mount applications to bottom of bin or shelf.
Finish Options	Paint: Black (0835), Pewter (7018), or Dark Champagne (7021)	Paint: Black (0835), Pewter (7018), or Dark Champagne (7021)
Optics	Aluminum reflector with batwing lens	Mylar reflector with batwing lens
Ballasts	Energy saving electronic ballast	Energy saving electronic ballast
Electronic Dimmer	Available	Not available
Lens Options	Batwing lens	Prismatic lens
Average Rated Lamp Life	10,000 hrs.	20,000 hrs.
Warranty	- Ballast - 5 years - Fixture - 12 years	- Ballast - 5 years - Fixture - 12 years


Statement of Line and Comparison, continued

Shelf lights offer end users added control and adjustability to place the proper amount of task lighting to create a holistic work-setting. Ideally suited for recessed mount applications to bottom of bin or shelf.

LED Shelf Light

Storage-Mounted Lights

LED Shelf Light




Mounting	Standard includes magnetic mount for steel bins and shelves. Optional fastener kit for wood and aluminum shelves are available.
	- Understanding ▶ Page 336 - Specifying ▶ Page 697
Depth	2½"
Width	18"
Color Temperature	3500K
Description	The most environmentally-friendly light in the portfolio. Consumes only 11 watts of power, contains no harmful metals (mercury), and has a useful life of over 50,000 hours. Ideally suited for recessed mount applications to bottom of bin or shelf.
Finish Options	Bottom surface clear anodized aluminum only. Plastic cover Arctic White (6009) or Black (6000).
Ballasts	Energy saving low-voltage power supply
Electronic Dimmer	Standard on all lights
Lens Options	Polycarbonate matte film
Average Rated Lamp Life	50,000 hrs.
Warranty	- Power supply - 5 years - Fixture - 12 years

Personal task lights offer end users added control and adjustability to place the proper amount of personal lighting to create a holistic worksetting. Ideally suited for rail-mount, desk, or freestanding applications.

LED Lights

Rail-Mounted and Non Rail-Mounted

LED Personal Task Lights




Mounting	- Rail-mounted attaches directly to rail systems in c:scape, FrameOne, Elective Elements, Impact, Turnstone Campfire Big Table, and Details SOTO Rail. The non rail-mounted version attaches to most freestanding desks and tables. <i>Tip: Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 1¼", or with modesty panels or modesty screens closer than 6" from the back edge.</i>
	Understanding ► Page 338 Specifying ► Page 698
Depth	6"
Width	30"
Color Temperature	3500K
Description	Intended to be a primary light source, LED personal task light covers the user's active work zone with a smartly-designed array of light. The light is specifically designed to direct light where it is needed. Energy efficient at only 14 watts, LED personal task light is engineered to have a useful life of over 50,000 hours. It attaches directly to the rail systems of c:scape, FrameOne, Impact, Elective Elements, Turnstone Big Table, and Details SOTO Rail. A non-rail-mounted version attaches to freestanding desks and tables.
Finish Options	Fixture and stanchions, paint: 4799 Platinum Metallic, 4231 Arctic White, 4710 Low Gloss Black. Plastic cover Arctic White (6009) only.
Ballasts	Energy saving low-voltage power supply
Electronic Dimmer	Standard on all lights
Lens Options	Polycarbonate matte film
Average Rated Lamp Life	50,000 hrs.
Warranty	- Power supply - 5 years - Fixture - 12 years


Shelf Lights

Standard and Utility2

► Specifying, pages 690–693




9' cord with grounded plug is factory installed. Length is maximum allowed by U.S. National Electrical Code. Cord with circuit breaker is available to meet the requirements of the Chicago code.



Product Details

Shelf light includes the lamp, ballast, and either a 9' cord with three-prong plug or daisy-chain cords.




Plug configuration allows two Standard shelf lights to engage adjacent outlets in one receptacle.


Energy-saving T8 lamps have triphosphor coating for balanced color and pleasing light.

Connections

Shelf light mounts recessed or flush depending on design of overhead storage bin or shelf. Installation is done in the field.



Universal bracket allows shelf light to be installed without tools under most metal overhead storage bins and shelves.




Daisy chain starter cord must be ordered separately when used with Standard shelf lights in a daisy chain application.

Daisy chain starter light with cord must be ordered when Utility2 shelf lights are used in a daisy chain application.

Actual Dimensions


	Standard	Utility2
Depth	9 1/4" (235 mm)	6 7/8" (175 mm)
Width	24 5/8", 36 5/8", or 48 5/8" (625 mm, 930 mm, or 1235 mm)	24 5/16", 36 5/16", or 48 5/16" (617 mm, 922 mm, or 1227 mm)
Height	1 3/4" (44 mm)	1 5/8" (41 mm)

Width	Lamp width	Lamp wattage	Replacement lamps
24 $\frac{5}{8}$ "	24"	17 watts	F17T8-TL735
36 $\frac{5}{8}$ "	36"	25 watts	F25T8-TL735
48 $\frac{5}{8}$ "	48"	32 watts	F32T8-TL735



Keyhole slots in housing of fixture allow shelf light to be mounted beneath wood or laminate overhead storage bins and shelves using screws provided. Keyhole slots are also used to mount lights to overhead storage bins and shelves manufactured prior to August 1991.

Standard shelf competitive mounting package provides attachment hardware to mount Steelcase shelf lights on all major competitive furniture lines. Package includes screws and installation instructions.



Shelf light can be mounted anywhere from side to side beneath over-head storage bin or shelf. The cord length is the only limitation.

Wiring & Cabling

Power drawn is approximately $\frac{1}{2}$ amp.

Daisy chaining permits interconnecting up to six Standard shelf lights from a single power outlet. Utility2 light daisy chaining allows up to 10 fixtures.

► Page 340

Starter cord for Standard and starter light for Utility2 powers first light in a daisy chain and allows you to convert any daisy chain light for independent operation.

Electronic high-power-factor ballast that is roughly 45% more efficient than a normal-power-factor ballast is available on Standard and Utility2.

Normal-power-factor electronic ballasts are available on Utility2 shelf lights.

Batwing lens is available as an option on Utility2 shelf lights for applications where moderate improvement to light distribution is needed.

Surface Materials

Housing

- Black paint (standard)
- Paint colors (option)

Reflector

- White on Standard and silver on Utility2 shelf lights

Cord

- Black plastic only

End cap cord manager

- Black plastic only

Photometric Data

Standard

Initial horizontal footcandles for LSM24K
Worksurface rear

3"	88	85	78	67	55	42	31	22
6"	93	90	82	70	57	43	31	23
9"	91	88	81	69	56	41	30	21
12"	82	80	72	62	50	38	28	20
15"	69	67	61	53	43	33	24	18
18"	56	55	49	43	36	28	21	16
21"	41	40	37	32	27	22	17	13
24"	29	28	26	23	19	16	13	10
27"	19	19	18	16	14	12	10	8
30"	13	13	12	11	10	9	7	6
CL	3"	6"	9"	12"	15"	18"	21"	

Worksurface front

Utility2

Initial horizontal footcandles for LSB24K2
Worksurface rear

3"	113	109	98	84	65	49	36	25
6"	129	123	112	93	73	53	37	26
9"	135	129	117	96	75	53	38	26
12"	127	119	107	89	68	49	36	25
15"	104	99	89	74	58	43	32	22
18"	78	76	68	56	44	34	26	19
21"	55	51	48	41	34	26	21	15
24"	36	36	31	29	24	18	15	11
27"	25	24	21	19	17	14	11	9
30"	17	16	15	13	11	10	8	7
CL	3"	6"	9"	12"	15"	18"	21"	


Worksurface front

Shelf Lights


Underline and Bottomline

► Specifying, pages 694-696

Underline




Bottomline



Product Details

Shelf light includes the lamp, ballast, and either a 9' cord with a three-prong plug or a Chicago plug.



Plug configuration allows two task lights to engage adjacent outlets in one receptacle.

Optics:

Underline includes an aluminum reflector with batwing lens.

Bottomline includes a batwing lens with mylar reflector that provides low glare and broad distribution of light.

Connections

Shelf light mounts recessed or flush depending on the design of the overhead storage bin or shelf. Standard with universal spring brackets for recessed mount or screw-in for flush mount.

Width	Lamp width	Lamp wattage	Replacement lamps
Underline			
24"	23.3"	13 watts	FM13-835
Bottomline			
24"	23.3"	14 watts	F14T5-835
36"	35.1"	21 watts	F21T5-835
48"	46.8"	28 watts	F28T5-835

Wiring & Cabling

Power drawn is approximately 1/2 amp.

Daisy chaining permits interconnecting up to six shelf lights from a single power outlet.
► Page 340

Daisy chaining allows for independent operation of lights.

Electronic ballast is more energy efficient than T8 electronic ballasts.

Electronic dimming control features touch switch, which allows dimming from 100% to 50% light output (Underline only).

Surface Materials

Housing

- Paint
- 0835 Black
- 7018 Pewter
- 7021 Dark Champagne

Reflector

- **Underline** - Aluminum reflector with batwing lens
- **Bottomline** - Mylar reflector with batwing lens - flat acrylic diffuser

Cord

- Black plastic only

End caps

- Molded to match housing

Actual Dimensions

	Underline	Bottomline
Depth	4 3/4"	4 1/2"
Width	22"	23 1/4", 35", 46 3/4"
Height	3/4"	1 1/4"
Weight	2.7 lb	4.02 lb, 4.95 lb, 6.9 lb

Photometric Data**Underline**

Initial horizontal footcandles for LT2
Worksurface rear

3"	67	62	57	52	45	37	28	23
6"	85	79	72	66	56	44	34	27
9"	102	96	85	76	63	49	38	29
12"	110	103	93	82	67	52	39	29
15"	102	98	90	80	67	53	40	30
18"	75	72	67	63	57	48	37	29
21"	49	49	47	45	43	38	31	25
24"	33	32	30	30	30	28	24	19
27"	21	20	21	21	21	20	17	15
30"	15	15	15	15	15	14	13	11
CL	3"	6"	9"	12"	15"	18"	21"	

Worksurface front

Bottomline


Initial horizontal footcandles for L42FT
Worksurface rear

3"	56	54	50	45	41	34	28	22
6"	74	71	66	58	50	40	31	24
9"	93	88	80	68	57	44	33	25
12"	105	101	91	80	64	50	36	28
15"	115	111	100	88	72	56	40	29
18"	109	106	96	85	72	56	40	30
21"	75	78	71	68	61	50	37	27
24"	47	48	44	44	42	36	29	23
27"	26	28	27	27	27	25	21	17
30"	15	15	16	16	17	16	15	13
CL	3"	6"	9"	12"	15"	18"	21"	

Worksurface front


LED Shelf Lights

► Specifying, page 697



Product Details

Shelf light includes the lamp and power supply with cord set. Daisy chain primary light includes lamp and larger power supply to support up to three lights. Daisy chain secondary light includes lamp and daisy chain cord set.





Power supply for LED daisy chain starter light uses a 60 watt modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light. A 15 watt power supply is used on the LED standard light, it is 9' long with a two prong driver plug.


Tip: Energy saving mini-LEDs greatly reduce power use.

Connections

Shelf light mounts recessed or flush depending on design of overhead storage bin or shelf. Installation is done in the field.



Magnetic mounting allows shelf light to be installed without tools under most metal overhead storage bins and shelves. This mounting allows the light to be mounted to most competitive steel bins and shelves.



Optional fastener kit allows shelf light to be mounted to wood or aluminum shelves.

Wiring & Cabling

Shelf light includes the lamp and power supply with cord set. Daisy chain starter light includes lamp and larger power supply to support up to three lights. Daisy chain secondary light includes lamp and daisy chain cord set.

Power supply for LED daisy chain starter light uses a 60 watt modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light. A 15 watt power supply is used on the LED standard light, it is 9' long with a two prong driver plug.

Tip: Daisy chain starter light comes with a 60 watt power supply to support up to three lights. Daisy chain secondary lights do not come with a power supply, but instead come with a daisy chain cord set.

Surface Materials

Housing

- 6000 Black
- 6009 Arctic White

Reflector

- Clear anodized aluminum only

Cord

- Black plastic only

Actual Dimensions

Depth 25/8"

Width 18 1/8"

Height 1/2"

Power Supply 60 watt Cord Set (11')

- Line voltage cord: 6'
- Low voltage cord: 5'

Power Supply 15 watt Cord

- 9' with two prong driver plug

Photometric Data**LED Shelf Light**


Initial horizontal footcandles for LSL18
 Worksurface rear

3"	83	80	71	58	45	32	23	17
6"	94	90	78	64	48	34	24	18
9"	98	94	81	65	49	35	25	17
12"	93	89	75	61	46	34	24	17
15"	78	74	63	53	40	30	22	15
18"	59	57	50	43	32	25	18	14
21"	40	41	36	32	25	19	15	11
24"	28	27	24	22	18	14	11	9
27"	18	17	16	14	12	10	8	7
30"	11	10	10	9	8	7	6	5
CL	3"	6"	9"	12"	15"	18"	21"	

Worksurface front


LED Personal Task Lights

► Specifying, page 698



Product Details


Personal task light includes the lamp and power supply with cord set. Rail-mounted version includes rail brackets. Non rail-mounted version includes Universal Mounting brackets.





Power supply uses a modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light.

Tip: Energy saving mini-LEDs greatly reduce power use.

Connections



LED personal task light mounts directly to the rail systems of c:scape, Frame-One, Elective Elements, Impact, Turnstone Campfire Big Table, and Details SOTO rail.



Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 1 1/4", or with modesty panels or modesty screens closer than 6" from the back edge.

Wiring & Cabling

Personal task light includes the lamp and power supply with cord set.

Power supply uses a modular cord with standard two prong plug, an integrated low voltage cord, and a connector to attach to light.

Surface Materials

Housing

- 6009 Arctic White plastic only

Fixture and Stanchions

- 4231 Arctic White
- 4710 Low Gloss Black
- 4799 Platinum Metallic

Cord

- Black plastic only

Actual Dimensions

Depth 6"

Width 30"

Height 17"

Power Supply Cord Set (12')

-Line voltage cord: 6'

-Low voltage cord: 6'

Photometric Data**LED Personal Task Lights**

Initial horizontal footcandles for LPTL30 and LPTL30NR
Worksurface rear

0"	15	14	13	12	11	9	6	6	5	4	3	2	2
3"	21	20	18	17	15	13	11	8	6	5	3	3	2
6"	31	31	29	26	23	19	15	12	9	7	5	3	2
9"	51	50	46	42	36	29	23	18	13	9	6	4	3
12"	82	79	73	64	53	43	32	23	16	11	7	5	3
15"	109	105	96	83	68	53	39	27	19	12	8	6	4
18"	105	102	93	81	66	51	37	27	18	12	9	6	4
21"	76	75	69	59	50	39	30	22	16	11	7	5	4
24"	48	47	44	39	33	27	21	16	12	9	6	5	3
27"	29	28	27	24	21	17	14	11	9	7	5	4	3
30"	18	18	17	16	14	12	10	8	7	5	4	3	2
CL	3"	6"	9"	12"	15"	18"	21"	24"	27"	30"	33"	36"	


Worksurface front

Daisy Chaining


For Standard, Utility2, and Bottomline Lights

Daisy chaining shelf lights together extends power from one fixture to another within workstations to help keep receptacles clear for other uses.

For Standard shelf lights, starter cord is required with daisy chain cords to bring power to the first shelf light in a daisy chain so there's no need to designate where each fixture will be used within the chain.




Power will not be interrupted in a chain even if one of the shelf lights is turned off or its lamp has burned out. That's because the path of power through the chain doesn't pass through the lamps or switches.




For Utility2 lights, connect the power cord **1** between the first light and the wall receptacle. Connect the jumper cord **2** between the lights. Maximum distance between receptacles for 78" jumper is 74".

Tip: Connect up to 10 fixtures maximum. Voltage and current rating of fixture is 120 volt, .75 amps.

Starter light is required with daisy chain lights to bring power to the first light in the daisy chain.



For Bottomline lights, starter light is required with daisy chain lights to bring power to the first light in the daisy chain.



Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: Overhead cabinets and shelves provide a recessed area for shelf lights. They are not designed to conceal cords when daisy chaining.

Tip: When using upmount brackets with overhead storage and daisy chaining lights, use the open design upmount bracket for better cord management.

Daisy Chaining

For Underline Lights




Daisy chaining lights together extends power from one shelf lights to another within workstations to help keep receptacles clear for other uses.

Starter cord is required on shelf lights with daisy chain cords to bring power to the first shelf light in a daisy chain so there's no need to designate where each fixture will be used within the chain.

Jumper cord is required to connect daisy chain lights.

Power will not be interrupted in a chain, even if one of the shelf lights is turned off or its lamp has burned out; because the path of power through the chain does not pass through the lamps or switches.

Additions to a chain are possible at any time by adding a jumper cord.



Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.


Tip: Overhead bins and full-height shelves provide a recessed area for shelf lights. They are not designed to conceal cords when daisy chaining.

Tip: When using upmount brackets with overhead storage and daisy chaining lights, use the open design upmount bracket for better cord management.

Vertical Wire Manager

Vertical wire manager

conceals cords and cables that are routed vertically outside of the panels.
► Specifying, page 699




Cover conceals cords or cables.

Hooks fit into vertical channel at edge of panel.

Actual Dimensions


Depth	1" (25 mm)
Width	1 5/8" (41 mm)
Height	48" (1219 mm)

Product Details



Wire manager is available for use between the bottom of a shelf or overhead storage bin and a worksurface. Wire manager can be cut in the field to suit specific application.

Wire manager can also be used below the worksurface.



Power cords and cables can be routed from the wire manager and the 1/2" gap along the back edge of the worksurface.

Connections

Snaps into the slotted channel of the junction.

Surface Materials

- Cover**
- 6000 Black
 - 6009 Arctic White
 - 6249 Platinum Solid
 - 6654 Sand
 - 6697 Fog


Specifying Panels—Thin Trim

In-Line Base Panel Junctions—Thin Trim	344
L and T Same Height Base Panel Junctions—Thin Trim	345
X Same Height Base Panel Junctions—Thin Trim	346
End-of-Run Base Panel Junctions—Thin Trim	347
V and Y Same Height Base Panel Junctions—Thin Trim	348
In-line Change-of-Height Junctions—Thin Trim	349
L Change-of-Height Junctions—Thin Trim	350
T Change-of-Height Junctions—Thin Trim	351
X Change-of-Height Junctions—Thin Trim	354
V Change-of-Height Junctions—Thin Trim	357
Y Change-of-Height Junctions—Thin Trim	358
Wall-Start Junctions	359
Brackets	360
Off-Module Panel Connectors	361
Stacking In-Line Panel Junctions—Thin Trim	362
Stacking End-of-Run Panel Junctions—Thin Trim	362
Stacking Wall-Start Junctions	362
Stacking L, T, X, V, and Y Panel Junctions—Thin Trim	363
Utility Pole—Thin Trim	364
Utility Packages	365
End-of-Run Vertical Trims—Thin Trim	367
L and T Vertical Trims—Thin Trim	368
V Vertical Trims—Thin Trim	369
End-of-Run/In-Line Change-of-Height Trims—Thin Trim	370
90° Corner Application Change-of-Height Trims—Thin Trim	371
120° Corner Application Change-of-Height Trims—Thin Trim	372
Build Your Own Junction Components—Thin Trim	373
Answer to c:scape L Junctions—Thin Trim	376
Answer to c:scape T Junctions—Thin Trim	377
Answer to c:scape X Junctions—Thin Trim	378
Base Horizontal Frame Packages—Thin Trim	380
Stacking Horizontal Frame Packages	382
Spanning Top Caps—Thin Trim	383
Frameless Glass Screens with Recessed Attachment—Thin Trim	384
Recessed Frameless Glass Top Cap Connector—Thin Trim	386
Frameless Glass Screens with Clip Attachment—Thin Trim	387
Top Cap Mount Storage	388
Panel Packages—Thin Trim	390
Base Trims and Open Base Conversion Kits	392

In-Line Base Panel Junctions—Thin Trim



Tip: In-line base panel junctions do not require junction cap and trim.



Standard Includes	Required to Specify
▶ Need help? Product details, page 14 • Junction • Aligner	Style number

Specification Information

Corresponding Panel Height	Style Number	U.S. Price
30"	TS730TIPJ	\$ 71
42"	TS742TIPJ	\$ 71
48"	TS748TIPJ	\$ 71
54"	TS754TIPJ	\$ 71
66"	TS766TIPJ	\$ 71
78"	TS778TIPJ	\$100
:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

L and T Same Height Base Panel Junctions—Thin Trim

L and T Same Height Base
Panel Junctions—Thin Trim


	Standard Includes	Required to Specify
► Need help? Product details, page 14	• Junction • Inside corner light seal(s) • Vertical trim and junction cap on L and T junction: paint price group 1 or wood • Aligner(s)	1 Style number 2 Paint or wood color number for trim and junction cap 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Trim		
	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
	• Customiz stain on wood • Omit trim	No cost Prices below	Specify <i>with Customiz stain</i> . Specify <i>with omit trim</i> .

Tip: Omit trim option is used when stacking on base panel junctions. Vertical trim should be specified separately to span the full height of the base panel junction plus the stacking junction.

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.

Specification Information

L Base Panel Junctions with Thin Trim				T Base Panel Junctions with Thin Trim		
						
• Corresponding Panel Height	• Style Number	• U.S. Base Price	• Option (Add \$ to Base Price)	• Style Number	• U.S. Base Price	• Option (Add \$ to Base Price)
			Omit Trim			Omit Trim

Painted Trim

30"	TS730TLPJ	\$156	—\$ 73	TS730TTPJ	\$156	—\$ 73
42"	TS742TLPJ	\$156	—\$ 73	TS742TTPJ	\$156	—\$ 73
48"	TS748TLPJ	\$156	—\$ 73	TS748TTPJ	\$156	—\$ 73
54"	TS754TLPJ	\$156	—\$ 73	TS754TTPJ	\$156	—\$ 73
66"	TS766TLPJ	\$156	—\$ 73	TS766TTPJ	\$156	—\$ 73
78"	TS778TLPJ	\$219	—\$ 90	TS778TTPJ	\$219	—\$ 90
.	.	.	.	.	.	.


Wood Trim

30"	TS730TLPJW	\$425	—\$344	TS730TTPJW	\$425	—\$344
42"	TS742TLPJW	\$425	—\$344	TS742TTPJW	\$425	—\$344
48"	TS748TLPJW	\$425	—\$344	TS748TTPJW	\$425	—\$344
54"	TS754TLPJW	\$425	—\$344	TS754TTPJW	\$425	—\$344
66"	TS766TLPJW	\$436	—\$344	TS766TTPJW	\$436	—\$344
78"	TS778TLPJW	\$539	—\$412	TS778TTPJW	\$539	—\$412
.	.	.	.	.	.	.



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

X Same Height Base Panel Junctions—Thin Trim



Tip: Omit trim option is used when stacking on base panel junctions.

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.

Standard Includes	Required to Specify
► Need help? Product details, page 14 • Junction • Inside corner light seals • Trim/junction cap: paint or wood • Aligners	1 Style number 2 Paint or wood color number for junction cap 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Trim • Customiz stain on wood • Omit trim	No cost Prices below	Specify with <i>Customiz stain</i> . Specify with <i>omit trim</i> .

Specification Information			
Corresponding Panel Height	Style Number	U.S. Base Price	Option (Add \$ to Base Price) Omit Trim

Painted Trim

30"	TS730TXPJ	\$156	–\$12
42"	TS742TXPJ	\$156	–\$12
48"	TS748TXPJ	\$156	–\$12
54"	TS754TXPJ	\$156	–\$12
66"	TS766TXPJ	\$156	–\$12
78"	TS778TXPJ	\$219	–\$12
:	:	:	:

Wood Trim

30"	TS730TXPJW	\$220	–\$80
42"	TS742TXPJW	\$220	–\$80
48"	TS748TXPJW	\$220	–\$80
54"	TS754TXPJW	\$220	–\$80
66"	TS766TXPJW	\$220	–\$80
78"	TS778TXPJW	\$282	–\$80
:	:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

End-of-Run Base Panel Junctions—Thin Trim

End-of-Run Base Panel
Junctions—Thin Trim

Tip: End-of-run trim adds 1/2" to footprint.

Tip: Omit trim option is used when stacking on base panel junctions. Vertical trim should be specified separately to span the full height of the base panel junction plus the stacking junction.

Standard Includes	Required to Specify
- Need help? Product details, page 14 - Junction - Trim on end-of-run junction: paint price group 1 or wood - Aligner	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Trim - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
- Customiz stain on wood - Omit trim	No cost Prices below	Specify <i>with Customiz stain</i> . Specify <i>with omit trim</i> .

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price	Option (Add \$ to Base Price) Omit Trim

Painted Trim

30"	TS730TEPJ	\$100	—\$ 61
42"	TS742TEPJ	\$100	—\$ 61
48"	TS748TEPJ	\$100	—\$ 61
54"	TS754TEPJ	\$100	—\$ 61
66"	TS766TEPJ	\$100	—\$ 61
78"	TS778TEPJ	\$143	—\$ 78
:	:	:	:

Wood Trim

30"	TS730TEPJW	\$311	—\$264
42"	TS742TEPJW	\$311	—\$264
48"	TS748TEPJW	\$311	—\$264
54"	TS754TEPJW	\$311	—\$264
66"	TS766TEPJW	\$311	—\$264
78"	TS778TEPJW	\$408	—\$333
:	:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

	Options	U.S. Price	Required to Specify
Surface Materials	Trim		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$11	Specify paint color number.
	• Paint price group 3	+\$21	Specify paint color number.
	• Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .
	• Omit trim	Prices below	Specify <i>with omit trim</i> .

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.

Y Base Panel Junctions with Thin Trim



Corresponding Panel Height	Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
			Omit Trim			Omit Trim


30"	TS730TVPJ	\$239	-\$ 89	TS730TYPJ	\$239	-\$12
42"	TS742TVPJ	\$239	-\$ 89	TS742TYPJ	\$239	-\$12
48"	TS748TVPJ	\$239	-\$ 89	TS748TYPJ	\$239	-\$12
54"	TS754TVPJ	\$239	-\$ 89	TS754TYPJ	\$239	-\$12
66"	TS766TVPJ	\$239	-\$ 89	TS766TYPJ	\$239	-\$12
78"	TS778TVPJ	\$330	-\$105	TS778TYPJ	\$330	-\$12

30"	TS730TVPJW	\$517	-\$374	TS730TYPJW	\$303	-\$80
42"	TS742TVPJW	\$517	-\$374	TS742TYPJW	\$303	-\$80
48"	TS748TVPJW	\$517	-\$374	TS748TYPJW	\$303	-\$80
54"	TS754TVPJW	\$517	-\$374	TS754TYPJW	\$303	-\$80
66"	TS766TVPJW	\$533	-\$374	TS766TYPJW	\$303	-\$80
78"	TS778TVPJW	\$663	-\$443	TS778TYPJW	\$395	-\$80



In-line Change-of-Height Junctions—Thin Trim

In-line Change-of-Height
Junctions—Thin Trim



Tip: Junction includes:

- In-line base junction
- End-of-run stacking junction
- Stacking fork
- End-of-run change-of-height trim
- Aligner

Tip: Remember to specify a stacking horizontal frame package with this application, unless there is a window in the top position of the taller panel.

Tip: Omit trim option omits change-of-height trim. This option is used when stacking on base panel junctions. Change-of-height trims should be specified separately to span the full height of the base panel junction plus the stacking junction.

Standard Includes

- ▶ Need help?
Product details,
page 18
- Junction
- Change-of-height trim: paint price group 1 or wood
- Aligner

Required to Specify

- 1 Style number
- 2 Paint or wood color number for trim
- ▶ See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Trim		
	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
	• Customiz stain on wood • Omit trim	No cost Prices below	Specify <i>with Customiz stain</i> . Specify <i>with omit trim</i> .

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A B			Omit Trim			Omit Trim
Painted Trim				Wood Trim		
30"	42"	TS734TCIJ	\$182 —\$58	TS734TCIJW	\$358 —\$210	
30"	48"	TS738TCIJ	\$185 —\$58	TS738TCIJW	\$363 —\$210	
30"	54"	TS735TCIJ	\$190 —\$58	TS735TCIJW	\$367 —\$210	
30"	66"	TS736TCIJ	\$205 —\$61	TS736TCIJW	\$380 —\$213	
42"	54"	TS745TCIJ	\$182 —\$58	TS745TCIJW	\$358 —\$210	
42"	66"	TS746TCIJ	\$190 —\$58	TS746TCIJW	\$367 —\$210	
42"	78"	TS747TCIJ	\$234 —\$61	TS747TCIJW	\$409 —\$213	
48"	66"	TS786TCIJ	\$185 —\$58	TS786TCIJW	\$363 —\$210	
54"	66"	TS756TCIJ	\$182 —\$58	TS756TCIJW	\$358 —\$210	
54"	78"	TS757TCIJ	\$218 —\$58	TS757TCIJW	\$396 —\$210	
54"	90"	TS759TCIJ	\$270 —\$58	TS759TCIJW	\$447 —\$210	
66"	78"	TS767TCIJ	\$210 —\$58	TS767TCIJW	\$387 —\$210	
66"	90"	TS769TCIJ	\$262 —\$58	TS769TCIJW	\$438 —\$210	
78"	90"	TS779TCIJ	\$257 —\$58	TS779TCIJW	\$433 —\$210	
:	:	:	:	:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

L Change-of-Height Junctions—Thin Trim


Tip: Junction includes:

- L change-of-height junction
- Inside corner light seal
- L vertical trim
- End-of-run change-of-height trim
- Change-of-height junction cap
- Aligners

Tip: Omit trim option omits all vertical and change-of-height trim. This option is used when stacking on base junctions. Vertical and change-of-height trim should be specified separately to span the full height of the base junction plus the stacking junction.

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.

Tip: Change-of-height junction ships right-handed. For a left-handed junction a post will need to be moved during installation.

Standard Includes	Required to Specify
▶ Need help? Product details, page 18 • Junction • Inside corner light seal • Change-of-height trim and junction cap: paint price group 1 or wood • Aligner	1 Style number 2 Paint or wood color number for trim and junction cap 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials		
Trim • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
• Customiz stain on wood • Omit trim	No cost Prices below	Specify <i>with Customiz stain</i> . Specify <i>with omit trim</i> .

Specification Information							
Corresponding Panel Height		Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A	B			Omit Trim			Omit Trim
Painted Trim				Wood Trim			
30"	42"	TS734TCLJ	\$214	−\$132	TS734TCLJW	\$640	−\$554
30"	48"	TS738TCLJ	\$214	−\$132	TS738TCLJW	\$640	−\$554
30"	54"	TS735TCLJ	\$222	−\$132	TS735TCLJW	\$649	−\$554
30"	66"	TS736TCLJ	\$238	−\$135	TS736TCLJW	\$665	−\$557
42"	54"	TS745TCLJ	\$214	−\$132	TS745TCLJW	\$640	−\$554
42"	66"	TS746TCLJ	\$222	−\$132	TS746TCLJW	\$649	−\$554
42"	78"	TS747TCLJ	\$298	−\$135	TS747TCLJW	\$721	−\$557
48"	66"	TS786TCLJ	\$222	−\$132	TS786TCLJW	\$649	−\$554
48"	78"	TS787TCLJ	\$295	−\$135	TS787TCLJW	\$721	−\$557
54"	66"	TS756TCLJ	\$222	−\$132	TS756TCLJW	\$649	−\$554
54"	78"	TS757TCLJ	\$295	−\$132	TS757TCLJW	\$721	−\$554
66"	78"	TS767TCLJ	\$295	−\$132	TS767TCLJW	\$721	−\$554


For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

T Change-of-Height Junctions—Thin Trim


T Change-of-Height
Junctions—Thin Trim

Standard Includes	Required to Specify
▶ Need help? Product details, page 18 • Junction • Inside corner light seals • Change-of-height trim and junction cap: paint price group 1 or wood • Aligners	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Trim • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
• Customiz stain on wood • Omit trim	No cost Prices below and at right	Specify <i>with Customiz stain</i> . Specify <i>with omit trim</i> .

Tip: Omit trim option omits all vertical and change-of-height trim. This option is used when stacking on base junctions. Vertical and change-of-height trim should be specified separately to span the full height of the base junction plus the stacking junction.

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.



Tip: Junction includes:

- T change-of-height junction
- Inside corner light seal(s)
- T vertical trim
- End-of-run change-of-height trim
- Change-of-height junction cap
- Aligners

Specification Information								
Corresponding Panel Height			Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A	B	C			Omit Trim			Omit Trim
Painted Trim					Wood Trim			
30"	42"	30"	TS7343TCTJ	\$258	−\$132	TS7343TCTJW	\$707	−\$554
30"	48"	30"	TS7383TCTJ	\$258	−\$132	TS7383TCTJW	\$707	−\$554
30"	54"	30"	TS7353TCTJ	\$278	−\$132	TS7353TCTJW	\$716	−\$554
30"	66"	30"	TS7363TCTJ	\$309	−\$135	TS7363TCTJW	\$724	−\$557
42"	54"	42"	TS7454TCTJ	\$278	−\$132	TS7454TCTJW	\$716	−\$554
42"	66"	42"	TS7464TCTJ	\$309	−\$132	TS7464TCTJW	\$724	−\$554
42"	78"	42"	TS7474TCTJ	\$370	−\$135	TS7474TCTJW	\$781	−\$557
48"	66"	48"	TS7868TCTJ	\$309	−\$132	TS7868TCTJW	\$724	−\$554
48"	78"	48"	TS7878TCTJ	\$370	−\$135	TS7878TCTJW	\$781	−\$557
54"	66"	54"	TS7565TCTJ	\$309	−\$132	TS7565TCTJW	\$724	−\$554
54"	78"	54"	TS7575TCTJ	\$370	−\$132	TS7575TCTJW	\$781	−\$554
66"	78"	66"	TS7676TCTJ	\$370	−\$132	TS7676TCTJW	\$781	−\$554

▶ Specification Information, continued on next page




For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See page 1 for details.

T Change-of-Height Junctions—Thin Trim, continued

► Specification Information, continued from previous page

Specification Information

Corresponding Panel Height			Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A	B	C			Omit Trim			Omit Trim




Tip: Junction includes:

- T change-of-height junction
- Inside corner light seals
- T vertical trim
- T change-of-height trim
- 90° junction cap
- Aligners

Painted Trim

Wood Trim

42"	30"	42"	TS7434TCTJ	\$258	-\$132	TS7434TCTJW	\$707	-\$554
48"	30"	48"	TS7838TCTJ	\$258	-\$132	TS7838TCTJW	\$707	-\$554
54"	30"	54"	TS7535TCTJ	\$278	-\$132	TS7535TCTJW	\$716	-\$554
66"	30"	66"	TS7636TCTJ	\$309	-\$135	TS7636TCTJW	\$724	-\$557
54"	42"	54"	TS7545TCTJ	\$278	-\$132	TS7545TCTJW	\$716	-\$554
66"	42"	66"	TS7646TCTJ	\$309	-\$132	TS7646TCTJW	\$724	-\$554
78"	42"	78"	TS7747TCTJ	\$370	-\$135	TS7747TCTJW	\$781	-\$557
66"	48"	66"	TS7686TCTJ	\$309	-\$132	TS7686TCTJW	\$724	-\$554
78"	48"	78"	TS7787TCTJ	\$370	-\$135	TS7787TCTJW	\$781	-\$557
66"	54"	66"	TS7656TCTJ	\$309	-\$132	TS7656TCTJW	\$724	-\$554
78"	54"	78"	TS7757TCTJ	\$370	-\$132	TS7757TCTJW	\$781	-\$554
78"	66"	78"	TS7767TCTJ	\$370	-\$132	TS7767TCTJW	\$781	-\$554



Tip: Junction includes:

- T change-of-height junction
- Inside corner light seals
- T vertical trim
- End-of-run change-of-height trim
- Change-of-height junction cap
- Aligners

Tip: When A and C are different heights, the junction is shipped right-handed. For a left-handed junction a post will need to be moved during installation.

Painted Trim

Wood Trim

30"	30"	42"	TS7334TCTJ	\$258	-\$132	TS7334TCTJW	\$707	-\$554
30"	30"	48"	TS7338TCTJ	\$258	-\$132	TS7338TCTJW	\$707	-\$554
30"	30"	54"	TS7335TCTJ	\$278	-\$132	TS7335TCTJW	\$716	-\$554
30"	30"	66"	TS7336TCTJ	\$309	-\$135	TS7336TCTJW	\$724	-\$557
42"	42"	54"	TS7445TCTJ	\$278	-\$132	TS7445TCTJW	\$716	-\$554
42"	42"	66"	TS7446TCTJ	\$309	-\$132	TS7446TCTJW	\$724	-\$554
42"	42"	78"	TS7447TCTJ	\$370	-\$135	TS7447TCTJW	\$781	-\$557
48"	48"	66"	TS7886TCTJ	\$309	-\$132	TS7886TCTJW	\$724	-\$554
48"	48"	78"	TS7887TCTJ	\$370	-\$135	TS7887TCTJW	\$781	-\$557
54"	54"	66"	TS7556TCTJ	\$309	-\$132	TS7556TCTJW	\$724	-\$554
54"	54"	78"	TS7557TCTJ	\$370	-\$132	TS7557TCTJW	\$781	-\$554
66"	66"	78"	TS7667TCTJ	\$370	-\$132	TS7667TCTJW	\$781	-\$554

► Specification Information, continued on next page



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Specification Information, continued from previous page

Specification Information

Corresponding Panel Height			Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A	B	C			Omit Trim			Omit Trim
Painted Trim					Wood Trim			
42"	42"	30"	TS7443TCTJ	\$258	-\$132	TS7443TCTJW	\$707	-\$554
48"	48"	30"	TS7883TCTJ	\$258	-\$132	TS7883TCTJW	\$707	-\$554
54"	54"	30"	TS7553TCTJ	\$278	-\$132	TS7553TCTJW	\$716	-\$554
66"	66"	30"	TS7663TCTJ	\$309	-\$135	TS7663TCTJW	\$724	-\$557
54"	54"	42"	TS7554TCTJ	\$278	-\$132	TS7554TCTJW	\$716	-\$554
66"	66"	42"	TS7664TCTJ	\$309	-\$132	TS7664TCTJW	\$724	-\$554
78"	78"	42"	TS7774TCTJ	\$370	-\$135	TS7774TCTJW	\$781	-\$557
66"	66"	48"	TS7668TCTJ	\$309	-\$132	TS7668TCTJW	\$724	-\$554
78"	78"	48"	TS7778TCTJ	\$370	-\$135	TS7778TCTJW	\$781	-\$557
66"	66"	54"	TS7665TCTJ	\$309	-\$132	TS7665TCTJW	\$724	-\$554
78"	78"	54"	TS7775TCTJ	\$370	-\$132	TS7775TCTJW	\$781	-\$554
78"	78"	66"	TS7776TCTJ	\$370	-\$132	TS7776TCTJW	\$781	-\$554
.	.	.	.	.	.	.	.	.

Tip: **Junction includes:**

- T change-of-height junction
- Inside corner light seals
- T vertical trim
- L change-of-height trim
- 90° junction cap
- Aligners

Tip: When A and C are different heights, the junction is shipped right-handed. For a left-handed junction a post will need to be moved during installation.

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

X Change-of-Height Junctions—Thin Trim

Standard Includes		Required to Specify
► Need help? Product details, page 18	- Junction - Inside corner light seals - Trim/junction cap: paint price group 1 or wood - Aligners	1 Style number 2 Paint or wood color number for junction cap 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.


Options	U.S. Price	Required to Specify
Surface Materials Trim - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
- Customiz stain on wood - Omit trim	No cost Prices below and at right	Specify with <i>Customiz stain</i> . Specify with <i>omit trim</i> .

Tip: Omit trim option omits all change-of-height trim. This option is used when stacking on base junctions. Change-of-height trim should be specified separately to span the full height of the base junction plus stacking junction.

Tip: Remember to specify necessary junction cap and aligners if the omit trim option is selected.

Specification Information									
Corresponding Panel Height				Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A	B	C	D						
						Omit Trim			Omit Trim
Painted Trim					Wood Trim				
30"	42"	30"	42"	TS73434TCXJ	\$273	-\$129	TS73434TCXJW	\$648	-\$500
30"	48"	30"	48"	TS73838TCXJ	\$273	-\$129	TS73838TCXJW	\$648	-\$500
30"	54"	30"	54"	TS73535TCXJ	\$291	-\$129	TS73535TCXJW	\$666	-\$500
30"	66"	30"	66"	TS73636TCXJ	\$320	-\$135	TS73636TCXJW	\$696	-\$506
42"	54"	42"	54"	TS74545TCXJ	\$291	-\$129	TS74545TCXJW	\$666	-\$500
42"	66"	42"	66"	TS74646TCXJ	\$320	-\$129	TS74646TCXJW	\$696	-\$500
42"	78"	42"	78"	TS74747TCXJ	\$370	-\$135	TS74747TCXJW	\$744	-\$506
48"	66"	48"	66"	TS78686TCXJ	\$320	-\$129	TS78686TCXJW	\$696	-\$500
48"	78"	48"	78"	TS78787TCXJ	\$370	-\$135	TS78787TCXJW	\$744	-\$506
54"	66"	54"	66"	TS75656TCXJ	\$320	-\$129	TS75656TCXJW	\$696	-\$500
54"	78"	54"	78"	TS75757TCXJ	\$370	-\$129	TS75757TCXJW	\$744	-\$500
66"	78"	66"	78"	TS76767TCXJ	\$370	-\$129	TS76767TCXJW	\$744	-\$500

► **Specification Information, continued on next page**



Tip: Junction includes:

- X change-of-height junction
- Two T change-of-height trims
- 90° junction cap
- Aligners




For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

► Specification Information, continued from previous page

Specification Information

Corresponding Panel Height				Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A	B	C	D			Omit Trim			Omit Trim




Tip: Junction includes:

- X change-of-height junction
- Inside corner light seals
- L change-of-height trim
- 90° junction cap
- Aligners

Painted Trim

Wood Trim

30"	30"	42"	42"	TS73344TCXJ	\$273	-\$70	TS73344TCXJW	\$494	-\$290
30"	30"	48"	48"	TS73388TCXJ	\$273	-\$70	TS73388TCXJW	\$494	-\$290
30"	30"	54"	54"	TS73355TCXJ	\$291	-\$70	TS73355TCXJW	\$511	-\$290
30"	30"	66"	66"	TS73366TCXJ	\$320	-\$73	TS73366TCXJW	\$541	-\$293
42"	42"	54"	54"	TS74455TCXJ	\$291	-\$70	TS74455TCXJW	\$511	-\$290
42"	42"	66"	66"	TS74466TCXJ	\$320	-\$70	TS74466TCXJW	\$541	-\$290
42"	42"	78"	78"	TS74477TCXJ	\$370	-\$73	TS74477TCXJW	\$590	-\$293
48"	48"	66"	66"	TS78866TCXJ	\$320	-\$70	TS78866TCXJW	\$541	-\$290
48"	48"	78"	78"	TS78877TCXJ	\$370	-\$73	TS78877TCXJW	\$590	-\$293
54"	54"	66"	66"	TS75566TCXJ	\$320	-\$70	TS75566TCXJW	\$541	-\$290
54"	54"	78"	78"	TS75577TCXJ	\$370	-\$70	TS75577TCXJW	\$590	-\$290
66"	66"	78"	78"	TS76677TCXJ	\$370	-\$70	TS76677TCXJW	\$590	-\$290



Tip: Junction includes:

- X change-of-height junction
- Inside corner light seals
- End-of-run change-of-height trim
- Change-of-height junction cap
- Aligners

Painted Trim

Wood Trim

30"	30"	30"	42"	TS73334TCXJ	\$273	-\$70	TS73334TCXJW	\$494	-\$290
30"	30"	30"	48"	TS73338TCXJ	\$273	-\$70	TS73338TCXJW	\$494	-\$290
30"	30"	30"	54"	TS73335TCXJ	\$291	-\$70	TS73335TCXJW	\$511	-\$290
30"	30"	30"	66"	TS73336TCXJ	\$320	-\$73	TS73336TCXJW	\$541	-\$293
42"	42"	42"	54"	TS74445TCXJ	\$291	-\$70	TS74445TCXJW	\$511	-\$290
42"	42"	42"	66"	TS74446TCXJ	\$320	-\$70	TS74446TCXJW	\$541	-\$290
42"	42"	42"	78"	TS74447TCXJ	\$370	-\$73	TS74447TCXJW	\$590	-\$293
48"	48"	48"	66"	TS78886TCXJ	\$320	-\$70	TS78886TCXJW	\$541	-\$290
48"	48"	48"	78"	TS78887TCXJ	\$370	-\$73	TS78887TCXJW	\$590	-\$293
54"	54"	54"	66"	TS75556TCXJ	\$320	-\$70	TS75556TCXJW	\$541	-\$290
54"	54"	54"	78"	TS75557TCXJ	\$370	-\$70	TS75557TCXJW	\$590	-\$290
66"	66"	66"	78"	TS76667TCXJ	\$370	-\$70	TS76667TCXJW	\$590	-\$290

► Specification Information, continued on next page



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

X Change-of-Height Junctions—Thin Trim, continued

► Specification Information, continued from previous page

Specification Information									
Corresponding Panel Height				Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A	B	C	D			Omit Trim			Omit Trim
Painted Trim					Wood Trim				
42"	42"	42"	30"	TS74443TCXJ	\$273	—\$70	TS74443TCXJW	\$494	—\$290
48"	48"	48"	30"	TS78883TCXJ	\$273	—\$70	TS78883TCXJW	\$494	—\$290
54"	54"	54"	30"	TS75553TCXJ	\$291	—\$70	TS75553TCXJW	\$511	—\$290
54"	54"	54"	42"	TS75554TCXJ	\$291	—\$70	TS75554TCXJW	\$511	—\$290
66"	66"	66"	30"	TS76663TCXJ	\$320	—\$73	TS76663TCXJW	\$541	—\$293
66"	66"	66"	42"	TS76664TCXJ	\$320	—\$70	TS76664TCXJW	\$541	—\$290
66"	66"	66"	48"	TS76668TCXJ	\$320	—\$70	TS76668TCXJW	\$541	—\$290
66"	66"	66"	54"	TS76665TCXJ	\$320	—\$70	TS76665TCXJW	\$541	—\$290
78"	78"	78"	42"	TS77774TCXJ	\$370	—\$73	TS77774TCXJW	\$590	—\$293
78"	78"	78"	48"	TS77778TCXJ	\$370	—\$73	TS77778TCXJW	\$590	—\$293
78"	78"	78"	54"	TS77775TCXJ	\$370	—\$70	TS77775TCXJW	\$590	—\$290
78"	78"	78"	66"	TS77776TCXJ	\$370	—\$70	TS77776TCXJW	\$590	—\$290
:	:	:	:	:	:	:	:	:	:



Tip: Junction includes:

- X change-of-height junction
- Inside corner light seals
- T change-of-height trim
- 90° junction cap
- Aligners




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

V Change-of-Height Junctions—Thin Trim

V Change-of-Height
Junctions—Thin Trim**Tip: Junction includes:**

- V change-of-height junction
- V vertical trim
- 120° change-of-height trim
- 120° junction cap
- Aligner

Tip: Omit trim option omits all vertical and change-of-height trim. This option is used when stacking on base junctions. Vertical and change-of-height trim should be specified separately to span the full height of the base junction plus stacking junction.

Tip: Remember to specify necessary junction caps and aligners if the omit trim option is selected.

Tip: Change-of-height junction ships right-handed. For a left-handed junction, a post will need to be moved during installation.

Standard Includes

- Need help?
Product details,
page 18

- Junction
- Change-of-height trim and junction cap:
paint price group 1 or wood
- Aligners

Required to Specify

- 1 Style number
 - 2 Paint or wood color number for trim
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Trim		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$11	Specify paint color number.
	• Paint price group 3	+\$21	Specify paint color number.
	• Customiz stain on wood	No cost	Specify with <i>Customiz stain</i> .
	• Omit trim	Prices below	Specify with <i>omit trim</i> .

Specification Information

Corresponding Panel Height		Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A	B			Omit Trim			Omit Trim
Painted Trim				Wood Trim			
30"	42"	TS734TCVJ	\$229	−\$147	TS734TCVJW	\$657	−\$584
30"	48"	TS738TCVJ	\$229	−\$147	TS738TCVJW	\$657	−\$584
30"	54"	TS735TCVJ	\$238	−\$147	TS735TCVJW	\$665	−\$584
30"	66"	TS736TCVJ	\$254	−\$150	TS736TCVJW	\$711	−\$588
42"	54"	TS745TCVJ	\$229	−\$147	TS745TCVJW	\$657	−\$584
42"	66"	TS746TCVJ	\$238	−\$147	TS746TCVJW	\$665	−\$584
42"	78"	TS747TCVJ	\$310	−\$150	TS747TCVJW	\$736	−\$588
48"	66"	TS786TCVJ	\$238	−\$147	TS786TCVJW	\$665	−\$584
48"	78"	TS787TCVJ	\$310	−\$150	TS787TCVJW	\$736	−\$588
54"	66"	TS756TCVJ	\$238	−\$147	TS756TCVJW	\$665	−\$584
54"	78"	TS757TCVJ	\$310	−\$147	TS757TCVJW	\$736	−\$584
66"	78"	TS767TCVJ	\$310	−\$147	TS767TCVJW	\$736	−\$584

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Y Change-of-Height Junctions—Thin Trim

Standard Includes	Required to Specify
- Need help? Product details, page 18 - Junction - Change-of-height trim and junction cap: paint price group 1 or wood - Aligners	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Trim - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
- Customiz stain on wood - Omit trim	No cost Prices below	Specify with <i>Customiz stain</i> . Specify with <i>omit trim</i> .


Tip: Omit trim option omits all change-of-height trim. This option is used when stacking on base junctions. Change-of-height trim should be specified separately to span the full height of the base junction plus stacking junction.

Tip: Remember to specify necessary junction caps and aligners if the omit trim option is selected.



Tip: **Junction includes:**

- Y change-of-height junction
- 120° change-of-height trim
- 120° junction cap



Tip: **Junction includes:**

- Y change-of-height junction
- V change-of-height trim
- 120° junction cap
- Aligner

Specification Information						
Corresponding Panel Height	Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
A B C			Omit Trim			Omit Trim

Painted Trim

42"	30"	30"	TS7433TCYJ	\$289	-\$70
48"	30"	30"	TS7833TCYJ	\$289	-\$70
54"	30"	30"	TS7533TCYJ	\$306	-\$70
66"	30"	30"	TS7633TCYJ	\$336	-\$73
54"	42"	42"	TS7544TCYJ	\$306	-\$70
66"	42"	42"	TS7644TCYJ	\$336	-\$70
78"	42"	42"	TS7744TCYJ	\$358	-\$73
66"	48"	48"	TS7688TCYJ	\$336	-\$70
78"	48"	48"	TS7788TCYJ	\$385	-\$73
66"	54"	54"	TS7655TCYJ	\$336	-\$70
78"	54"	54"	TS7755TCYJ	\$385	-\$70
78"	66"	66"	TS7766TCYJ	\$385	-\$70

Wood Trim

TS7433TCYJW	\$510	-\$290
TS7833TCYJW	\$510	-\$290
TS7533TCYJW	\$527	-\$290
TS7633TCYJW	\$558	-\$293
TS7544TCYJW	\$527	-\$290
TS7644TCYJW	\$558	-\$290
TS7744TCYJW	\$579	-\$290
TS7688TCYJW	\$558	-\$290
TS7788TCYJW	\$607	-\$293
TS7655TCYJW	\$558	-\$290
TS7755TCYJW	\$607	-\$290
TS7766TCYJW	\$607	-\$290

Painted Trim

30"	42"	42"	TS7344TCYJ	\$289	-\$70
30"	48"	48"	TS7388TCYJ	\$289	-\$70
30"	54"	54"	TS7355TCYJ	\$306	-\$70
30"	66"	66"	TS7366TCYJ	\$336	-\$73
42"	54"	54"	TS7455TCYJ	\$306	-\$70
42"	66"	66"	TS7466TCYJ	\$336	-\$70
42"	78"	78"	TS7477TCYJ	\$358	-\$73
48"	66"	66"	TS7866TCYJ	\$336	-\$70
48"	78"	78"	TS7877TCYJ	\$385	-\$73
54"	66"	66"	TS7566TCYJ	\$336	-\$70
54"	78"	78"	TS7577TCYJ	\$385	-\$70
66"	78"	78"	TS7677TCYJ	\$385	-\$70

Wood Trim

TS7344TCYJW	\$510	-\$290
TS7388TCYJW	\$510	-\$290
TS7355TCYJW	\$527	-\$290
TS7366TCYJW	\$558	-\$293
TS7455TCYJW	\$527	-\$290
TS7466TCYJW	\$558	-\$290
TS7477TCYJW	\$579	-\$290
TS7866TCYJW	\$558	-\$290
TS7877TCYJW	\$607	-\$293
TS7566TCYJW	\$558	-\$290
TS7577TCYJW	\$607	-\$290
TS7677TCYJW	\$607	-\$290

Wall-Start Junctions



Tip: When using in an off-module application, off-module panel connector must be ordered separately.
▶ Page 82

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|---|--------------------------------|
| ▶ Need help?
Product details,
page 24 | • Junction

Style number |
|---|--------------------------------|


Specification Information		
---------------------------	--	--

• Height : : :	• Style Number : : :	• U.S. Price : : :
42"	TS742WPJ	\$199
48"	TS748WPJ	\$199
54"	TS754WPJ	\$199
66"	TS766WPJ	\$199
78"	TS778WPJ	\$278
:	:	:


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Brackets

Floor Anchor Bracket




Tip: Floor anchor bolts are not included.

Standard Includes		Required to Specify
► Need help? Product details, page 15	• Two-piece floor anchor bracket: black paint only	Style number
Specification Information		
• Style • Number	• U.S. • Price	
• CBRKTS	• \$41	
•	•	

Junction Stabilizer Brackets


Tip: Junction stabilizer bracket blocks power routing in the base and just above the base areas. Lay-in cable routing in the base is also blocked by the bracket.

Standard Includes		Required to Specify
► Need help? Product details, page 15	• Bracket: black paint only	Style number
Specification Information		
• Height	• Style • Number	• U.S. • Price
10½"	TS7SBNJ	\$45



Tip: Junctions manufactured on or after October 10, 2011 will only work with TS7SBNJ junction stabilizer bracket.

10½"	TS7SB	\$45
•	•	•



Tip: Junctions manufactured before October 10, 2011 will only work with TS7SB junction stabilizer bracket.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Off-Module Panel Connectors



Tip: Must be used with wall-start junctions, ordered separately.

▶ Page 362

Tip: Off-module panel connector works with thin, square, and oval style trims. Top cap filler included in package is only used with oval style trims. Thin and square style trims do not require a top cap filler.

Tip: Wall-start junctions manufactured before October 2002 will not work with off-module panel connectors.

Tip: When using with wall-start junction manufactured before October 10, 2011, the bottom bracket must be replaced with part number T500938MP from Service Parts.

Standard Includes		Required to Specify
▶ Need help? Product details, page 82	• Top and bottom bracket • Bottom channel • Top cap filler (oval style): plastic	1 Style number 2 Plastic color number for filler ▶ See <i>Surface Materials</i> , page 708.

Specification Information		
Width	Style Number	U.S. Price
24"	TS724BKT	\$253
30"	TS730BKT	\$253
36"	TS736BKT	\$253
42"	TS742BKT	\$253
48"	TS748BKT	\$253
60"	TS760BKT	\$253
72"	TS772BKT	\$253
.	.	.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Stacking Junctions

Stacking In-Line Panel Junctions—Thin Trim



Tip: Stacking in-line junctions do not require junction cap and trim.

Standard Includes		Required to Specify
▶ Need help? Product details, page 26	• Junction • Fork connectors	Style number
Specification Information		
Height	Style Number	U.S. Price
12"	TS712IPJS	\$116
18"	TS718IPJS	\$116
24"	TS724IPJS	\$116
:	:	:

Stacking End-of-Run Panel Junctions—Thin Trim



Tip: Stacking end-of-run junctions do not include trim. Trim is specified separately to span entire height of base junction plus stacking junction.

Tip: 36" stacker is only used in build your own change-of-height applications. It should never be used as an end-of-run stacking junction.

Standard Includes		Required to Specify
▶ Need help? Product details, page 26	• Junction • Fork connector	Style number
Specification Information		
Height	Style Number	U.S. Price
12"	TS712TEPJS	\$156
18"	TS718TEPJS	\$156
24"	TS724TEPJS	\$156
36"	TS736TEPJS	\$156
:	:	:

Stacking Wall-Start Junctions



 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? Product details, page 26	• Junction • Fork connector	Style number
Specification Information		
Height	Style Number	U.S. Price
12"	TS712WPJS	\$299
18"	TS718WPJS	\$299
24"	TS724WPJS	\$299
:	:	:

Stacking L, T, X, V, and Y Panel Junctions—Thin Trim

Stacking L, T, X, V, and Y
Panel Junctions—Thin Trim

Tip: Stacking corner junctions do not include trim. Trim is specified separately to span entire height of base junction plus stacking junction.

Tip: Junction cap is not included and must be specified separately.



Standard Includes

► Need help?
Product details,
page 26

- Junction
- Fork connectors

Required to Specify

Style number

Specification Information

Height	Style Number	U.S. Price
.	.	.
.	.	.
.	.	.

L Panel Junctions

12"	TS712TLPJS	\$293
18"	TS718TLPJS	\$293
24"	TS724TLPJS	\$293
.	.	.

T Panel Junctions

12"	TS712TTPJS	\$293
18"	TS718TTPJS	\$293
24"	TS724TTPJS	\$293
.	.	.

X Panel Junctions

12"	TS712XPJS	\$293
18"	TS718XPJS	\$299
24"	TS724XPJS	\$293
.	.	.

V Panel Junctions

12"	TS712TVPJS	\$369
18"	TS718TVPJS	\$369
24"	TS724TVPJS	\$369
.	.	.

Y Panel Junctions

12"	TS712YPJS	\$376
18"	TS718YPJS	\$376
24"	TS724YPJS	\$376
.	.	.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Utility Pole—Thin Trim



Tip: Works with L, T, or X base junctions of any height and T or X change-of-height junctions as long as at least two panels are at the tallest height.

Tip: If your application does not satisfy the above criteria, a square trim junction utility pole may be used.

Note: this will add 3" of dimension to the application.

► Page 410

Tip: Cannot be used with L change-of-height junctions.

Tip: Can only be used with junctions manufactured on or after October 10, 2011.

Tip: Does not include junction. Junction is ordered separately.

Tip: Order multipurpose power infeed separately.

► Page 483

Standard Includes	Required to Specify
► Need help? Product details, page 154	1 Style number 2 Paint color number for utility pole 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials		
• Paint price group 1	No cost	Specify paint color number.
• Paint price group 2	+\$11	Specify paint color number.
• Paint price group 3	+\$21	Specify paint color number.

Specification Information		
Configuration	Style Number	U.S. Base Price
L, T, or X junctions	TS7TJUP	\$172




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Utility Packages

Ceiling-Access Lay-In Utility Packages—Thin Trim



Tip: Order multipurpose power infeed separately.
▶ Page 483

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|--|---|
| <p>▶ Need help? Product details, page 150</p> <ul style="list-style-type: none">• Utility carrier and cover, one top cap, and two standard base trims: paint price group 1• Two lay-in horizontal connecting bars: black paint only• Ceiling attachment hardware• Junction cap for end-of-run applications: paint | <ul style="list-style-type: none">1 Style number2 Paint color number for utility carrier and cover, top cap, base trim, and junction cap3 Options, if selected (see below) <p>▶ See <i>Surface Materials</i>, page 708.</p> |
|--|---|

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$ 11 +\$ 21	Specify paint color number. Specify paint color number. Specify paint color number.
Top cap • Wood • Customiz stain on wood	+\$183 No cost	Specify <i>with wood top cap</i> and select wood color number. Specify <i>with Customiz stain</i> .
Change-of-Height Top Cap • Change-of-height at one end of top cap, slim • Change-of-height at one end of top cap, cable management	+\$ 6 +\$ 6	Specify <i>with change-of-height, one end slim</i> . Specify <i>with change-of-height, one end cable management</i> .
Base Cable Tray • Base cable tray	+\$ 5	Specify <i>with base cable tray</i> .


Specification Information

Width	Style Number	U.S. Base Price
30"	TS730TSUC	\$779
36"	TS736TSUC	\$824
42"	TS742TSUC	\$898
48"	TS748TSUC	\$979
:	:	:

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Utility Packages, continued

Floor-Access Lay-In Utility Packages—Thin Trim



Tip: 30"W lay-in utility package with floor-access is only available with change-of-height top cap at one end.

Tip: Order multipurpose power infeed separately.
▶ Page 483

Standard Includes	Required to Specify
▶ Need help? Product details, page 152 - One top cap, one standard base trim, one modified base trim, and one base utility box: paint price group 1 - Two lay-in horizontal connecting bars: black paint only	- Style number - Paint color number for top cap, base trim, and base utility box - Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 11 +\$ 21	Specify paint color number. Specify paint color number. Specify paint color number.
Top cap - Wood - Customiz stain on wood	+\$183 No cost	Specify <i>with wood top cap</i> and select wood color number. Specify <i>with Customiz stain</i> .
Change-of-Height Top Cap - Change-of-height at one end of top cap, slim - Change-of-height at one end of top cap, cable management - Change-of-height at both ends of top cap on 36" - 48"W packages, slim - Change-of-height at both ends of top cap on 36" - 48"W packages, cable management - Change-of-height at both ends of top cap on 36" - 48"W packages, 1 end slim and one end cable management	+\$ 6 +\$ 6 +\$ 6 +\$ 6 +\$ 6	Specify <i>with change-of-height, one end slim</i> . Specify <i>with change-of-height, one end cable management</i> . Specify <i>with change-of-height, both ends slim</i> . Specify <i>with change-of-height, both ends cable management</i> . Specify <i>with change-of-height, one end slim, one end cable management</i> .

Specification Information

Width	Style Number	U.S. Base Price
30"	TS730TSUF	\$475
36"	TS736TSUF	\$504
42"	TS742TSUF	\$546
48"	TS748TSUF	\$597
:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

End-of-Run Vertical Trims—Thin Trim



Tip: When ordering vertical trim for a stacking application remember to specify it to span the full height of the base junction plus the stacking junction.

Tip: Thin vertical trim cannot be mixed with square and oval trim on an application. Thin trim must be used on the entire application.

Standard Includes	Required to Specify
▶ Need help? Product details, page 30 • Trim: paint price group 1 or wood • Aligner	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$11	Specify paint color number.
	• Paint price group 3	+\$21	Specify paint color number.
	• Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price	Style Number	U.S. Base Price
	Painted Trim		Wood Trim	
30"	TS730TEVT	\$62	TS730TEVTW	\$267
42"	TS742TEVT	\$62	TS742TEVTW	\$267
48"	TS748TEVT	\$62	TS748TEVTW	\$267
54"	TS754TEVT	\$62	TS754TEVTW	\$267
60"	TS760TEVT	\$62	TS760TEVTW	\$267
66"	TS766TEVT	\$62	TS766TEVTW	\$267
72"	TS772TEVT	\$79	TS772TEVTW	\$336
78"	TS778TEVT	\$79	TS778TEVTW	\$336
84"	TS784TEVT	\$85	TS784TEVTW	\$379
90"	TS790TEVT	\$85	TS790TEVTW	\$379
•	•	•	•	•



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

L and T Vertical Trims—Thin Trim

Tip: When ordering vertical trim for a stacking application remember to specify it to span the full height of the base junction plus the stacking junction.

Tip: Thin vertical trim cannot be mixed with square or oval trim on an application. Thin trim must be used on the entire application.

Standard Includes	Required to Specify
▶ Need help? Product details, page 30 • Trim: paint price group 1 or wood	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
• Customiz stain on wood	No cost	Specify with <i>Customiz stain</i> .

Specification Information				
Corresponding Panel Height	Style Number	U.S. Base Price	Style Number	U.S. Base Price
Painted L Vertical Trim		Wood L Vertical Trim		
30"	TS730TLVT	\$62	TS730TLVTW	\$267
42"	TS742TLVT	\$62	TS742TLVTW	\$267
48"	TS748TLVT	\$62	TS748TLVTW	\$267
54"	TS754TLVT	\$62	TS754TLVTW	\$267
60"	TS760TLVT	\$62	TS760TLVTW	\$267
66"	TS766TLVT	\$62	TS766TLVTW	\$267
72"	TS772TLVT	\$79	TS772TLVTW	\$336
78"	TS778TLVT	\$79	TS778TLVTW	\$336
84"	TS784TLVT	\$85	TS784TLVTW	\$379
90"	TS790TLVT	\$85	TS790TLVTW	\$379
Painted T Vertical Trim		Wood T Vertical Trim		
30"	TS730TTVT	\$62	TS730TTVTW	\$267
42"	TS742TTVT	\$62	TS742TTVTW	\$267
48"	TS748TTVT	\$62	TS748TTVTW	\$267
54"	TS754TTVT	\$62	TS754TTVTW	\$267
60"	TS760TTVT	\$62	TS760TTVTW	\$267
66"	TS766TTVT	\$62	TS766TTVTW	\$267
72"	TS772TTVT	\$79	TS772TTVTW	\$336
78"	TS778TTVT	\$79	TS778TTVTW	\$336
84"	TS784TTVT	\$85	TS784TTVTW	\$379
90"	TS790TTVT	\$85	TS790TTVTW	\$379



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

V Vertical Trims—Thin Trim



Tip: When ordering vertical trim for a stacking application remember to specify it to span the full height of the base junction plus the stacking junction.

Tip: Thin vertical trim cannot be mixed with square and oval trim on an application. Thin trim must be used on the entire application.

Standard Includes	Required to Specify
▶ Need help? Product details, page 31 • Trim: paint price group 1 or wood	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
• Customiz stain on wood	No cost	Specify with <i>Customiz stain</i> .

Specification Information				
Corresponding Panel Height	Style Number	U.S. Base Price	Style Number	U.S. Base Price
	Painted Trim		Wood Trim	
30"	TS730TVVT	\$ 78	TS730TVVTW	\$298
42"	TS742TVVT	\$ 78	TS742TVVTW	\$298
48"	TS748TVVT	\$ 78	TS748TVVTW	\$298
54"	TS754TVVT	\$ 78	TS754TVVTW	\$298
60"	TS760TVVT	\$ 78	TS760TVVTW	\$298
66"	TS766TVVT	\$ 78	TS766TVVTW	\$298
72"	TS772TVVT	\$ 94	TS772TVVTW	\$367
78"	TS778TVVT	\$ 94	TS778TVVTW	\$367
84"	TS784TVVT	\$100	TS784TVVTW	\$410
90"	TS790TVVT	\$100	TS790TVVTW	\$410
.	.	.	.	.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

End-of-Run/In-Line Change-of-Height Trims—Thin Trim



Tip: Thin change-of-height trim cannot be used with square or oval top trim.

Standard Includes	Required to Specify
▶ Need help? Product details, page 31 • Trim: paint price group 1 or wood • Aligner	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
• Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .

Specification Information		
Corresponding Panel Height	Style Number	U.S. Base Price

Painted Trim

12"	TS712TICHT	\$ 59
18"	TS718TICHT	\$ 59
24"	TS724TICHT	\$ 59
30"	TS730TICHT	\$ 62
36"	TS736TICHT	\$ 62

Wood Trim

12"	TS712TICHTW	\$212
18"	TS718TICHTW	\$212
24"	TS724TICHTW	\$212
30"	TS730TICHTW	\$215
36"	TS736TICHTW	\$215



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See page 1 for details.

90° Corner Application Change-of-Height Trims—Thin Trim

90° Corner Application
Change-of-Height
Trims—Thin Trim

Tip: Thin change-of-height trim cannot be used with square or oval top trim.

Standard Includes	Required to Specify
► Need help? Product details, page 31 Trim: paint price group 1 or wood	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
Customiz stain on wood	No cost	Specify with <i>Customiz stain</i> .

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price	Style Number	U.S. Base Price
Painted Trim		Wood Trim		
L Corner Change-of-Height Trim				
12"	TS712TCLCHT	\$59	TS712TCLCHTW	\$212
18"	TS718TCLCHT	\$59	TS718TCLCHTW	\$212
24"	TS724TCLCHT	\$59	TS724TCLCHTW	\$212
30"	TS730TCLCHT	\$62	TS730TCLCHTW	\$215
36"	TS736TCLCHT	\$62	TS736TCLCHTW	\$215
T Corner Change-of-Height Trim				
12"	TS712TCTCHT	\$59	TS712TCTCHTW	\$212
18"	TS718TCTCHT	\$59	TS718TCTCHTW	\$212
24"	TS724TCTCHT	\$59	TS724TCTCHTW	\$212
30"	TS730TCTCHT	\$62	TS730TCTCHTW	\$215
36"	TS736TCTCHT	\$62	TS736TCTCHTW	\$215




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

120° Corner Application Change-of-Height Trims—Thin Trim

Tip: Thin change-of-height trim cannot be used with square or oval top trim.

Standard Includes	Required to Specify
► Need help? Product details, page 32 Trim: paint price group 1 or wood	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .

Specification Information				
Corresponding Panel Height	Style Number	U.S. Base Price	Style Number	U.S. Base Price
Painted Trim		Wood Trim		
120° Corner Change-of-Height Trim				
12"	TS712T120CHT	\$59	TS712T120CHTW	\$212
18"	TS718T120CHT	\$59	TS718T120CHTW	\$212
24"	TS724T120CHT	\$59	TS724T120CHTW	\$212
30"	TS730T120CHT	\$62	TS730T120CHTW	\$215
36"	TS736T120CHT	\$62	TS736T120CHTW	\$215
V Corner Change-of-Height Trim				
12"	TS712TVCHT	\$59	TS712TVCHTW	\$212
18"	TS718TVCHT	\$59	TS718TVCHTW	\$212
24"	TS724TVCHT	\$59	TS724TVCHTW	\$212
30"	TS730TVCHT	\$62	TS730TVCHTW	\$215
36"	TS736TVCHT	\$62	TS736TVCHTW	\$215



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Build Your Own Junction Components—Thin Trim

Build Your Own Junction
Components—Thin Trim

Junction Posts



Tip: Junction post can be used at an end-of-run configuration or to change a junction application between an L, T, X, V, or Y.

Tip: Junction block to post fasteners are included with junction blocks. For additional fasteners order part number T521882MP (quantity 50).

Standard Includes		Required to Specify
► Need help? Product details, page 28	• Junction post	Style number

Specification Information		
• Height	• Style Number	• U.S. Price
30"	TS730JP	\$46
42"	TS742JP	\$46
48"	TS748JP	\$46
54"	TS754JP	\$46
66"	TS766JP	\$46
78"	TS778JP	\$65
•	•	•

Gripper Glide Caps



Tip: Gripper glide caps only work on glides of junctions that were manufactured on or after October 10, 2011.

Standard Includes		Required to Specify
• Package of 10 gripper glide caps: soft black plastic only		Style number

Specification Information	
• Style Number	• U.S. Price
TS7GGC10	\$41
•	•



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Build Your Own Junction Components—Thin Trim, continued

Junction Blocks

Tip: When determining the number of junction blocks needed in a same-height corner, start with your lowest panel height. If the lowest height is 48" or less, start with 2 blocks. If the lowest height is 54" to 78" start with 3 blocks.

Tip: When determining the number of blocks needed in a change-of-height corner, please see page 34, How to Build Your Own Change-of-Height Applications.



Standard Includes		Required to Specify	
► Need help? Product details, page 28	• Junction blocks • Fasteners	Style number	

Specification Information			
• Application	• Package Quantity	• Style Number	• U.S. Price
90°	3	TS790JB3	\$31
90°	4	TS790JB4	\$41
90°	5	TS790JB5	\$52
120°	3	TS7120JB3	\$46
120°	4	TS7120JB4	\$62
120°	5	TS7120JB5	\$78
•	•	•	•

Inside Corner Light Seals



Tip: Inside corner light seals can be field cut for use on shorter panels.

Standard Includes		Required to Specify	
► Need help? Product details, page 28	• Inside corner light seal, package of four: black plastic	Style number	

Specification Information		
• Height	• Style Number	• U.S. Price
54"	TS754ICLS	\$20
66"	TS766ICLS	\$20
78"	TS778ICLS	\$20
•	•	•




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Junction Caps

Tip: Aligners are specified separately.

Tip: 90° corner and 90° change-of-height corner junction cap include no aligners. All are specified separately.

Tip: 120° corner junction cap includes one integral aligner. Additional aligners are specified separately.



Standard Includes		Required to Specify	
▶ Need help? Product details, page 29	Junction cap: paint or wood	1 Style number 2 Paint or wood color number for junction cap 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.	

Options		U.S. Price	Required to Specify
Surface Materials	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost No cost No cost	Specify paint color number. Specify paint color number. Specify paint color number.
	Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .

Specification Information				
Corresponding Panel Application	Style Number	U.S. Price	Style Number	U.S. Price
Painted Junction Cap		Wood Junction Cap		
90° corner	TS790JC	\$12	TS790JCW	\$81
120° corner	TS7120JC	\$12	TS7120JCW	\$81
90° change-of-height corner	TS790COHJC	\$12	TS790COHJCW	\$81

Junction Cap and Trim Aligners

Standard Includes		Required to Specify	
▶ Need help? Product details, page 29	Junction cap aligner or vertical trim aligner	Style number	
Specification Information			
Description	Package Quantity	Style Number	U.S. Price
Junction Cap Aligner			
Corner aligner	10	TS7CJCA10	\$72
Vertical Trim Aligners			
L to T aligner	4	TS7LTA4	\$20
120° to V aligner	4	TS7120VA4	\$20
:	:	:	:



Answer to c:scape L Junctions—Thin Trim

	Standard Includes	Required to Specify
► Need help? See <i>c:scape</i> <i>Specification Guide</i>	- Junction - Inside corner light seal - Trim and junction cap: paint price group 1 - Aligner	1 Style number 2 Paint color number for trim and junction cap 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Trim - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
Bracket	Desk-to-panel bracket	+\$35	Specify with desk-to-panel bracket.

Specification Information



Corresponding Panel Height	Style Number	U.S. Base Price
A B		

Right-Hand Junctions

24"	30"	TS723TCLJCQ	\$397
24"	42"	TS724TCLJCQ	\$397
24"	48"	TS728TCLJCQ	\$397
24"	54"	TS725TCLJCQ	\$397
:	:	:	:

Left-Hand Junctions

30"	24"	TS732TCLJCQ	\$397
42"	24"	TS742TCLJCQ	\$397
48"	24"	TS782TCLJCQ	\$397
54"	24"	TS752TCLJCQ	\$397
:	:	:	:



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Answer to c:scape T Junctions—Thin Trim

Answer to c:scape T
Junctions—Thin Trim


Standard Includes	Required to Specify
► Need help? See <i>c:scape</i> <i>Specification Guide</i> • Junction • Inside corner light seals • Trim and junction cap: paint price group 1 • Aligners	1 Style number 2 Paint color number for trim and junction cap 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Trim • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
Bracket • Desk-to-panel bracket	+\$35	Specify <i>with desk-to-panel bracket</i> .

Specification Information		
Corresponding Panel Height	Style Number	U.S. Base Price
A B C		


For Two Panels and One Beam

30"	24"	30"	TS7323TCTJCQ	\$464
42"	24"	42"	TS7424TCTJCQ	\$464
48"	24"	48"	TS7828TCTJCQ	\$464
54"	24"	54"	TS7525TCTJCQ	\$464
:	:	:	:	:




For Two Beams and One Panel

24"	30"	24"	TS7232TCTJCQ	\$464
24"	42"	24"	TS7242TCTJCQ	\$464
24"	48"	24"	TS7282TCTJCQ	\$464
24"	54"	24"	TS7252TCTJCQ	\$464
:	:	:	:	:



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Answer to c:scape X Junctions—Thin Trim



► Need help?
See *c:scape*
Specification Guide

- Standard Includes**
- Junction
 - Inside corner light seals
 - Trim and junction cap: paint price group 1
 - Aligners

- Required to Specify**
- 1 Style number
 - 2 Paint color number for trim and junction cap
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Trim • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
Bracket	• Desk-to-panel bracket	+\$35	Specify <i>with desk-to-panel bracket</i> .


Specification Information					
Corresponding Panel Height				Style Number	U.S. Base Price
A	B	C	D		
24"	30"	24"	30"	TS72323TCXJCQ	\$464
24"	42"	24"	42"	TS72424TCXJCQ	\$464
24"	48"	24"	48"	TS72828TCXJCQ	\$464
24"	54"	24"	54"	TS72525TCXJCQ	\$464
.	.	.	.	.	.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Base Horizontal Frame Packages—Thin Trim

For Panel Buildups



Tip: You must order vertical junctions separately to complete your frame.

► See pages 344-348.

Tip: Specify omit top cap when adding a frameless glass screen to a panel or when ordering spanning top caps.

Tip: Change-of-height top caps are only required in an in-line change-of-height application.

Tip: Remember to omit base trim(s) when using skins to the floor.

Tip: Omit base trim and separately specify hardwire base trims when accessing hardwire power in the base.

Tip: When open base trim option is selected, both base trims are omitted.

Tip: Base cable tray cannot be used if open base is selected, or if omit base trim is selected for one or both sides of panel.

Tip: Remember to order skins to complete the panel.
► See page 434.

Standard Includes

► Need help?
Product details,
page 50

- Standard length top cap: color default determined by base trim paint color
- Base trim with no knockouts (on 18"W): paint price group 1
- Base trim with knockouts (24"W to 72"W): paint price group 1
- Two horizontal connecting bars: black paint only

Required to Specify

- 1 Style number
 - 2 Paint or wood color number for trim
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 708.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
	Top Cap • Omit top cap • Wood • Customiz stain on wood	No cost Prices at right No cost	Specify <i>omit top cap</i> . Specify <i>with wood top cap</i> and select wood color number. Specify <i>with Customiz stain</i> .
Change-of-Height Top Cap	• Change-of-height at one end of top cap • Change-of-height at both ends of top cap on 36"W and wider packages	+\$ 6 +\$ 6	Specify <i>with change-of-height, one end</i> . Specify <i>with change-of-height, both ends</i> .
	Base Trim • Knockouts one side, plain one side (24"W to 72"W only) • Plain both sides (24"W to 72"W only) • Omit one side, knockouts one side, 24"W to 36"W • Omit one side, knockouts one side, 42"W to 48"W • Omit one side, knockouts one side, 60"W to 72"W • Omit one side, plain one side, 18"W to 36"W • Omit one side, plain one side, 42"W to 48"W • Omit one side, plain one side, 60"W to 72"W • Omit both sides, 18"W to 36"W • Omit both sides, 42"W to 48"W • Omit both sides, 60"W to 72"W	No cost No cost -\$ 3 -\$ 4 -\$ 5 -\$ 3 -\$ 4 -\$ 5 -\$ 6 -\$ 8 -\$10	Specify <i>with knockouts one side, plain one side</i> . Specify <i>with plain both sides</i> . Specify <i>with omit one side, knockouts one side</i> . Specify <i>with omit one side, knockouts one side</i> . Specify <i>with omit one side, knockouts one side</i> . Specify <i>with omit one side, plain one side</i> . Specify <i>with omit one side, plain one side</i> . Specify <i>with omit one side, plain one side</i> . Specify <i>with omit both sides</i> . Specify <i>with omit both sides</i> . Specify <i>with omit both sides</i> .
Open Base Trim	• Open base	No cost	Specify <i>with open base</i> .
Cable Tray	• Cable tray	No cost	Specify <i>with cable tray</i> .
Base Cable Tray	• Base cable tray	+\$ 5	Specify <i>with base cable tray</i> .



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.



Specification Information

Width	Style Number	U.S. Base Price	Option (Add \$ to Base Price) Wood Top Cap
18"	TS718THF	\$ 74	+\$183
24"	TS724THF	\$ 78	+\$183
30"	TS730THF	\$ 84	+\$183
36"	TS736THF	\$ 89	+\$183
42"	TS742THF	\$101	+\$183
48"	TS748THF	\$107	+\$183
60"	TS760THF	\$136	+\$244
72"	TS772THF	\$187	+\$244
:	:	:	:


**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Stacking Horizontal Frame Packages

For Panel Buildups



Tip: You must order vertical stacking junctions separately to complete your frame.

► Page 395

Tip: Top cap is not included. Use the top cap from the base panel you are stacking on.

Tip: If stacking a window kit, stacking horizontal frame package is not needed.

Tip: Remember to order skins to complete the panel.

► Page 434

Standard Includes

- Need help? Product details, page 54
- One horizontal connecting bar: black paint only

Required to Specify

Style number

Specification Information

• Width :	• Style : Number	• U.S. : Price
18"	TS718HFS	\$17
24"	TS724HFS	\$20
30"	TS730HFS	\$21
36"	TS736HFS	\$23
42"	TS742HFS	\$26
48"	TS748HFS	\$28
60"	TS760HFS	\$34
72"	TS772HFS	\$48
:	:	:



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Spanning Top Caps—Thin Trim

For Panel Buildups

Spanning Top Caps—Thin Trim



Tip: In-line spanning top cap lightseals should be specified for each in-line joint top cap it is spanning across.
▶ See page 467.

Tip: Spanning top caps can also be used on individual panels.

Standard Includes	Required to Specify
▶ Need help? Product details, page 51 • Top cap: paint or wood	1 Style number 2 Paint or wood color number for top cap 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	• Customiz stain on wood	No cost	Specify with <i>Customiz stain</i> .
Change-of-Height Top Cap	• Change-of-height at one end of top cap	+\$6	Specify with <i>change-of-height, one end</i> .
	• Change-of-height at both ends of top cap	+\$6	Specify with <i>change-of-height, both ends</i> .

Specification Information				
Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price
Painted Top Cap			Wood Top Cap	
36"	TS736TTC	\$19	TS736TTCW	\$202
42"	TS742TTC	\$23	TS742TTCW	\$206
48"	TS748TTC	\$28	TS748TTCW	\$211
54"	TS754TTC	\$31	TS754TTCW	\$275
60"	TS760TTC	\$33	TS760TTCW	\$277
66"	TS766TTC	\$36	TS766TTCW	\$280
72"	TS772TTC	\$38	TS772TTCW	\$282
78"	TS778TTC	\$46	TS778TTCW	\$290
84"	TS784TTC	\$55	TS784TTCW	\$299
90"	TS790TTC	\$62	TS790TTCW	\$306
96"	TS796TTC	\$70	TS796TTCW	\$314
:	:	:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Frameless Glass Screens with Recessed Attachment—Thin Trim

Tip: These screens are only to be used on panels with thin trims.

Tip: Remember to specify in-line spanning top cap lightseals if frameless glass screen is spanning two or more panels.
▶ See page 467.

Tip: Wall start application should be specified when using a wall start junction to attach to a wall or to be used in an off-module condition.

Standard Includes	Required to Specify
▶ Need help? Product details, page 56	1 Style number 2 Paint color number for top caps 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials Top Cap - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
Wood	Prices below and at right	Specify <i>with wood top cap</i> and select wood color number.
Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .
Change-of-Height Top Cap Change-of-height at one end of top cap	+\$ 6	Specify <i>with change-of-height, one end</i> .
Wall Start Application Wall start application	No cost	Specify <i>with wall start application</i> .
Glass Screen - Omit glass screen - Frosted glass	Prices below and at right Prices below and at right	Specify <i>with omit screen</i> . Specify <i>with 6530 Frosted Laminated Glass</i> .


Specification Information

Width	Style Number	U.S. Base Price	Options
			(Add \$ to Base Price)
			Wood : Omit : Frosted
			Top Cap : Glass : Glass

6"H Recessed Frameless Glass

24"	TS7624TFGR	\$325	+\$183	-\$ 67	+\$ 30
30"	TS7630TFGR	\$343	+\$183	-\$ 75	+\$ 42
36"	TS7636TFGR	\$363	+\$183	-\$ 78	+\$ 70
42"	TS7642TFGR	\$381	+\$183	-\$ 81	+\$108
48"	TS7648TFGR	\$398	+\$183	-\$ 87	+\$119
54"	TS7654TFGR	\$424	+\$244	-\$ 90	+\$136
60"	TS7660TFGR	\$453	+\$244	-\$ 95	+\$153
66"	TS7666TFGR	\$476	+\$244	-\$ 98	+\$166
72"	TS7672TFGR	\$499	+\$244	-\$101	+\$179
78"	TS7678TFGR	\$551	+\$244	-\$108	+\$187
84"	TS7684TFGR	\$605	+\$244	-\$114	+\$191
90"	TS7690TFGR	\$658	+\$244	-\$121	+\$208
96"	TS7696TFGR	\$709	+\$244	-\$129	+\$217
:	:	:	:	:	:

▶ **Specification Information, continued on next page**



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See page 1 for details.

► Specification Information, continued from previous page

Specification Information



Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)		
			Wood Top Cap	Omit Glass	Frosted Glass

12"H Recessed Frameless Glass

24"	TS71224TFGR	\$ 403	+\$183	-\$ 84	+\$ 58
30"	TS71230TFGR	\$ 433	+\$183	-\$ 95	+\$ 76
36"	TS71236TFGR	\$ 466	+\$183	-\$100	+\$116
42"	TS71242TFGR	\$ 498	+\$183	-\$105	+\$170
48"	TS71248TFGR	\$ 525	+\$183	-\$115	+\$189
54"	TS71254TFGR	\$ 567	+\$244	-\$120	+\$217
60"	TS71260TFGR	\$ 607	+\$244	-\$126	+\$244
66"	TS71266TFGR	\$ 641	+\$244	-\$132	+\$268
72"	TS71272TFGR	\$ 677	+\$244	-\$137	+\$292
78"	TS71278TFGR	\$ 753	+\$244	-\$148	+\$307
84"	TS71284TFGR	\$ 829	+\$244	-\$157	+\$318
90"	TS71290TFGR	\$ 905	+\$244	-\$167	+\$350
96"	TS71296TFGR	\$ 981	+\$244	-\$178	+\$368

18"H Recessed Frameless Glass

24"	TS71824TFGR	\$ 447	+\$183	-\$ 93	+\$ 87
30"	TS71830TFGR	\$ 492	+\$183	-\$107	+\$112
36"	TS71836TFGR	\$ 536	+\$183	-\$115	+\$164
42"	TS71842TFGR	\$ 582	+\$183	-\$122	+\$233
48"	TS71848TFGR	\$ 622	+\$183	-\$137	+\$259
54"	TS71854TFGR	\$ 680	+\$244	-\$145	+\$294
60"	TS71860TFGR	\$ 737	+\$244	-\$154	+\$330
66"	TS71866TFGR	\$ 787	+\$244	-\$161	+\$360
72"	TS71872TFGR	\$ 837	+\$244	-\$169	+\$390
78"	TS71878TFGR	\$ 938	+\$244	-\$185	+\$411
84"	TS71884TFGR	\$1040	+\$244	-\$197	+\$427
90"	TS71890TFGR	\$1141	+\$244	-\$211	+\$469
96"	TS71896TFGR	\$1244	+\$244	-\$226	+\$493



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Recessed Frameless Glass Top Cap Connector—Thin Trim



Tip: Recessed frameless glass top cap connector needs to be ordered in three situations:

- *when using a wall start junction and putting frameless glass with recessed attachment on the panel directly adjacent to the wall*
- *when using frameless glass with recessed attachment on an off-module fin panel*
- *when recessed frameless glass is adjacent to a corner junction and the recessed frameless glass top caps are located at a lower height than the junction cap.*
- *when recessed frameless glass is coming into an in-line change-of-height condition and the recessed frameless glass top caps are located on the lower panel height.*

Standard Includes	Required to Specify
► Need help? Product details, page 56 • One recessed frameless glass top cap connector	Style number

Specification Information

Style Number	U.S. Price
TS7TFGRC	\$16




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

- See page 1 for details.

Frameless Glass Screens with Clip Attachment—Thin Trim

Frameless Glass
Screens with Clip
Attachment—
Thin Trim



Tip: These screens are only to be used on panels with thin trims.

Tip: Remember to specify in-line spanning top cap lightseals if frameless glass screen is spanning two or more panels.

► See page 467.

Standard Includes	Required to Specify
► Need help? Product details, page 60 - Glass screen: 6500 Clear Glass - Two brackets, 24"W to 84"W: paint - Three brackets, 90"W to 96"W: paint - Two supports - Thin profile top cap with holes: paint	1 Style number 2 Paint color number for brackets 3 Paint color number for top cap 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Top Cap - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
Wood	Prices below	Specify <i>with wood top cap</i> and select wood color number.
Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .
Change-of-Height Top Cap Change-of-height at one end of top cap	+\$ 6	Specify <i>with change-of-height, one end</i> .
Glass Screen - Omit glass screen - Frosted glass	Prices below Prices below	Specify <i>with omit screen</i> . Specify <i>with 6530 Frosted Tempered Glass</i> .

Specification Information

Width	Style Number	U.S. Base Price	Options (Add \$ to base price)		
			Wood Top Cap	Omit Glass	Frosted Glass
24"	TS71224TFG	\$403	+\$183	-\$ 84	+\$ 58
30"	TS71230TFG	\$433	+\$183	-\$ 95	+\$ 76
36"	TS71236TFG	\$466	+\$183	-\$100	+\$116
42"	TS71242TFG	\$498	+\$183	-\$105	+\$170
48"	TS71248TFG	\$525	+\$183	-\$115	+\$189
60"	TS71260TFG	\$607	+\$244	-\$126	+\$244
72"	TS71272TFG	\$677	+\$244	-\$137	+\$292
78"	TS71278TFG	\$753	+\$244	-\$148	+\$307
84"	TS71284TFG	\$829	+\$244	-\$157	+\$318
90"	TS71290TFG	\$905	+\$244	-\$167	+\$350
96"	TS71296TFG	\$981	+\$244	-\$178	+\$368
:	:	:	:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Top Cap Mount Storage – Brackets

Tip: Top cap mounted storage can only be used with thin trim panels.

Tip: Brackets will be visible on the bottom of the storage unit. They can be painted to match the panel trim or storage unit.



Tip: Center mounted applications can accept storage units up to 25"D.



Tip: Aisleway applications can accept storage units up to 17"D.

Tip: Top caps and storage to complete the solution are specified separately.

Standard Includes		Required to Specify	
► Need help? Product details, page 62	- Two support brackets for centered mounted applications, if selected: paint price group 1 - Two support brackets for aisleway applications, for use with 30"W to 48" storage units, if selected: paint price group 1 - Three support brackets for aisle way applications, for use with 54"W to 72"W storage units, if selected: paint price group 1	1 Style number 2 Paint color number for bracket	► See <i>Surface Materials</i> , page 708.
Options		U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$11	Specify paint color number.
	• Paint price group 3	+\$21	Specify paint color number.

Specification Information

Style Number	U.S. Base Price

Center Mounted Applications

TS7CMB2	\$240

Aisleway Applications

For Use with 30"W to 48"W Storage Units

TS7CMBA2	\$240
-----------------	-------

For Use with 54" to 72"W Storage Units

TS7CMBA3	\$360




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Top Cap Mounted Storage – Top Caps and Aligner Packages

Top Cap Mounted Storage –
Top Caps and Aligner
Packages



Tip: Top caps should be specified to match the width of the storage unit that is being top cap mounted. They do not necessarily match the width of the panel.

Tip: When top cap mounted storage units are on module with the panel, standard top caps from the horizontal frame package can be omitted. If the top cap mounted storage is being mounted off-module, standard top caps should NOT be omitted from the horizontal frame package.

Tip: Mounting brackets and storage to complete the solution are specified separately.

Standard Includes	Required to Specify
► Need help? Product details, page 62 - Two top caps – thin trim: paint or wood - Aligner package: - Two end-of-run aligners - Two inline aligners - One recessed-to-recessed aligner	1 Style number 2 Paint or wood color number for top cap 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Top cap - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
- Wood - Customiz stain on wood	No cost +\$14	Select wood color number. Specify with <i>Customiz stain</i> .

Specification Information

Width	Style Number	U.S. Base Price
:	:	:
:	:	:
:	:	:

Top Cap and Aligner Packages – Painted

30"	TS730TTCR	\$ 48
36"	TS736TTCR	\$ 53
42"	TS742TTCR	\$ 55
48"	TS748TTCR	\$ 57
54"	TS754TTCR	\$ 58
60"	TS760TTCR	\$ 59
66"	TS766TTCR	\$ 60
72"	TS772TTCR	\$ 66
:	:	:

Top Cap and Aligner Packages – Wood

30"	TS730TTCWR	\$231
36"	TS736TTCWR	\$236
42"	TS742TTCWR	\$238
48"	TS748TTCWR	\$240
54"	TS754TTCWR	\$241
60"	TS760TTCWR	\$242
66"	TS766TTCWR	\$243
72"	TS772TTCWR	\$249
:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Panel Packages—Thin Trim

For Panel Buildups



Tip: You must order junctions separately to connect adjacent panels.

► See pages 344-348.

Tip: Remember to order receptacles and faceplates.

► See pages 477-479.

Tip: For further information about fabric direction, see page 713.

Tip: 72"W panels accommodate fabric in the horizontal application only.

Tip: Specify omit top cap when adding a frameless glass screen to a panel or when ordering spanning top caps.

Tip: Change-of-height top cap option should be specified only when using an in-line change-of-height application.

Tip: When open base trim option is selected, both base trims are omitted.

Tip: Base cable tray cannot be used if open base trim is selected.

Tip: 18"W panels can accommodate pass-through power only.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Standard Includes

► Need help?
Product details,
page 66

- Tackable acoustical skins on both sides of panel, fabric direction with horizontal application, if selected: fabric price group 1
- Performance tackable acoustical skins on both sides of panel, fabric direction with horizontal application, if selected: fabric price group 1
- Standard length top cap: color default determined by trim paint color
- Base trim with no knockouts (18"W): painted steel
- Base trim with knockouts (24"W to 72"W): painted steel
- Two horizontal connecting bars

Required to Specify

- 1 Style number
 - 2 Fabric color number for side 1
 - 3 Fabric color number for side 2
 - 4 Paint color number for trim
 - 5 Options, if selected (see below)
- See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Skin surface		
	• Fabric price group A each side	–\$ 5	Specify fabric color number.
	• Fabric price group 1 each side	No cost	Specify fabric color number.
	• Fabric price group 2 each side	+\$ 25	Specify fabric color number.
	• Fabric price group 3 each side	+\$ 46	Specify fabric color number.
	• Fabric price group 4 each side	+\$ 73	Specify fabric color number.
	• Fabric price group 5 each side	+\$114	Specify fabric color number.
	• Fabric price group 6 each side	+\$157	Specify fabric color number.
	• Fabric price group 7 each side	+\$198	Specify fabric color number.
	• Fabric price group COM each side	+\$ 16	Specify fabric color number.
	Fabric direction on 18"W to 60"W panels		
	• Vertical application, side 1	No cost	Specify with vertical application.
	• Vertical application, side 2	No cost	Specify with vertical application.
	Trim		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 11	Specify paint color number.
	• Paint price group 3	+\$ 21	Specify paint color number.
	Top Cap		
	• Omit top cap	No cost	Specify omit top cap.
	• Wood (18"W to 48"W)	+\$183	Specify with wood top cap and select wood color number.
	• Wood (60"W to 72"W)	+\$244	Specify with wood top cap and select wood color number.
	• Customiz stain on wood	No cost	Specify with Customiz stain.
Change-of-Height Top Cap	• Change-of-height at one end of top cap	+\$ 6	Specify with change-of-height, one end.
	• Change-of-height at both ends of top cap	+\$ 6	Specify with change-of-height, both ends.
Base Trim	• Knockouts one side, plain one side (24"W to 72"W only)	No cost	Specify with knockouts one side, plain one side.
	• Plain both sides (24"W to 72"W only)	No cost	Specify with plain both sides.
	• Open base	No cost	Specify with omit open base.
Cable Tray	• Cable tray	No cost	Specify with cable tray.
Base Cable Tray	• Base cable tray	+\$ 5	Specify with base cable tray.
Power with 3+1, 2+2, or Three Separate Neutrals (3SN) Wiring Schematics	• One pass-through power harness 18"W to 48"W	+\$158	Specify with one pass-through harness and indicate wiring schematic type (3+1, 2+2, or 3SN).
	• One pass-through power harness 60"W to 72"W	+\$176	Specify with one pass-through harness and indicate wiring schematic type (3+1, 2+2, or 3SN).
	• One powerkit 24"W to 48"	+\$196	Specify with one powerkit and indicate wiring schematic type (3+1, 2+2, or 3SN).
	• One powerkit 60"W or 72"	+\$297	Specify with one powerkit and indicate wiring schematic type (3+1, 2+2, or 3SN).

Specification Information

42"H			48"H			54"H			66"H		
											
Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price	

Full Skin Tackable Acoustical Panel Packages

18"	TS74218TTF	\$360	TS74818TTF	\$366	TS75418TTF	\$374	TS76618TTF	\$440
24"	TS74224TTF	\$386	TS74824TTF	\$390	TS75424TTF	\$398	TS76624TTF	\$468
30"	TS74230TTF	\$414	TS74830TTF	\$420	TS75430TTF	\$428	TS76630TTF	\$494
36"	TS74236TTF	\$443	TS74836TTF	\$451	TS75436TTF	\$461	TS76636TTF	\$521
42"	TS74242TTF	\$491	TS74842TTF	\$495	TS75442TTF	\$505	TS76642TTF	\$569
48"	TS74248TTF	\$557	TS74848TTF	\$565	TS75448TTF	\$579	TS76648TTF	\$639
60"	TS74260TTF	\$656	TS74860TTF	\$664	TS75460TTF	\$678	TS76660TTF	\$736
72"	TS74272TTF	\$761	TS74872TTF	\$771	TS75472TTF	\$787	TS76672TTF	\$839

Full Skin Performance Tackable Acoustical Panel Packages

18"	TS74218TPF	\$388	TS74818TPF	\$398	TS75418TPF	\$406	TS76618TPF	\$478
24"	TS74224TPF	\$418	TS74824TPF	\$428	TS75424TPF	\$436	TS76624TPF	\$502
30"	TS74230TPF	\$450	TS74830TPF	\$458	TS75430TPF	\$468	TS76630TPF	\$532
36"	TS74236TPF	\$481	TS74836TPF	\$489	TS75436TPF	\$497	TS76636TPF	\$563
42"	TS74242TPF	\$525	TS74842TPF	\$535	TS75442TPF	\$543	TS76642TPF	\$615
48"	TS74248TPF	\$603	TS74848TPF	\$615	TS75448TPF	\$627	TS76648TPF	\$697
60"	TS74260TPF	\$708	TS74860TPF	\$720	TS75460TPF	\$734	TS76660TPF	\$796
72"	TS74272TPF	\$821	TS74872TPF	\$833	TS75472TPF	\$843	TS76672TPF	\$907




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Base Trims and Open Base Conversion Kits

Base Trims




Tip: 18" wide base trim is only available in plain (no knockouts).

Standard Includes		Required to Specify	
► Need help? Product details, page 51	• Base trim with knockouts: paint	1 Style number 2 Paint color number for trim 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.	
Options		U.S. Price	Required to Specify
Base Trim	• Plain (24"W to 72"W only)	No cost	Specify with no knockouts.

Specification Information

Width	Style Number	U.S. Price
18"	TS718BT	\$17
24"	TS724BT	\$18
30"	TS730BT	\$19
36"	TS736BT	\$20
42"	TS742BT	\$21
48"	TS748BT	\$22
60"	TS760BT	\$24
72"	TS772BT	\$27
:	:	:

Open Base Conversion Kits



Tip: Open base trim can only be used on junctions manufactured on or after October 10, 2011.

Standard Includes		Required to Specify	
► Need help? Product details, page 51	• Trim: paint	1 Style number 2 Paint color number for trim ► See <i>Surface Materials</i> , page 708.	

Specification Information

Width	Style Number	U.S. Price
18"	TS718OBK	\$35
24"	TS724OBK	\$37
30"	TS730OBK	\$39
36"	TS736OBK	\$41
42"	TS742OBK	\$43
48"	TS748OBK	\$45
60"	TS760OBK	\$49
72"	TS772OBK	\$54
:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.


Specifying Panels—Square and Oval Trim

In-Line Base Panel Junctions—Square Trim	394
In-Line Base Panel Junctions—Oval Trim	395
L, T, and X Base Panel Junctions—Square Trim	396
L, T, and X Base Panel Junctions—Oval Trim	397
End-of-Run Base Panel Junctions—Square Trim	398
End-of-Run Base Panel Junctions—Oval Trim	399
V and Y Base Panel Junctions—Square Trim	400
V and Y Base Panel Junctions—Oval Trim	401
Wall-Start Junctions	402
Brackets	403
Off-Module Panel Connectors	404
Stacking In-Line Panel Junctions—Square and Oval Trims	405
Stacking L, T, and X Panel Junctions— Square and Oval Trims	406
Stacking End-of-Run Panel Junctions— Square and Oval Trims	407
Stacking V and Y Panel Junctions—Square and Oval Trims	408
Stacking Wall-Start Junctions	409
Junctions with Utility Pole—Square Trim	410
Junctions with Utility Pole—Oval Trim	411
Utility Packages	412
Standard Change-of-Height Trims—Square Trim	416
Standard Change-of-Height Trims—Oval Trim	417
Stacking Change-of-Height Trims—Square and Oval Trims	418
Base Horizontal Frame Packages—Square Trim	420
Base Horizontal Frame Packages—Oval Trim	422
Stacking Horizontal Frame Packages	423
Spanning Top Caps—Square Trim	424
Frameless Glass Screens—Square Trim	425
12"H Panel Top Screens For Use on Panels with Square and Oval Trim	426
Panel Packages—Square Trim	428
Panel Packages—Oval Trim	430

In-Line Base Panel Junctions—Square Trim



Tip: In-line base panel junctions do not require junction cap and trim.



Standard Includes		Required to Specify
► Need help? Product details, page 76	• Junction • Aligner	Style number

Specification Information		
Corresponding Panel Height	Style Number	U.S. Price
30"	TS730SIPJ	\$ 76
42"	TS742SIPJ	\$ 76
48"	TS748SIPJ	\$ 76
54"	TS754SIPJ	\$ 76
66"	TS766SIPJ	\$ 76
78"	TS778SIPJ	\$108
:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

In-Line Base Panel Junctions—Oval Trim

In-Line Base Panel
Junctions—Oval Trim



Tip: In-line base panel junctions do not require junction cap and trim.



Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|---|---|
| ▶ Need help?
Product details,
page 76 | • Junction
• Aligner

Style number |
|---|---|

Specification Information		
---------------------------	--	--

Corresponding Panel Height	Style Number	U.S. Price
30"	TS730IPJ	\$ 76
42"	TS742IPJ	\$ 76
48"	TS748IPJ	\$ 76
54"	TS754IPJ	\$ 76
66"	TS766IPJ	\$ 76
78"	TS778IPJ	\$108
:	:	:


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

L, T, and X Base Panel Junctions—Square Trim

Standard Includes		Required to Specify
► Need help? Product details, page 76	- Junction - Trim on L and T junction: paint price group 1 - Junction cap on L, T, and X junction: paint or wood - Aligners	1 Style number 2 Paint color number for trim 3 Paint or wood color number for junction cap 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Tip: Painted trim is standard, and fabric trim is optional, on all base panel junctions. Wood trim is available as an option only on base panel junctions with wood junction caps.

Tip: 78"H fabric-covered junctions allow fabric in the vertical application only.

Tip: For further information about fabric direction, ► see page 713.

Options	U.S. Price	Required to Specify
Surface Materials		
Trim		
- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 11 +\$ 21	Specify paint color number. Specify paint color number. Specify paint color number.
Trim on L and T junctions		
- Fabric price group 1, 2, 3, 4, 5, or COM - Fabric direction –Horizontal application (standard) –Vertical application - Wood on junctions with wood junction cap –54"H panel height or shorter –66"H panel height or taller - Customiz stain on wood	+\$ 80 No cost No cost +\$185 +\$237 No cost	Specify fabric color number for trim. Specify with horizontal application. Specify with vertical application. Specify wood color number for trim. Specify with Customiz stain.

Specification Information

L Base Panel Junctions with Square Trim			T Base Panel Junctions with Square Trim		X Base Panel Junctions with Square Trim	
						
Corresponding Panel Height	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price
...	...	...	...	...	...	...

Painted Junction Cap

30"	TS730SLPJ	\$168	TS730STPJ	\$168	TS730SXPJ	\$168
42"	TS742SLPJ	\$168	TS742STPJ	\$168	TS742SXPJ	\$168
48"	TS748SLPJ	\$168	TS748STPJ	\$168	TS748SXPJ	\$168
54"	TS754SLPJ	\$168	TS754STPJ	\$168	TS754SXPJ	\$168
66"	TS766SLPJ	\$168	TS766STPJ	\$168	TS766SXPJ	\$168
78"	TS778SLPJ	\$238	TS778STPJ	\$238	TS778SXPJ	\$238
...	...	...	...	...	...	...

Wood Junction Cap

30"	TS730SLPJW	\$216	TS730STPJW	\$216	TS730SXPJW	\$216
42"	TS742SLPJW	\$216	TS742STPJW	\$216	TS742SXPJW	\$216
48"	TS748SLPJW	\$216	TS748STPJW	\$216	TS748SXPJW	\$216
54"	TS754SLPJW	\$216	TS754STPJW	\$216	TS754SXPJW	\$216
66"	TS766SLPJW	\$216	TS766STPJW	\$216	TS766SXPJW	\$216
78"	TS778SLPJW	\$282	TS778STPJW	\$282	TS778SXPJW	\$282
...	...	...	...	...	...	...



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Standard Includes		Required to Specify
► Need help? Product details, page 76	• Junction • Trim on L and T junction: paint price group 1 • Junction cap on L, T, and X junction: plastic or wood • Aligners	1 Style number 2 Paint color number for trim 3 Plastic or wood color number for junction cap 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Tip: Painted trim is standard, and fabric trim is optional, on all base panel junctions. Wood trim is available as an option only on base panel junctions with wood junction caps.

Tip: 78"H fabric-covered junctions allow fabric in the vertical application only.

Tip: For further information about fabric direction, see page 713.


	Options	U.S. Price	Required to Specify
Surface Materials	Trim		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 11	Specify paint color number.
	• Paint price group 3	+\$ 21	Specify paint color number.
	Trim on L and T junctions		
	• Fabric price group 1, 2, 3, 4, 5, or COM	+\$ 80	Specify fabric color number for trim.
	• Fabric direction		
	–Horizontal application (standard)	No cost	Specify <i>with horizontal application</i> .
	–Vertical application	No cost	Specify <i>with vertical application</i> .
• Wood on junctions with wood junction cap		Specify wood color number for trim.	
–54"H panel height or shorter	+\$185		
–66"H panel height or taller	+\$237		
• Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .	

Specification Information


L Base Panel Junctions with Oval Trim



T Base Panel Junctions with Oval Trim



X Base Panel Junctions with Oval Trim



• Corresponding Panel Height	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price
------------------------------------	-------------------	-------------------------	-------------------	-------------------------	-------------------	-------------------------

Plastic Junction Cap

30"	TS730LPJ	\$199	TS730TPJ	\$199	TS730XPJ	\$199
42"	TS742LPJ	\$199	TS742TPJ	\$199	TS742XPJ	\$199
48"	TS748LPJ	\$199	TS748TPJ	\$199	TS748XPJ	\$199
54"	TS754LPJ	\$199	TS754TPJ	\$199	TS754XPJ	\$199
66"	TS766LPJ	\$199	TS766TPJ	\$199	TS766XPJ	\$199
78"	TS778LPJ	\$278	TS778TPJ	\$278	TS778XPJ	\$278

Wood Junction Cap

30"	TS730LPJW	\$254	TS730TPJW	\$254	TS730XPJW	\$254
42"	TS742LPJW	\$254	TS742TPJW	\$254	TS742XPJW	\$254
48"	TS748LPJW	\$254	TS748TPJW	\$254	TS748XPJW	\$254
54"	TS754LPJW	\$254	TS754TPJW	\$254	TS754XPJW	\$254
66"	TS766LPJW	\$254	TS766TPJW	\$254	TS766XPJW	\$254
78"	TS778LPJW	\$334	TS778TPJW	\$334	TS778XPJW	\$334



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

End-of-Run Base Panel Junctions—Square Trim



Tip: End-of-run trim adds 1" to footprint.

Tip: Painted trim is standard, and fabric trim is optional, on all base panel junctions. Wood trim is available as an option only on base panel junctions with wood junction caps.

Tip: 78"H fabric-covered junctions allow fabric in the vertical application only.

Tip: For further information about fabric direction, ▶ see page 713.

Standard Includes	Required to Specify
▶ Need help? Product details, page 76 • Junction • Trim on end-of-run junction: paint price group 1 • Junction cap on end-of-run junction: paint or wood	1 Style number 2 Paint color number for trim 3 Paint or wood color number for junction cap 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Trim • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$ 11 +\$ 21	Specify paint color number. Specify paint color number. Specify paint color number.
• Fabric price group 1, 2, 3, 4, 5, or COM • Fabric direction –Horizontal application (standard) –Vertical application • Wood on junctions with wood junction cap –54"H panel height or shorter –66"H panel height or taller • Customiz stain on wood	+\$ 80 No cost No cost +\$185 +\$237 No cost	Specify fabric color number for trim. Specify with horizontal application. Specify with vertical application. Specify wood color number for trim. Specify with Customiz stain.

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price
----------------------------	--------------	-----------------

Painted Junction Cap

30"	TS730SEPJ	\$108
42"	TS742SEPJ	\$108
48"	TS748SEPJ	\$108
54"	TS754SEPJ	\$108
66"	TS766SEPJ	\$108
78"	TS778SEPJ	\$155
:	:	:

Wood Junction Cap

30"	TS730SEPJW	\$153
42"	TS742SEPJW	\$153
48"	TS748SEPJW	\$153
54"	TS754SEPJW	\$153
66"	TS766SEPJW	\$153
78"	TS778SEPJW	\$202
:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

End-of-Run Base Panel Junctions—Oval Trim

End-of-Run Base Panel
Junctions—Oval Trim

Tip: End-of-run trim adds 1" to footprint.

Tip: Painted trim is standard, and fabric trim is optional, on all base panel junctions. Wood trim is available as an option only on base panel junctions with wood junction caps.

Tip: 78"H fabric-covered junctions allow fabric in the vertical application only.

Tip: For further information about fabric direction, ▶ see page 713.

Standard Includes	Required to Specify
▶ Need help? Product details, page 76 • Junction • Trim on end-of-run junction: paint price group 1 • Junction cap on end-of-run junction: plastic or wood	1 Style number 2 Paint color number for trim 3 Plastic or wood color number for junction cap 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Trim • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$ 11 +\$ 21	Specify paint color number. Specify paint color number. Specify paint color number.
• Fabric price group 1, 2, 3, 4, 5, or COM • Fabric direction –Horizontal application (standard) –Vertical application • Wood on junctions with wood junction cap –54"H panel height or shorter –66"H panel height or taller • Customiz stain on wood	+\$ 80 No cost No cost +\$185 +\$237 No cost	Specify fabric color number for trim. Specify with horizontal application. Specify with vertical application. Specify wood color number for trim. Specify with Customiz stain.

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price
----------------------------	--------------	-----------------

Plastic Junction Cap

30"	TS730EPJ	\$125
42"	TS742EPJ	\$125
48"	TS748EPJ	\$125
54"	TS754EPJ	\$125
66"	TS766EPJ	\$125
78"	TS778EPJ	\$182
:	:	:

Wood Junction Cap

30"	TS730EPJW	\$179
42"	TS742EPJW	\$179
48"	TS748EPJW	\$179
54"	TS754EPJW	\$179
66"	TS766EPJW	\$179
78"	TS778EPJW	\$237
:	:	:



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Tip: For further information about fabric direction, see page 713.

	Options	U.S. Price	Required to Specify
Surface Materials	Trim		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 11	Specify paint color number.
	• Paint price group 3	+\$ 21	Specify paint color number.
	V junction trim		
	• Fabric price group 1, 2, 3, 4, 5, or COM	+\$ 80	Specify fabric color number for trim.
	• Fabric direction		
	–Horizontal application (standard)	No cost	Specify <i>with horizontal application</i> .
	–Vertical application	No cost	Specify <i>with vertical application</i> .
• Wood on junctions with wood junction cap		Specify wood color number for trim.	
–54"H panel height or shorter	+\$185		
–66"H panel height or taller	+\$237		
• Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .	

Y Base Panel Junctions with Square Trim



•Corresponding Panel Height	•Style Number	•U.S. Base Price	•Style Number	•U.S. Base Price
-----------------------------------	------------------	------------------------	------------------	------------------------

30"	TS730SVPJ	\$259	TS730SYPJ	\$259
42"	TS742SVPJ	\$259	TS742SYPJ	\$259
48"	TS748SVPJ	\$259	TS748SYPJ	\$259
54"	TS754SVPJ	\$259	TS754SYPJ	\$259
66"	TS766SVPJ	\$259	TS766SYPJ	\$259
78"	TS778SVPJ	\$357	TS778SYPJ	\$357

30"	TS730SVPJW	\$305	TS730SYPJW	\$305
42"	TS742SVPJW	\$305	TS742SYPJW	\$305
48"	TS742SVPJW	\$305	TS748SYPJW	\$305
54"	TS754SVPJW	\$305	TS754SYPJW	\$305
66"	TS766SVPJW	\$305	TS766SYPJW	\$305
78"	TS778SVPJW	\$405	TS778SYPJW	\$405



Answer Solutions Specification Guide


Tip: For further information about fabric direction,
 ▶ *Page 713.*

	Options	U.S. Price	Required to Specify
Surface Materials	Trim		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 11	Specify paint color number.
	• Paint price group 3	+\$ 21	Specify paint color number.
	V junction trim		
	• Fabric price group 1, 2, 3, 4, 5, or COM	+\$ 80	Specify fabric color number for trim.
	• Fabric direction		
	–Horizontal application (standard)	No cost	Specify <i>with horizontal application</i> .
	–Vertical application	No cost	Specify <i>with vertical application</i> .
	• Wood on junctions with wood junction cap		Specify wood color number for trim.
–54"H panel height or shorter	+\$185		
–66"H panel height or taller	+\$237		
• Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .	

• Corresponding • Panel • Height	• Style • Number	• U.S. • Base • Price	• Style • Number	• U.S. • Base • Price
--	---------------------	-----------------------------	---------------------	-----------------------------

30"	TS730VPJ	\$302	TS730YPJ	\$302
42"	TS742VPJ	\$302	TS742YPJ	\$302
48"	TS742VPJ	\$302	TS748YPJ	\$302
54"	TS754VPJ	\$302	TS754YPJ	\$302
66"	TS766VPJ	\$302	TS766YPJ	\$302
78"	TS778VPJ	\$421	TS778YPJ	\$421

30"	TS730VPJW	\$357	TS730YPJW	\$357
42"	TS742VPJW	\$357	TS742YPJW	\$357
48"	TS748VPJW	\$357	TS748YPJW	\$357
54"	TS754VPJW	\$357	TS754YPJW	\$357
66"	TS766VPJW	\$357	TS766YPJW	\$357
78"	TS778VPJW	\$476	TS778YPJW	\$476



Wall-Start Junctions



Tip: When using in an off-module application, off-module panel connector must be ordered separately.
▶ Page 404

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|---|--------------------------------|
| ▶ Need help?
Product details,
page 77 | • Junction

Style number |
|---|--------------------------------|


Specification Information		
---------------------------	--	--

• Height : :	• Style Number :	• U.S. Price :
42"	TS742WPJ	\$199
48"	TS748WPJ	\$199
54"	TS754WPJ	\$199
66"	TS766WPJ	\$199
78"	TS778WPJ	\$278
:	:	:

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Brackets

Floor Anchor Bracket




Tip: Floor anchor bolts are not included.

Standard Includes		Required to Specify
▶ Need help? Product details, page 77	• Two-piece floor anchor bracket: black paint only	Style number
Specification Information		
• Style Number	• U.S. Price	
•	•	
•	•	
CBRKTS	\$41	
•	•	

Junction Stabilizer Brackets


Tip: Junction stabilizer bracket blocks power routing in the base and just above the base areas. Lay-in cable routing in the base is also blocked by the bracket.

Standard Includes		Required to Specify
▶ Need help? Product details, page 77	• Bracket: black paint only	Style number
Specification Information		
• Height	• Style Number	• U.S. Price
•	•	•
•	•	•
10½"	TS7SBNJ	\$45
•	•	•



Tip: Junctions manufactured on or after October 10, 2011 will only work with TS7SBNJ junction stabilizer bracket.


10½"	TS7SB	\$45
•	•	•



Tip: Junctions manufactured before October 10, 2011 will only work with TS7SB junction stabilizer bracket.

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Off-Module Panel Connectors



Tip: Must be used with wall-start junctions, ordered separately.

► Page 402

Tip: Off-module panel connector works with thin, square, and oval style trims. Top cap filler included in package is only used with oval style trims. Thin and square style trims do not require a top cap filler.

Tip: Wall-start junctions manufactured before October 2002 will not work with off-module panel connectors.

Tip: When using with wall-start junction manufactured before October 10, 2011, the bottom bracket must be replaced with part number T500938MP from Service Parts.

Standard Includes

- Need help?
Product details,
page 82
- Top and bottom bracket
- Bottom channel
- Top cap filler (oval style): plastic

Required to Specify

- 1 Style number
- 2 Plastic color number for filler
- See *Surface Materials*, page 708.

Specification Information

• Width • •	• Style • Number •	• U.S. • Price •
24"	TS724BKT	\$253
30"	TS730BKT	\$253
36"	TS736BKT	\$253
42"	TS742BKT	\$253
48"	TS748BKT	\$253
60"	TS760BKT	\$253
72"	TS772BKT	\$253
•	•	•



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Stacking In-Line Panel Junctions—Square and Oval Trims

Stacking In-Line
Panel Junctions—
Square and
Oval Trims



Tip: Stacking in-line junctions do not require junction cap and trim.

Standard Includes		Required to Specify
▶ Need help? Product details, page 84	• Junction • Fork connectors	Style number

Specification Information		
• Height	• Style Number	• U.S. Price
12"	TS712IPJS	\$116
18"	TS718IPJS	\$116
24"	TS724IPJS	\$116
.	.	.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Stacking L, T, and X Panel Junctions—Square and Oval Trims

Tip: Junction cap is not included. Use the junction cap from the base junction you are stacking on.

Standard Includes	Required to Specify
► Need help? Product details, page 84 - Junction - Trim on L and T junctions: paint price group 1 or wood - Fork connectors - Stacking trim aligner on L and T junctions: black plastic only	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Tip: For further information about fabric direction, ► Page 713.

Options	U.S. Price	Required to Specify
Surface Materials Trim - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
Steel L and T junction trim only - Fabric price group 1, 2, 3, 4, 5, or COM - Fabric direction - Horizontal application (standard) - Vertical application	+\$80 No cost No cost	Specify fabric color number for trim. Specify with horizontal application. Specify with vertical application.
Wood L and T junction trim Customiz stain on wood	No cost	Specify with Customiz stain.

Specification Information

L Panel Junctions			T Panel Junctions		X Panel Junctions	
						
Height	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price
Steel Trim						
12"	TS712LPJS	\$316	TS712TPJS	\$316	TS712XPJS	\$299
18"	TS718LPJS	\$316	TS718TPJS	\$316	TS718XPJS	\$299
24"	TS724LPJS	\$316	TS724TPJS	\$316	TS724XPJS	\$299
Wood Trim						
12"	TS712LPJSW	\$427	TS712TPJSW	\$427		
18"	TS718LPJSW	\$427	TS718TPJSW	\$427		
24"	TS724LPJSW	\$427	TS724TPJSW	\$427		



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Stacking End-of-Run Panel Junctions—Square and Oval Trims

Stacking End-of-Run Panel
Junctions—Square and
Oval Trims



Tip: Junction cap is not included. Use the junction cap from the base junction you are stacking on.

Tip: For further information about fabric direction, ▶ Page 713.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 84	- Junction - Trim on end-of-run junction: paint price group 1 or wood - Fork connectors - Stacking trim aligner: black plastic only	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.	

Surface Materials	Options	U.S. Price	Required to Specify
	Trim		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$11	Specify paint color number.
	• Paint price group 3	+\$21	Specify paint color number.
	Steel end-of-run junction trim		
	• Fabric price group 1, 2, 3, 4, 5, or COM	+\$80	Specify fabric color number for trim.
	• Fabric direction		
	–Horizontal application	No cost	Specify <i>with horizontal application</i> .
	–Vertical application (standard)	No cost	Specify <i>with vertical application</i> .
	–Vertical application	No cost	Specify <i>with vertical application</i> .
	Wood end-of-run junction trim		
	• Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .

Specification Information

Height	Style Number	U.S. Base Price
--------	--------------	-----------------

Steel Trim

12"	TS712EPJS	\$168
18"	TS718EPJS	\$168
24"	TS724EPJS	\$168

Wood Trim

12"	TS712EPJSW	\$281
18"	TS718EPJSW	\$281
24"	TS724EPJSW	\$281



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Stacking V and Y Panel Junctions—Square and Oval Trims

Tip: Junction cap is not included. Use the junction cap from the base junction you are stacking on.

Standard Includes	Required to Specify
► Need help? Product details, page 84 - Junction - Trim on V junctions: paint price group 1 or wood - Fork connectors - Stacking trim aligner on V junctions: black plastic only	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Tip: For further information about fabric direction, ► Page 713.

Options	U.S. Price	Required to Specify
Surface Materials Trim - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
Steel V junction trim only - Fabric price group 1, 2, 3, 4, 5, or COM - Fabric direction –Horizontal application (standard) –Vertical application	+\$80 No cost No cost	Specify fabric color number for trim. Specify <i>with horizontal application</i> . Specify <i>with vertical application</i> .
Wood V junction trim Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .

Specification Information

V Panel Junctions



Y Panel Junctions



Height	Style Number	U.S. Base Price	Style Number	U.S. Base Price
--------	--------------	-----------------	--------------	-----------------

Steel Trim

12"	TS712VPJS	\$399	TS712YPJS	\$376
18"	TS718VPJS	\$399	TS718YPJS	\$376
24"	TS724VPJS	\$399	TS724YPJS	\$376

Wood Trim

12"	TS712VPJSW	\$512
18"	TS718VPJSW	\$512
24"	TS724VPJSW	\$512



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Stacking Wall-Start Junctions

Stacking Wall-Start
Junctions



Standard Includes	Required to Specify
• Junction • Fork connector	Style number

Specification Information		
• Height • •	• Style • Number •	• U.S. • Price •
12"	TS712WPJS	\$299
18"	TS718WPJS	\$299
24"	TS724WPJS	\$299
•	•	•


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Junctions with Utility Pole—Square Trim



Tip: Order multipurpose power infeed separately.
▶ Page 483

Standard Includes	Required to Specify
▶ Need help? Product details, page 156 • Junction • Upright vertical trim on L and in-line: paint price group 1 • Junction cap on L, in-line, and T junctions: paint • Utility pole: paint price group 1 • Ceiling trim plate: white paint only • Mounting brackets	1 Style number 2 Paint color number for upright and utility pole 3 Paint color number for junction cap 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price

L and In-Line Panel Junctions with Utility Pole

42"	TS742SLUP	\$613
48"	TS748SLUP	\$613
54"	TS754SLUP	\$613
66"	TS766SLUP	\$613
78"	TS778SLUP	\$675
:	:	:

T Panel Junctions with Utility Pole

42"	TS742STUP	\$613
48"	TS748STUP	\$613
54"	TS754STUP	\$613
66"	TS766STUP	\$613
78"	TS778STUP	\$675
:	:	:

Tip: End-of-run junctions with utility pole can be used with thin trim also.

End-of-Run Junctions with Utility Pole


42"	TS742SERUP	\$373
48"	TS748SERUP	\$373
54"	TS754SERUP	\$373
66"	TS766SERUP	\$373
78"	TS778SERUP	\$388
:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Junctions with Utility Pole—Oval Trim

Junctions with Utility
Pole—Oval Trim



Tip: Order multipurpose
power infeed separately.
▶ Page 483

Standard Includes	Required to Specify
▶ Need help? Product details, page 156 • Junction • Upright vertical trim on L and in-line: paint price group 1 • Junction cap on L, in-line, and T junctions: plastic • Utility pole: paint price group 1 • Ceiling trim plate: white paint only • Mounting brackets	1 Style number 2 Paint color number for upright and utility pole 3 Plastic color number for junction cap 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price
----------------------------	--------------	-----------------

L and In-Line Panel Junctions with Utility Pole

42"	TS742LUP	\$720
48"	TS748LUP	\$720
54"	TS754LUP	\$720
66"	TS766LUP	\$720
78"	TS778LUP	\$793
:	:	:

T Panel Junctions with Utility Pole

42"	TS742TUP	\$720
48"	TS748TUP	\$720
54"	TS754TUP	\$720
66"	TS766TUP	\$720
78"	TS778TUP	\$793
:	:	:

End-of-Run Junctions with Utility Pole

42"	TS742ERUP	\$439
48"	TS748ERUP	\$439
54"	TS754ERUP	\$439
66"	TS766ERUP	\$439
78"	TS778ERUP	\$458
:	:	:


Tip: End-of-run junctions
with utility pole can be used
with thin trim also.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Utility Packages

Ceiling-Access Lay-In Utility Packages—Square Trim



Tip: Order multipurpose power infeed separately.
▶ Page 483

Standard Includes		Required to Specify	
▶ Need help? Product details, page 150	- Utility carrier and cover, one top cap, and two standard base trims: paint price group 1 - Two lay-in horizontal connecting bars: black paint only - Ceiling attachment hardware - Junction cap for end-of-run applications: paint	1 Style number 2 Paint color number for utility carrier and cover, top cap, base trim, and junction cap 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.	
Surface Materials	Options	U.S. Price	Required to Specify
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 11 +\$ 21	Specify paint color number. Specify paint color number. Specify paint color number.
	Top cap		
	Wood	+\$183	Specify <i>with wood top cap</i> and select wood color number.
	Customiz stain on wood	No cost	Specify <i>with Customiz stain</i> .
Change-of-Height Top Cap	- Change-of-height at one end of top cap, slim - Change-of-height at one end of top cap, cable management	+\$ 6 +\$ 6	Specify <i>with change-of-height, one end slim</i> . Specify <i>with change-of-height, one end cable management</i> .
Base Cable Tray	Base cable tray	+\$ 5	Specify <i>with base cable tray</i> .


Specification Information

Width	Style Number	U.S. Base Price
30"	TS730SSUC	\$779
36"	TS736SSUC	\$824
42"	TS742SSUC	\$898
48"	TS748SSUC	\$979
:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Ceiling-Access Lay-In Utility Packages—Oval Trim



Tip: Order multipurpose power infeed separately.
▶ Page 483

Standard Includes		Required to Specify	
▶ Need help? Product details, page 150	- Utility carrier and cover, one top cap, and two standard base trims: paint price group 1 - Two lay-in horizontal connecting bars: black paint only - Ceiling attachment hardware - Junction cap for end-of-run applications: plastic	1 Style number 2 Paint color number for utility carrier and cover, top cap, and base trim 3 Plastic color number for junction cap 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.	
Surface Materials	Options	U.S. Price	Required to Specify
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 11 +\$ 21	Specify paint color number. Specify paint color number. Specify paint color number.
	Top cap Wood	+\$183	Specify with wood top cap and select wood color number.
	Customiz stain on wood	No cost	Specify with Customiz stain.
Change-of-Height Shortened Top Cap	Change-of-height cable routing at one end of top cap	+\$ 6	Specify with change-of-height, one end.
Base Cable Tray	Base cable tray	+\$ 5	Specify with base cable tray.

Specification Information


Width	Style Number	U.S. Base Price
30"	TS730SUC	\$ 914
36"	TS736SUC	\$ 969
42"	TS742SUC	\$1056
48"	TS748SUC	\$1148
:	:	:



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Utility Packages, continued

Floor-Access Lay-In Utility Packages—Square Trim



Tip: 30"W lay-in utility package with floor-access is only available with change-of-height top cap at one end.

Tip: Order multipurpose power infeed separately.
▶ Page 483

Standard Includes		Required to Specify	
▶ Need help? Product details, page 152	- One top cap, one standard base trim, one modified base trim, and one base utility box: paint price group 1 - Two lay-in horizontal connecting bars: black paint only	1 Style number 2 Paint color number for top cap, base trim, and base utility box 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.	

Options	U.S. Price	Required to Specify	
Surface Materials	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost	Specify paint color number.
		+\$ 11	Specify paint color number.
		+\$ 21	Specify paint color number.
Top cap			
• Wood		+\$183	Specify with wood top cap and select wood color number.
• Customiz stain on wood		No cost	Specify with Customiz stain.
Change-of-Height Top Cap	- Change-of-height at one end of top cap, slim - Change-of-height at one end of top cap, cable management - Change-of-height at both ends of top cap on 36" - 48"W packages, slim - Change-of-height at both ends of top cap on 36" - 48"W packages, cable management - Change-of-height at both ends of top cap on 36" - 48"W packages, 1 end slim and one end cable management	+\$ 6 +\$ 6 +\$ 6 +\$ 6 +\$ 6	Specify with change-of-height, one end slim. Specify with change-of-height, one end cable management. Specify with change-of-height, both ends slim. Specify with change-of-height, both ends cable management. Specify with change-of-height, one end slim, one end cable management.


Specification Information

Width	Style Number	U.S. Base Price
30"	TS730SSUF	\$475
36"	TS736SSUF	\$504
42"	TS742SSUF	\$546
48"	TS748SSUF	\$597
:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Floor-Access Lay-In Utility Packages—Oval Trim



Tip: 30"W lay-in utility package with floor-access is only available with change-of-height shortened top cap at one end.

Tip: Order multipurpose power infeed separately.
▶ Page 483

Standard Includes		Required to Specify	
▶ Need help? Product details, page 152	- One top cap, one standard base trim, one modified base trim, and one base utility box: paint price group 1 - Two lay-in horizontal connecting bars: black paint only	1 Style number 2 Paint color number for top cap, base trim, and base utility box 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.	

Options	U.S. Price	Required to Specify	
Surface Materials	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 11 +\$ 21	Specify paint color number. Specify paint color number. Specify paint color number.
Top cap	- Wood - Customiz stain on wood	+\$183 No cost	Specify <i>with wood top cap</i> and select wood color number. Specify <i>with Customiz stain</i> .
Change-of-Height Shortened Top Cap	- Change-of-height cable routing at one end of top cap - Change-of-height cable routing at both ends of top cap on 36", 42", and 48"W packages	+\$ 6 +\$ 6	Specify <i>with change-of-height, one end</i> . Specify <i>with change-of-height, both ends</i> .


Specification Information

Width	Style Number	U.S. Base Price
30"	TS730SUF	\$559
36"	TS736SUF	\$590
42"	TS742SUF	\$641
48"	TS748SUF	\$702
:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Standard Change-of-Height Trims—Square Trim



Tip: Cable-routing trim provides cable routing capacity.

► See page 148 for capacities.

Tip: Remember to specify the change-of-height top cap option for the lower panels in change-of-height configurations when using either type of change-of-height trim.

► Page 80

Tip: For further information about fabric direction, ► Page 713.

Standard Includes	Required to Specify
► Need help? Product details, page 80 - Change-of-height trim: paint price group 1 - One change-of-height junction cap: must specify corner application or in-line application	- Style number - Junction cap application - Paint color number for trim - Paint or wood color number for junction cap - Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Change-of-height trim - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 11 +\$ 21	Specify paint color number. Specify paint color number. Specify paint color number.
- Fabric price group 1, 2, 3, 4, 5, or COM - Fabric direction –Horizontal application (standard) –Vertical application - Wood - Customiz stain on wood	+\$ 52 No cost No cost +\$155 No cost	Specify fabric color number for trim. Specify with horizontal application. Specify with vertical application. Specify wood color number. Specify with Customiz stain.


Specification Information				
•Application	•Style Number	•U.S. Base Price	•Style Number	•U.S. Base Price
Painted Junction Cap		Wood Junction Cap		
Slim Profile				
12"	TS712SCHS	\$63	TS712SCHSW	\$113
18"	TS718SCHS	\$67	TS718SCHSW	\$117
24"	TS724SCHS	\$73	TS724SCHSW	\$123
30"	TS730SCHS	\$81	TS730SCHSW	\$130
36"	TS736SCHS	\$90	TS736SCHSW	\$138
Cable-Routing Capability				
12"	TS712SCH	\$63	TS712SCHW	\$113
18"	TS718SCH	\$67	TS718SCHW	\$117
24"	TS724SCH	\$73	TS724SCHW	\$123
30"	TS730SCH	\$81	TS730SCHW	\$130
36"	TS736SCH	\$90	TS736SCHW	\$138



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Standard Change-of-Height Trims—Oval Trim

Standard Change-of-Height
Trims—Oval Trim



Tip: Cable-routing trim provides cable routing capacity.

► See page 148 for capacities.

Tip: Remember to specify the shortened top cap option for the lower panels in change-of-height configurations when using either type of change-of-height trim.

► Page 80

Tip: For further information about fabric direction, ► Page 713.

Standard Includes	Required to Specify
► Need help? Product details, page 80 - Change-of-height trim: paint price group 1 - One change-of-height junction cap: must specify corner application or in-line application - One bottom filler: plastic or wood	- Style number - Junction cap application - Paint color number for trim - Plastic or wood color number for junction caps and bottom filler - Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Change-of-height trim - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 11 +\$ 21	Specify paint color number. Specify paint color number. Specify paint color number.
- Fabric price group 1, 2, 3, 4, 5, or COM - Fabric direction —Horizontal application (standard) —Vertical application - Wood - Customiz stain on wood	+\$ 52 No cost No cost +\$155 No cost	Specify fabric color number for trim. Specify with horizontal application. Specify with vertical application. Specify wood color number. Specify with Customiz stain.

Specification Information

• Application	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price
Painted Junction Cap		Wood Junction Cap		
Slim Profile				
12"	TS712CHS	\$ 75	TS712CHSW	\$135
18"	TS718CHS	\$ 81	TS718CHSW	\$140
24"	TS724CHS	\$ 87	TS724CHSW	\$144
30"	TS730CHS	\$ 96	TS730CHSW	\$153
36"	TS736CHS	\$105	TS736CHSW	\$164
Cable-Routing Capability				
12"	TS712CH	\$ 75	TS712CHW	\$135
18"	TS718CH	\$ 81	TS718CHW	\$140
24"	TS724CH	\$ 87	TS724CHW	\$144
30"	TS730CH	\$ 96	TS730CHW	\$153
36"	TS736CH	\$105	TS736CHW	\$164





For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Stacking Change-of-Height Trims—Square and Oval Trims



Tip: Stacking change-of-height trim is only used on the second tier in a change-of-height configuration.

Tip: Change-of-height junction cap is not included with stacking change-of-height trim. Use the change-of-height junction cap from the standard change-of-height trim you are stacking on.

Tip: Cable-routing trim provides cable routing capacity.

Tip: For further information about fabric direction, ► Page 713.

Tip: Stacking change-of-height trim works with square and oval top trim styles but not with thin top trim style.

Standard Includes	Required to Specify
► Need help? Product details, page 80 • Change-of-height trim: paint price group 1 or wood • Stacking trim aligner: black plastic only	1 Style number 2 Paint or wood color number for trim 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Change-of-height trim • Paint price group 1 No cost • Paint price group 2 +\$11 • Paint price group 3 +\$21		Specify paint color number. Specify paint color number. Specify paint color number.
For use on steel trim only • Fabric price group 1, 2, 3, 4, 5, or COM +\$52 • Fabric direction –Horizontal application (standard) No cost –Vertical application No cost		Specify fabric color number for trim. Specify <i>with horizontal application</i> . Specify <i>with vertical application</i> .
Wood change-of-height trim • Customiz stain on wood No cost		Specify <i>with Customiz stain</i> .

Specification Information

Corresponding Panel Height	Style Number	U.S. Base Price
----------------------------	--------------	-----------------

Steel Trim

Stacking Change-of-Height Trim with Slim Profile

12"	TS712CHST	\$ 56
18"	TS718CHST	\$ 60
24"	TS724CHST	\$ 63

Stacking Change-of-Height Trim with Cable Routing Capability

12"	TS712CHT	\$ 56
18"	TS718CHT	\$ 60
24"	TS724CHT	\$ 63
:	:	:

Wood Trim

Stacking Change-of-Height Trim with Slim Profile

12"	TS712CHSTW	\$170
18"	TS718CHSTW	\$174
24"	TS724CHSTW	\$178

Stacking Change-of-Height Trim with Cable Routing Capability


12"	TS712CHTW	\$170
18"	TS718CHTW	\$174
24"	TS724CHTW	\$178
:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Base Horizontal Frame Packages—Square Trim

For Panel Buildups



Tip: You must order vertical junctions separately to complete your frame.

► Page 394

Tip: Specify omit top cap when adding a frameless glass screen to a panel or when ordering spanning top caps.

Tip: Remember to specify an optional change-of-height top cap on any panel in a change-of-height configuration.

Exception: The tallest panel in the configuration never needs a change-of-height top cap.

Tip: Remember to omit base trim(s) when using skins to the floor or when using an open base trim conversion kit.

Tip: Base cable tray cannot be used if omit base trim is selected for one or both sides of panel.

Tip: Remember to order skins to complete the panel.

► Page 434.

Tip: Omit standard base trim and specify separate hardware base trim when accessing hardware power in the base.

Standard Includes

► Need help?
Product details,
page 88

- Standard length top cap: color default determined by base trim paint color
- Base trim with knockouts: paint price group 1
- Two horizontal connecting bars: black paint only

Required to Specify

- 1 Style number
 - 2 Paint color number for trim
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 708.


	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
	Top cap • Omit top cap • Wood • Customiz stain on wood	No cost Prices at right No cost	Specify omit top cap. Specify with wood top cap and select wood color number. Specify with Customiz stain.
Change-of-Height Top Cap	• Change-of-height at one end of top cap, slim • Change-of-height at one end of top cap, cable management • Change-of-height at both ends of top cap on 36"W and wider packages, slim • Change-of-height at both ends of top cap on 36"W and wider packages, cable management • Change-of-height at both ends of top cap on 36"W and wider packages, 1 end slim and one end cable management	+\$ 6 +\$ 6 +\$ 6 +\$ 6 +\$ 6	Specify with change-of-height, one end slim. Specify with change-of-height, one end cable management. Specify with change-of-height, both ends slim. Specify with change-of-height, both ends cable management. Specify with change-of-height one end slim, one end cable management.
	Base Trim • Knockouts one side, plain one side (24"-72"W only) • Plain both sides, (24"-72"W only) • Omit one side, knockouts one side, 18"W to 36"W • Omit one side, knockouts one side, 42"W to 48"W • Omit one side, knockouts one side, 60"W to 72"W • Omit one side, plain one side, 18"W to 36"W • Omit one side, plain one side, 42"W to 48"W • Omit one side, plain one side, 60"W to 72"W • Omit both sides, 18"W to 36"W • Omit both sides, 42"W to 48"W • Omit both sides, 60"W to 72"W	No cost No cost −\$ 3 −\$ 4 −\$ 5 −\$ 3 −\$ 4 −\$ 5 −\$ 6 −\$ 8 −\$10	Specify with knockouts one side, plain one side. Specify with plain both sides. Specify with omit one side, knockouts one side. Specify with omit one side, knockouts one side. Specify with omit one side, knockouts one side. Specify with omit one side, plain one side. Specify with omit one side, plain one side. Specify with omit one side, plain one side. Specify with omit both sides. Specify with omit both sides. Specify with omit both sides.
Cable Tray	• Cable tray	No cost	Specify with cable tray.
Base Cable Tray	• Base cable tray	+\$ 5	Specify with base cable tray.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.




Specification Information			
Width	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
			Wood Top Cap
18"	TS718SHF	\$ 80	+\$183
24"	TS724SHF	\$ 84	+\$183
30"	TS730SHF	\$ 91	+\$183
36"	TS736SHF	\$ 96	+\$183
42"	TS742SHF	\$109	+\$183
48"	TS748SHF	\$115	+\$183
60"	TS760SHF	\$147	+\$244
72"	TS772SHF	\$202	+\$244


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Base Horizontal Frame Packages—Oval Trim

For Panel Buildups



Tip: You must order vertical junctions separately to complete your frame.

► Page 394–395

Tip: Remember to specify an optional shortened change-of-height top cap

on any panel in a change-of-height configuration. Exception: The tallest panel in the configuration never needs a shortened change-of-height top cap.

Tip: Remember to omit base trim(s) when using skins to the floor or when using an open base trim conversion kit.

Tip: Base cable tray cannot be used if omit base trim is selected for one or both sides of panel.

Tip: Remember to order skins to complete the panel.

► Page 434.

Tip: Omit standard base trim and specify separate hard-wire base trim when accessing hardwire power in the base.

Standard Includes

► Need help? Product details, page 88

- Standard length top cap: color default determined by base trim paint color
- Base trim with knockouts: paint price group 1
- Two horizontal connecting bars: black paint only

Required to Specify

- 1 Style number
 - 2 Paint color number for trim
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$11 +\$21	Specify paint color number. Specify paint color number. Specify paint color number.
	Top cap • Wood • Customiz stain on wood	Prices below No cost	Specify with wood top cap and select wood color number. Specify with Customiz stain.
Change-of-Height Shortened Top Cap	• Change-of-height at one end of top cap • Change-of-height at both ends of top cap on 36"W and wider frame packages	+\$ 6 +\$ 6	Specify with change-of-height, one end. Specify with change-of-height, both ends.
	Base Trim • Knockouts one side, plain one side (24"-72"W only) • Plain both sides, (24"-72"W only) • Omit one side, knockouts one side, 18"W to 36"W • Omit one side, knockouts one side, 42"W to 48"W • Omit one side, knockouts one side, 60"W to 72"W • Omit one side, plain one side, 18"W to 36"W • Omit one side, plain one side, 42"W to 48"W • Omit one side, plain one side, 60"W to 72"W • Omit both sides, 18"W to 36"W • Omit both sides, 42"W to 48"W • Omit both sides, 60"W to 72"W	No cost No cost –\$ 3 –\$ 4 –\$ 5 –\$ 3 –\$ 4 –\$ 5 –\$ 6 –\$ 8 –\$10	Specify with knockouts one side, plain one side. Specify with plain both sides. Specify with omit one side, knockouts one side. Specify with omit one side, knockouts one side. Specify with omit one side, plain one side. Specify with omit one side, plain one side. Specify with omit one side, plain one side. Specify with omit both sides. Specify with omit both sides. Specify with omit both sides.
Cable Tray	• Cable tray	No cost	Specify with cable tray.
Base Cable Tray	• Base cable tray	+\$ 5	Specify with base cable tray.

Specification Information

Width	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
18"	TS718HF	\$ 93	+\$183
24"	TS724HF	\$ 97	+\$183
30"	TS730HF	\$107	+\$183
36"	TS736HF	\$112	+\$183
42"	TS742HF	\$128	+\$183
48"	TS748HF	\$137	+\$183
60"	TS760HF	\$173	+\$244
72"	TS772HF	\$237	+\$244




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Stacking Horizontal Frame Packages

For Panel Buildups



Tip: You must order vertical stacking junctions separately to complete your frame.

► Page 405

Tip: Top cap is not included. Use the top cap from the base panel you are stacking on.

Tip: If stacking a window kit, stacking horizontal frame package is not needed.

Tip: Remember to order skins to complete the panel.

► Page 434.

Standard Includes

- Need help? Product details, page 92
- One horizontal connecting bar: black paint only

Required to Specify

Style number

Specification Information

• Width : : :	• Style : Number	• U.S. : Price
18"	TS718HFS	\$17
24"	TS724HFS	\$20
30"	TS730HFS	\$21
36"	TS736HFS	\$23
42"	TS742HFS	\$26
48"	TS748HFS	\$28
60"	TS760HFS	\$34
72"	TS772HFS	\$48
:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Spanning Top Caps—Square Trim



Tip: In-line spanning top cap lightseals should be specified for each in-line joint top cap is spanning across.

► Page 467

Standard Includes		Required to Specify	
► Need help? Product details, page 89	Top cap: paint or wood	1 Style number	2 Paint color number or wood finish number for top cap
		3 Options, if selected (see below)	► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify	
Surface Materials	Customiz stain on wood	No cost	Specify with <i>Customiz stain</i> .
Change-of-Height Shortened Top Cap	- Change-of-height at one end of top cap, slim - Change-of-height at one end of top cap, cable management - Change-of-height at both ends of top cap, slim - Change-of-height at both ends of top cap, cable management - Change-of-height at both ends of top cap, one end slim and one end cable management	+\$6 +\$6 +\$6 +\$6 +\$6	Specify with <i>change-of-height, one end slim</i> . Specify with <i>change-of-height, one end cable management</i> . Specify with <i>change-of-height, both ends slim</i> . Specify with <i>change-of-height, both ends cable management</i> . Specify with <i>change-of-height, one end slim, one end cable management</i> .

Specification Information

Width	Style Number	U.S. Base Price

Painted Top Caps

36"	TS736STC	\$ 20
42"	TS742STC	\$ 24
48"	TS748STC	\$ 29
60"	TS760STC	\$ 34
72"	TS772STC	\$ 39
78"	TS778STC	\$ 47
84"	TS784STC	\$ 56
90"	TS790STC	\$ 63
96"	TS796STC	\$ 71
:	:	:

Wood Top Caps


36"	TS736STCW	\$203
42"	TS742STCW	\$207
48"	TS748STCW	\$212
60"	TS760STCW	\$278
72"	TS772STCW	\$283
78"	TS778STCW	\$291
84"	TS784STCW	\$300
90"	TS790STCW	\$307
96"	TS796STCW	\$315
:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Frameless Glass Screens—Square Trim



Tip: These screens are only available for use on panels with square trim.

Tip: Remember to specify in-line top cap lightseals if frameless glass screen is spanning two or more panels.

► Page 467

Standard Includes		Required to Specify	
► Need help? Product details, page 94	- Glass screen, 6500 Clear Glass - Two brackets – 24"-84" wide: paint - Three brackets – 90"-96" wide: paint - Two supports - Square profile top cap with holes: paint	1 Style Number 2 Paint color number for brackets 3 Paint color number for top cap 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.	
Options	U.S. Price	Required to Specify	
Surface Materials Top cap - Paint price group 1 - Paint price group 2 - Paint price group 3 - Wood - Customiz stain on wood	No cost +\$11 +\$21 Prices below No cost	Specify paint color number. Specify paint color number. Specify paint color number. Specify <i>with wood top cap</i> and select wood color number. Specify <i>with Customiz stain</i> .	
Change-of-Height Top Cap Change-of-height at one end of top cap, slim	+\$ 6	Specify <i>with change-of-height, one end slim</i> .	
Glass Screen - Omit glass screen - Frosted glass	Prices below Prices below	Specify <i>with omit screen</i> . Specify <i>with 6530 Frosted Tempered Glass</i> .	

Specification Information

Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)		
			Wood Top Cap	Omit Glass	Frosted Glass
24"	TS71224SFG	\$ 411	+\$183	-\$ 84	+\$ 58
30"	TS71230SFG	\$ 442	+\$183	-\$ 95	+\$ 76
36"	TS71236SFG	\$ 475	+\$183	-\$100	+\$116
42"	TS71242SFG	\$ 508	+\$183	-\$105	+\$170
48"	TS71248SFG	\$ 536	+\$183	-\$115	+\$189
60"	TS71260SFG	\$ 619	+\$244	-\$126	+\$244
72"	TS71272SFG	\$ 690	+\$244	-\$137	+\$292
78"	TS71278SFG	\$ 768	+\$244	-\$148	+\$307
84"	TS71284SFG	\$ 846	+\$244	-\$157	+\$318
90"	TS71290SFG	\$ 923	+\$244	-\$167	+\$350
96"	TS71296SFG	\$1000	+\$244	-\$178	+\$368
.	.	.	.	.	.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

12"H Panel Top Screens For Use on Panels with Square and Oval Trim

Square Trim



Tip: These screens only attach to panels with square trim.

► See page 97 for oval trim application.

Tip: Support brackets, included in this package, must be used with translucent screen only.

Tip: Double wall construction and internal ribbing structure make screen look more opaque than 6625 translucent finish sample.


Standard Includes	Required to Specify
► Need help? Product details, page 96	1 Style number 2 Paint color number for supports: 4799 Platinum 7207 Black 7225 Sand 7230 Basalt 7241 Arctic White 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Screen • Change-of-height at one end	No cost	Specify with change-of-height, one end.

Specification Information

Panel Width	Screen Width	Style Number	U.S. Price
24"	23½"	TS71224SPTS	\$166
30"	29½"	TS71230SPTS	\$172
36"	35½"	TS71236SPTS	\$180
42"	41½"	TS71242SPTS	\$192
48"	47½"	TS71248SPTS	\$198
•	•	•	•

Oval Trim



Tip: These screens only attach to panels with oval trim.

► See page 96 for square trim application.

Tip: Support brackets, included in this package, must be used with translucent screen only.

Tip: Double wall construction and internal ribbing structure make screen look more opaque than 6625 translucent finish sample.


Standard Includes	Required to Specify
► Need help? Product details, page 97	Style number

Specification Information

Panel Width	Screen Width	Style Number	U.S. Price
30"	27½"	TS71230PTS	\$179
36"	33½"	TS71236PTS	\$187
42"	39½"	TS71242PTS	\$199
48"	45½"	TS71248PTS	\$206
•	•	•	•

12"H Panel Top Screens For
Use on Panels with
Square and Oval Trim

Panel Packages—Square Trim



Tip: You must order junctions separately to connect adjacent panels.

► Page 394–395

Tip: Remember to order receptacles and face plates.
► Pages 477–479

Tip: 18"W panels can accommodate pass-through power only.

Tip: 72"W panels accommodate fabric in the horizontal application only.

Tip: For further information about fabric direction,
► Page 713.

Tip: Specify omit top cap when adding a frameless glass screen to a panel or when ordering spanning top caps.

Tip: Remember to specify an optional change-of-height top cap on any panel in a change-of-height configuration.
Exception: The tallest panel in the configuration never needs a change-of-height top cap.
► Page 80

Standard Includes

► Need help?
Product details,
page 98

- Tackable acoustical skins on both sides of panel, fabric direction with horizontal application, if selected: fabric price group 1
- Performance tackable acoustical skins on both sides of panel, fabric direction with horizontal application, if selected: fabric price group 1
- Standard length top cap: color default determined by trim paint color
- Base trim with knockouts: painted steel
- Two horizontal connecting bars

Required to Specify

- 1 Style number
 - 2 Fabric color number for side 1
 - 3 Fabric color number for side 2
 - 4 Paint color number for trim
 - 5 Options, if selected (see below)
- See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Skin surface		
	• Fabric price group A each side	–\$ 5	Specify fabric color number.
	• Fabric price group 1 each side	No cost	Specify fabric color number.
	• Fabric price group 2 each side	+\$ 25	Specify fabric color number.
	• Fabric price group 3 each side	+\$ 46	Specify fabric color number.
	• Fabric price group 4 each side	+\$ 73	Specify fabric color number.
	• Fabric price group 5 each side	+\$114	Specify fabric color number.
	• Fabric price group 6 each side	+\$157	Specify fabric color number.
	• Fabric price group 7 each side	+\$198	Specify fabric color number.
	• Fabric price group COM each side	+\$ 16	Specify fabric color number.
	Fabric direction on 18"W to 60"W panels		
	• Vertical application, side 1	No cost	Specify with vertical application.
	• Vertical application, side 2	No cost	Specify with vertical application.
	Trim		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 11	Specify paint color number.
	• Paint price group 3	+\$ 21	Specify paint color number.
	Top Cap		
	• Omit top cap	No cost	Specify omit top cap.
	• Wood (18"W to 48"W)	+\$183	Specify with wood top cap and select wood color number.
	• Wood (60"W to 72"W)	+\$244	Specify with wood top cap and select wood color number.
	• Customiz stain on wood	No cost	Specify with Customiz stain.
Change-of-Height Top Cap	• Change-of-height at one end of top cap, slim	+\$ 6	Specify with change-of-height, one end slim.
	• Change-of-height at one end of top cap, cable management	+\$ 6	Specify with change-of-height, one end cable management.
	• Change-of-height at both ends of top cap on 36"W and wider packages, slim	+\$ 6	Specify with change-of-height, both ends slim.
	• Change-of-height at both ends of top cap on 36"W and wider packages, cable management	+\$ 6	Specify with change-of-height, both ends cable management.
	• Change-of-height at both ends of top cap on 36"W and wider packages, 1 end slim and one end cable management	+\$ 6	Specify with change-of-height, one end slim, one end cable management.
Base Trim	• Knockouts one side	No cost	Specify with knockouts one side, plain one side.
	• Plain one side (24"-72"W only)	No cost	Specify with plain both sides.
	• Plain both sides (24"-72"W only)	No cost	

► Options, continued on next page



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page

Options	U.S. Price	Required to Specify
Cable Tray • Cable tray	No cost	Specify <i>with cable tray</i> .
Base Cable Tray • Base cable tray	+\$ 5	Specify <i>with base cable tray</i> .
Power with 3+1, 2+2, or three separate neutrals (3SN) wiring schematics	• One pass-through power harness 18"W to 48"W	Specify <i>with one pass-through harness</i> and indicate wiring schematic type (3+1, 2+2, or 3SN). Specify <i>with one pass-through harness</i> and indicate wiring schematic type (3+1, 2+2, or 3SN). Specify <i>with one powerkit</i> and indicate wiring schematic type (3+1, 2+2, or 3SN). Specify <i>with one powerkit</i> and indicate wiring schematic type (3+1, 2+2, or 3SN).
	• One pass-through power harness 60"W or 72"W	
	• One powerkit 24"W to 48"W	
	• One powerkit 60"W or 72"W	

Specification Information

42"H			48"H			54"H			66"H		
											
• Width	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	
•	•	•	•	•	•	•	•	•	•	•	


Full Skin Tackable Acoustical Panel Packages

18"	TS74218STF	\$366	TS74818STF	\$372	TS75418STF	\$380	TS76618STF	\$446
24"	TS74224STF	\$392	TS74824STF	\$396	TS75424STF	\$404	TS76624STF	\$474
30"	TS74230STF	\$421	TS74830STF	\$427	TS75430STF	\$435	TS76630STF	\$501
36"	TS74236STF	\$450	TS74836STF	\$458	TS75436STF	\$468	TS76636STF	\$528
42"	TS74242STF	\$499	TS74842STF	\$503	TS75442STF	\$513	TS76642STF	\$577
48"	TS74248STF	\$565	TS74848STF	\$573	TS75448STF	\$587	TS76648STF	\$647
60"	TS74260STF	\$667	TS74860STF	\$675	TS75460STF	\$689	TS76660STF	\$747
72"	TS74272STF	\$776	TS74872STF	\$786	TS75472STF	\$802	TS76672STF	\$854

Full Skin Performance Tackable Acoustical Panel Packages

18"	TS74218SPF	\$394	TS74818SPF	\$404	TS75418SPF	\$412	TS76618SPF	\$484
24"	TS74224SPF	\$424	TS74824SPF	\$434	TS75424SPF	\$442	TS76624SPF	\$508
30"	TS74230SPF	\$457	TS74830SPF	\$465	TS75430SPF	\$475	TS76630SPF	\$539
36"	TS74236SPF	\$488	TS74836SPF	\$496	TS75436SPF	\$504	TS76636SPF	\$570
42"	TS74242SPF	\$533	TS74842SPF	\$543	TS75442SPF	\$551	TS76642SPF	\$623
48"	TS74248SPF	\$611	TS74848SPF	\$623	TS75448SPF	\$635	TS76648SPF	\$705
60"	TS74260SPF	\$719	TS74860SPF	\$731	TS75460SPF	\$745	TS76660SPF	\$807
72"	TS74272SPF	\$836	TS74872SPF	\$848	TS75472SPF	\$858	TS76672SPF	\$922

Panel Packages—Oval Trim



Tip: You must order junctions separately to connect adjacent panels.

▶ Page 394–395

Tip: Remember to order receptacles and face plates.

▶ Pages 477–479

Tip: 18"W panels can accommodate pass-through power only.

Tip: 72"W panels accommodate fabric in the horizontal application only.

Tip: For further information about fabric direction,

▶ Page 713.

Tip: Remember to specify an optional shortened change-of-height top cap on any panel in a change-of-height configuration.

Exception: The tallest panel in the configuration never needs a shortened change-of-height top cap.

▶ Page 80



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Standard Includes

▶ Need help?
Product details,
page 98

- Tackable acoustical skins on both sides of panel, fabric direction with horizontal application, if selected: fabric price group 1
- Performance tackable acoustical skins on both sides of panel, fabric direction with horizontal application, if selected: fabric price group 1
- Standard length top cap: color default determined by trim paint color
- Base with knockouts: painted steel
- Two horizontal connecting bars

Required to Specify

- 1 Style number
 - 2 Fabric color number for side 1
 - 3 Fabric color number for side 2
 - 4 Paint color number for trim
 - 5 Options, if selected (see below)
- ▶ See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Skin surface		
	• Fabric price group A each side	–\$ 5	Specify fabric color number.
	• Fabric price group 1 each side	No cost	Specify fabric color number.
	• Fabric price group 2 each side	+\$ 25	Specify fabric color number.
	• Fabric price group 3 each side	+\$ 46	Specify fabric color number.
	• Fabric price group 4 each side	+\$ 73	Specify fabric color number.
	• Fabric price group 5 each side	+\$114	Specify fabric color number.
	• Fabric price group 6 each side	+\$157	Specify fabric color number.
	• Fabric price group 7 each side	+\$198	Specify fabric color number.
	• Fabric price group COM each side	+\$ 16	Specify fabric color number.
	Fabric direction on 18"W to 60"W panels		
	• Vertical application, side 1	No cost	Specify with vertical application.
	• Vertical application, side 2	No cost	Specify with vertical application.
	Trim		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 11	Specify paint color number.
	• Paint price group 3	+\$ 21	Specify paint color number.
	Top Cap		
	• Omit top cap	No cost	Specify omit top cap.
	• Wood (18"W to 48"W)	+\$183	Specify with wood top cap and select wood color number.
	• Wood (60"W to 72"W)	+\$244	Specify with wood top cap and select wood color number.
	• Customiz stain on wood	No cost	Specify with Customiz stain.
Change-of-Height Shortened Top Cap	• Change-of-height at one end of top cap	+\$ 6	Specify with change-of-height, one end.
	• Change-of-height at both ends of top cap on 36"W and wider panels	+\$ 6	Specify with change-of-height, both ends.
Base Trim	• Knockouts one side	No cost	Specify with knockouts one side, plain one side.
	• Plain one side (24"-72"W only)	No cost	Specify with plain both sides.
	• Plain both sides (24"-72"W only)	No cost	
Cable Tray	• Cable tray	No cost	Specify with cable tray.
Base Cable Tray	• Base cable tray	+\$ 5	Specify with base cable tray.
Power with 3+1, 2+2, or three separate neutrals (3SN) wiring schematics	• One pass-through power harness 18"W to 48"W	+\$158	Specify with one pass-through harness and indicate wiring schematic type (3+1, 2+2, or 3SN).
	• One pass-through power harness 60"W or 72"W	+\$176	Specify with one pass-through harness and indicate wiring schematic type (3+1, 2+2, or 3SN).
	• One powerkit 24"W to 48"W	+\$196	Specify with one powerkit and indicate wiring schematic type (3+1, 2+2, or 3SN).
	• One powerkit 60"W or 72"W	+\$297	Specify with one powerkit and indicate wiring schematic type (3+1, 2+2, or 3SN).

Specification Information

42"H			48"H			54"H			66"H		
											
• Width	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	
•			•		•		•		•		

Full Skin Tackable Acoustical Panel Packages

18"	TS74218TF	\$379	TS74818TF	\$385	TS75418TF	\$393	TS76618TF	\$459
24"	TS74224TF	\$405	TS74824TF	\$409	TS75424TF	\$417	TS76624TF	\$487
30"	TS74230TF	\$437	TS74830TF	\$443	TS75430TF	\$451	TS76630TF	\$517
36"	TS74236TF	\$466	TS74836TF	\$474	TS75436TF	\$484	TS76636TF	\$544
42"	TS74242TF	\$518	TS74842TF	\$522	TS75442TF	\$532	TS76642TF	\$596
48"	TS74248TF	\$587	TS74848TF	\$595	TS75448TF	\$609	TS76648TF	\$669
60"	TS74260TF	\$693	TS74860TF	\$701	TS75460TF	\$715	TS76660TF	\$773
72"	TS74272TF	\$811	TS74872TF	\$821	TS75472TF	\$837	TS76672TF	\$889

Full Skin Performance Tackable Acoustical Panel Packages

18"	TS74218PF	\$407	TS74818PF	\$417	TS75418PF	\$425	TS76618PF	\$497
24"	TS74224PF	\$437	TS74824PF	\$447	TS75424PF	\$455	TS76624PF	\$521
30"	TS74230PF	\$473	TS74830PF	\$481	TS75430PF	\$491	TS76630PF	\$555
36"	TS74236PF	\$504	TS74836PF	\$512	TS75436PF	\$520	TS76636PF	\$586
42"	TS74242PF	\$552	TS74842PF	\$562	TS75442PF	\$570	TS76642PF	\$642
48"	TS74248PF	\$633	TS74848PF	\$645	TS75448PF	\$657	TS76648PF	\$727
60"	TS74260PF	\$745	TS74860PF	\$757	TS75460PF	\$771	TS76660PF	\$833
72"	TS74272PF	\$871	TS74872PF	\$883	TS75472PF	\$893	TS76672PF	\$957

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specifying Shared Components and Wiring and Cabling

(Thin, Square, and Oval)


Shared Components

Fabric Covered Panel Skins	434
Fabric Covered Panel Skins To The Floor	436
Steel Panel Skins	438
Steel To The Floor Skins	439
Markerboard Surfaces for Steel Skins	440
Markerboard Skins	441
Slatwall Skins and Slatwall Skin Brace Packages	443
Laminate Skins	444
Laminate To The Floor Skins	445
Wood Skins	446
Wood To The Floor Skins	448
Wood Skin Sets	450
Wood To The Floor Skin Sets	454
Steel Technology Skins	458
Slatwall Technology Skins	460
Markerboard Technology Skins	461
Technology Skin Cover and Fillers	462
Glass Windows	464
Single-Pane Glass Window Kits for Use with Custom Glass	466
Spanning Window In-Line Support and In-Line Spanning Top Cap Lightseal	467
Tackboard for Use with Wall Channels	468
Sliding Panel Doors	469
Hardwire Base Trim	470
Fence Connectors	471
Posts	472
Beams	473

Wiring and Cabling	474
---------------------------	------------

Fabric Covered Panel Skins

For Panel Buildups



Tip: 72"W fabric-covered panel skins accommodate fabric in the horizontal direction only.

Tip: For further information about fabric direction, see page 713.

Tip: 18"H, 30"H, and 42"H skins only work on junctions manufactured on or after October 10, 2011.

Standard Includes	Required to Specify
- Need help? Product details, page 107 - Tackable acoustical panel skin, fabric direction with horizontal application, if selected: fabric price group 1 - Performance tackable acoustical panel skin, fabric direction with horizontal application, if selected: fabric price group 1	1 Style number 2 Paint color number for skin surface. 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price			Required to Specify
Surface Materials	12"H and 18"H	24"H and 30"H	36"H to 60"H	
- Fabric price group A - Fabric price group 1 - Fabric price group 2 - Fabric price group 3 - Fabric price group 4 - Fabric price group 5 - Fabric price group 6 - Fabric price group 7 - Fabric price group COM	-\$ 3 No cost +\$ 14 +\$ 25 +\$ 37 +\$ 58 +\$ 79 +\$101 +\$ 16	-\$ 4 No cost +\$ 20 +\$ 35 +\$ 53 +\$ 83 +\$112 +\$143 +\$ 16	-\$ 5 No cost +\$ 25 +\$ 46 +\$ 73 +\$114 +\$157 +\$198 +\$ 16	Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number.

Fabric direction on 18"W to 60"W panels

- Vertical application No cost Specify with vertical application.

Specification Information								
12"H			18"H		24"H		30"H	
								
• Width	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price

Tackable Acoustical Skins

18"	TS71218TK	\$ 72	TS71818TK	\$ 87	TS72418TK	\$ 97	TS73018TK	\$125
24"	TS71224TK	\$ 79	TS71824TK	\$ 96	TS72424TK	\$106	TS73024TK	\$136
30"	TS71230TK	\$ 83	TS71830TK	\$102	TS72430TK	\$113	TS73030TK	\$145
36"	TS71236TK	\$ 87	TS71836TK	\$107	TS72436TK	\$119	TS73036TK	\$156
42"	TS71242TK	\$ 92	TS71842TK	\$114	TS72442TK	\$127	TS73042TK	\$170
48"	TS71248TK	\$100	TS71848TK	\$122	TS72448TK	\$137	TS73048TK	\$194
60"	TS71260TK	\$114	TS71860TK	\$139	TS72460TK	\$155	TS73060TK	\$220
72"	TS71272TK	\$126	TS71872TK	\$157	TS72472TK	\$175	TS73072TK	\$245

Performance Tackable Acoustical Skins

18"	TS71218TA	\$ 78	TS71818TA	\$ 91	TS72418TA	\$104	TS73018TA	\$130
24"	TS71224TA	\$ 83	TS71824TA	\$ 98	TS72424TA	\$113	TS73024TA	\$142
30"	TS71230TA	\$ 89	TS71830TA	\$105	TS72430TA	\$121	TS73030TA	\$152
36"	TS71236TA	\$ 95	TS71836TA	\$111	TS72436TA	\$127	TS73036TA	\$162
42"	TS71242TA	\$100	TS71842TA	\$116	TS72442TA	\$134	TS73042TA	\$173
48"	TS71248TA	\$109	TS71848TA	\$129	TS72448TA	\$148	TS73048TA	\$198
60"	TS71260TA	\$121	TS71860TA	\$144	TS72460TA	\$168	TS73060TA	\$226
72"	TS71272TA	\$133	TS71872TA	\$160	TS72472TA	\$187	TS73072TA	\$251

▶ Specification Information, continued on next page



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

► Specification Information, continued from previous page

Specification Information

36"H			42"H			48"H			60"H		
											
Width	Style Number	U.S. Base Price		Style Number	U.S. Base Price		Style Number	U.S. Base Price		Style Number	U.S. Base Price

Tackable Acoustical Skins

18"	TS73618TK	\$143	TS74218TK	\$146	TS74818TK	\$150	TS76018TK	\$183
24"	TS73624TK	\$154	TS74224TK	\$156	TS74824TK	\$160	TS76024TK	\$195
30"	TS73630TK	\$165	TS74230TK	\$168	TS74830TK	\$172	TS76030TK	\$205
36"	TS73636TK	\$177	TS74236TK	\$181	TS74836TK	\$186	TS76036TK	\$216
42"	TS73642TK	\$195	TS74242TK	\$197	TS74842TK	\$202	TS76042TK	\$234
48"	TS73648TK	\$225	TS74248TK	\$229	TS74848TK	\$236	TS76048TK	\$266
60"	TS73660TK	\$260	TS74260TK	\$264	TS74860TK	\$271	TS76060TK	\$300
72"	TS73672TK	\$287	TS74272TK	\$292	TS74872TK	\$300	TS76072TK	\$326

Performance Tackable Acoustical Skins

18"	TS73618TA	\$157	TS74218TA	\$162	TS74818TA	\$166	TS76018TA	\$202
24"	TS73624TA	\$170	TS74224TA	\$175	TS74824TA	\$179	TS76024TA	\$212
30"	TS73630TA	\$183	TS74230TA	\$187	TS74830TA	\$192	TS76030TA	\$224
36"	TS73636TA	\$196	TS74236TA	\$200	TS74836TA	\$204	TS76036TA	\$237
42"	TS73642TA	\$212	TS74242TA	\$217	TS74842TA	\$221	TS76042TA	\$257
48"	TS73648TA	\$248	TS74248TA	\$254	TS74848TA	\$260	TS76048TA	\$295
60"	TS73660TA	\$286	TS74260TA	\$292	TS74860TA	\$299	TS76060TA	\$330
72"	TS73672TA	\$317	TS74272TA	\$323	TS74872TA	\$328	TS76072TA	\$360


**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Fabric Covered Panel Skins To The Floor

For Panel Buildups



Tip: Remember to omit base trim(s) on a horizontal frame package when using a skin to the floor.

Tip: 48"H and 60"H fabric covered panel skins accommodate fabric in the vertical direction only.

Tip: 72"W fabric covered panel skins accommodate fabric in the horizontal direction only.

Tip: For further information about fabric direction, see page 713.

Tip: 30"H and 42"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: When specifying skins, the total skin height will be 6" less than the panel height. When ordering skins to the floor an F suffix will be added to the end of the style number for the skin in the lowest position on the panel. The total skin height will still be 6" less than the panel height.

► See Panel Buildups, page 12, for more information.

Standard Includes

► Need help?
Product details,
page 107

- Panel skins, fabric direction application, if selected:
fabric price group 1

Required to Specify

- 1 Style number
 - 2 Fabric color number for skin surface
 - 3 Options, if selected (see below)
- See Surface Materials, page 708.

Options	U.S. Price		Required to Specify
Surface Materials	24" and 30"H	36" to 60"H	
• Fabric price group A	-\$ 4	-\$ 5	Specify fabric color number.
• Fabric price group 1	No cost	No cost	Specify fabric color number.
• Fabric price group 2	+\$ 20	+\$ 25	Specify fabric color number.
• Fabric price group 3	+\$ 35	+\$ 46	Specify fabric color number.
• Fabric price group 4	+\$ 53	+\$ 73	Specify fabric color number.
• Fabric price group 5	+\$ 83	+\$114	Specify fabric color number.
• Fabric price group 6	+\$112	+\$157	Specify fabric color number.
• Fabric price group 7	+\$143	+\$198	Specify fabric color number.
• Fabric price group COM	+\$ 16	+\$ 16	Specify fabric color number.
Fabric direction on 18"W to 60"W skins			
• Vertical application	No cost		Specify with vertical application.

Specification Information

24"H			30"H			36"H		
• Width	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price

Tackable Acoustical Skins

18"	TS72418TKF	\$105	TS73018TKF	\$135	TS73618TKF	\$153
24"	TS72424TKF	\$114	TS73024TKF	\$144	TS73624TKF	\$163
30"	TS72430TKF	\$122	TS73030TKF	\$155	TS73630TKF	\$173
36"	TS72436TKF	\$129	TS73036TKF	\$164	TS73636TKF	\$186
42"	TS72442TKF	\$136	TS73042TKF	\$178	TS73642TKF	\$204
48"	TS72448TKF	\$145	TS73048TKF	\$202	TS73648TKF	\$235
60"	TS72460TKF	\$164	TS73060TKF	\$229	TS73660TKF	\$268
72"	TS72472TKF	\$184	TS73072TKF	\$254	TS73672TKF	\$295

Performance Tackable Acoustical Skins

18"	TS72418TAF	\$112	TS73018TAF	\$146	TS73618TAF	\$166
24"	TS72424TAF	\$122	TS73024TAF	\$158	TS73624TAF	\$179
30"	TS72430TAF	\$130	TS73030TAF	\$168	TS73630TAF	\$191
36"	TS72436TAF	\$136	TS73036TAF	\$179	TS73636TAF	\$205
42"	TS72442TAF	\$142	TS73042TAF	\$192	TS73642TAF	\$220
48"	TS72448TAF	\$157	TS73048TAF	\$220	TS73648TAF	\$258
60"	TS72460TAF	\$177	TS73060TAF	\$251	TS73660TAF	\$294
72"	TS72472TAF	\$195	TS73072TAF	\$278	TS73672TAF	\$325

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Specification Information, continued from previous page

Specification Information

42"H			48"H			60"H		
								
Width	Style Number	U.S. Base Price	Width	Style Number	U.S. Base Price	Width	Style Number	U.S. Base Price

Tackable Acoustical Skins

18"	TS74218TKF	\$155	TS74818TKF	\$159	TS76018TKF	\$191
24"	TS74224TKF	\$165	TS74824TKF	\$169	TS76024TKF	\$204
30"	TS74230TKF	\$176	TS74830TKF	\$182	TS76030TKF	\$213
36"	TS74236TKF	\$189	TS74836TKF	\$194	TS76036TKF	\$224
42"	TS74242TKF	\$205	TS74842TKF	\$210	TS76042TKF	\$242
48"	TS74248TKF	\$238	TS74848TKF	\$244	TS76048TKF	\$275
60"	TS74260TKF	\$272	TS74860TKF	\$279	TS76060TKF	\$309
72"	TS74272TKF	\$307	TS74872TKF	\$309		

Performance Tackable Acoustical Skins

18"	TS74218TAF	\$170	TS74818TAF	\$175	TS76018TAF	\$210
24"	TS74224TAF	\$183	TS74824TAF	\$188	TS76024TAF	\$220
30"	TS74230TAF	\$195	TS74830TAF	\$200	TS76030TAF	\$234
36"	TS74236TAF	\$207	TS74836TAF	\$212	TS76036TAF	\$245
42"	TS74242TAF	\$224	TS74842TAF	\$230	TS76042TAF	\$265
48"	TS74248TAF	\$261	TS74848TAF	\$268	TS76048TAF	\$303
60"	TS74260TAF	\$299	TS74860TAF	\$307	TS76060TAF	\$340
72"	TS74272TAF	\$329	TS74872TAF	\$338		

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Steel Panel Skins

For Panel Buildups

Tip: Steel skins cannot accommodate power receptacles or communication outlets. Use the base or fabric skin for power access.

Tip: Horizontal beam and the back of the opposite skin is visible through a perforated skin.

Tip: 18"H and 30"H skins only work on junctions manufactured on or after October 10, 2011.

Standard Includes		Required to Specify
▶ Need help? Product details, page 108	Steel panel skin: paint price group 1	1 Style number 2 Paint color number for skin surface 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.


Options	U.S. Price			Required to Specify
Surface Materials	12"H to 24"H	30"H	36"H	
• Paint price group 1	No cost	No cost	No cost	Specify paint color number.
• Paint price group 2	+\$22	+\$22	+\$45	Specify paint color number.
• Paint price group 3	+\$38	+\$38	+\$75	Specify paint color number.
• Ribbed steel on 12"H to 24"H panel skins only	+\$22	N.A.	N.A.	Specify <i>with ribbed steel</i> .
• Perforated steel on 12"H to 24"H panel skins only	Prices below	N.A.	N.A.	Specify <i>with perforated steel</i> .

Specification Information

12"H				18"H				24"H			
Width	Style Number	U.S. Base Price	Option (Add \$ to Base Price)	Style Number	U.S. Base Price	Option (Add \$ to Base Price)		Style Number	U.S. Base Price	Option (Add \$ to Base Price)	
			Perforated Steel			Perforated Steel				Perforated Steel	
18"	TS71218HS	\$ 56	+\$35	TS71818HS	\$ 73	+\$ 57		TS72418HS	\$ 91	+\$ 57	
24"	TS71224HS	\$ 60	+\$38	TS71824HS	\$ 79	+\$ 65		TS72424HS	\$ 97	+\$ 65	
30"	TS71230HS	\$ 68	+\$42	TS71830HS	\$ 88	+\$ 70		TS72430HS	\$107	+\$ 70	
36"	TS71236HS	\$ 72	+\$45	TS71836HS	\$ 93	+\$ 74		TS72436HS	\$113	+\$ 74	
42"	TS71242HS	\$ 75	+\$47	TS71842HS	\$ 98	+\$ 78		TS72442HS	\$119	+\$ 78	
48"	TS71248HS	\$ 83	+\$52	TS71848HS	\$105	+\$ 85		TS72448HS	\$129	+\$ 85	
60"	TS71260HS	\$ 92	+\$59	TS71860HS	\$119	+\$ 96		TS72460HS	\$148	+\$ 96	
72"	TS71272HS	\$103	+\$69	TS71872HS	\$134	+\$107		TS72472HS	\$165	+\$107	
30"H				36"H							
Width	Style Number	U.S. Base Price		Style Number	U.S. Base Price						
18"	TS73018HS	\$111		TS73618HS	\$132						
24"	TS73024HS	\$120		TS73624HS	\$144						
30"	TS73030HS	\$131		TS73630HS	\$156						
36"	TS73036HS	\$141		TS73636HS	\$168						
42"	TS73042HS	\$149		TS73642HS	\$179						
48"	TS73048HS	\$164		TS73648HS	\$198						
60"	TS73060HS	\$184		TS73660HS	\$218						
72"	TS73072HS	\$205		TS73672HS	\$245						

Steel To The Floor Skins

For Panel Buildups



Tip: Remember to omit base trim(s) on horizontal frame package when using a skin to the floor.

Tip: Steel skins cannot accommodate power receptacles or communication outlets. Use a fabric skin for power access.

Tip: 30"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: When specifying skins, the total skin height will be 6" less than the panel height. When ordering skins to the floor an F suffix will be added to the end of the style number for the skin in the lowest position on the panel. The total skin height will still be 6" less than the panel height.

► See Panel Buildups, page 12, for more information.

Standard Includes

- Need help? Product details, page 108
- Steel panel skin: paint price group 1

Required to Specify

- 1 Style number
 - 2 Paint color number for skin surface
 - 3 Options, if selected (see below)
- See Surface Materials, page 708.

Options	U.S. Price		Required to Specify
Surface Materials	24"H to 30"H	36"H	
• Paint price group 1	No cost	No cost	Specify paint color number.
• Paint price group 2	+\$22	+\$45	Specify paint color number.
• Paint price group 3	+\$38	+\$75	Specify paint color number.

Specification Information

24"H			30"H			36"H		
Width	Style Number	U.S. Base Price	Width	Style Number	U.S. Base Price	Width	Style Number	U.S. Base Price
18"	TS72418HSF	\$100	18"	TS73018HSF	\$119	18"	TS73618HSF	\$140
24"	TS72424HSF	\$105	24"	TS73024HSF	\$129	24"	TS73624HSF	\$154
30"	TS72430HSF	\$115	30"	TS73030HSF	\$140	30"	TS73630HSF	\$165
36"	TS72436HSF	\$122	36"	TS73036HSF	\$149	36"	TS73636HSF	\$177
42"	TS72442HSF	\$129	42"	TS73042HSF	\$158	42"	TS73642HSF	\$188
48"	TS72448HSF	\$137	48"	TS73048HSF	\$172	48"	TS73648HSF	\$207
60"	TS72460HSF	\$157	60"	TS73060HSF	\$192	60"	TS73660HSF	\$226
72"	TS72472HSF	\$173	72"	TS73072HSF	\$213	72"	TS73672HSF	\$254



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Markerboard Surfaces for Steel Skins

For Panel Buildups

Tip: Remember to order steel skin of the same size to support markerboard surface.

► Page 438

Standard Includes			Required to Specify			
► Need help? Product details, page 109			• Flexible, magnetic markerboard panel surface to attach to steel skin: white plastic			
			Style number			
Specification Information						
12"H			24"H		36"H	
						
• Width	• Style Number	• U.S. Price	• Style Number	• U.S. Price	• Style Number	• U.S. Price
24"	TS71224MBS	\$ 84	TS72424MBS	\$104	TS73624MBS	\$127
30"	TS71230MBS	\$ 87	TS72430MBS	\$109	TS73630MBS	\$136
36"	TS71236MBS	\$ 91	TS72436MBS	\$113	TS73636MBS	\$142
42"	TS71242MBS	\$ 99	TS72442MBS	\$119	TS73642MBS	\$149
48"	TS71248MBS	\$104	TS72448MBS	\$124	TS73648MBS	\$157



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Markerboard Skins

For Panel Buildups

Tip: 18"H and 30"H skins only work on junctions manufactured on or after October 10, 2011.

► Need help?
Product details,
page 110

Standard Includes


- Markerboard skin: white

Required to Specify

Style number

Shared Components

Specification Information

12"H			18"H			24"H			30"H			36"H		
														
Width	Style Number	U.S. Price	Style Number	U.S. Price	Style Number	U.S. Price	Style Number	U.S. Price	Style Number	U.S. Price	Style Number	U.S. Price		
18"	TS71218MB	\$140	TS71818MB	\$169	TS72418MB	\$196	TS73018MB	\$232	TS73618MB	\$269				
24"	TS71224MB	\$149	TS71824MB	\$179	TS72424MB	\$208	TS73024MB	\$246	TS73624MB	\$285				
30"	TS71230MB	\$160	TS71830MB	\$193	TS72430MB	\$224	TS73030MB	\$265	TS73630MB	\$304				
36"	TS71236MB	\$169	TS71836MB	\$203	TS72436MB	\$237	TS73036MB	\$280	TS73636MB	\$322				
42"	TS71242MB	\$181	TS71842MB	\$215	TS72442MB	\$249	TS73042MB	\$296	TS73642MB	\$341				
48"	TS71248MB	\$194	TS71848MB	\$228	TS72448MB	\$264	TS73048MB	\$316	TS73648MB	\$369				
60"	TS71260MB	\$207	TS71860MB	\$242	TS72460MB	\$279	TS73060MB	\$339	TS73660MB	\$390				
72"	TS71272MB	\$221	TS71872MB	\$257	TS72472MB	\$295	TS73072MB	\$354	TS73672MB	\$410				



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Slatwall Skins and Slatwall Skin Brace Packages

Slatwall Skins and Slatwall
Skin Brace Packages




Slatwall Skins

Standard Includes	Required to Specify
▶ Need help? Product details, page 112 • Skin with slatwall channels to accommodate work tools: paint • Attachment hardware	1 Style number 2 Paint color number ▶ See <i>Surface Materials</i> , page 708.

Tip: 18"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: Slatwall skins cannot be used in the bottom 12" of an Answer panel.

Specification Information

12"H			18"H			24"H		
								
• Width	• Style Number	• U.S. Price	• Style Number	• U.S. Price	• Style Number	• U.S. Price	• Style Number	• U.S. Price
24"	TS71224SW	\$225	TS71824SW	\$276	TS72424SW	\$326		
30"	TS71230SW	\$260	TS71830SW	\$310	TS72430SW	\$361		
36"	TS71236SW	\$310	TS71836SW	\$364	TS72436SW	\$417		
42"	TS71242SW	\$330	TS71842SW	\$381	TS72442SW	\$431		
48"	TS71248SW	\$348	TS71848SW	\$400	TS72448SW	\$451		
•	•	•	•	•	•	•	•	•

Slatwall Skin Brace Packages

For Use with Answer Slatwall Skins

Standard Includes	Required to Specify
▶ Need help? Product details, page 112 • Brace packages: black only • Attachment hardware	Style number

Specification Information

12"H			18"H			24"H		
								
• Width	• Style Number	• U.S. Price	• Style Number	• U.S. Price	• Style Number	• U.S. Price	• Style Number	• U.S. Price
24"	TS71224SBP	\$71	TS71824SBP	\$ 85	TS72424SBP	\$ 98		
30"	TS71230SBP	\$71	TS71830SBP	\$ 85	TS72430SBP	\$ 98		
36"	TS71236SBP	\$87	TS71836SBP	\$ 92	TS72436SBP	\$ 98		
42"	TS71242SBP	\$87	TS71842SBP	\$108	TS72442SBP	\$130		
48"	TS71248SBP	\$87	TS71848SBP	\$108	TS72448SBP	\$130		
•	•	•	•	•	•	•	•	•




For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ▶ See page 1 for details.

Laminate Skins

Standard Includes		Required to Specify
► Need help? Product details, page 114	• Skin: laminate • Trim: paint • Attachment hardware	1 Style number 2 Laminate color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials	• Open Line laminate +\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .

Tip: 18"H, 30"H, and 42"H skins only work on junctions manufactured on or after October 10, 2011.


Specification Information								
12"H			18"H			24"H		
								
Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	Style Number	U.S. Base Price	U.S. Base Price
24"	TS71224LS	\$281	TS71824LS	\$303	TS72424LS	\$324	TS73024LS	\$344
30"	TS71230LS	\$292	TS71830LS	\$316	TS72430LS	\$341	TS73030LS	\$371
36"	TS71236LS	\$300	TS71836LS	\$328	TS72436LS	\$356	TS73036LS	\$388
42"	TS71242LS	\$317	TS71842LS	\$345	TS72442LS	\$373	TS73042LS	\$409
48"	TS71248LS	\$328	TS71848LS	\$359	TS72448LS	\$389	TS73048LS	\$428
36"H			42"H			48"H		
								
Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	Style Number	U.S. Base Price	U.S. Base Price
24"	TS73624LS	\$363	TS74224LS	\$374	TS74824LS	\$387	TS76024LS	\$445
30"	TS73630LS	\$403	TS74230LS	\$405	TS74830LS	\$407	TS76030LS	\$466
36"	TS73636LS	\$417	TS74236LS	\$430	TS74836LS	\$443	TS76036LS	\$493
42"	TS73642LS	\$444	TS74242LS	\$455	TS74842LS	\$464	TS76042LS	\$513
48"	TS73648LS	\$470	TS74248LS	\$487	TS74848LS	\$505	TS76048LS	\$571



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.



Tip: Remember to omit base trim(s) on horizontal frame package when using a skin to the floor.

Tip: 30"H and 42"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: When specifying skins, the total skin height will be 6" less than the panel height. When ordering skins to the floor an F suffix will be added to the end of the style number for the skin in the lowest position on the panel. The total skin height will still be 6" less than the panel height.

► See Panel Buildups, page 12, for more information.

Standard Includes	Required to Specify
► Need help? Product details, page 114	1 Style number 2 Laminate color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .

Specification Information						
24"H			30"H		36"H	
	Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number
	24"	TS72424LSF	\$341	TS73024LSF	\$360	TS73624LSF
	30"	TS72430LSF	\$357	TS73030LSF	\$389	TS73630LSF
	36"	TS72436LSF	\$372	TS73036LSF	\$403	TS73636LSF
	42"	TS72442LSF	\$391	TS73042LSF	\$425	TS73642LSF
48"	TS72448LSF	\$405	TS73048LSF	\$445	TS73648LSF	
42"H			48"H		60"H	
	Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number
	24"	TS74224LSF	\$392	TS74824LSF	\$403	TS76024LSF
	30"	TS74230LSF	\$420	TS74830LSF	\$423	TS76030LSF
	36"	TS74236LSF	\$446	TS74836LSF	\$461	TS76036LSF
	42"	TS74242LSF	\$471	TS74842LSF	\$480	TS76042LSF
48"	TS74248LSF	\$504	TS74848LSF	\$520	TS76048LSF	




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wood Skins



Tip: 18"H, 30"H, and 42"H skins only work on junctions manufactured on or after October 10, 2011.

Standard Includes	Required to Specify
▶ Need help? Product details, page 115 • Skin: wood veneer • Trim: paint • Attachment hardware	1 Style number 2 Wood veneer color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Premium wood 2 • Premium wood 3 • Customiz stain	Prices below and at right Prices below and at right No cost	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> .

Specification Information

12"H					18"H				
Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)		Style Number	U.S. Base Price	Options (Add \$ to Base Price)		
			Premium Wood				Premium Wood		
			Wood 2	Wood 3			Wood 2	Wood 3	
24"	TS71224WS	\$337	+\$53	+\$186	TS71824WS	\$388	+\$ 53	+\$186	
30"	TS71230WS	\$360	+\$53	+\$186	TS71830WS	\$411	+\$ 53	+\$186	
36"	TS71236WS	\$385	+\$53	+\$186	TS71836WS	\$438	+\$ 89	+\$312	
42"	TS71242WS	\$410	+\$53	+\$186	TS71842WS	\$467	+\$ 89	+\$312	
48"	TS71248WS	\$436	+\$53	+\$186	TS71848WS	\$494	+\$ 89	+\$312	
24"H					30"H				
Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)		Style Number	U.S. Base Price	Options (Add \$ to Base Price)		
			Premium Wood				Premium Wood		
			Wood 2	Wood 3			Wood 2	Wood 3	
24"	TS72424WS	\$436	+\$53	+\$186	TS73024WS	\$509	+\$ 89	+\$312	
30"	TS72430WS	\$463	+\$53	+\$186	TS73030WS	\$538	+\$ 89	+\$312	
36"	TS72436WS	\$491	+\$89	+\$312	TS73036WS	\$568	+\$ 89	+\$312	
42"	TS72442WS	\$521	+\$89	+\$312	TS73042WS	\$603	+\$132	+\$461	
48"	TS72448WS	\$550	+\$89	+\$312	TS73048WS	\$645	+\$132	+\$461	

▶ Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

► Specification Information, continued from previous page

Specification Information

36"H					42"H				
• Width	 • Style Number	• U.S. Base Price	• Options (Add \$ to Base Price)		• Style Number	• U.S. Base Price	• Options (Add \$ to Base Price)		
			<u>Premium Wood</u>				<u>Premium Wood</u>		
			Wood 2	Wood 3			Wood 2	Wood 3	
24"	TS73624WS	\$581	+\$ 89	+\$312	TS74224WS	\$617	+\$ 89	+\$312	
30"	TS73630WS	\$615	+\$ 89	+\$312	TS74230WS	\$648	+\$ 89	+\$312	
36"	TS73636WS	\$646	+\$ 89	+\$312	TS74236WS	\$681	+\$132	+\$461	
42"	TS73642WS	\$682	+\$132	+\$461	TS74242WS	\$716	+\$132	+\$461	
48"	TS73648WS	\$739	+\$132	+\$461	TS74248WS	\$774	+\$132	+\$461	
•	•	•	•	•	•	•	•	•	


48"H					60"H				
• Width	 • Style Number	• U.S. Base Price	• Options (Add \$ to Base Price)		• Style Number	• U.S. Base Price	• Options (Add \$ to Base Price)		
			<u>Premium Wood</u>				<u>Premium Wood</u>		
			Wood 2	Wood 3			Wood 2	Wood 3	
24"	TS74824WS	\$652	+\$ 89	+\$312	TS76024WS	\$753	+\$ 89	+\$312	
30"	TS74830WS	\$682	+\$ 89	+\$312	TS76030WS	\$781	+\$132	+\$461	
36"	TS74836WS	\$714	+\$132	+\$461	TS76036WS	\$812	+\$132	+\$461	
42"	TS74842WS	\$751	+\$132	+\$461	TS76042WS	\$850	+\$185	+\$647	
48"	TS74848WS	\$809	+\$132	+\$461	TS76048WS	\$910	+\$185	+\$647	
•	•	•	•	•	•	•	•	•	

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wood To The Floor Skins



Tip: Remember to omit base trim(s) on horizontal frame package when using a skin to the floor.

Tip: 18"H, 30"H, and 42"H skins only work on junctions manufactured on or after October 10, 2011.

Tip: When specifying skins, the total skin height will be 6" less than the panel height. When ordering skins to the floor an F suffix will be added to the end of the style number for the skin in the lowest position on the panel. The total skin height will still be 6" less than the panel height.

► See Panel Buildups, page 12, for more information.

Standard Includes		Required to Specify
► Need help? Product details, page 115	• Skin: wood veneer • Trim: paint • Attachment hardware	1 Style number 2 Wood veneer color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.
Surface Materials	Options	U.S. Price
	• Premium wood 2 • Premium wood 3 • Customiz stain	Prices below and at right Prices below and at right No cost
		Required to Specify
		Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .

Specification Information

24"H					30"H			
Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)		Style Number	U.S. Base Price	Options (Add \$ to Base Price)	
			Premium Wood				Premium Wood	
			Wood 2	Wood 3			Wood 2	Wood 3
24"	TS72424WSF	\$455	+\$53	+\$186	TS73024WSF	\$526	+\$ 89	+\$312
30"	TS72430WSF	\$479	+\$53	+\$186	TS73030WSF	\$554	+\$ 89	+\$312
36"	TS72436WSF	\$508	+\$89	+\$312	TS73036WSF	\$585	+\$ 89	+\$312
42"	TS72442WSF	\$538	+\$89	+\$312	TS73042WSF	\$618	+\$132	+\$461
48"	TS72448WSF	\$567	+\$89	+\$312	TS73048WSF	\$661	+\$132	+\$461

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Specification Information, continued from previous page

Specification Information

36"H					42"H				
Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)		Style Number	U.S. Base Price	Options (Add \$ to Base Price)		
			Premium Wood				Premium Wood		
			Wood 2	Wood 3			Wood 2	Wood 3	
24"	TS73624WSF	\$599	+\$ 89	+\$312	TS74224WSF	\$633	+\$ 89	+\$312	
30"	TS73630WSF	\$630	+\$ 89	+\$312	TS74230WSF	\$665	+\$ 89	+\$312	
36"	TS73636WSF	\$663	+\$ 89	+\$312	TS74236WSF	\$697	+\$132	+\$461	
42"	TS73642WSF	\$699	+\$132	+\$461	TS74242WSF	\$732	+\$132	+\$461	
48"	TS73648WSF	\$756	+\$132	+\$461	TS74248WSF	\$790	+\$132	+\$461	

48"H					60"H				
Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)		Style Number	U.S. Base Price	Options (Add \$ to Base Price)		
			Premium Wood				Premium Wood		
			Wood 2	Wood 3			Wood 2	Wood 3	
24"	TS74824WSF	\$670	+\$ 89	+\$312	TS76024WSF	\$769	+\$ 89	+\$312	
30"	TS74830WSF	\$699	+\$ 89	+\$312	TS76030WSF	\$796	+\$132	+\$461	
36"	TS74836WSF	\$730	+\$132	+\$461	TS76036WSF	\$828	+\$132	+\$461	
42"	TS74842WSF	\$767	+\$132	+\$461	TS76042WSF	\$867	+\$185	+\$647	
48"	TS74848WSF	\$825	+\$132	+\$461	TS76048WSF	\$926	+\$185	+\$647	

**For Canadian Pricing**

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Wood Skin Sets

Tip: Wood skin sets should be selected when grain pattern alignment of all segmented skins on a frame is desired.

Standard Includes		Required to Specify
► Need help? Product details, page 115	• Skin: wood veneer • Trim: paint • Attachment hardware	1 Style number 2 Wood veneer color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Premium wood 2 • Premium wood 3 • Customiz stain	Prices below and at right Prices below and at right No cost	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .

Specification Information

Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)
			Premium Wood
			Wood 2 : Wood 3

42"H Wood Skin Sets

Set A = One 12"H Skin and One 24"H Skin

24"	TS74224AWSS	\$ 795	+\$104	+\$364
30"	TS74230AWSS	\$ 847	+\$104	+\$364
36"	TS74236AWSS	\$ 903	+\$142	+\$498
42"	TS74242AWSS	\$ 958	+\$142	+\$498
48"	TS74248AWSS	\$1018	+\$142	+\$498

48"H Wood Skin Sets




Set A = One 12"H Skin and One 30"H Skin

24"	TS74824AWSS	\$ 873	+\$142	+\$498
30"	TS74830AWSS	\$ 926	+\$142	+\$498
36"	TS74836AWSS	\$ 982	+\$142	+\$498
42"	TS74842AWSS	\$1041	+\$185	+\$647
48"	TS74848AWSS	\$1115	+\$185	+\$647

Set B = One 18"H Skin and One 24"H Skin

24"	TS74824BWSS	\$ 873	+\$147	+\$514
30"	TS74830BWSS	\$ 926	+\$147	+\$514
36"	TS74836BWSS	\$ 982	+\$147	+\$514
42"	TS74842BWSS	\$1041	+\$192	+\$671
48"	TS74848BWSS	\$1115	+\$192	+\$671

► **Specification Information, continued on next page**



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

► Specification Information, continued from previous page

Specification Information

Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)
			Premium Wood
			Wood 2 Wood 3

54"H Wood Skin Sets

Set A = Two 24"H Skins

24"	TS75424AWSS	\$ 900	+\$104	+\$364
30"	TS75430AWSS	\$ 957	+\$104	+\$364
36"	TS75436AWSS	\$1013	+\$179	+\$624
42"	TS75442AWSS	\$1071	+\$179	+\$624
48"	TS75448AWSS	\$1133	+\$179	+\$624

Set B = Two 12"H Skins and One 24"H Skin

24"	TS75424BWSS	\$1142	+\$157	+\$550
30"	TS75430BWSS	\$1222	+\$157	+\$550
36"	TS75436BWSS	\$1299	+\$195	+\$683
42"	TS75442BWSS	\$1381	+\$195	+\$683
48"	TS75448BWSS	\$1466	+\$195	+\$683

Set C = One 12"H Skin and One 36"H Skin





24"	TS75424CWSS	\$ 947	+\$142	+\$498
30"	TS75430CWSS	\$1003	+\$142	+\$498
36"	TS75436CWSS	\$1062	+\$142	+\$498
42"	TS75442CWSS	\$1124	+\$185	+\$647
48"	TS75448CWSS	\$1212	+\$185	+\$647

66"H Wood Skin Sets

Set A = Three 12"H Skins and One 24"H Skin

24"	TS76624AWSS	\$1491	+\$210	+\$735
30"	TS76630AWSS	\$1594	+\$210	+\$735
36"	TS76636AWSS	\$1694	+\$246	+\$861
42"	TS76642AWSS	\$1802	+\$246	+\$861
48"	TS76648AWSS	\$1915	+\$246	+\$861

► Specification Information, continued on next page



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Wood Skin Sets, continued

► Specification Information, continued from previous page

Specification Information

Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)
			Premium Wood
			Wood 2 Wood 3



66"H Wood Skin Sets, continued

Set B = One 12"H Skin and Two 24"H Skins

24"	TS76624BWSS	\$1247	+\$157	+\$550
30"	TS76630BWSS	\$1328	+\$157	+\$550
36"	TS76636BWSS	\$1408	+\$232	+\$810
42"	TS76642BWSS	\$1493	+\$232	+\$810
48"	TS76648BWSS	\$1582	+\$232	+\$810

Set C = Two 12"H Skins and One 36"H Skin

24"	TS76624CWSS	\$1295	+\$195	+\$683
30"	TS76630CWSS	\$1376	+\$195	+\$683
36"	TS76636CWSS	\$1457	+\$195	+\$683
42"	TS76642CWSS	\$1546	+\$236	+\$824
48"	TS76648CWSS	\$1661	+\$236	+\$824

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.




Wood To The Floor Skin Sets

Tip: Wood skin sets should be selected when grain pattern alignment of all segmented skins on a frame is desired.

Tip: Remember to omit base trim(s) on horizontal frame package when using a skin to the floor.

Tip: When specifying skins, the total skin height will be 6" less than the panel height. When ordering skins to the floor an F suffix will be added to the end of the style number for the skin in the lowest position on the panel. The total skin height will still be 6" less than the panel height.

► See *Panel Buildups*, page 12, for more information.



Standard Includes		Required to Specify
► Need help? Product details, page 115	• Skin: wood veneer • Trim: paint • Attachment hardware	1 Style number 2 Wood veneer color for skin surface 3 Paint color number for trim 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Premium wood 2 • Premium wood 3 • Customiz stain	Prices below and at right Prices below and at right No cost	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .

Specification Information			
Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)
			Premium Wood
			Wood 2 : Wood 3

42"H Wood Skin Sets

Set A = One 12"H Skin and One 24"H Skin

24"	TS74224AWSF	\$ 813	+\$104	+\$364
30"	TS74230AWSF	\$ 865	+\$104	+\$364
36"	TS74236AWSF	\$ 919	+\$142	+\$498
42"	TS74242AWSF	\$ 975	+\$142	+\$498
48"	TS74248AWSF	\$1034	+\$142	+\$498
:	:	:	:	:

48"H Wood Skin Sets

Set A = One 12"H Skin and One 30"H Skin

24"	TS74824AWSF	\$ 888	+\$142	+\$498
30"	TS74830AWSF	\$ 942	+\$142	+\$498
36"	TS74836AWSF	\$ 998	+\$142	+\$498
42"	TS74842AWSF	\$1057	+\$185	+\$647
48"	TS74848AWSF	\$1131	+\$185	+\$647
:	:	:	:	:

Set B = One 18"H Skin and One 24"H Skin

24"	TS74824BWSF	\$ 888	+\$147	+\$514
30"	TS74830BWSF	\$ 942	+\$147	+\$514
36"	TS74836BWSF	\$ 998	+\$147	+\$514
42"	TS74842BWSF	\$1057	+\$192	+\$671
48"	TS74848BWSF	\$1131	+\$192	+\$671
:	:	:	:	:

► **Specification Information, continued on next page**



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Specification Information, continued from previous page

Specification Information

Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)
			Premium Wood
			Wood 2 : Wood 3

54"H Wood Skin Sets

Set A = Two 24"H Skins

24"	TS75424AWSF	\$ 917	+\$104	+\$364
30"	TS75430AWSF	\$ 974	+\$104	+\$364
36"	TS75436AWSF	\$1029	+\$179	+\$624
42"	TS75442AWSF	\$1088	+\$179	+\$624
48"	TS75448AWSF	\$1148	+\$179	+\$624

Set B = Two 12"H Skins and One 24"H Skin

24"	TS75424BWSF	\$1162	+\$157	+\$550
30"	TS75430BWSF	\$1238	+\$157	+\$550
36"	TS75436BWSF	\$1315	+\$195	+\$683
42"	TS75442BWSF	\$1396	+\$195	+\$683
48"	TS75448BWSF	\$1484	+\$195	+\$683

Set C = One 12"H Skin and One 36"H Skin





24"	TS75424CWSF	\$ 964	+\$142	+\$498
30"	TS75430CWSF	\$1021	+\$142	+\$498
36"	TS75436CWSF	\$1078	+\$142	+\$498
42"	TS75442CWSF	\$1140	+\$185	+\$647
48"	TS75448CWSF	\$1228	+\$185	+\$647

66"H Wood Skin Sets

Set A = Three 12"H Skins and One 24"H Skin

24"	TS76624AWSF	\$1507	+\$210	+\$735
30"	TS76630AWSF	\$1609	+\$210	+\$735
36"	TS76636AWSF	\$1712	+\$246	+\$861
42"	TS76642AWSF	\$1819	+\$246	+\$861
48"	TS76648AWSF	\$1934	+\$246	+\$861

► Specification Information, continued on next page



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Wood To The Floor Skin Sets, continued

► Specification Information, continued from previous page

Specification Information

Width	Style Number	U.S. Base Price	Options (Add \$ to Base Price)
			Premium Wood
			Wood 2 Wood 3



66"H Wood Skin Sets, continued

Set B = One 12"H Skin and Two 24"H Skins

24"	TS76624BWSF	\$1266	+\$157	+\$550
30"	TS76630BWSF	\$1343	+\$157	+\$550
36"	TS76636BWSF	\$1424	+\$232	+\$810
42"	TS76642BWSF	\$1510	+\$232	+\$810
48"	TS76648BWSF	\$1599	+\$232	+\$810

Set C = Two 12"H Skins and One 36"H Skin


24"	TS76624CWSF	\$1310	+\$195	+\$683
30"	TS76630CWSF	\$1391	+\$195	+\$683
36"	TS76636CWSF	\$1474	+\$195	+\$683
42"	TS76642CWSF	\$1561	+\$236	+\$824
48"	TS76648CWSF	\$1679	+\$236	+\$824

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Steel Technology Skins



Tip: Remember to order technology covers to fill the cutouts. Only TS7TSCOVER style covers can be used with this skin.

Tip: A modular powerkit must always be located behind the technology skin.

Tip: 72"W technology skins accommodate fabric in the horizontal application only.

Tip: Ribbed steel technology skins cannot be fabric covered.

Tip: For further information about fabric direction, see page 713.

Tip: Technology skins are available with all cutouts or handed cutouts on just the right side or just the left side of the skin.

Standard Includes		Required to Specify	
► Need help? Product details, page 116	• Technology skin: paint price group 1	1 Style number	
		2 Paint color number for skin surface	
		3 Options, if selected (see below)	
		► See <i>Surface Materials</i> , page 708.	

Surface	Options	U.S. Price	Required to Specify
Materials	Paint		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 22	Specify paint color number.
	• Paint price group 3	+\$ 38	Specify paint color number.
	Fabric		
	• Fabric on steel technology skins	+\$ 49 plus the cost of fabric price group	Specify <i>with fabric</i> .
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 14	Specify fabric color number.
	• Fabric price group 3	+\$ 25	Specify fabric color number.
	• Fabric price group 4	+\$ 37	Specify fabric color number.
	• Fabric price group 5	+\$ 58	Specify fabric color number.
	• Fabric price group 6	+\$ 79	Specify fabric color number.
	• Fabric price group 7	+\$101	Specify fabric color number.
	• Fabric price group COM	+\$ 16	Specify fabric color number.
	Ribbed Steel		
	• Ribbed steel on 12"H and 18"H skins only.	+\$ 22	Specify <i>with ribbed steel</i> .
	Fabric direction		
	• Horizontal application (standard)	No cost	Specify <i>with horizontal application</i> .
	• Vertical application	No cost	Specify <i>with vertical application</i> .



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specification Information

All Cutouts			Right Hand Cutout Only		Left Hand Cutout Only		No Cutouts	
								
Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price

Tip: 6"H technology skins with cutouts includes a pair of powerkit brackets that attach the powerkit to the junction to correctly position it within the panel.

Tip: 6"H technology skin can only attach to junctions manufactured on or after October 10, 2011.

Tip: When using technology skin on one side of the panel (only used at worksurface height) a 12" or 18" skin can not be used on the opposite side of the panel at the same location as the 6"H skin.

6"H Steel Technology Skins

24"	TS7624TSS	\$ 72					TS7624HS	\$52
30"	TS7630TSS	\$ 87	TS7630RTSS	\$ 71	TS7630LTSS	\$ 71	TS7630HS	\$56
36"	TS7636TSS	\$ 91	TS7636RTSS	\$ 75	TS7636LTSS	\$ 75	TS7636HS	\$60
42"	TS7642TSS	\$ 94	TS7642RTSS	\$ 79	TS7642LTSS	\$ 79	TS7642HS	\$63
48"	TS7648TSS	\$103	TS7648RTSS	\$ 88	TS7648LTSS	\$ 88	TS7648HS	\$72
60"	TS7660TSS	\$118	TS7660RTSS	\$103	TS7660LTSS	\$103	TS7660HS	\$83
72"	TS7672TSS	\$130	TS7672RTSS	\$114	TS7672LTSS	\$114	TS7672HS	\$94

12"H Steel Technology Skins

24"	TS71224TSS	\$ 97						
30"	TS71230TSS	\$115	TS71230RTSS	\$100	TS71230LTSS	\$100		
36"	TS71236TSS	\$121	TS71236RTSS	\$106	TS71236LTSS	\$106		
42"	TS71242TSS	\$125	TS71242RTSS	\$110	TS71242LTSS	\$110		
48"	TS71248TSS	\$137	TS71248RTSS	\$121	TS71248LTSS	\$121		
60"	TS71260TSS	\$159	TS71260RTSS	\$143	TS71260LTSS	\$143		
72"	TS71272TSS	\$172	TS71272RTSS	\$157	TS71272LTSS	\$157		


18"H Steel Technology Skins

24"	TS71824TSS	\$124						
30"	TS71830TSS	\$145	TS71830RTSS	\$130	TS71830LTSS	\$130		
36"	TS71836TSS	\$154	TS71836RTSS	\$138	TS71836LTSS	\$138		
42"	TS71842TSS	\$161	TS71842RTSS	\$145	TS71842LTSS	\$145		
48"	TS71848TSS	\$175	TS71848RTSS	\$160	TS71848LTSS	\$160		
60"	TS71860TSS	\$198	TS71860RTSS	\$183	TS71860LTSS	\$183		
72"	TS71872TSS	\$221	TS71872RTSS	\$206	TS71872LTSS	\$206		



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Slatwall Technology Skins



Tip: Remember to order technology covers to fill the cutouts. Only TS7TSCOVER style covers can be used with this skin.

Tip: A modular powerkit must always be located behind the technology skin.

Tip: Technology skins are available with all cutouts or handed cutouts on just the right side or just the left side of the skin.

Tip: 18"H technology skin can only attach to junctions manufactured on or after October 10, 2011.

Tip: Slatwall skins cannot be used in the bottom 12" of an Answer panel.

Standard Includes	Required to Specify
▶ Need help? Product details, page 116 • Technology skin with slatwall channels to accommodate worktools: paint • Trim ring: painted steel	1 Style number 2 Paint color number for skin surface and trim ring ▶ See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2	No cost +\$22	Specify paint color number. Specify paint color number.

Specification Information						
All Cutouts			Right-Hand Cutout Only		Left-Hand Cutout Only	
						
• Width	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price
⋮	⋮	⋮	⋮	⋮	⋮	⋮

12" Slatwall Technology Skins

24"	TS71224TSSW	\$248				
30"	TS71230TSSW	\$311	TS71230RTSSW	\$296	TS71230LTSSW	\$296
36"	TS71236TSSW	\$360	TS71236RTSSW	\$344	TS71236LTSSW	\$344
42"	TS71242TSSW	\$380	TS71242RTSSW	\$365	TS71242LTSSW	\$365
48"	TS71248TSSW	\$397	TS71248RTSSW	\$381	TS71248LTSSW	\$381
⋮	⋮	⋮	⋮	⋮	⋮	⋮

18" Slatwall Technology Skins

24"	TS71824TSSW	\$307				
30"	TS71830TSSW	\$373	TS71830RTSSW	\$358	TS71830LTSSW	\$358
36"	TS71836TSSW	\$425	TS71836RTSSW	\$410	TS71836LTSSW	\$410
42"	TS71842TSSW	\$443	TS71842RTSSW	\$427	TS71842LTSSW	\$427
48"	TS71848TSSW	\$462	TS71848RTSSW	\$446	TS71848LTSSW	\$446
⋮	⋮	⋮	⋮	⋮	⋮	⋮




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Markerboard Technology Skins

Markerboard
Technology Skins



Tip: Remember to order technology covers to fill the cutouts. Only TS7TSCOVER style covers can be used with this skin.

Tip: A modular powerkit must always be located behind the technology skin.

Tip: Technology skins are available with all cutouts or handed cutouts on just the right side or just the left side of the skin.

Tip: 18"H technology skin can only attach to junctions manufactured on or after October 10, 2011.

Standard Includes

► Need help?
Product details,
page 116

- Markerboard skin: white

Required to Specify

Style number

Specification Information

All Cutouts			Right-Hand Cutout Only		Left-Hand Cutout Only	
Width	Style Number	U.S. Price	Style Number	U.S. Price	Style Number	U.S. Price

12"H Markerboard Technology Skins

24"	TS71224TSMB	\$174				
30"	TS71230TSMB	\$215	TS71230RTSMB	\$200	TS71230LTSMB	\$200
36"	TS71236TSMB	\$224	TS71236RTSMB	\$209	TS71236LTSMB	\$209
42"	TS71242TSMB	\$235	TS71242RTSMB	\$219	TS71242LTSMB	\$219
48"	TS71248TSMB	\$248	TS71248RTSMB	\$233	TS71248LTSMB	\$233
:	:	:	:	:	:	:

18"H Markerboard Technology Skins

24"	TS71824TSMB	\$210				
30"	TS71830TSMB	\$255	TS71830RTSMB	\$239	TS71830LTSMB	\$239
36"	TS71836TSMB	\$266	TS71836RTSMB	\$250	TS71836LTSMB	\$250
42"	TS71842TSMB	\$277	TS71842RTSMB	\$262	TS71842LTSMB	\$262
48"	TS71848TSMB	\$292	TS71848RTSMB	\$276	TS71848LTSMB	\$276
:	:	:	:	:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Technology Skin Cover and Fillers


Technology Skin Cover



Tip: Receptacle filler to close unused openings is available through Service Parts (891700204MP, package of 20).

Standard Includes		Required to Specify
▶ Need help? Product details, page 117	• Technology skin cover: plastic	1 Style number 2 Plastic color number for technology skin cover: 6000 Black 6009 Arctic White 6249 Platinum Solid 6654 Sand 6697 Fog
Specification Information		
• Style Number	• U.S. Price	
TS7TSCOVER	\$10	

Technology Skin Cover Fillers



Tip: Technology skin cover filler is required when using a TS7TSCOVER technology skin cover on skins manufactured before November 21, 2011.

Tip: This technology skin cover filler is also included as standard with slatwall technology skins and can be used for replacement part needs on that skin as well.

Standard Includes		Required to Specify
▶ Need help? Product details, page 117	• Technology skin cover filler: paint	1 Style number 2 Paint color number for filler ▶ See <i>Surface Materials</i> , page 708.
Specification Information		
• Style Number	• Description	• U.S. Price
TS7TSCFS	Single cutout	\$5
TS7TSCFD	Double cutout	\$5



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Glass Windows

For Panel Buildups

Tip: Remember to specify spanning window in-line supports if window is spanning two or more panels.

Tip: When specifying a window span over two or more panels, it is recommended that the same size spanning top cap also be specified for use with the window.

Tip: When ordering a 72"W or wider single pane window kit to be used with steel or fabric skins located directly below it, two clips (T521328SR) should be ordered and installed.

Standard Includes	Required to Specify
► Need help? Product details, page 118 - Single-pane glass window, if selected: 6500 Clear Glass - Double-pane glass window, if selected: 6530 Frosted Glass - Frame: paint	1 Style number 2 Paint color number for frame 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials Frame - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 22 +\$ 38	Specify paint color number. Specify paint color number. Specify paint color number.
Single-pane glass window - Frosted glass in 12"H window - Frosted glass in 18"H window - Frosted glass in 24"H window	+\$ 55 +\$ 83 +\$109	Specify with 6530 Frosted Glass. Specify with 6530 Frosted Glass. Specify with 6530 Frosted Glass.

Specification Information

Single Pane

12"H			18"H			24"H		
Width	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price
24"	TS71224SPW	\$ 403	TS71824SPW	\$ 471	TS72424SPW	\$ 537		
30"	TS71230SPW	\$ 433	TS71830SPW	\$ 503	TS72430SPW	\$ 571		
36"	TS71236SPW	\$ 466	TS71836SPW	\$ 535	TS72436SPW	\$ 606		
42"	TS71242SPW	\$ 498	TS71842SPW	\$ 570	TS72442SPW	\$ 641		
48"	TS71248SPW	\$ 525	TS71848SPW	\$ 612	TS72448SPW	\$ 700		
60"	TS71260SPW	\$ 607	TS71860SPW	\$ 693	TS72460SPW	\$ 780		
72"	TS71272SPW	\$ 677	TS71872SPW	\$ 783	TS72472SPW	\$ 888		
78"	TS71278SPW	\$ 775	TS71878SPW	\$ 875	TS72478SPW	\$ 975		
84"	TS71284SPW	\$ 851	TS71884SPW	\$ 956	TS72484SPW	\$1063		
90"	TS71290SPW	\$ 927	TS71890SPW	\$1037	TS72490SPW	\$1148		
96"	TS71296SPW	\$1001	TS71896SPW	\$1118	TS72496SPW	\$1234		

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Specification Information, continued from previous page

Specification Information**Double Pane**

12"H			18"H			24"H		
								
• Width	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price	• Style Number	• U.S. Base Price
24"	TS71224DPW	\$ 527	TS71824DPW	\$628	TS72424DPW	\$ 730		
30"	TS71230DPW	\$ 560	TS71830DPW	\$664	TS72430DPW	\$ 764		
36"	TS71236DPW	\$ 594	TS71836DPW	\$699	TS72436DPW	\$ 801		
42"	TS71242DPW	\$ 627	TS71842DPW	\$735	TS72442DPW	\$ 842		
48"	TS71248DPW	\$ 660	TS71848DPW	\$784	TS72448DPW	\$ 907		
60"	TS71260DPW	\$ 749	TS71860DPW	\$873	TS72460DPW	\$ 996		
72"	TS71272DPW	\$ 829	TS71872DPW	\$978	TS72472DPW	\$1125		
78"	TS71278DPW	\$ 943						
84"	TS71284DPW	\$1035						
90"	TS71290DPW	\$1126						
96"	TS71296DPW	\$1218						
:	:	:	:	:	:	:	:	:

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Single-Pane Glass Window Kits for Use with Custom Glass

For Panel Buildups

Tip: Custom glass must be ordered separately.

► See page 119 for the dimensions of custom inserts.

Tip: Glass window kits are available for single pane only.

Tip: Remember to specify spanning window in-line supports if window is spanning two or more panels.

Tip: When specifying a window to span over two or more panels, it is recommended that the same size spanning top cap also be specified for use with the window.

Standard Includes	Required to Specify
► Need help? Product details, page 118	• Frame: paint 1 Style number 2 Paint color number for frame 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$22 +\$38	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Single Pane

12"H			18"H			24"H		
Width	Style Number	U.S. Base Price	Width	Style Number	U.S. Base Price	Width	Style Number	U.S. Base Price
24"	TS71224SCW	\$315	30"	TS71824SCW	\$368	36"	TS72424SCW	\$420
30"	TS71230SCW	\$338	36"	TS71830SCW	\$392	42"	TS72430SCW	\$445
36"	TS71236SCW	\$361	42"	TS71836SCW	\$416	48"	TS72436SCW	\$471
42"	TS71242SCW	\$385	48"	TS71842SCW	\$443	54"	TS72442SCW	\$500
48"	TS71248SCW	\$408	54"	TS71848SCW	\$476	60"	TS72448SCW	\$544
60"	TS71260SCW	\$479	60"	TS71860SCW	\$542	66"	TS72460SCW	\$606
72"	TS71272SCW	\$536	66"	TS71872SCW	\$614	72"	TS72472SCW	\$692
78"	TS71278SCW	\$605	72"	TS71878SCW	\$682	78"	TS72478SCW	\$761
84"	TS71284SCW	\$664	78"	TS71884SCW	\$745	84"	TS72484SCW	\$828
90"	TS71290SCW	\$723	84"	TS71890SCW	\$810	90"	TS72490SCW	\$895
96"	TS71296SCW	\$781	90"	TS71896SCW	\$873	96"	TS72496SCW	\$964



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Spanning Window In-Line Support and In-Line Spanning Top Cap Lightseal

Spanning Window In-Line
Support and In-Line
Spanning Top Cap Lightseal

Spanning Window In-Line Support



Tip: Spanning window in-line support is needed when spanning a single window across two or more panels. Specify one support for each in-line junction window spans.

Standard Includes		Required to Specify
► Need help? Product details, page 119	• Spanning window in-line support: black	Style number
Specification Information		
• Style • Number	• U.S. • Price	
TS7SWS	\$43	
•	•	

In-Line Spanning Top Cap Lightseal




Tip: These lightseals are only needed when spanning two or more panels with a single top cap or frameless glass screen.

Standard Includes		Required to Specify
► Need help? Product details, page 95	• In-line top cap lightseal: black	Style number
Specification Information		
• Style • Number	• Quantity	• U.S. • Price
TS7STLS1	1	\$ 16
TS7STLS10	10	\$160
•	•	•



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Tackboard for Use with Wall Channels



Tip: 72"W tackboards accommodate fabric in the horizontal direction only.

Tip: For further information about fabric direction, [▶ Page 713](#).

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|---|---|
| <ul style="list-style-type: none"> Tackboard, fabric direction with horizontal application: fabric price group 1 | 1 Style number
2 Fabric color number
3 Options, if selected (see below) |
|---|---|

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Surface Materials	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$14	Specify fabric color number.
	• Fabric price group 3	+\$25	Specify fabric color number.
	• Fabric price group 4	+\$37	Specify fabric color number.
	• Fabric price group 5	+\$58	Specify fabric color number.
	• Fabric price group COM	+\$35	Specify fabric color number.

Fabric direction on 24"W to 60"W tackboards

- | | | |
|------------------------|---------|------------------------------------|
| • Vertical application | No cost | Specify with vertical application. |
|------------------------|---------|------------------------------------|

Related Products	• Wall channels for Universal bins and shelves	▶ Page 626
-------------------------	--	----------------------------


Specification Information

• Dimensions		• Style	• U.S.
W	H	Number	Base Price
24"	18"	TS71824TB	\$122
30"	18"	TS71830TB	\$136
36"	18"	TS71836TB	\$148
42"	18"	TS71842TB	\$163
48"	18"	TS71848TB	\$180
60"	18"	TS71860TB	\$230
72"	18"	TS71872TB	\$283


For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

[▶ See page 1 for details.](#)



Tip: The sliding door is located outside of the panel system when installed in the standard position.

Tip: The standard door is handed and non-locking. When a lock option is specified, the lock will be on the trail end of the door. The illustration above shows a left-handed sliding door. If a lock option is specified, the lock will be on the right (trail) side of the door.

Tip: Width of host panel should always be equal to the width of sliding door.

Tip: Height of host and receiving panels must match height of door.

Tip: Remember to specify lock cylinder and key.
▶ Lock Cylinders, page 726.

Tip: When attaching the sliding door to an Answer panel, a junction stabilizer bracket is available for added rigidity to the host panel. If a host and/or receiving panel run exceeds 4', a junction stabilizer bracket must be applied to the door end of the host and/or receiving panel run. On long runs, apply a junction stabilizer bracket or perpendicular panel every 8'.
▶ Page 403

Standard Includes

▶ Need help?
Product details,
page 120

- Panel door frame and door track: paint price group 1
- Panel door infill: 6625 Translucent plastic
- Floor track
- Attachment bracket

Required to Specify

- 1 Style number
 - 2 Paint color number for panel door frame, door track, floor track, and attachment bracket
 - 3 Options, if selected (see below)
- ▶ See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2	No cost +\$ 11	Specify paint color number. Specify paint color number.
Door Hand	• Left-hand sliding door • Right-hand sliding door	No cost No cost	Specify <i>with left-hand door</i> . Specify <i>with right-hand door</i> .
	Door panel		
	• 6500 Clear tempered glass • 6541 White laminated glass	+\$246 +\$383	Specify <i>with 6500 Clear glass</i> . Specify <i>with 6541 White laminated glass</i> .
Door Lock	• Lock	+\$284	Specify <i>with lock</i> . ▶ See Lock and Keying, page 724 – 725


Specification Information

Dimensions			Style Number	U.S. Base Price
D	W	H		
1 1/4"	36"	66"	TSAPDSA6636	\$2029
1 1/4"	42"	66"	TSAPDSA6642	\$2150
1 1/4"	36"	78"	TSAPDSA7836	\$2210
1 1/4"	42"	78"	TSAPDSA7842	\$2328



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Hardwire Base Trim



Standard Includes	Required to Specify
• Base trim with knockouts for hardwired power kit: paint	1 Style number 2 Paint color number from trim ▶ See <i>Surface Materials</i>, page 708.

Specification Information		
•Width	•Style Number	•U.S. Price
24"	TS724BTH	\$18
30"	TS730BTH	\$19
36"	TS736BTH	\$20
42"	TS742BTH	\$21
48"	TS748BTH	\$22
60"	TS760BTH	\$24
72"	TS772BTH	\$27
.	.	.


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Fence Connectors

Tip: Refer to Post and Beam Solutions Specification Guide for post and beam information.



Standard Includes	Required to Specify
► Need help? Product details, page 122 - Fence connector: 8043 Clear Anodized aluminum - Post top cap: 6694 Slate plastic	Style number

Specification Information

Style Number	U.S. Price

Left-Hand Fence Connector

CFENCELC	\$114

Right-Hand Fence Connector

CFENCERC	\$114

Fence Vertical Post Tube



Standard Includes	Required to Specify
► Need help? Product details, page 123 - Tube: 6644 Fusion Dark plastic only - Bracket: 4799 Platinum paint only - Floor transition: 4799 Platinum paint only	Style number

Specification Information

Style Number	U.S. Price

BFENCEVPT	\$168



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Posts



Tip: Posts with small base cannot be anchored to the floor.

Standard Includes

► Need help?
Product details,
page 122

- Base: 4799 Platinum paint only
- Base extension: 8043 Clear Anodized Aluminum only
- Post: 8043 Clear Anodized Aluminum only
- Leveling puck
- Top cap: 6694 Slate plastic only
- Standard 12 mm vertical slot on all sides
- 3" vertical adjustability

Required to Specify

Style number

Related Products

- Hub mounts
- Vertical post tubes
- Post top caps
- Post base shim

- See *Post and Beam Solutions Specification Guide*.
- See *Post and Beam Solutions Specification Guide*.
- See *Post and Beam Solutions Specification Guide*.
- See *Post and Beam Solutions Specification Guide*.

Specification Information

• Dimensions			• Style	• U.S.
D	W	H	Number	Price

X-Post with Large Base

4"	4"	33"	BXP36	\$350
----	----	-----	--------------	-------

X-Post with Small Base

4"	4"	33"	BXPS36	\$350
----	----	-----	---------------	-------

Y-Post with Large Base

4"	4"	33"	BYP36	\$350
----	----	-----	--------------	-------

Y-Post with Small Base

4"	4"	33"	BYPS36	\$350
----	----	-----	---------------	-------




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Beams



Tip: Beams are most easily attached to posts via a ball driver (drill drive— $\frac{3}{8}$ " $\frac{1}{4}$ " ball x 6") available from Steelcase (946800104CS) or many hardware manufacturers.

Tip: Beam dimensions are nominal to center of post.
► See Application Topics in Post and Beam Solutions Specification Guide.

Standard Includes	Required to Specify
► Need help? Product details, page 122 • Beam extrusion: 8043 Clear Anodized Aluminum only • Beam-to-post connectors and attachment hardware • Standard 12 mm T-slots on top, bottom, and sides of beams to allow for infill and accessory interface	Style number

Related Products
• Infills • Horizontal fence tubes ► See Post and Beam Solutions Specification Guide. ► See Post and Beam Solutions Specification Guide.

Specification Information				
Dimensions			Style	U.S.
D	W	H	Number	Price
:	:	:	:	:


Fence Applications

1 $\frac{3}{8}$ "	3 $\frac{1}{4}$ "	8 $\frac{1}{2}$ "	BB042	\$288
1 $\frac{3}{8}$ "	4'	8 $\frac{1}{2}$ "	BB048	\$314
1 $\frac{3}{8}$ "	5'	8 $\frac{1}{2}$ "	BB060	\$360
1 $\frac{3}{8}$ "	6'	8 $\frac{1}{2}$ "	BB072	\$431
1 $\frac{3}{8}$ "	7'	8 $\frac{1}{2}$ "	BB084	\$497
1 $\frac{3}{8}$ "	8'	8 $\frac{1}{2}$ "	BB096	\$563
1 $\frac{3}{8}$ "	9'	8 $\frac{1}{2}$ "	BB108	\$631
1 $\frac{3}{8}$ "	10'	8 $\frac{1}{2}$ "	BB120	\$697
:	:	:	:	:


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Wiring and Cabling

Cable Trays



Tip: Cables may also be routed in top of powerkit.

Tip: One cable tray can be optioned at no cost when ordering base horizontal frame or panel packages.

Tip: Cable carriers can be added to 24"–72" wide trays.
 ► See *Montage Specification Guide* for style number ZCC.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 162		• Cable tray: black paint only	
		Style number	
Specification Information			
• Dimensions		• Style	• U.S.
W	H	Number	Price
18"	2"	TS718CT	\$23
24"	2"	TS724CT	\$27
30"	2"	TS730CT	\$29
36"	2"	TS736CT	\$36
42"	2"	TS742CT	\$40
48"	2"	TS748CT	\$47
60"	2"	TS760CT	\$52
72"	2"	TS772CT	\$62




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Powerkits



Tip: Remember to order receptacles and faceplates.
► Pages 477–479

Standard Includes	Required to Specify
► Need help? Product details, page 162 • Powerkit to accommodate modular duplex and USB receptacles on both sides; black plastic • Supporting powertray; black paint • Harness with modular connectors	Style number

Specification Information

Powerkits			Non-PVC Powerkits		
Width	Number of Duplex Receptacles Per Side	Style Number	U.S. Price	Style Number	U.S. Price

4-Circuit, 3+1 Wiring Schematic

24"	1	TS7PK24X	\$196	TS7PK24XN	\$207
30"	2	TS7PK30X	\$196	TS7PK30XN	\$207
36"	2	TS7PK36X	\$196	TS7PK36XN	\$207
42"	2	TS7PK42X	\$196	TS7PK42XN	\$207
48"	2	TS7PK48X	\$196	TS7PK48XN	\$207
60"	4	TS7PK60X	\$297	TS7PK60XN	\$307
72"	4	TS7PK72X	\$297	TS7PK72XN	\$307
.	.	.	.	.	.

4-Circuit, 2+2 Wiring Schematic

24"	1	TS7PK24Y	\$196	TS7PK24YN	\$207
30"	2	TS7PK30Y	\$196	TS7PK30YN	\$207
36"	2	TS7PK36Y	\$196	TS7PK36YN	\$207
42"	2	TS7PK42Y	\$196	TS7PK42YN	\$207
48"	2	TS7PK48Y	\$196	TS7PK48YN	\$207
60"	4	TS7PK60Y	\$297	TS7PK60YN	\$307
72"	4	TS7PK72Y	\$297	TS7PK72YN	\$307
.	.	.	.	.	.

3-Circuit, Separate Neutrals (3SN) Wiring Schematic


24"	1	TS7PK24Z	\$196	TS7PK24ZN	\$207
30"	2	TS7PK30Z	\$196	TS7PK30ZN	\$207
36"	2	TS7PK36Z	\$196	TS7PK36ZN	\$207
42"	2	TS7PK42Z	\$196	TS7PK42ZN	\$207
48"	2	TS7PK48Z	\$196	TS7PK48ZN	\$207
60"	4	TS7PK60Z	\$297	TS7PK60ZN	\$307
72"	4	TS7PK72Z	\$297	TS7PK72ZN	\$307
.	.	.	.	.	.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Wiring and Cabling, continued

Pass-Through Powerkits



Standard Includes	Required to Specify
- Need help? Product details, page 162 - Powerkit to accommodate modular receptacles on both sides: black plastic - Supporting powertray: black paint - Harness with modular connectors	Style number

Specification Information

Pass-Through Powerkits				Non-PVC Pass-Through Powerkits	
Width	Number of Duplex Receptacles Per Side	Style Number	U.S. Price	Style Number	U.S. Price

4-Circuit, 3+1 Wiring Schematic

18"	0	TS7PT18X	\$158	TS7PT18XN	\$168
24"	0	TS7PT24X	\$158	TS7PT24XN	\$168
30"	0	TS7PT30X	\$158	TS7PT30XN	\$168
36"	0	TS7PT36X	\$158	TS7PT36XN	\$168
42"	0	TS7PT42X	\$158	TS7PT42XN	\$168
48"	0	TS7PT48X	\$158	TS7PT48XN	\$168
60"	0	TS7PT60X	\$176	TS7PT60XN	\$188
72"	0	TS7PT72X	\$176	TS7PT72XN	\$188
:	:	:	:	:	:

4-Circuit, 2+2 Wiring Schematic

18"	0	TS7PT18Y	\$158	TS7PT18YN	\$168
24"	0	TS7PT24Y	\$158	TS7PT24YN	\$168
30"	0	TS7PT30Y	\$158	TS7PT30YN	\$168
36"	0	TS7PT36Y	\$158	TS7PT36YN	\$168
42"	0	TS7PT42Y	\$158	TS7PT42YN	\$168
48"	0	TS7PT48Y	\$158	TS7PT48YN	\$168
60"	0	TS7PT60Y	\$176	TS7PT60YN	\$188
72"	0	TS7PT72Y	\$176	TS7PT72YN	\$188
:	:	:	:	:	:


3-Circuit, Separate Neutrals (3SN) Wiring Schematic

18"	0	TS7PT18Z	\$158	TS7PT18ZN	\$168
24"	0	TS7PT24Z	\$158	TS7PT24ZN	\$168
30"	0	TS7PT30Z	\$158	TS7PT30ZN	\$168
36"	0	TS7PT36Z	\$158	TS7PT36ZN	\$168
42"	0	TS7PT42Z	\$158	TS7PT42ZN	\$168
48"	0	TS7PT48Z	\$158	TS7PT48ZN	\$168
60"	0	TS7PT60Z	\$176	TS7PT60ZN	\$188
72"	0	TS7PT72Z	\$176	TS7PT72ZN	\$188
:	:	:	:	:	:



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Duplex Receptacles



Standard Includes	Required to Specify
► Need help? Product details, page 167 Receptacle: plastic	1 Style number 2 Plastic color number for receptacle: 6000 Black 6009 Arctic White 6249 Platinum Solid 6651 Tungsten 6652 Titanium 6654 Sand 6697 Fog 6B03 Red

Specification Information

15-Amp Receptacles

20-Amp Receptacles

Line	Style Number	U.S. Price	Style Number	U.S. Price	Style Number	U.S. Price	Style Number	U.S. Price
------	--------------	------------	--------------	------------	--------------	------------	--------------	------------

4-Circuit, 3+1 Wiring Schematic

	System Ground		Isolated Ground		System Ground		Isolated Ground	
Line 1	TS71SSX	\$40	TS71SGX	\$52	ZB1R1SGH	\$67	ZB1R1IGH	\$86
Line 2	TS72SSX	\$40	TS72SGX	\$52	ZB1R2SGH	\$67	ZB1R2IGH	\$86
Line 3	TS73SSX	\$40	TS73SGX	\$52	ZB1R3SGH	\$67	ZB1R3IGH	\$86
Line 4	TS74SSX	\$40	TS74SGX	\$52	ZB1R4SGH	\$67	ZB1R4IGH	\$86
⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮	⋮

4-Circuit, 2+2 Wiring Schematic

	System Ground		Isolated Ground		System Ground		Isolated Ground	
Line 1	TS71SSY	\$40	TS71SGY	\$52	ZB2R1SGH	\$67	ZB2R1IGH	\$86
Line 2	TS72SSY	\$40	TS72SGY	\$52	ZB2R2SGH	\$67	ZB2R2IGH	\$86
Line 3	TS73SSY	\$40	TS73SGY	\$52	ZB2R3SGH	\$67	ZB2R3IGH	\$86
Line 4	TS74SSY	\$40	TS74SGY	\$52	ZB2R4SGH	\$67	ZB2R4IGH	\$86

3-Circuit, Separate Neutrals (3SN) Wiring Schematic

	System Ground		Isolated Ground		System Ground		Isolated Ground	
Line 1	TS71SSZ	\$40	TS71SGZ	\$52	ZB3R1SGH	\$67	ZB3R1IGH	\$86
Line 2	TS72SSZ	\$40	TS72SGZ	\$52	ZB3R2SGH	\$67	ZB3R2IGH	\$86
Line 3	TS73SSZ	\$40	TS73SGZ	\$52	ZB3R3SGH	\$67	ZB3R3IGH	\$86




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wiring and Cabling, continued

USB Receptacles



Standard Includes	Required to Specify
► Need help? Product details, page 167 USB receptacle: plastic	1 Style number 2 Plastic color number for USB receptacle: 6000 Black 6009 Arctic White 6249 Platinum Solid 6651 Tungsten 6652 Titanium 6654 Sand 6697 Fog 6B03 Red

Specification Information

Line	Style Number	U.S. Price
------	--------------	------------

4-Circuit, 3+1 Wiring Schematic

Line 1	TS71USBX	\$101
Line 2	TS72USBX	\$101
Line 3	TS73USBX	\$101
Line 4	TS74USBX	\$101
:	:	:

4-Circuit, 2+2 Wiring Schematic

Line 1	TS71USBY	\$101
Line 2	TS72USBY	\$101
Line 3	TS73USBY	\$101
Line 4	TS74USBY	\$101
:	:	:

3-Circuit, Separate Neutrals (3SN) Wiring Schematic

Line 1	TS71USBZ	\$101
Line 2	TS72USBZ	\$101
Line 3	TS73USBZ	\$101
:	:	:




For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Faceplate



Standard Includes	Required to Specify
► Need help? Product details, page 167 - One faceplate: plastic - Ordered individually	1 Style number 2 Plastic color number for faceplate: 6000 Black 6009 Arctic White 6249 Platinum Solid 6651 Tungsten 6652 Titanium 6654 Sand 6697 Fog


Specification Information

Style Number	U.S. Price

Faceplate for Duplex Receptacle and Communications

TS7UFPLATE \$5

Junction Box Faceplate—Modular



Tip: 90° is an option.

Standard Includes	Required to Specify
► Need help? Product details, page 165 Non-PVC straight/flush junction box faceplate	1 Style number 2 Power schematic 3 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Power Schematics 3+1 2+2 3SN	No cost No cost No cost	Specify <i>with 3+1</i> . Specify <i>with 2+2</i> . Specify <i>with 3SN</i> .
Faceplate 90° junction box faceplate	+\$37	Specify <i>with 90° faceplate</i> .
PVC PVC junction box faceplate	−\$10	Specify <i>with PVC</i> .

Specification Information

Style Number	U.S. Base Price

CQVM \$66




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wiring and Cabling, continued

Base Power Infeeds



Tip: Power infeed occupies one receptacle location on powerkit.

Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

Standard Includes		Required to Specify
► Need help? Product details, page 158	- Power infeed cover: plastic 1/2"-diameter conduit: black plastic only	1 Style number 2 Plastic color number for power infeed assembly cover: 6000 Black 6009 Arctic White 6249 Platinum Solid 6651 Tungsten 6652 Titanium 6654 Sand 6697 Fog 6B03 Red

Specification Information

Length	Style Number	U.S. Price
--------	--------------	------------

4-Circuit, 3+1 Wiring Schematic

6'	TS76BPX	\$246
12'	TS712BPX	\$264

For Use in San Francisco

6'	TS76BPSFX	\$246
12'	TS712BPSFX	\$264

4-Circuit, 2+2 Wiring Schematic

6'	TS76BPY	\$246
12'	TS712BPY	\$264

For Use in San Francisco

6'	TS76BPSFY	\$246
12'	TS712BPSFY	\$264

3-Circuit, Separate Neutrals (3SN) Wiring Schematic

6'	TS76BPZ	\$246
12'	TS712BPZ	\$264

For Use in San Francisco

6'	TS76BPSFZ	\$246
12'	TS712BPSFZ	\$264



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Base Power Infeeds for Use in New York City



Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

Standard Includes	Required to Specify
► Need help? Product details, page 159 • Power infeed assembly • 1/2"-diameter conduit • Power infeed tray: black paint only • Power infeed cover: black paint only	Style number

Specification Information

Corresponding Panel Width	Style Number	U.S. Price
---------------------------------	-----------------	---------------

4-Circuit, 3+1 Wiring Schematic

24"	TS7BPNY24X	\$246
30"	TS7BPNY30X	\$246
36"	TS7BPNY36X	\$246
42"	TS7BPNY42X	\$246
48"	TS7BPNY48X	\$246
60"	TS7BPNY60X	\$246
72"	TS7BPNY72X	\$246
.	.	.

4-Circuit, 2+2 Wiring Schematic

24"	TS7BPNY24Y	\$246
30"	TS7BPNY30Y	\$246
36"	TS7BPNY36Y	\$246
42"	TS7BPNY42Y	\$246
48"	TS7BPNY48Y	\$246
60"	TS7BPNY60Y	\$246
72"	TS7BPNY72Y	\$246
.	.	.

3-Circuit, Separate Neutrals (3SN)
Wiring Schematic

24"	TS7BPNY24Z	\$246
30"	TS7BPNY30Z	\$246
36"	TS7BPNY36Z	\$246
42"	TS7BPNY42Z	\$246
48"	TS7BPNY48Z	\$246
60"	TS7BPNY60Z	\$246
72"	TS7BPNY72Z	\$246
.	.	.

Non-PVC

Corresponding Panel Width	Style Number	U.S. Price
---------------------------------	-----------------	---------------

4-Circuit, 3+1 Wiring Schematic

24"	TS7BPNY24XN	\$257
30"	TS7BPNY30XN	\$257
36"	TS7BPNY36XN	\$257
42"	TS7BPNY42XN	\$257
48"	TS7BPNY48XN	\$257
60"	TS7BPNY60XN	\$257
72"	TS7BPNY72XN	\$257
.	.	.

4-Circuit, 2+2 Wiring Schematic

24"	TS7BPNY24YN	\$257
30"	TS7BPNY30YN	\$257
36"	TS7BPNY36YN	\$257
42"	TS7BPNY42YN	\$257
48"	TS7BPNY48YN	\$257
60"	TS7BPNY60YN	\$257
72"	TS7BPNY72YN	\$257
.	.	.

3-Circuit, Separate Neutrals (3SN)
Wiring Schematic

24"	TS7BPNY24ZN	\$257
30"	TS7BPNY30ZN	\$257
36"	TS7BPNY36ZN	\$257
42"	TS7BPNY42ZN	\$257
48"	TS7BPNY48ZN	\$257
60"	TS7BPNY60ZN	\$257
72"	TS7BPNY72ZN	\$257
.	.	.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wiring and Cabling, continued

Hardwired Powerkits



Tip: Specify hardwire base trims when accessing a hardwire powerkit in the base.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 166	• Power tray • Junction box(es) • Cover plate(s)	Style number	
Specification Information			
•Corresponding •Panel •Width	•Number of •Junction •Boxes	•Style •Number	•U.S. •Price
24"	1	TS7CPK24	\$196
30"	2	TS7CPK30	\$196
36"	2	TS7CPK36	\$196
42"	2	TS7CPK42	\$196
48"	2	TS7CPK48	\$196
60"	2	TS7CPK60	\$297
72"	2	TS7CPK72	\$297

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Multipurpose Power Infeeds



Tip: Utility poles must be specified separately.

► Page 411

Standard Includes			Required to Specify		
► Need help? Product details, page 164			• Multipurpose power infeed with modular connector • Insulated color-coded wires for hardwired connection to building power source		
			Style number		

Specification Information					
			Non-PVC		
• Length	• Style Number	• U.S. Price	• Length	• Style Number	• U.S. Price
•	•	•	•	•	•
4-Circuit, 3+1 Wiring Schematic			4-Circuit, 3+1 Wiring Schematic		
6'	TS76UPHX	\$250	6'	TS76UPHXN	\$250
12'	TS712UPHX	\$322	12'	TS712UPHXN	\$332
24'	TS724UPHX	\$466	24'	TS724UPHXN	\$478
•	•	•	•	•	•
4-Circuit, 2+2 Wiring Schematic			4-Circuit, 2+2 Wiring Schematic		
6'	TS76UPHY	\$250	6'	TS76UPHYN	\$250
12'	TS712UPHY	\$322	12'	TS712UPHYN	\$332
24'	TS724UPHY	\$466	24'	TS724UPHYN	\$478
•	•	•	•	•	•
3-Circuit, Separate Neutrals (3SN) Wiring Schematic			3-Circuit, Separate Neutrals (3SN) Wiring Schematic		
6'	TS76UPHZ	\$250	6'	TS76UPHZN	\$250
12'	TS712UPHZ	\$322	12'	TS712UPHZN	\$332
24'	TS724UPHZ	\$466	24'	TS724UPHZN	\$478
•	•	•	•	•	•




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wiring and Cabling, continued

Modular Harnesses



Standard Includes	Required to Specify
- Need help? Product details, page 164 - Conduit with two modular connectors: black	Style number

Specification Information

• Length
• Style Number
• U.S. Price

4-Circuit, 3+1 Wiring Schematic

43"	TS743MHX	\$142
80"	TS780MHX	\$190
:	:	:

4-Circuit, 2+2 Wiring Schematic

43"	TS743MHY	\$142
80"	TS780MHY	\$190
:	:	:

3-Circuit, Separate Neutrals (3SN) Wiring Schematic

43"	TS743MHZ	\$142
80"	TS780MHZ	\$190
:	:	:

Non-PVC

• Length
• Style Number
• U.S. Price

4-Circuit, 3+1 Wiring Schematic

43"	TS743MHXN	\$153
80"	TS780MHXN	\$200
:	:	:

4-Circuit, 2+2 Wiring Schematic

43"	TS743MHYN	\$153
80"	TS780MHYN	\$200
:	:	:

3-Circuit, Separate Neutrals (3SN) Wiring Schematic

43"	TS743MHZN	\$153
80"	TS780MHZN	\$200
:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Junction Tall Sleeve



Standard Includes		Required to Specify
► Need help? Product details, page 168	• Package of ten sleeves: red only	Style number
Specification Information		
Style Number	U.S. Price	
TS7JTSLVE	\$65	

Lay-In Junction Cable Sleeve



Standard Includes		Required to Specify
► Need help? Product details, page 168	• 5' roll of lay-in junction cable sleeve	Style number
Specification Information		
Style Number	U.S. Price	
TS7LSLVE	\$93	

Feed-Through Horizontal Cable Sleeves



Standard Includes		Required to Specify
► Need help? Product details, page 168	• Package of 25: black plastic	Style number
Specification Information		
Style Number	U.S. Price	
TS7FSLVE	\$93	




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Wiring and Cabling, continued

Grommets for Vertical Junctions (manufactured prior to October 2011) and Horizontal Bars



Tip: Grommets can be used on power trays and cable trays.


Standard Includes		Required to Specify
► Need help? Product details, page 169	• Package of 25: black plastic	Style number
Specification Information		
• Style Number	• U.S. Price	
TS7HSLVE	\$95	

Grommets for Junction



Standard Includes		Required to Specify
► Need help? Product details, page 169	• Package of 25: black plastic only	Style number
Specification Information		
• Style Number	• U.S. Price	
TS7JSLVE	\$95	

Consolidation Point Kit




Standard Includes		Required to Specify
► Need help? Product details, page 160	• Back panel: black paint • Mounting hardware • Two pairs of consolidation point mounting brackets: black only • Two cable managers: black only	Style number
Specification Information		
• Style Number	• U.S. Price	
TS7CPK	\$337	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Series 9000 Duplex Cable Grommets



Standard Includes		Required to Specify
▶ Need help? Product details, page 169	• Carton of five cable grommets: plastic	1 Style number 2 Plastic color number for grommets: 6000 Black 6001 Coffee 6612 Grey V2 E 6615 Grey V5 6655 Warm White 6697 Fog
Specification Information		
Style Number	U.S. Price	
98863	\$25	


Consolidation Point Cable Managers



Tip: Order these cable managers to meet additional cabling needs when necessary.

Standard Includes		Required to Specify
▶ Need help? Product details, page 161	• Two cable managers: black only	Style number
Specification Information		
Style Number	U.S. Price	
TS7CPCM	\$57	

Consolidation Point Mounting Brackets




Tip: Order these mounting brackets to meet additional cabling needs when necessary.

Standard Includes		Required to Specify
▶ Need help? Product details, page 160	• Carton of two pairs of mounting brackets: black only	Style number
Specification Information		
Style Number	U.S. Price	
TS7CPMB	\$62	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Controlled Receptacle Stickers



Tip: When tying into the building management system, receptables must still indicate that they are controlled.

Standard Includes		Required to Specify
▶ Need help? Product details, page 168	• Stickers, quantity 40	Style number


Specification Information	
• Style Number	• U.S. Price
TS7CNTSTKR	\$38
.	.


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Specifying TS Series Worksurfaces and Supports

TS Series Straight Worksurfaces	490
TS Series Transition Worksurfaces	491
TS Series Straight Corner Worksurfaces	492
TS Series Curved Corner Worksurfaces	493
TS Series Left-Hand Extended Curved Corner Worksurfaces	494
TS Series Right-Hand Extended Curved Corner Worksurfaces	495
TS Series 120° Corner Worksurfaces	496
TS Series Peninsula Worksurfaces	497
TS Series Angled Peninsula Worksurfaces	498
TS Series Spanner Worksurfaces	499
TS Series Linking Worksurfaces	500
TS Series Worksurface Legs and Supports	502
Grommet Package	504

TS Series Straight Worksurfaces



Tip: Long worksurface spans require additional support. Reinforcing channels allow for unsupported spans up to 72".

▶ Page 503

Standard Includes

▶ Need help?
Product details,
page 176

- 1 $\frac{3}{16}$ "-thick worksurface: Low-Pressure Laminate or High-Pressure Laminate
- 3 mm radius profile edge on user's side: plastic
- Side and back edges: plastic default to match user's side

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate or High-Pressure Laminate color number for worksurface, as appropriate
 - 3 Plastic edge band color number for worksurface
 - 4 Options, if selected (see below)
- ▶ See *Surface Materials*, page 708.

Options

U.S. Price

Required to Specify

Surface Materials

High-Pressure Laminate worksurfaces

- Open Line laminate
- + \$65
plus cost of laminate

▶ See *Surface Materials Reference Manual*.

Related Products

- Worksurface-height power and communication access
- Worksurface legs and supports
- Reinforcing channel
- Grommet package


- ▶ Page 555
▶ Page 502
▶ Page 503
▶ Page 504

Specification Information

Dimensions D W	Style Number LPL	U.S. Price	Style Number HPL	U.S. Base Price	Dimensions D W	Style Number LPL	U.S. Price	Style Number HPL	U.S. Base Price
18" 24"	TSAWLR1824	\$119	TSAWHR1824	\$158	24" 54"	TSAWLR2454	\$228	TSAWHR2454	\$272
18" 30"	TSAWLR1830	\$123	TSAWHR1830	\$170	24" 60"	TSAWLR2460	\$252	TSAWHR2460	\$293
18" 36"	TSAWLR1836	\$139	TSAWHR1836	\$182	24" 66"	TSAWLR2466	\$273	TSAWHR2466	\$329
18" 42"	TSAWLR1842	\$151	TSAWHR1842	\$197	24" 72"	TSAWLR2472	\$282	TSAWHR2472	\$367
18" 48"	TSAWLR1848	\$175	TSAWHR1848	\$237	30" 24"	TSAWLR3024	\$149	TSAWHR3024	\$185
18" 54"	TSAWLR1854	\$204	TSAWHR1854	\$255	30" 30"	TSAWLR3030	\$165	TSAWHR3030	\$205
18" 60"	TSAWLR1860	\$219	TSAWHR1860	\$273	30" 36"	TSAWLR3036	\$180	TSAWHR3036	\$224
18" 66"	TSAWLR1866	\$236	TSAWHR1866	\$319	30" 42"	TSAWLR3042	\$204	TSAWHR3042	\$253
18" 72"	TSAWLR1872	\$246	TSAWHR1872	\$357	30" 48"	TSAWLR3048	\$223	TSAWHR3048	\$245
24" 24"	TSAWLR2424	\$134	TSAWHR2424	\$175	30" 54"	TSAWLR3054	\$256	TSAWHR3054	\$318
24" 30"	TSAWLR2430	\$140	TSAWHR2430	\$187	30" 60"	TSAWLR3060	\$288	TSAWHR3060	\$356
24" 36"	TSAWLR2436	\$154	TSAWHR2436	\$198	30" 66"	TSAWLR3066	\$310	TSAWHR3066	\$384
24" 42"	TSAWLR2442	\$175	TSAWHR2442	\$216	30" 72"	TSAWLR3072	\$337	TSAWHR3072	\$417
24" 48"	TSAWLR2448	\$201	TSAWHR2448	\$257					

Tip: Standard worksurfaces are 1 $\frac{3}{16}$ " thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different worksurface types.

TS Series Transition Worksurfaces



Tip: Standard worksurfaces are 1 $\frac{3}{16}$ " thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different work-surface types.

Standard Includes	Required to Specify
► Need help? Product details, page 176 • 1$\frac{3}{16}$"-thick worksurface: Low-Pressure Laminate or High-Pressure Laminate • 3 mm radius profile edge on user's side: plastic • Side and back edges: plastic default to match user's side	1 Style number 2 Low-Pressure Laminate or High-Pressure Laminate color number for worksurface, as appropriate 3 Plastic edge band color number for worksurface 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • High-Pressure Laminate worksurfaces • Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
Related Products • Worksurface-height power and communication access • Worksurface legs and supports • Grommet package		► Page 555 ► Page 502 ► Page 504

Specification Information

Depth A	Width B	Style Number LPL	U.S. Price	Style Number HPL	U.S. Base Price	
18"	24"	36"	TSAWLX1236	\$264	TSAWHX1236	\$328
18"	24"	42"	TSAWLX1242	\$289	TSAWHX1242	\$359
18"	24"	48"	TSAWLX1248	\$346	TSAWHX1248	\$429
24"	18"	36"	TSAWLX2136	\$264	TSAWHX2136	\$328
24"	18"	42"	TSAWLX2142	\$289	TSAWHX2142	\$359
24"	18"	48"	TSAWLX2148	\$346	TSAWHX2148	\$429
24"	30"	36"	TSAWLX2336	\$296	TSAWHX2336	\$387
24"	30"	42"	TSAWLX2342	\$326	TSAWHX2342	\$408
24"	30"	48"	TSAWLX2348	\$387	TSAWHX2348	\$473
30"	24"	36"	TSAWLX3236	\$296	TSAWHX3236	\$387
30"	24"	42"	TSAWLX3242	\$326	TSAWHX3242	\$408
30"	24"	48"	TSAWLX3248	\$387	TSAWHX3248	\$473




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

TS Series Straight Corner Worksurfaces



Tip: Standard worksurfaces are 1 $\frac{3}{16}$ " thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different work-surface types.

Standard Includes

► Need help?
Product details,
page 176

- 1 $\frac{3}{16}$ "-thick worksurface: Low-Pressure Laminate or "High-Pressure Laminate
- 3 mm radius profile edge on user's side: plastic
- Side and back edges: plastic default to match user's side
- Grommet: black plastic only
- Corner bracket: black paint only

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate or High-Pressure Laminate color number for worksurface, as appropriate
 - 3 Plastic edge band color number for worksurface
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 708.

Options

U.S. Price

Required to Specify

Surface Materials

- High-Pressure Laminate worksurfaces**
- Open Line laminate

+\$65
plus cost of laminate

► See *Surface Materials Reference Manual*.

Related Products

- Worksurface-height power and communication access
- Worksurface legs and supports

► Page 555
► Page 502

Specification Information

• Dimensions		• Style	• U.S.	• Style	• U.S.
D	W	Number	Price	Number	Base
		LPL		HPL	Price
24"	36"	TSAWLCF2436	\$286	TSAWHCF2436	\$356
24"	42"	TSAWLCF2442	\$329	TSAWHCF2442	\$409
24"	48"	TSAWLCF2448	\$353	TSAWHCF2448	\$438
30"	48"	TSAWLCF3048	\$382	TSAWHCF3048	\$474
.	.	.	.	.	.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

TS Series Curved Corner Worksurfaces



Tip: Standard worksurfaces are 1 $\frac{3}{16}$ " thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different work surface types.

Standard Includes	Required to Specify
▶ Need help? Product details, page 176 • 1$\frac{3}{16}$"-thick worksurface: Low-Pressure Laminate or High-Pressure Laminate • 3 mm radius profile edge on user's side: plastic • Side and back edges: plastic default to match user's side • Grommet: black plastic only • Corner bracket: black paint only	1 Style number 2 Low-Pressure Laminate or High-Pressure Laminate color number for worksurface, as appropriate 3 Plastic edge band color number for worksurface 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • High-Pressure Laminate worksurfaces • Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Related Products • Worksurface-height power and communication access • Worksurface legs and supports		▶ Page 555 ▶ Page 502

Specification Information

Dimensions D W	Style Number LPL	U.S. Price	Style Number HPL	U.S. Base Price
18" 36"	TSAWLCC1836	\$326	TSAWHCC1836	\$402
18" 42"	TSAWLCC1842	\$361	TSAWHCC1842	\$429
18" 48"	TSAWLCC1848	\$398	TSAWHCC1848	\$481
24" 36"	TSAWLCC2436	\$313	TSAWHCC2436	\$388
24" 42"	TSAWLCC2442	\$346	TSAWHCC2442	\$429
24" 48"	TSAWLCC2448	\$382	TSAWHCC2448	\$474
30" 48"	TSAWLCC3048	\$441	TSAWHCC3048	\$548
•	•	•	•	•




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


▶ See page 1 for details.

TS Series Left-Hand Extended Curved Corner Worksurfaces



Left-hand

Tip: Long worksurface spans require additional support. Reinforcing channels allow for unsupported spans up to 72".
▶ Page 503



Tip: Standard worksurfaces are 13/16" thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different work-surface types.

Standard Includes		Required to Specify
▶ Need help? Product details, page 176	1 3/16"-thick worksurface: Low-Pressure Laminate or High-Pressure Laminate 3 mm radius profile edge on user's side: plastic - Side and back edges: plastic default to match user's side - Grommet: black plastic only - Corner bracket: black paint only	1 Style number 2 Low-Pressure Laminate or High-Pressure Laminate color number for worksurface, as appropriate 3 Plastic edge band color number for work-surface 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.
Options	U.S. Price	Required to Specify
Surface Materials • High-Pressure Laminate worksurfaces • Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Related Products • Worksurface-height power and communication access • Worksurface legs and supports • Reinforcing channel		▶ Page 555 ▶ Page 502 ▶ Page 503

Specification Information


• Dimensions				• Style Number	• U.S. Price	• Style Number	• U.S. Base Price
A	B	C	D				
24"	24"	60"	48"	TSAWLE2264	\$516	TSAWHE2264	\$674
24"	24"	72"	48"	TSAWLE2274	\$616	TSAWHE2274	\$789
24"	30"	60"	48"	TSAWLE2364	\$532	TSAWHE2364	\$735
24"	30"	72"	48"	TSAWLE2374	\$632	TSAWHE2374	\$854
30"	24"	60"	48"	TSAWLE3264	\$532	TSAWHE3264	\$659
30"	24"	72"	48"	TSAWLE3274	\$632	TSAWHE3274	\$783
30"	30"	60"	48"	TSAWLE3364	\$547	TSAWHE3364	\$679
30"	30"	72"	48"	TSAWLE3374	\$649	TSAWHE3374	\$805



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

TS Series Right-Hand Extended Curved Corner Worksurfaces

TS Series Right-Hand
Extended Curved Corner
Worksurfaces



Tip: Long worksurface spans require additional support. Reinforcing channels allow for unsupported spans up to 72".

► Page 503

Standard Includes

► Need help?
Product details,
page 176

- 1 $\frac{3}{16}$ "-thick worksurface: Low-Pressure Laminate or High-Pressure Laminate
- 3 mm radius profile edge on user's side: plastic
- Side and back edges: plastic default to match user's side
- Grommet: black plastic only
- Corner bracket: black paint only

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate or High-Pressure Laminate color number for worksurface, as appropriate
 - 3 Plastic edge band color number for worksurface
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 708.

Options

U.S. Price

Required to Specify

Surface Materials


- High-Pressure Laminate worksurfaces**
- Open Line laminate
- + \$65
plus cost of laminate

► See *Surface Materials Reference Manual*.

Related Products

- Worksurface-height power and communication access
- Worksurface legs and supports
- Reinforcing channel

► Page 555
► Page 502
► Page 503



Tip: Standard worksurfaces are 1 $\frac{3}{16}$ " thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different work-surface types.

Specification Information

Dimensions				Style Number	U.S. Price	Style Number	U.S. Price
A	B	C	D	LPL		HPL	Base Price
24"	24"	48"	60"	TSAWLE2246	\$516	TSAWHE2246	\$674
24"	24"	48"	72"	TSAWLE2247	\$616	TSAWHE2247	\$789
24"	30"	48"	60"	TSAWLE2346	\$532	TSAWHE2346	\$735
24"	30"	48"	72"	TSAWLE2347	\$632	TSAWHE2347	\$854
30"	24"	48"	60"	TSAWLE3246	\$532	TSAWHE3246	\$659
30"	24"	48"	72"	TSAWLE3247	\$632	TSAWHE3247	\$783
30"	30"	48"	60"	TSAWLE3346	\$547	TSAWHE3346	\$679
30"	30"	48"	72"	TSAWLE3347	\$649	TSAWHE3347	\$805
.	.	.	.	.	.	.	.





For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

TS Series 120° Corner Worksurfaces



Tip: Standard worksurfaces are 13/16" thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different work-surface types.

Standard Includes	Required to Specify
▶ Need help? Product details, page 176 • 13/16"-thick worksurface: Low-Pressure Laminate or High-Pressure Laminate • 3 mm radius profile edge on user's side: plastic • Side and back edges: plastic default to match user's side • Grommet: black plastic only • Corner bracket: black paint only	1 Style number 2 Low-Pressure Laminate or High-Pressure Laminate color number for worksurface, as appropriate 3 Plastic edge band color number for work-surface 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.


Options	U.S. Price	Required to Specify
Surface Materials • High-Pressure Laminate worksurfaces • Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i>.
Related Products • Worksurface-height power and communication access • Worksurface legs and supports		▶ Page 555 ▶ Page 502

Specification Information							
• Dimensions				• Style Number	• U.S. Price	• Style Number	• U.S. Base Price
A	B	C	D	LPL		HPL	
24"	36"	30 1/2"	63 11/32"	TSAWLY2436	\$532	TSAWHY2436	\$659
24"	42"	30 1/2"	72 3/4"	TSAWLY2442	\$569	TSAWHY2442	\$705
24"	48"	30 1/2"	85 5/32"	TSAWLY2448	\$628	TSAWHY2448	\$778



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

TS Series Peninsula Worksurfaces



Tip: Long worksurface spans require additional support. Reinforcing channels allow for unsupported spans up to 72".

► Page 503

Tip: Standard worksurfaces are 13/16" thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different work-surface types.

Standard Includes

► Need help?
Product details,
page 176

- 13/16"-thick worksurface: Low-Pressure Laminate or High-Pressure Laminate
- 3 mm radius profile edge on user's side: plastic
- Side edge: plastic default to match user's side

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate or High-Pressure Laminate color number for worksurface, as appropriate
 - 3 Plastic edge band color number for worksurface
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces • Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
Related Products	• Worksurface legs and supports • Reinforcing channel		► Page 502 ► Page 503

Specification Information

• Dimensions		• Style	• U.S.	• Style	• U.S.
D	W	Number	Price	Number	Base
		LPL		HPL	Price
30"	48"	TSAWLP3048	\$499	TSAWHP3048	\$527
30"	60"	TSAWLP3060	\$509	TSAWHP3060	\$537
30"	72"	TSAWLP3072	\$520	TSAWHP3072	\$563




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

TS Series Angled Peninsula Worksurfaces



Tip: Standard worksurfaces are 13/16" thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different work-surface types.

Standard Includes

► Need help?
Product details,
page 176

- 13/16"-thick worksurface: Low-Pressure Laminate or High-Pressure Laminate
- 3 mm radius profile edge on user's side: plastic
- Side edge: plastic default to match user's side

Required to Specify

- 1 Style number
 - 2 Low-Pressure Laminate or High-Pressure Laminate color number for worksurface, as appropriate
 - 3 Plastic edge band color number for worksurface
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces • Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
Related Products	• Worksurface legs and supports		► Page 502

Specification Information

• Dimensions		• Style	• U.S.	• Style	• U.S.
D	W	Number	Price	Number	Base
		LPL		HPL	Price
24"	48"	TSAWLPA2448	\$489	TSAWHPA2448	\$577
30"	48"	TSAWLPA3048	\$505	TSAWHPA3048	\$578




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

TS Series Spanner Worksurfaces



Tip: Remember to specify two cantilevers and a post leg to attach spanner worksurface to adjacent worksurfaces on 50" and 62" spanner tops.

Tip: Standard worksurfaces are 13/16" thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different worksurface types.

Standard Includes	Required to Specify
► Need help? Product details, page 176 • 13/16"-thick worksurface: Low-Pressure Laminate or High-Pressure Laminate • 3 mm radius profile edge on user's side: plastic • Side edge: plastic default to match user's side • Cutout	1 Style number 2 Low-Pressure Laminate or High-Pressure Laminate color number for worksurface, as appropriate 3 Plastic edge band color number for worksurface 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • High-Pressure Laminate worksurfaces • Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i>.
Related Products • Worksurface legs and supports		► Page 502

Specification Information

Dimensions	Style	U.S.	Style	U.S.
D W	Number	Price	Number	Base
	LPL		HPL	Price

Spanner Worksurfaces for Use with 3" Panels

25"	51"	TSAWLN51A	\$340	TSAWHN51A	\$415
31"	63"	TSAWLN63A	\$436	TSAWHN63A	\$531




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

TS Series Linking Worksurfaces



Tip: Standard worksurfaces are 1 $\frac{3}{16}$ " thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different worksurface types.

Tip: Remember to order cantilevers to connect linking worksurfaces to adjacent worksurfaces.

► Page 503

Standard Includes	Required to Specify
► Need help? Product details, page 176 1$\frac{3}{16}$"-thick worksurface: High-Pressure Laminate 3 mm radius profile edge on user's side: plastic - Side edge: plastic default to match user's side - Cutout on linking worksurface	1 Style number 2 High-Pressure Laminate color number for worksurface, as appropriate 3 Plastic edge band color number for worksurface 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials - High-Pressure Laminate worksurfaces - Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i>.
Related Products - Worksurface-height power and communication access - Worksurface legs and supports		► Page 555 ► Page 502

Specification Information			
Depth Left	Depth Right	Style Number	U.S. Base Price

Linking Worksurfaces For Use with 3" Panel Systems

27"	27"	TSAWH2727A	\$427
27"	33"	TSAWH2733A	\$454
33"	27"	TSAWH3327A	\$454
33"	33"	TSAWH3333A	\$474
:	:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

TS Series Worksurface Legs and Supports

	Standard Includes	Required to Specify
► Need help? Product details, page 180	- Worksurface support: black paint <i>Exception: You can specify paint color choice for cantilever, legs, and on-module end panel.</i> 2" adjustable glides on post leg 2¾" adjustable glides on H-legs - Attachment hardware	1 Style number 2 Paint color number for cantilever, legs, and end panel 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Post legs and H-legs		
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$12 +\$23	Specify paint color number. Specify paint color number. Specify paint color number.
	On-module end panel		
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$28 +\$47	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Dimensions	Style Number	U.S. Base Price
•	•	•
•	•	•
•	•	•
•	•	•

Post Leg

27"H	TSATP27	\$120
•	•	•

H-Legs

11"W	27"H	TSATH2711	\$164
20"W	27"H	TSATH2720	\$202
•	•	•	•



On-Module End Panel

24"D	27"H	TSATEP24	\$368
30"D	27"H	TSATEP30	\$419

Standing Height

24"D	40"H	TSATEP24S	\$435
30"D	40"H	TSATEP30S	\$491
•	•	•	•

► **Specification Information, continued on next page**



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.


► Specification Information, continued from previous page

Specification Information


• Dimensions	• Style Number	• U.S. Base Price
•	•	•

Cantilever with Tie Plate

16"D	13"H	TSATCANT	\$ 89
•	•	•	•




Tip: Cantilever with tie plate is for use with left-hand, right-hand, or shared application.




Side Support Brackets to Connect Worksurface to Panel

	TSATSIDE	\$ 36
•	•	•




In-Line Support Plates

14"D	TSATPL14	\$ 65
20"D	TSATPL20	\$ 65
•	•	•



Package of Six Tie Plates for Side-by-Side Worksurfaces

7"L	TSATTIE	\$ 94
•	•	•



Reinforcing Channels

39"W	TSATRC39	\$ 45
48"W	TSATRC48	\$ 48
57"W	TSATRC57	\$ 48
72"W	TSATRC72	\$110
•	•	•



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Grommet Package



Tip: Grommet requires a 3" diameter hole in the worksurface.

Standard Includes		Required to Specify
▶ Need help? Product details, page 176	• Package of 10 grommets: black plastic	Style number
Specification Information		
• Style • Number	• U.S. • Price	
TSAEGROM	\$50	



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Specifying Universal Systems Worksurfaces and Supports

Worksurfaces

Straight Worksurfaces	506
Straight Worksurfaces with Soft Edge Profile	510
Transition Worksurfaces	512
Tapered Worksurfaces	514
Tapered Worksurfaces with Soft Edge Profile	515
Taper-Flat Worksurfaces	516
Single-Tapered Worksurfaces	517
Corner, Flat-Front Worksurfaces	518
Dual Corner, Flat-Front Worksurfaces	519
Corner, Straight-Front Worksurfaces	520
Corner, Curved-Front Worksurfaces	521
Extended Corner, Straight-Front Worksurfaces	522
Extended Corner, Curved-Front Worksurfaces	524
Corner, 120° Worksurfaces	526
Spanner Worksurfaces	527
Bullet Peninsula Worksurfaces	528
Angled Peninsula Worksurfaces	529
Linking Peninsula Worksurfaces	530
Jetty Worksurfaces	532
Bubble Jetty Worksurfaces	534
Visitor and Linking Worksurfaces	536
Transaction Worksurfaces	538

Power and Data Access Door & Tray	540
--	------------

Personal Caddy	542
-----------------------	------------

Connectors	543
-------------------	------------

Filler Package – Data	544
------------------------------	------------

Panel-Mounted Universal Systems Worksurface Supports	545
---	------------

Off-Module Worksurface-to-Panel Connector	548
--	------------


FrameOne Legs and Supports for Universal Worksurfaces	549
--	------------

Infills for FrameOne Legs for Universal Worksurfaces	550
---	------------

Legs and Columns for Universal Systems Worksurfaces	552
--	------------

Straight Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long work surface spans may require additional support, reinforcing channels allow for unsupported spans greater than 54".

► See understanding section for details, page 208

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Worksurfaces with personal caddy do not require an additional reinforcing channel but may require additional support for longer spans.

► See page 210

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, US1830 becomes US1830SW for wood with square edge profile.)

Tip: Power and data access door and tray is ordered separately to be used with cutout.

► See page 540

► See page 210 for work surface size availability matrix.

Tip: Personal caddy is ordered separately to be used with cutout.

► See page 210

Exception: 48"W work surface with soft edge used with FrameOne post leg has some limitations.

► See page 211 for connections.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Standard Includes		Required to Specify
► Need help? Product details, page 206	• Worksurface: High-Pressure Laminate or wood veneer • Laminate worksurface: – Plastic 3 mm edge profile or P-edge profile on front edge – Plastic default flat profile on side and back edges • Wood worksurface: – Wood 3 mm edge profile on front edge – Matching veneer flat profile on side and back edges • Cable scallop on back edge • Wire manager for wood veneer worksurfaces, if selected: black	1 Style number with appropriate edge profile suffix K Laminate with knife edge P Laminate with plastic P-edge SW Wood with square edge ► See edge profiles below. 2 High-Pressure Laminate or wood color number for worksurface 3 Plastic color number for front edge on laminate worksurface, if selected 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.
Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces • Open Line laminate +\$65 plus cost of laminate Wood veneer worksurfaces • Premium wood 2 See information at left • Premium wood 3 See information at left • Customiz stain No cost • Full-fill finish Prices at right	► See <i>Surface Materials Reference Manual</i> . Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Scallop	• Omit scallop No cost	Specify omit scallop.
Cutout for Power and Data Access Door and Tray	• Cutout No cost	Specify with cutout for power and data access door.
Cutout for Personal Caddy	• Cutout No cost	Specify with cutout left-hand. Specify with cutout right-hand.
Related Products	• Panel-mounted Universal Systems worksurface supports • Reinforcing channel • Legs and supports for Universal Systems Worksurfaces • Worksurface screens • Worksurface power and communication components • Personal caddy	► Page 545 ► Page 546 ► Page 552 ► Page 586 ► Page 555 ► Page 542

Exception: Worksurfaces with personal caddy have leg restrictions.

► See page 210 for connections

Tip: Personal caddy is available on worksurfaces with 3 mm, soft or wood square edges, 24"D or 30"D. Caddy is available on worksurfaces 54"W to 72"W (if only with caddy), 66"W and 72"W (if with tray and caddy), and 72"W (if with soft edge and caddy).

Specification Information

U.S. Base Prices							U.S. Base Prices					
High-Pressure Laminate							High-Pressure Laminate					
												
• Dimensions	• Style	• Plastic	• Plastic	• Wood	• Option		• Dimensions	• Style	• Plastic	• Plastic		
A	B	3 mm	P-Edge	Square	(Add \$ to		A	B	3 mm	Knife		
		Edge		Edge <th>(Add \$ to</th> <td></td> <td></td> <td></td> <td>Edge</td> <td>Edge<td></td><td></td></td>	(Add \$ to				Edge	Edge <td></td> <td></td>		
					Base Price)							
					Full-Fill							
		No Suffix	Suffix P	Suffix SW	Finish				No Suffix	Suffix K		
With 1/2" Cord Drop												
18 3/8"	24"	US1824	\$159	N.A.	N.A.	N.A.	18 7/8"	24"	WS1824	\$159	\$237	
18 3/8"	30"	US1830	\$172	\$204	\$613	+\$35	18 7/8"	30"	WS1830	\$172	\$250	
18 3/8"	36"	US1836	\$185	\$217	\$626	+\$36	18 7/8"	36"	WS1836	\$185	\$263	
18 3/8"	42"	US1842	\$200	\$245	\$709	+\$41	18 7/8"	42"	WS1842	\$200	\$297	
18 3/8"	48"	US1848	\$240	\$285	\$749	+\$42	18 7/8"	48"	WS1848	\$240	\$337	
18 3/8"	54"	US1854	\$257	\$302	\$766	+\$44	18 7/8"	54"	WS1854	\$257	\$354	
18 3/8"	60"	US1860	\$277	\$328	\$878	+\$47	18 7/8"	60"	WS1860	\$277	\$394	
18 3/8"	66"	US1866	\$322	N.A.	N.A.	N.A.	18 7/8"	66"	WS1866	\$322	\$439	
18 3/8"	72"	US1872	\$360	N.A.	N.A.	N.A.	18 7/8"	72"	WS1872	\$360	\$477	
18 3/8"	78"	US1878	\$459	N.A.	N.A.	N.A.	18 7/8"	78"	WS1878	\$459	\$585	
18 3/8"	84"	US1884	\$486	N.A.	N.A.	N.A.	18 7/8"	84"	WS1884	\$486	\$612	
18 3/8"	90"	US1890	\$513	N.A.	N.A.	N.A.	18 7/8"	90"	WS1890	\$513	\$639	
18 3/8"	96"	US1896	\$538	N.A.	N.A.	N.A.	18 7/8"	96"	WS1896	\$538	\$664	
23 1/2"	24"	US2424	\$177	\$209	\$618	+\$35	24"	24"	WS2424	\$177	\$255	
23 1/2"	30"	US2430	\$190	\$222	\$631	+\$35	24"	30"	WS2430	\$190	\$268	
23 1/2"	36"	US2436	\$200	\$232	\$641	+\$36	24"	36"	WS2436	\$200	\$278	
23 1/2"	42"	US2442	\$216	\$261	\$725	+\$41	24"	42"	WS2442	\$216	\$313	
23 1/2"	48"	US2448	\$256	\$301	\$765	+\$42	24"	48"	WS2448	\$256	\$353	
23 1/2"	54"	US2454	\$274	\$319	\$783	+\$44	24"	54"	WS2454	\$274	\$371	
23 1/2"	60"	US2460	\$291	\$342	\$892	+\$47	24"	60"	WS2460	\$291	\$408	
23 1/2"	66"	US2466	\$327	\$378	\$928	+\$48	24"	66"	WS2466	\$327	\$444	
23 1/2"	72"	US2472	\$365	\$416	\$966	+\$50	24"	72"	WS2472	\$365	\$482	
23 1/2"	78"	US2478	\$488	N.A.	N.A.	N.A.	24"	78"	WS2478	\$488	\$614	
23 1/2"	84"	US2484	\$540	N.A.	N.A.	N.A.	24"	84"	WS2484	\$540	\$666	
23 1/2"	90"	US2490	\$561	N.A.	N.A.	N.A.	24"	90"	WS2490	\$561	\$687	
23 1/2"	96"	US2496	\$599	N.A.	N.A.	N.A.	24"	96"	WS2496	\$599	\$725	

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Straight Worksurfaces, continued

► Specification Information, continued from previous page

Specification Information

		U.S. Base Prices			
		High-Pressure Laminate		Wood	
• Dimensions A B	• Style Number				• Option (Add \$ to Base Price)
		• Plastic 3 mm Edge	• Plastic P-Edge	• Wood Square Edge	
		No Suffix	Suffix P	Suffix SW	Full-Fill Finish

With 1/2" Cord Drop

29 1/2"	24"	US3024	\$250	\$282	\$ 691	+\$35
29 1/2"	30"	US3030	\$259	\$291	\$ 700	+\$36
29 1/2"	36"	US3036	\$277	\$309	\$ 718	+\$38
29 1/2"	42"	US3042	\$291	\$336	\$ 800	+\$42
29 1/2"	48"	US3048	\$331	\$376	\$ 840	+\$44
29 1/2"	54"	US3054	\$354	\$399	\$ 863	+\$45
29 1/2"	60"	US3060	\$376	\$427	\$ 977	+\$48
29 1/2"	66"	US3066	\$410	\$461	\$1011	+\$50
29 1/2"	72"	US3072	\$449	\$500	\$1050	+\$51
35 1/2"	60"	US3660	\$410	N.A.	N.A.	N.A.
35 1/2"	66"	US3666	\$443	N.A.	N.A.	N.A.
35 1/2"	72"	US3672	\$482	N.A.	N.A.	N.A.
:	:	:	:	:	:	:

U.S. Base Prices High-Pressure Laminate

• Dimensions A B	• Style Number		
		• Plastic 3 mm Edge	• Plastic Knife Edge
		No Suffix	Suffix K

With Full Depth

30"	24"	WS3024	\$250	\$328
30"	30"	WS3030	\$259	\$337
30"	36"	WS3036	\$277	\$355
30"	42"	WS3042	\$291	\$388
30"	48"	WS3048	\$331	\$428
30"	54"	WS3054	\$354	\$451
30"	60"	WS3060	\$376	\$493
30"	66"	WS3066	\$410	\$527
30"	72"	WS3072	\$449	\$566
:	:	:	:	:

Tip: 35 1/2"D worksurfaces can only be used in freestanding applications.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Straight Worksurfaces with Soft Edge Profile

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans may require additional support, reinforcing channels allow for unsupported spans greater than 54".

► See understanding section for details, page 208

Tip: Worksurfaces with personal caddy do not require additional reinforcing channel but may require additional support for longer spans.

► See page 210

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, US2448S becomes US2448SWS for wood with square edge profile.)

Tip: Power and data access door and tray is ordered separately to be used with cutout.

► See page 210 for worksurface size availability matrix.

Tip: Personal caddy is ordered separately to be used with cutout.

► See page 210

Exception: Worksurfaces with personal caddy have leg restrictions.

► See page 210 for connections

	Standard Includes	Required to Specify
► Need help? Product details, page 206	• Worksurface: High-Pressure Laminate or wood veneer • Laminate worksurface: - Plastic antimicrobial soft edge profile centered on worksurface - Plastic 3 mm edge profile on balance of front edge - Plastic flat profile on side and back edges • Wood worksurface: - Wood 3 mm edge profile on front edge - Plastic antimicrobial soft edge centered on worksurface - Matching veneer flat profile on side and back edges • Cable scallop on back edge • Wire manager for wood veneer worksurfaces, if selected: black	1 Style number with appropriate edge profile suffix WS Wood with square edge ► See edge profiles below. 2 High-Pressure Laminate or wood color number for worksurface 3 Plastic color number for front edge on laminate worksurface, if selected 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer worksurfaces		
	• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
	• Full-fill finish	Prices at right	► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Soft Edge	• Antimicrobial edge	No cost	Specify with <i>antimicrobial soft edge</i> .
	• No antimicrobial edge	No cost	Specify without <i>antimicrobial soft edge</i> .
Scallop	• Omit scallop	No cost	Specify with <i>omit scallop</i> .
Cutout for Power and Data Access Door and Tray	• Cutout	No cost	Specify with <i>cutout for power and data access door</i> .
Cutout for Personal Caddy	• Cutout	No cost	Specify with <i>cutout left-hand</i> . Specify with <i>cutout right-hand</i> .
Related Products	• Panel-mounted Universal Systems worksurface supports • Reinforcing channel • Legs and supports for Universal Systems Worksurfaces • Worksurface screens • Worksurface power and communication components • Personal caddy		► Page 545 ► Page 546 ► Page 552 ► Page 586 ► Page 555 ► Page 542

Tip: Personal caddy is available on worksurfaces with 3 mm, soft or wood square edges, 24"D or 30"D. Caddy is available on worksurfaces 54"W to 72"W (if only with caddy), 66"W and 72"W (if with tray and caddy), and 72"W (if with soft edge and caddy).



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Specification Information

U.S. Base Prices						U.S. Base Price			
High-Pressure Laminate						High-Pressure Laminate			
									
• Dimensions		• Style	• Soft	• Soft	• Option	• Dimensions		• Style	• Soft
A	B	Number	Edge Profile with Plastic 3 mm Edge	Edge Profile with Wood Square Edge	(Add \$ to Base Price)	A	B	Number	Edge Profile with Plastic 3 mm Edge
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•
•									

Transition Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Illustration above shows a left-hand worksurface.

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans may require additional support, reinforcing channels allow for unsupported spans greater than 54".

► See understanding section for details, page 208

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UT2136L becomes UT2136LSW for wood with square edge profile.)


Standard Includes	Required to Specify
► Need help? Product details, page 206 • Worksurface: High-Pressure Laminate or wood veneer • Laminate worksurface: –Plastic 3 mm edge profile, plastic P-edge profile, or plastic knife profile on front edge –Plastic default flat profile on side and back edges • Wood worksurface: –Wood 3 mm edge profile on front edge –Matching veneer flat profile on side and back edges • Cable scallop on back edge • Wire manager for wood veneer worksurfaces, if selected: black	1 Style number with appropriate edge profile suffix K Laminate with knife edge P Laminate with plastic P-edge SW Wood with square edge ► See edge profiles at right. 2 High-Pressure Laminate or wood color number for worksurface 3 Plastic color number for front edge on laminate worksurface, if selected 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • High-Pressure Laminate worksurfaces • Open Line laminate +\$65 plus cost of laminate • Wood veneer worksurfaces • Premium wood 2 See information at left • Premium wood 3 See information at left • Customiz stain No cost • Full-fill finish Prices at right		► See <i>Surface Materials Reference Manual</i>. - Specify Premium wood 2 finish number. - Specify Premium wood 3 finish number. - Specify <i>with Customiz stain</i>. ► See <i>Surface Materials Reference Manual</i>. - Specify full-fill finish number.
Scallop • Omit scallop	No cost	Specify <i>omit scallop</i> .
Related Products • Panel-mounted Universal Systems worksurface supports • Legs and supports for Universal Systems Worksurfaces • Worksurface screens • Worksurface power and communication components		► Page 545 ► Page 552 ► Page 586 ► Page 555

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.


Specification Information

U.S. Base Prices										U.S. Base Price														
High-Pressure Laminate										High-Pressure Laminate														
																								
• Dimensions				• Style		• Plastic		• Plastic		• Option				• Dimensions		• Style		• Plastic						
A	B	C	D	Number	3 mm	P-Edge	Wood	Square	(Add \$ to	A	B	C	D	Number	3 mm	Full-Fill	A	B	C	D	Number	3 mm	Finish	No Suffix
					Edge		Edge	Edge	Base Price)						Edge							Edge		
					No Suffix	Suffix P	Suffix SW								No Suffix							No Suffix		




Left-Hand With 1/2" Cord Drop

23 1/2"	18 3/8"	36"	14"	UT2136L	\$331	\$376	\$ 932	+\$36
23 1/2"	18 3/8"	42"	20"	UT2142L	\$351	\$402	\$ 952	+\$41
23 1/2"	18 3/8"	48"	26"	UT2148L	\$408	\$459	\$1009	+\$42
23 1/2"	18 3/8"	54"	32"	UT2154L	\$436	\$487	\$1037	+\$44
23 1/2"	18 3/8"	60"	38"	UT2160L	\$465	\$524	\$1066	+\$47
29 1/2"	23 1/2"	36"	14"	UT3236L	\$392	\$437	\$ 993	+\$41
29 1/2"	23 1/2"	42"	20"	UT3242L	\$411	\$462	\$1012	+\$42
29 1/2"	23 1/2"	48"	26"	UT3248L	\$480	\$531	\$1081	+\$44
29 1/2"	23 1/2"	54"	32"	UT3254L	\$514	\$565	\$1115	+\$47
29 1/2"	23 1/2"	60"	38"	UT3260L	\$546	\$605	\$1147	+\$51




Right-Hand With 1/2" Cord Drop

18 3/8"	23 1/2"	36"	14"	UT1236R	\$331	\$376	\$ 932	+\$36
18 3/8"	23 1/2"	42"	20"	UT1242R	\$351	\$402	\$ 952	+\$41
18 3/8"	23 1/2"	48"	26"	UT1248R	\$408	\$459	\$1009	+\$42
18 3/8"	23 1/2"	54"	32"	UT1254R	\$436	\$487	\$1037	+\$44
18 3/8"	23 1/2"	60"	38"	UT1260R	\$465	\$524	\$1066	+\$47
23 1/2"	29 1/2"	36"	14"	UT2336R	\$392	\$437	\$ 993	+\$41
23 1/2"	29 1/2"	42"	20"	UT2342R	\$411	\$462	\$1012	+\$42
23 1/2"	29 1/2"	48"	26"	UT2348R	\$480	\$531	\$1081	+\$44
23 1/2"	29 1/2"	54"	32"	UT2354R	\$514	\$565	\$1115	+\$47
23 1/2"	29 1/2"	60"	38"	UT2360R	\$546	\$605	\$1147	+\$51



Left-Hand With Full Depth

30"	24"	36"	18"	WT3236	\$392
30"	24"	42"	24"	WT3242	\$411
30"	24"	48"	30"	WT3248	\$480
30"	24"	54"	36"	WT3254	\$514
30"	24"	60"	42"	WT3260	\$546



Right-Hand With Full Depth

24"	30"	36"	18"	WT2336	\$392
24"	30"	42"	24"	WT2342	\$411
24"	30"	48"	30"	WT2348	\$480
24"	30"	54"	36"	WT2354	\$514
24"	30"	60"	42"	WT2360	\$546

February 2015

Tapered Worksurfaces with Soft Edge Profile

High-Pressure Laminate

Tapered Worksurfaces with
Soft Edge Profile

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans may require additional support, reinforcing channels allow for unsupported spans greater than 54".


► See understanding section for details, page 208

Tip: Power and data access door and tray is ordered separately to be used with cutout.

► See page 540

Standard Includes		Required to Specify	
► Need help? Product details, page 206	• Worksurface: High-Pressure Laminate • Laminate worksurface: - Plastic antimicrobial soft edge profile centered on worksurface - Plastic 3 mm edge profile on balance of front edge - Plastic flat profile on side and back edges • Cable scallop on back edge	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.	
Surface Materials	Options	U.S. Price	Required to Specify
	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
Soft Edge	• Antimicrobial edge • No antimicrobial edge	No cost No cost	Specify with antimicrobial soft edge. Specify without antimicrobial soft edge.
Scallop	• Omit scallop	No cost	Specify with omit scallop.
Cutout for Power and Data Access Door and Tray	• Cutout	No cost	Specify with cutout for power and data access door.
Related Products	• Panel-mounted Universal Systems worksurface supports • Legs and supports for Universal Systems Worksurfaces • Worksurface screens		► Page 545 ► Page 552 ► Page 586

Specification Information



U.S. Base Price			U.S. Base Price		
Dimensions A B C	Style Number	Soft Edge Profile	Dimensions A B C	Style Number	Soft Edge Profile
Left-Hand With 1/2" Cord Drop			Left-Hand With Full Depth		
29 1/2" 23 1/2" 48"	UTT3248S	\$793	30" 24" 48"	WTT3248S	\$793
29 1/2" 23 1/2" 60"	UTT3260S	\$859	30" 24" 60"	WTT3260S	\$859
29 1/2" 23 1/2" 72"	UTT3272S	\$924	30" 24" 72"	WTT3272S	\$924
Right-Hand With 1/2" Cord Drop			Right-Hand With Full Depth		
23 1/2" 29 1/2" 48"	UTT2348S	\$793	24" 30" 48"	WTT2348S	\$793
23 1/2" 29 1/2" 60"	UTT2360S	\$859	24" 30" 60"	WTT2360S	\$859
23 1/2" 29 1/2" 72"	UTT2372S	\$924	24" 30" 72"	WTT2372S	\$924

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Taper-Flat Worksurfaces

High-Pressure Laminate

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans may require additional support, reinforcing channels allow for unsupported spans greater than 54".



► See understanding section for details, page 208

Standard Includes		Required to Specify
► Need help? Product details, page 206	• Worksurface: High-Pressure Laminate • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges • Cable scallop on back edge	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.
Surface Materials	Options	U.S. Price
	High-Pressure Laminate worksurfaces	
	• Open Line laminate	+\$65 plus cost of laminate
Scallop	• Omit scallop	No cost
		Specify <i>omit scallop</i> .
Related Products	• Panel-mounted Universal Systems worksurface supports • Legs and supports for Universal Systems Worksurfaces • Worksurface screens • Worksurface power and communication components	► Page 545 ► Page 552 ► Page 586 ► Page 555

Tip: To specify 3 mm edge profile, no suffix is required.

Specification Information

U.S. Base Price High-Pressure Laminate			U.S. Base Price High-Pressure Laminate		
Dimensions A B C	Style Number	Plastic 3 mm Edge No Suffix	Dimensions A B C	Style Number	Plastic 3 mm Edge No Suffix
Left-Hand With 1/2" Cord Drop			Left-Hand With Full Depth		
23 1/2" 18 3/8" 60"	UTTF2160	\$465	24" 18 7/8" 60"	WTTF2160	\$465
23 1/2" 18 3/8" 72"	UTTF2172	\$520	24" 18 7/8" 72"	WTTF2172	\$520
29 1/2" 18 3/8" 60"	UTTF3160	\$546	30" 18 7/8" 60"	WTTF3160	\$546
29 1/2" 18 3/8" 72"	UTTF3172	\$611	30" 18 7/8" 72"	WTTF3172	\$611
29 1/2" 23 1/2" 60"	UTTF3260	\$546	30" 24" 60"	WTTF3260	\$546
29 1/2" 23 1/2" 72"	UTTF3272	\$611	30" 24" 72"	WTTF3272	\$611
⋮	⋮	⋮	⋮	⋮	⋮
Right-Hand With 1/2" Cord Drop			Right-Hand With Full Depth		
18 3/8" 23 1/2" 60"	UTTF1260	\$465	18 7/8" 24" 60"	WTTF1260	\$465
18 3/8" 23 1/2" 72"	UTTF1272	\$520	18 7/8" 24" 72"	WTTF1272	\$520
18 3/8" 29 1/2" 60"	UTTF1360	\$546	18 7/8" 30" 60"	WTTF1360	\$546
18 3/8" 29 1/2" 72"	UTTF1372	\$611	18 7/8" 30" 72"	WTTF1372	\$611
23 1/2" 29 1/2" 60"	UTTF2360	\$546	24" 30" 60"	WTTF2360	\$546
23 1/2" 29 1/2" 72"	UTTF2372	\$611	24" 30" 72"	WTTF2372	\$611
⋮	⋮	⋮	⋮	⋮	⋮



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Single-Tapered Worksurfaces

High-Pressure Laminate

Single-Tapered
Worksurfaces

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans may require additional support, reinforcing channels allow for unsupported spans greater than 54".


► See understanding section for details, page 208

Standard Includes		Required to Specify	
► Need help? Product details, page 206	• Worksurface: High-Pressure Laminate • Laminate worksurface: – Plastic 3 mm edge profile on front edge – Plastic default flat profile on side and back edges • Cable scallop on back edge	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.	
Surface Materials	Options	U.S. Price	Required to Specify
	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
Scallop	• Omit scallop	No cost	Specify <i>omit scallop</i> .
Related Products	• Panel-mounted Universal Systems worksurface supports • Legs and supports for Universal Systems Worksurfaces • Worksurface screens • Worksurface power and communication components		► Page 545 ► Page 552 ► Page 586 ► Page 555

Tip: To specify 3 mm edge profile, no suffix is required.

Specification Information


				U.S. Base Price High-Pressure Laminate						U.S. Base Price High-Pressure Laminate							
																	
• Dimensions			• Style			• Plastic			• Dimensions			• Style			• Plastic		
A	B	C	Number			3 mm			A	B	C	Number			3 mm		
						Edge									Edge		
						No Suffix									No Suffix		
Left-Hand With 1/2" Cord Drop																	
23 1/2"	18 3/8"	60"	UST2160			\$465			24"	18 7/8"	60"	WST2160			\$465		
23 1/2"	18 3/8"	72"	UST2172			\$520			24"	18 7/8"	72"	WST2172			\$520		
29 1/2"	23 1/2"	60"	UST3260			\$546			30"	24"	60"	WST3260			\$546		
29 1/2"	23 1/2"	72"	UST3272			\$611			30"	24"	72"	WST3272			\$611		
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Right-Hand With 1/2" Cord Drop																	
18 3/8"	23 1/2"	60"	UST1260			\$465			18 7/8"	24"	60"	WST1260			\$465		
18 3/8"	23 1/2"	72"	UST1272			\$520			18 7/8"	24"	72"	WST1272			\$520		
23 1/2"	29 1/2"	60"	UST2360			\$546			24"	30"	60"	WST2360			\$546		
23 1/2"	29 1/2"	72"	UST2372			\$611			24"	30"	72"	WST2372			\$611		
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•



 **For Canadian Pricing**
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Corner, Flat-Front Worksurfaces

High-Pressure Laminate



Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications.

Tip: To specify 3 mm edge profile, no suffix is required.

Standard Includes		Required to Specify
▶ Need help? Product details, page 206 • Worksurface: High-Pressure Laminate –Plastic 3 mm edge profile on front edge –Plastic default flat profile on side and back edges • Cable scallops on back edges		1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Surface Materials	Options	U.S. Price	Required to Specify
	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Scallops	• Omit scallops	No cost	Specify <i>omit scallops</i> .
Related Products	• Panel-mounted Universal Systems worksurface supports • Legs and supports for Universal Systems Worksurfaces • Worksurface screens • Worksurface power and communication components		▶ Page 545 ▶ Page 552 ▶ Page 586 ▶ Page 555

Specification Information

					U.S. Base Price High-Pressure Laminate						U.S. Base Price High-Pressure Laminate
											
• Dimensions				• Style Number	• Plastic 3 mm Edge	• Dimensions				• Style Number	• Plastic 3 mm Edge
A	B	C	D			A	B	C	D		
With 1/2" Cord Drop						With Full Depth					
23 1/2"	23 1/2"	35 1/2"	35 1/2"	UCF223636	\$349	24"	24"	36"	36"	WCF223636	\$349
23 1/2"	23 1/2"	41 1/2"	41 1/2"	UCF224242	\$381	24"	24"	42"	42"	WCF224242	\$381
23 1/2"	23 1/2"	47 1/2"	47 1/2"	UCF224848	\$433	24"	24"	48"	48"	WCF224848	\$433
29 1/2"	29 1/2"	41 1/2"	41 1/2"	UCF334242	\$419	30"	30"	42"	42"	WCF334242	\$419
29 1/2"	29 1/2"	47 1/2"	47 1/2"	UCF334848	\$475	30"	30"	48"	48"	WCF334848	\$475




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Dual Corner, Flat-Front Worksurfaces

High-Pressure Laminate

Dual Corner, Flat-Front
Worksurfaces

Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications.

Tip: Keyboard surface adjusts 6" higher or 5" lower than worksurface height.

Tip: Dual corner, flat-front worksurfaces must be panel hung.

Tip: 23½" D dual corner, flat-front worksurfaces must be supported with a center support on each side.

Tip: 29½" D dual corner, flat-front worksurfaces can be supported with a cantilever or center support.

Tip: To specify 3 mm edge profile, no suffix is required.

Standard Includes

► Need help?
Product details,
page 206

- Worksurface: High-Pressure Laminate
- Laminate worksurface:
 - Plastic 3 mm edge profile on front edge of keyboard surface
 - Plastic default flat profile on all other edges
- Cable scallops on back edges
- Keyboard mechanism


Required to Specify

- 1 Style number
 - 2 High-Pressure Laminate color number for worksurface
 - 3 Plastic color number for edges on laminate worksurface
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
Scallops	• Omit scallops	No cost	Specify <i>omit scallops</i> .
Related Products	• Panel-mounted Universal Systems worksurface supports • Legs and supports for Universal Systems Worksurfaces • Worksurface screens • Worksurface power and communication components		► Page 545 ► Page 552 ► Page 586 ► Page 555

Specification Information

					U.S. Base Price High-Pressure Laminate							U.S. Base Price High-Pressure Laminate	



	Standard Includes	Required to Specify
► Need help? Product details, page 206	• Worksurface: High-Pressure Laminate – Plastic 3 mm edge profile or plastic P-edge profile on front edge – Plastic default flat profile on side and back edges • Cable scallops on back edges	1 Style number with appropriate edge profile suffix P Laminate with plastic P-edge ► See edge profiles below. 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$65 plus cost of laminate	▶ See Surface Materials Reference Manual.
Scallops	• Omit scallops	No cost	Specify omit scallops.
Related Products	• Panel-mounted Universal Systems worksurface supports		▶ Page 545
	• Legs and supports for Universal Systems Worksurfaces		▶ Page 552
	• Worksurface screens		▶ Page 586
	• Worksurface power and communication components		▶ Page 555

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UC114242 becomes UC114242P for laminate with P-edge profile.)

[illegible]

18"	18"	42"	42"	UC114242	\$366	\$420
18 ³ / ₈ "	23 ¹ / ₂ "	41 ¹ / ₂ "	41 ¹ / ₂ "	UC124242	\$402	\$456
23 ¹ / ₂ "	18 ³ / ₈ "	41 ¹ / ₂ "	41 ¹ / ₂ "	UC214242	\$402	\$456
23 ¹ / ₂ "	23 ¹ / ₂ "	35 ¹ / ₂ "	35 ¹ / ₂ "	UC223636	\$349	\$403
23 ¹ / ₂ "	23 ¹ / ₂ "	41 ¹ / ₂ "	41 ¹ / ₂ "	UC224242	\$381	\$435
23 ¹ / ₂ "	23 ¹ / ₂ "	47 ¹ / ₂ "	47 ¹ / ₂ "	UC224848	\$433	\$487
23 ¹ / ₂ "	23 ¹ / ₂ "	59 ¹ / ₂ "	59 ¹ / ₂ "	UC226060	\$801	\$908
29 ¹ / ₂ "	29 ¹ / ₂ "	41 ¹ / ₂ "	41 ¹ / ₂ "	UC334242	\$419	\$473
29 ¹ / ₂ "	29 ¹ / ₂ "	47 ¹ / ₂ "	47 ¹ / ₂ "	UC334848	\$475	\$529



▶ See page 1 for details.



Extended Corner, Straight-Front Worksurfaces

High-Pressure Laminate



Tip: Illustration above shows a left-hand worksurface.

Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications

Tip: Long worksurface spans may require additional support, reinforcing channels allow for unsupported spans greater than 54".

► See understanding section for details, page 208

Standard Includes		Required to Specify
► Need help? Product details, page 206	• Worksurface: High-Pressure Laminate	1 Style number with appropriate edge profile suffix
	• Laminate worksurface: –Plastic 3 mm edge profile or plastic P-edge profile on front edge –Plastic default flat profile on side and back edges	► P Laminate with plastic P-edge ► See edge profiles below.
	• Cable scallops on back edges	2 High-Pressure Laminate number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.
Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces	
• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
Scallops	• Omit scallops	No cost Specify <i>omit scallops</i> .
Related Products	• Panel-mounted Universal Systems worksurface supports • Reinforcing channel • Legs and supports for Universal Systems Worksurfaces • Worksurface screens • Worksurface power and communication components	► Page 545 ► Page 546 ► Page 552 ► Page 586 ► Page 555



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UE2202L becomes UE2202LP for laminate with P-edge profile.)

Specification Information

U.S. Base Prices High-Pressure Laminate



Dimensions

A B C D


Style Number

Plastic
3 mm
Edge

No Suffix


Plastic
P-Edge

Suffix P



Left-Hand With 1/2" Cord Drop

23 1/2"	23 1/2"	59 1/2"	41 1/2"	UE2202L	\$662	\$756
23 1/2"	23 1/2"	65 1/2"	41 1/2"	UE2262L	\$723	\$817
23 1/2"	23 1/2"	71 1/2"	41 1/2"	UE2222L	\$783	\$877
23 1/2"	23 1/2"	59 1/2"	47 1/2"	UE2208L	\$680	\$774
23 1/2"	23 1/2"	65 1/2"	47 1/2"	UE2268L	\$737	\$831
23 1/2"	23 1/2"	71 1/2"	47 1/2"	UE2228L	\$796	\$890
23 1/2"	29 1/2"	59 1/2"	47 1/2"	UE2308L	\$742	\$836
23 1/2"	29 1/2"	65 1/2"	47 1/2"	UE2368L	\$801	\$895
23 1/2"	29 1/2"	71 1/2"	47 1/2"	UE2328L	\$865	\$959
29 1/2"	23 1/2"	59 1/2"	47 1/2"	UE3208L	\$742	\$836
29 1/2"	23 1/2"	65 1/2"	47 1/2"	UE3268L	\$801	\$895
29 1/2"	23 1/2"	71 1/2"	47 1/2"	UE3228L	\$865	\$959
29 1/2"	29 1/2"	59 1/2"	47 1/2"	UE3308L	\$776	\$870
29 1/2"	29 1/2"	65 1/2"	47 1/2"	UE3368L	\$839	\$933
29 1/2"	29 1/2"	71 1/2"	47 1/2"	UE3328L	\$898	\$992



Right-Hand With 1/2" Cord Drop


23 1/2 "	23 1/2 "	41 1/2 "	59 1/2 "	UE2220R	\$662	\$756
23 1/2 "	23 1/2 "	41 1/2 "	65 1/2 "	UE2226R	\$723	\$817
23 1/2 "	23 1/2 "	41 1/2 "	71 1/2 "	UE2222R	\$783	\$877
23 1/2 "	23 1/2 "	47 1/2 "	59 1/2 "	UE2280R	\$680	\$774
23 1/2 "	23 1/2 "	47 1/2 "	65 1/2 "	UE2286R	\$737	\$831
23 1/2 "	23 1/2 "	47 1/2 "	71 1/2 "	UE2282R	\$796	\$890
23 1/2 "	29 1/2 "	47 1/2 "	59 1/2 "	UE2380R	\$742	\$836
23 1/2 "	29 1/2 "	47 1/2 "	65 1/2 "	UE2386R	\$801	\$895
23 1/2 "	29 1/2 "	47 1/2 "	71 1/2 "	UE2382R	\$865	\$959
29 1/2 "	23 1/2 "	47 1/2 "	59 1/2 "	UE3280R	\$742	\$836
29 1/2 "	23 1/2 "	47 1/2 "	65 1/2 "	UE3286R	\$801	\$895
29 1/2 "	23 1/2 "	47 1/2 "	71 1/2 "	UE3282R	\$865	\$959
29 1/2 "	29 1/2 "	47 1/2 "	59 1/2 "	UE3380R	\$776	\$870
29 1/2 "	29 1/2 "	47 1/2 "	65 1/2 "	UE3386R	\$839	\$933
29 1/2 "	29 1/2 "	47 1/2 "	71 1/2 "	UE3382R	\$898	\$992




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Extended Corner, Curved-Front Worksurfaces

High-Pressure Laminate or Wood Veneer



Left-Hand



Right-Hand

Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications.

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Long worksurface spans may require additional support, reinforcing channels allow for unsupported spans greater than 54".

► See understanding section for details, page 208

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UEC2202L becomes UEC2202Lp for laminate with P-edge profile.)

► Need help? Product details, page 206

Standard Includes

- Worksurface: High-Pressure Laminate or wood veneer
- Laminate worksurface:
 - Plastic 3 mm edge profile or plastic P-edge profile on front edge
 - Plastic default flat profile on side and back edges
- Wood worksurface:
 - Wood 3 mm edge profile on front edge
 - Matching veneer flat profile on side and back edges
- Cable scallops on back edges
- Wire manager for wood veneer worksurfaces, if selected: black

Required to Specify

- 1 Style number with appropriate edge profile suffix
 - P** Laminate with plastic P-edge
 - SW** Wood with square edge
- See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer worksurfaces		
	• Premium wood 2 • Premium wood 3 • Customiz stain	See information at left See information at left No cost	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Scallops	• Omit scallops	No cost	Specify <i>omit scallops</i> .
Related Products	• Panel-mounted Universal Systems worksurface supports • Legs and supports for Universal Systems Worksurfaces • Worksurface screens • Worksurface power and communication components		► Page 545 ► Page 552 ► Page 586 ► Page 555



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specification Information

				U.S. Base Prices			U.S. Base Price		
				High-Pressure Laminate		Wood	High-Pressure Laminate		
									
• Dimensions	• Style			• Plastic	• Plastic	• Wood	• Option	• Plastic	
A B C D	Number			3 mm	P-Edge	Square	(Add \$ to	3 mm	
				Edge		Edge	Base Price)	Edge	
							Full-Fill		
				No Suffix	Suffix P	Suffix SW	Finish	No Suffix	

Left-Hand With 1/2" Cord Drop

23 1/2"	23 1/2"	59 1/2"	41 1/2"	UEC2202L	\$662	\$756	\$1362	+\$59
23 1/2"	23 1/2"	65 1/2"	41 1/2"	UEC2262L	\$723	\$817	\$1423	+\$74
23 1/2"	23 1/2"	71 1/2"	41 1/2"	UEC2222L	\$783	\$877	\$1483	+\$75
23 1/2"	23 1/2"	59 1/2"	47 1/2"	UEC2208L	\$680	\$774	\$1380	+\$74
23 1/2"	23 1/2"	65 1/2"	47 1/2"	UEC2268L	\$737	\$831	\$1437	+\$75
23 1/2"	23 1/2"	71 1/2"	47 1/2"	UEC2228L	\$796	\$890	\$1496	+\$78
23 1/2"	29 1/2"	59 1/2"	47 1/2"	UEC2308L	\$742	\$836	\$1442	+\$75
23 1/2"	29 1/2"	65 1/2"	47 1/2"	UEC2368L	\$801	\$895	\$1501	+\$78
23 1/2"	29 1/2"	71 1/2"	47 1/2"	UEC2328L	\$865	\$959	\$1565	+\$79
29 1/2"	23 1/2"	59 1/2"	47 1/2"	UEC3208L	\$742	\$836	\$1442	+\$75
29 1/2"	23 1/2"	65 1/2"	47 1/2"	UEC3268L	\$801	\$895	\$1501	+\$78
29 1/2"	23 1/2"	71 1/2"	47 1/2"	UEC3228L	\$865	\$959	\$1565	+\$79
29 1/2"	29 1/2"	59 1/2"	47 1/2"	UEC3308L	\$776	\$870	\$1476	+\$78
29 1/2"	29 1/2"	65 1/2"	47 1/2"	UEC3368L	\$839	\$933	\$1539	+\$79
29 1/2"	29 1/2"	71 1/2"	47 1/2"	UEC3328L	\$898	\$992	\$1598	+\$81

Right-Hand With 1/2" Cord Drop

23 1/2"	23 1/2"	41 1/2"	59 1/2"	UEC2220R	\$662	\$756	\$1362	+\$59
23 1/2"	23 1/2"	41 1/2"	65 1/2"	UEC2226R	\$723	\$817	\$1423	+\$74
23 1/2"	23 1/2"	41 1/2"	71 1/2"	UEC2222R	\$783	\$877	\$1483	+\$75
23 1/2"	23 1/2"	47 1/2"	59 1/2"	UEC2280R	\$680	\$774	\$1380	+\$74
23 1/2"	23 1/2"	47 1/2"	65 1/2"	UEC2286R	\$737	\$831	\$1437	+\$75
23 1/2"	23 1/2"	47 1/2"	71 1/2"	UEC2282R	\$796	\$890	\$1496	+\$78
23 1/2"	29 1/2"	47 1/2"	59 1/2"	UEC2380R	\$742	\$836	\$1442	+\$75
23 1/2"	29 1/2"	47 1/2"	65 1/2"	UEC2386R	\$801	\$895	\$1501	+\$78
23 1/2"	29 1/2"	47 1/2"	71 1/2"	UEC2382R	\$865	\$959	\$1565	+\$79
29 1/2"	23 1/2"	47 1/2"	59 1/2"	UEC3280R	\$742	\$836	\$1442	+\$75
29 1/2"	23 1/2"	47 1/2"	65 1/2"	UEC3286R	\$801	\$895	\$1501	+\$78
29 1/2"	23 1/2"	47 1/2"	71 1/2"	UEC3282R	\$865	\$959	\$1565	+\$79
29 1/2"	29 1/2"	47 1/2"	59 1/2"	UEC3380R	\$776	\$870	\$1476	+\$78
29 1/2"	29 1/2"	47 1/2"	65 1/2"	UEC3386R	\$839	\$933	\$1539	+\$79
29 1/2"	29 1/2"	47 1/2"	71 1/2"	UEC3382R	\$898	\$992	\$1598	+\$81

With Full Depth

24"	24"	60" 42"	WEC226042	\$662
24"	24"	72" 42"	WEC227242	\$783
24"	24"	60" 48"	WEC226048	\$680
24"	24"	72" 48"	WEC227248	\$796
24"	30"	60" 42"	WEC236042	\$694
24"	30"	72" 42"	WEC237242	\$821
24"	30"	60" 48"	WEC236048	\$742
24"	30"	72" 48"	WEC237248	\$865
30"	24"	60" 42"	WEC326042	\$694
30"	24"	72" 42"	WEC327242	\$821
30"	24"	60" 48"	WEC326048	\$742
30"	24"	72" 48"	WEC327248	\$865
30"	30"	60" 42"	WEC336042	\$732
30"	30"	72" 42"	WEC337242	\$855
30"	30"	60" 48"	WEC336048	\$776
30"	30"	72" 48"	WEC337248	\$898

With Full Depth

24"	24"	42" 60"	WEC224260	\$662
24"	24"	42" 72"	WEC224272	\$783
24"	24"	48" 60"	WEC224860	\$680
24"	24"	48" 72"	WEC224872	\$796
24"	30"	42" 60"	WEC234260	\$694
24"	30"	42" 72"	WEC234272	\$821
24"	30"	48" 60"	WEC234860	\$742
24"	30"	48" 72"	WEC234872	\$865
30"	24"	42" 60"	WEC324260	\$694
30"	24"	42" 72"	WEC324272	\$821
30"	24"	48" 60"	WEC324860	\$742
30"	24"	48" 72"	WEC324872	\$865
30"	30"	42" 60"	WEC334260	\$732
30"	30"	42" 72"	WEC334272	\$855
30"	30"	48" 60"	WEC334860	\$776
30"	30"	48" 72"	WEC334872	\$898

Corner, 120° Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports must be specified separately, including side support brackets for rear corner support in panel-mounted applications.

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Standard Includes	Required to Specify
- Need help? Product details, page 206 - Worksurface: High-Pressure Laminate or wood veneer - Laminate worksurface: - Plastic 3 mm edge profile or plastic P-edge profile on front edge - Plastic default flat profile on side and back edges - Wood worksurface: - Wood 3 mm edge profile on front edge - Matching veneer flat profile on side and back edges - Cable scallops on back edges - Wire manager for wood veneer worksurfaces, if selected: black	- Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge - See edge profiles below. - High-Pressure Laminate or wood color number for worksurface - Plastic color number for front edge on laminate worksurface, if selected - Options, if selected (see below) - See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials High-Pressure Laminate worksurfaces - Open Line laminate +\$65 plus cost of laminate Wood veneer worksurfaces - Premium wood 2 See information at left - Premium wood 3 See information at left - Customiz stain No cost - Full-fill finish Prices below		- See <i>Surface Materials Reference Manual</i>. - Specify Premium wood 2 finish number. - Specify Premium wood 3 finish number. - Specify <i>Customiz stain</i>. - See <i>Surface Materials Reference Manual</i>. - Specify full-fill finish number.
Scallops Omit scallops	No cost	Specify <i>omit scallops</i> .
Related - Panel-mounted Universal Systems worksurface supports - Legs and supports for Universal Systems Worksurfaces - Worksurface screens - Worksurface power and communication components		- Page 545 - Page 552 - Page 586 - Page 555

Specification Information

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UB223636 becomes UB223636SW for wood with square edge profile.)

				U.S. Base Prices			Option (Add \$ to Base Price)
				High-Pressure Laminate	Wood		
Dimensions A B C D	Style Number			Plastic 3 mm Edge	Plastic P-Edge	Wood Square Edge	Full-Fill Finish
				No Suffix	Suffix P	Suffix SW	

Freestanding or Panel-Mounted With 1/2" Cord Drop

23 1/2"	23 1/2"	35 1/2"	35 1/2"	UB223636	\$706	\$813	\$1345	+\$75
23 1/2"	23 1/2"	41 1/2"	41 1/2"	UB224242	\$733	\$840	\$1372	+\$78
23 1/2"	23 1/2"	47 1/2"	47 1/2"	UB224848	\$762	\$869	\$1401	+\$79
29 1/2"	29 1/2"	35 1/2"	35 1/2"	UB333636	\$733	\$840	\$1372	+\$78
29 1/2"	29 1/2"	41 1/2"	41 1/2"	UB334242	\$762	\$869	\$1401	+\$79
29 1/2"	29 1/2"	47 1/2"	47 1/2"	UB334848	\$788	\$895	\$1427	+\$81




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Spanner Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, USPC47 becomes USPC47SW for wood with square edge profile.)

Standard Includes

▶ Need help? Product details, page 206

- Worksurface: High-Pressure Laminate or wood veneer
- Laminate worksurface:
 - Plastic 3 mm edge profile or plastic P-edge profile on front edge
 - Plastic default flat profile on side and back edges
- Wood worksurface:
 - Wood 3 mm edge profile on front edge
 - Matching veneer flat profile on side and back edges

Required to Specify

- 1 Style number with appropriate edge profile suffix
 - P** Laminate with plastic P-edge
 - SW** Wood with square edge
- ▶ See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
- ▶ See *Surface Materials*, page 708.

Options	U.S. Price	Required to Specify
Surface Materials		
High-Pressure Laminate worksurfaces		
• Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Wood veneer worksurfaces		
• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
• Customiz stain	No cost	Specify <i>with Customiz stain</i> .
• Full-fill finish	Prices below	▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Related Products		
• Panel-mounted Universal Systems worksurface supports		▶ Page 545
• Legs and supports for Universal Systems Worksurfaces		▶ Page 552
• Columns		▶ Page 554
• Worksurface screens		▶ Page 586
• Worksurface power and communication components		▶ Page 555

Specification Information

U.S. Base Prices High-Pressure Laminate Wood

• Dimensions A B	• Style Number	• Plastic 3 mm Edge		• Plastic P-Edge	• Wood Square Edge	• Option (Add \$ to Base Price)
		No Suffix	Suffix P		Suffix SW	
						Full-Fill Finish

U.S. Base Price High-Pressure Laminate

• Dimensions A B	• Style Number	• Plastic 3 mm Edge
		No Suffix

For Freestanding Applications without Panels With 1/2" Cord Drop

29 1/2"	47"	USPC47	\$394	\$448	\$ 995	+\$58
35 1/2"	59"	USPC59	\$501	\$555	\$1102	+\$62
:	:	:	:	:	:	:

Full Depth


24"	48"	WSPC4824	\$394
30"	60"	WSPC6030	\$501
:	:	:	:

With 3" Notch for Use with Answer Panels

25 1/2"	51"	WSPC5126	\$394	N.A.	N.A.	N.A.
31 1/2"	51"	USPC51	\$394	\$448	\$ 995	+\$58
31 1/2"	63"	WSPC6332	\$501	N.A.	N.A.	N.A.
37 1/2"	63"	USPC63	\$501	\$555	\$1102	+\$62
:	:	:	:	:	:	:

Bullet Peninsula Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long work surface spans may require additional support, reinforcing channels allow for unsupported spans greater than 54".

► See understanding section for details, page 208

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bullet peninsula worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.

► Page 521

Tip: The same bullet peninsula worksurfaces can be used with either worksurfaces with 1/2" cord drop or with full depth worksurfaces.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UPBC3060 becomes UPBC3060SW for wood with square edge profile.)

Standard Includes

► Need help?
Product details,
page 206

- Worksurface: High-Pressure Laminate or wood veneer
- Laminate worksurface:
 - Plastic 3 mm edge profile or plastic P-edge profile on front edge
 - Plastic default flat profile on side and back edges
- Wood worksurface:
 - Wood 3 mm edge profile on front edge
 - Matching veneer flat profile on side and back edges
- Cable scallop on back edge
- Wire manager for wood veneer worksurfaces, if selected: black

Required to Specify

- 1 Style number with appropriate edge profile suffix
P Laminate with plastic P-edge
SW Wood with square edge
 ► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for worksurface
- 3 Plastic color number for front edge on laminate worksurface, if selected
- 4 Options, if selected (see below)
 ► See *Surface Materials*, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer worksurfaces		
	• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain	No cost	Specify <i>with Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
	• Full-fill finish	Prices below	Specify full-fill finish number.
Scallop	• Omit scallop	No cost	Specify <i>omit scallop</i> .
Related Products	• Panel-mounted Universal Systems worksurface supports		► Page 545
	• Legs and supports for Universal Systems Worksurfaces		► Page 552
	• Columns		► Page 554
	• Worksurface screens		► Page 586
	• Worksurface power and communication components		► Page 555

Specification Information

		U.S. Base Prices			Option (Add \$ to Base Price)
		High-Pressure Laminate		Wood	
Dimensions A B	Style Number	Plastic 3 mm Edge	Plastic P-Edge	Wood Square Edge	Full-Fill Finish
		No Suffix	Suffix P	Suffix SW	
24"	47 1/2"	UPBC2448	\$459	N.A.	N.A.
24"	59 1/2"	UPBC2460	\$468	N.A.	N.A.
24"	65 1/2"	UPBC2466	\$483	N.A.	N.A.
24"	71 1/2"	UPBC2472	\$492	N.A.	N.A.
30"	47 1/2"	UPBC3048	\$534	N.A.	N.A.
30"	59 1/2"	UPBC3060	\$544	\$616	\$1145
30"	65 1/2"	UPBC3066	\$558	\$630	\$1159
30"	71 1/2"	UPBC3072	\$567	\$639	\$1168




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Angled Peninsula Worksurfaces

High-Pressure Laminate

Angled Peninsula
Worksurfaces

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: To specify 3 mm edge profile, no suffix is required.

Standard Includes		Required to Specify
▶ Need help? Product details, page 206	- Worksurface: High-Pressure Laminate - Laminate worksurface: –Plastic 3 mm edge profile on front edge –Plastic default flat profile on side and back edges	1 Style number 2 High-Pressure Laminate color number for worksurface 3 Plastic color number for front edge on laminate worksurface 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.
Options	U.S. Price	Required to Specify
Surface Materials • High-Pressure Laminate worksurfaces • Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Related Products • Panel-mounted Universal Systems worksurface supports • Legs and supports for Universal Systems Worksurfaces • Columns • Worksurface power and communication components		▶ Page 545 ▶ Page 552 ▶ Page 554 ▶ Page 555

Specification Information

				U.S. Base Price High-Pressure Laminate					U.S. Base Price High-Pressure Laminate
									
• Dimensions			• Style	• Plastic	• Dimensions			• Style	• Plastic
A	B	C	Number	3 mm Edge	A	B	C	Number	3 mm Edge




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Linking Peninsula Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Linking peninsula worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.
▶ Page 521

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UPAC2748 becomes UPAC2748SW for wood with square edge profile.)

Standard Includes	Required to Specify
▶ Need help? Product details, page 206 • Worksurface: High-Pressure Laminate or wood veneer • Laminate worksurface: –Plastic 3 mm edge profile or plastic P-edge profile on front edge –Plastic default flat profile on side and back edges • Wood worksurface: –Wood 3 mm edge profile on front edge –Matching veneer flat profile on side and back edges	1 Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or wood color number for worksurface 3 Plastic color number for front edge on laminate worksurface, if selected 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces • Open Line laminate +\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Wood veneer worksurfaces • Premium wood 2 • Premium wood 3 • Customiz stain • Full-fill finish	- See information at left - See information at left - No cost - Prices below	- Specify Premium wood 2 finish number. - Specify Premium wood 3 finish number. - Specify <i>with Customiz stain</i>. ▶ See <i>Surface Materials Reference Manual</i>. - Specify full-fill finish number.
Related Products	• Panel-mounted Universal Systems worksurface supports • Legs and supports for Universal Systems Worksurfaces • Columns • Worksurface power and communication components	▶ Page 545 ▶ Page 552 ▶ Page 554 ▶ Page 555

Specification Information

		U.S. Base Prices			
		High-Pressure Laminate		Wood	
• Dimensions A B C	• Style Number				• Option (Add \$ to Base Price) • Full-Fill Finish
		• Plastic 3 mm Edge	• Plastic P-Edge	• Wood Square Edge	
		• No Suffix	• Suffix P	• Suffix SW	

With 3" Notch for Use with Answer Panels With 1/2" Cord Drop

27"	27"	50"	UPAC2748	\$583	\$655	\$1184	+\$52
:	:	:	:	:	:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Jetty Worksurfaces

High-Pressure Laminate or Wood Veneer



Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Long worksurface spans may require additional support, reinforcing channels allow for unsupported spans greater than 54".

► See understanding section for details, page 208

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Jetty worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.

► Page 521

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJC3268L becomes UJC3268LSW for wood with square edge profile.)

Standard Includes	Required to Specify
- Need help? Product details, page 206 - Worksurface: High-Pressure Laminate or wood veneer - Laminate worksurface: - Plastic 3 mm edge profile or plastic P-edge profile on front edge - Plastic default flat profile on side and back edges - Wood worksurface: - Wood 3 mm edge profile on front edge - Matching veneer flat profile on side and back edges - Cable scallop on back edge - Wire manager for wood veneer worksurfaces, if selected: black	- Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge - See edge profiles below. - High-Pressure Laminate or wood color number for worksurface - Plastic color number for front edge on laminate worksurface, if selected - Options, if selected (see below) - See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces	
Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer worksurfaces	
- Premium wood 2 - Premium wood 3 - Customiz stain	See information at left See information at left No cost	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> .
Full-fill finish	Prices at right	► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Scallop	Omit scallop	No cost Specify <i>omit scallop</i> .
Related Products	- Panel-mounted Universal Systems worksurface supports - Legs and supports for Universal Systems Worksurfaces - Columns - Worksurface screens - Worksurface power and communication components	► Page 545 ► Page 552 ► Page 554 ► Page 586 ► Page 555




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Specification Information

U.S. Base Prices										U.S. Base Price																									
					High-Pressure Laminate					Wood					High-Pressure Laminate																				
																																			
• Dimensions				• Style	• Plastic					• Plastic					• Wood					• Option					• Dimensions				• Style	• Plastic					
A	B	C	D	Number	3 mm					P-Edge					Square					(Add \$ to					A	B	C	D	Number	3 mm					
					Edge										Edge					Base Price)											Edge				
					No Suffix					Suffix P					Suffix SW					Full-Fill											No Suffix				
																				Finish															



Left-Hand With 1/2" Cord Drop

30"	23 1/2"	65 1/2"	48"	UJC3268L	\$774	\$881	\$1375	+\$74
30"	23 1/2"	71 1/2"	48"	UJC3228L	\$801	\$908	\$1564	+\$77
30"	23 1/2"	77 1/2"	48"	UJC3288L	\$828	\$935	\$1564	+\$81
30"	29 1/2"	65 1/2"	48"	UJC3368L	\$800	\$907	\$1401	+\$74
30"	29 1/2"	71 1/2"	48"	UJC3328L	\$828	\$935	\$1591	+\$77
30"	29 1/2"	77 1/2"	48"	UJC3388L	\$857	\$964	\$1593	+\$81



Right-Hand With 1/2" Cord Drop

23 1/2"	30"	48"	65 1/2"	UJC2386R	\$774	\$881	\$1375	+\$74
23 1/2"	30"	48"	71 1/2"	UJC2382R	\$801	\$908	\$1564	+\$77
23 1/2"	30"	48"	77 1/2"	UJC2388R	\$828	\$935	\$1564	+\$81
29 1/2"	30"	48"	65 1/2"	UJC3386R	\$800	\$907	\$1401	+\$74
29 1/2"	30"	48"	71 1/2"	UJC3382R	\$828	\$935	\$1591	+\$77
29 1/2"	30"	48"	77 1/2"	UJC3388R	\$857	\$964	\$1593	+\$81

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJC3268L becomes UJC3268LSW for wood with square edge profile.)



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Left-Hand With Full Depth

30"	24	66"	48"	WJ326648L	\$774
30"	24"	72"	48"	WJ327248L	\$801
30"	24"	78"	48"	WJ327848L	\$828
30"	30"	66"	48"	WJ336648L	\$800
30"	30"	72"	48"	WJ337248L	\$828
30"	30"	78"	48"	WJ337848L	\$857

Right-Hand With Full Depth

24"	30"	48"	66"	WJ234866R	\$774
24"	30"	48"	72"	WJ234872R	\$801
24"	30"	48"	78"	WJ234878R	\$828
30"	30"	48"	66"	WJ334866R	\$800
30"	30"	48"	72"	WJ334872R	\$828
30"	30"	48"	78"	WJ334878R	\$857

Bubble Jetty Worksurfaces

High-Pressure Laminate or Wood Veneer

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

► Need help? Product details, page 206

Standard Includes

- Worksurface: High-Pressure Laminate or wood veneer
- Laminate worksurface:
 - Plastic 3 mm edge profile or plastic P-edge profile on front edge
 - Plastic default flat profile on side and back edges
- Wood worksurface:
 - Wood 3 mm edge profile on front edge
 - Matching veneer flat profile on side and back edges

Required to Specify

- 1 Style number with appropriate edge profile suffix
 - P** Laminate with plastic P-edge
 - SW** Wood with square edge
 ► See edge profiles below.
- 2 High-Pressure Laminate color number for worksurface
- 3 Plastic color number for front edge
- 4 Options, if selected (see below)
 - See *Surface Materials*, page 708.

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer worksurfaces		
	• Premium wood 2 • Premium wood 3 • Customiz stain • Full-fill finish	See information at left See information at left No cost Prices below	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Related Products	• Panel-mounted Universal Systems worksurface supports • Legs and supports for Universal Systems Worksurfaces • Columns • Worksurface power and communication components		► Page 545 ► Page 552 ► Page 554 ► Page 555

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UJBC2430L becomes UJBC2430LSW for wood with square edge profile.)

Specification Information



		U.S. Base Prices			Option (Add \$ to Base Price)
		High-Pressure Laminate		Wood	
• Dimensions A B	• Style Number				• Option (Add \$ to Base Price)
		• Plastic 3 mm Edge No Suffix	• Plastic P-Edge Suffix P	• Wood Square Edge Suffix SW	
					Full-Fill Finish

Left-Hand With 1/2" Cord Drop

23 1/2" 30"	UJBC2430L	\$728	\$835	\$1329	+\$38
23 1/2" 36"	UJBC2436L	\$771	\$878	\$1372	+\$41
23 1/2" 42"	UJBC2442L	\$817	\$924	\$1418	+\$51
23 1/2" 48"	UJBC2448L	\$862	\$969	\$1463	+\$51
:	:	:	:	:	:

Right-Hand With 1/2" Cord Drop

23 1/2" 30"	UJBC2430R	\$728	\$835	\$1329	+\$38
23 1/2" 36"	UJBC2436R	\$771	\$878	\$1372	+\$41
23 1/2" 42"	UJBC2442R	\$817	\$924	\$1418	+\$51
23 1/2" 48"	UJBC2448R	\$862	\$969	\$1463	+\$51
:	:	:	:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Visitor and Linking Worksurfaces

High-Pressure Laminate or Wood Veneer

Tip: Supports for freestanding and panel-mounted applications must be specified separately.

Tip: Visitor and linking worksurfaces are recommended for use with other curved-front shapes such as corner, curved-front worksurfaces.

► Page 521

Standard Includes	Required to Specify
- Need help? Product details, page 206 - Worksurface: High-Pressure Laminate or wood veneer - Laminate worksurface: - Plastic 3 mm edge profile or plastic P-edge profile on front edge - Plastic default flat profile on side and back edges - Wood worksurface: - Wood 3 mm edge profile on front edge - Matching veneer flat profile on side and back edges - Cable scallop on back edge of visitor worksurfaces 36"W and wider - Wire manager for wood veneer worksurfaces with scallops, if selected: black plastic	- Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge - See edge profiles at right. - High-Pressure Laminate or wood color number for worksurface - Plastic color number for front edge on laminate worksurface, if selected - Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
	Wood veneer worksurfaces		
	• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
	• Full-fill finish	Prices below and at right	▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Scallop	• Omit scallop	No cost	Specify <i>omit scallop</i> .
Related Products	• Panel-mounted Universal Systems worksurface supports		▶ Page 545
	• Legs and supports for Universal Systems Worksurfaces		▶ Page 552



Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Scallops are available only on visitor worksurfaces 36"W and wider.

Specification Information

U.S. Base Prices High-Pressure Laminate Wood							U.S. Base Price High-Pressure Laminate			
Dimensions		Style Number	Plastic 3 mm Edge		Plastic P-Edge		Wood Square Edge		Option	
A	B		No Suffix	Suffix P	Suffix SW	Full-Fill Finish	A	B	Style Number	Plastic 3 mm Edge
										No Suffix



Visitor Worksurfaces With 1/2" Cord Drop

Left-Hand Worksurfaces

23 1/2"	24"	UVC2424L	\$377	\$431	\$ 978	+\$35
23 1/2"	30"	UVC2430L	\$406	\$460	N.A.	N.A.
23 1/2"	36"	UVC2436L	\$434	\$488	N.A.	N.A.
23 1/2"	42"	UVC2442L	\$462	\$516	N.A.	N.A.
23 1/2"	48"	UVC2448L	\$487	\$541	N.A.	N.A.
29 1/2"	30"	UVC3030L	\$417	\$471	\$1031	+\$35

With Full Depth


Left-Hand Worksurfaces

24"	24"	WVC2424L	\$377
24"	30"	WVC2430L	\$406
30"	30"	WVC3030L	\$417


► Specification Information, continued on next page

Specification Information

Left-Hand Worksurfaces						
291/2"	36"	UVC3036L	\$449	\$503	N.A.	N.A.
291/2"	42"	UVC3042L	\$475	\$529	N.A.	N.A.
291/2"	48"	UVC3048L	\$503	\$557	N.A.	N.A.
:	:	:	:	:	:	:



231/2"	24"	UVC2424R	\$377	\$431	\$ 978	+\$35
231/2"	30"	UVC2430R	\$406	\$460	N.A.	N.A.
231/2"	36"	UVC2436R	\$434	\$488	N.A.	N.A.
231/2"	42"	UVC2442R	\$462	\$516	N.A.	N.A.
231/2"	48"	UVC2448R	\$487	\$541	N.A.	N.A.
291/2"	30"	UVC3030R	\$417	\$471	\$1031	+\$35
291/2"	36"	UVC3036R	\$449	\$503	N.A.	N.A.
291/2"	42"	UVC3042R	\$475	\$529	N.A.	N.A.
291/2"	48"	UVC3048R	\$503	\$557	N.A.	N.A.




With 3" Notch for Use with Answer Panels						
27"	27"	ULC2727	\$492	\$546	\$1093	+\$35
.	.	.	.	.	.	.


...

...

...




24"	24"	WVC2424R	\$377
24"	30"	WVC2430R	\$406
30"	30"	WVC3030R	\$417



With 3" Notch for Use with Answer Panels			
24"	27"	WLC2727	\$492
30"	33"	WLC3333	\$530

Transaction Worksurfaces

High-Pressure Laminate or Wood Veneer



	Standard Includes	Required to Specify
► Need help? Product details, page 214	• Worksurface: High-Pressure Laminate or wood veneer • Laminate worksurface: — Plastic 3 mm edge profile or plastic P-edge profile on all edges • Wood worksurface: — Wood 3 mm edge profile on all edges • Top caps for use with Answer panels, if selected: paint • Support brackets: black paint only	1 Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge 2 High-Pressure Laminate or wood color number for worksurface 3 Plastic color number for edges on laminate worksurface, if selected 4 Paint color number for top caps, if selected 5 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example UTR1636TA becomes UTR1636TASA for wood with square edge profile.)

	Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate worksurfaces		
	• Open Line laminate	+\$ 65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer worksurfaces		
	• Premium wood 2 • Premium wood 3 • Customiz stain • Full-fill finish	- See information at left - See information at left - No cost - Prices at right	- Specify Premium wood 2 finish number. - Specify Premium wood 3 finish number. - Specify with <i>Customiz stain</i>. ► See <i>Surface Materials Reference Manual</i>. - Specify full-fill finish number.
	Top caps on laminate worksurfaces for use with Answer panels		
	• Wood	+\$111	Specify with <i>wood top cap</i> and select wood color number.
	• Customiz stain on wood	No cost	Specify with <i>Customiz stain</i> .
Change-of-Height Cable Management Top Cap	For use with Answer panels with square trim		
	• Change-of-height at both ends, cable management	+\$ 6	Specify with <i>change-of-height, both ends cable management</i> .




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Tip: To specify 3 mm edge profile, no suffix is required. For all other edge profiles, add a suffix to the style number. (For example, UTR1636A becomes UTR1636ASW for wood with square edge profile.)



Tip: Actual width of Answer transaction worksurface using thin trim is 2" shorter than the nominal planning dimension to accommodate change of panel height applications.

Tip: Actual width of Answer transaction worksurface, using square and oval trim, is 7" shorter than the nominal planning dimension to accommodate change of panel height applications.

Specification Information

Dimensions A B		Panel Width	Style Number	U.S. Base Prices High-Pressure Laminate		Wood	Option (Add \$ to Base Price)
				 Plastic 3 mm Edge No Suffix	 Plastic P-Edge Suffix P	 Wood Square Edge Suffix SW	

With Brackets and Top Caps for Use with Answer Panels with Thin Trim

15"	28"	30"	UTR1630TA	\$296	\$341	N.A.	N.A.
15"	34"	36"	UTR1636TA	\$320	\$365	\$ 909	+\$45
15"	40"	42"	UTR1642TA	\$345	\$390	\$ 934	+\$45
15"	46"	48"	UTR1648TA	\$367	\$418	\$ 956	+\$45
15"	58"	60"	UTR1660TA	\$398	\$449	\$1051	+\$45
:	:	:	:	:	:	:	:

With Brackets and Top Caps for Use with Answer Panels with Square Trim

15"	23"	30"	UTR1630SA	\$300	\$345	N.A.	N.A.
15"	29"	36"	UTR1636SA	\$325	\$370	\$ 914	+\$45
15"	35"	42"	UTR1642SA	\$350	\$395	\$ 939	+\$45
15"	41"	48"	UTR1648SA	\$373	\$424	\$ 962	+\$45
15"	53"	60"	UTR1660SA	\$404	\$455	\$1057	+\$45
:	:	:	:	:	:	:	:

With Brackets and Top Caps for Use with Answer Panels with Oval Trim

15"	23"	30"	UTR1630A	\$300	\$345	N.A.	N.A.
15"	29"	36"	UTR1636A	\$325	\$370	\$ 926	+\$45
15"	35"	42"	UTR1642A	\$350	\$395	\$ 951	+\$45
15"	41"	48"	UTR1648A	\$373	\$424	\$ 974	+\$45
15"	53"	60"	UTR1660A	\$404	\$455	\$1060	+\$65
:	:	:	:	:	:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Power and Data Access Door & Tray



Tip: Remember to specify cutout for power and data tray on the worksurface style number.

► Need help?
Product details,
page 210

Standard Includes

- Door: paint
- Door bezel: 6694 slate
- Inner tray with six simplex receptacles: 7237 slate
- Outer tray with end caps: 7237 slate and 6694 slate
- Grommet (modular and hardwire only): plastic
- Two cord clips or harness clips

Required to Specify

- 1 Style number
 - 2 Paint color for door
 - 3 Plastic color for grommet
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 708.




	Options	U.S. Price	Required to Specify
Surface Materials	Door • Paint • Anodized aluminum	No cost +\$21	Specify paint color. Specify with 8043 clear anodized aluminum.
Power Schematics, Line Options, and Ground Options	3+1 • Line 1 - System ground - Isolated ground • Line 2 - System ground - Isolated ground • Line 3 - System ground - Isolated ground • Line 4 - System ground - Isolated ground	No cost No cost No cost No cost No cost No cost	Specify with 3+1, line 1, system ground. Specify with 3+1, line 1, isolated ground. Specify with 3+1, line 2, system ground. Specify with 3+1, line 2, isolated ground. Specify with 3+1, line 3, system ground. Specify with 3+1, line 3, isolated ground. Specify with 3+1, line 4, system ground. Specify with 3+1, line 4, isolated ground.
	2+2 • Line 1 - System ground - Isolated ground • Line 2 - System ground - Isolated ground • Line 3 - System ground - Isolated ground • Line 4 - System ground - Isolated ground	No cost No cost No cost No cost No cost No cost	Specify with 2+2, line 1, system ground. Specify with 2+2, line 1, isolated ground. Specify with 2+2, line 2, system ground. Specify with 2+2, line 2, isolated ground. Specify with 2+2, line 3, system ground. Specify with 2+2, line 3, isolated ground. Specify with 2+2, line 4, system ground. Specify with 2+2, line 4, isolated ground.
	3SN • Line 1 - System ground - Isolated ground • Line 2 - System ground - Isolated ground • Line 3 - System ground - Isolated ground	No cost No cost No cost No cost No cost	Specify with 3SN, line 1, system ground. Specify with 3SN, line 1, isolated ground. Specify with 3SN, line 2, system ground. Specify with 3SN, line 2, isolated ground. Specify with 3SN, line 3, system ground. Specify with 3SN, line 3, isolated ground.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.



Specification Information

Style Number	U.S. Base Price	Style Number Non-PVC	U.S. Base Price
-----------------	-----------------------	----------------------------	-----------------------

Modular Power

UTTRM	\$984	UTTRMN	\$994
-------	-------	--------	-------

Hardwire Power

UTTRHW	\$984	UTTRHWN	\$994
--------	-------	---------	-------

Cord and Plug

UTTRC	\$984	UTTRCN	\$994
-------	-------	--------	-------




For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Personal Caddy



Tips: Remember to specify cutout for personal caddy on the worksurface style number.

Standard Includes		Required to Specify
► Need help? Product details, page 210	- Caddy: plastic - Pad: 6615 Grey V5 plastic - Brace: black	1 Style number 2 Plastic color for caddy: 6009 Arctic White 6249 Platinum Solid 6695 Midnight 3 Options, if selected (see below)

	Options	U.S. Price	Required to Specify
Bracing	• Brace for 54"W and 60"W worksurface	No cost	Specify <i>with brace for 54"W and 60"W worksurface</i> .
	• Brace for 66"W and 72"W worksurface	No cost	Specify <i>with brace for 66"W and 72"W worksurface</i> .

Specification Information	
• Style Number	• U.S. Price
UPC	\$611
:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Connectors



Standard Includes	Required to Specify
▶ Need help? Product details, page 211 • Connector: black plastic only	Style number

Specification Information

Description	Style Number	U.S. Price
:	:	:
:	:	:

4-Circuit, 3+1

Harness-to-harness	BHHCX	\$49
Branching harness-to-harness	GQTUHCX	\$63
:	:	:

4-Circuit, 2+2

Harness-to-harness	BHHCY	\$49
Branching harness-to-harness	GQTUHCY	\$63
:	:	:

3-Circuit, Separate Neutrals

Harness-to-harness	BHHCZ	\$49
Branching harness-to-harness	GQTUHCZ	\$63
:	:	:



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Filler Package – Data



Standard Includes		Required to Specify
▶ Need help? Product details, page 211	• Package of 20 fillers: black	Style number
Specification Information		
• Style • Number •	• U.S. • Price •	
FMVF	\$34	
•	•	



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


▶ See page 1 for details.

Panel-Mounted Universal Systems Worksurface Supports

For Use with Answer Panels

Panel-Mounted Universal
Systems Worksurface
Supports

Cantilevers



Tip: Answer panel junctions can accommodate only one cantilever at a seam.

Tip: 30"D straight and transition cantilevered worksurfaces require additional floor support along the front edge, such as a pedestal, end panel, post leg, side support bracket, or an adjacent return worksurface.

Standard Includes	Required to Specify
▶ Need help? Product details, page 180 • Cantilever: paint • Tie plate • Attachment hardware	1 Style number 2 Paint color number for cantilever ▶ See <i>Surface Materials</i>, page 708.

Specification Information

• Style Number	• U.S. Price
•	•
•	•

On-Module Cantilever

UCANT	\$100
•	•
•	•

Side Support Brackets



Tip: Side support bracket includes a pair of handed brackets, only one of which is required for rear corner support of panel-mounted corner worksurfaces.

Specify one for every two corner worksurfaces in on-module applications. Order an additional supply for off-module fin wall applications.

Standard Includes	Required to Specify
▶ Need help? Product details, page 180 • Pair of handed side support brackets: black paint only • Attachment hardware	Style number

Specification Information

• Style Number	• U.S. Price
•	•
•	•

USSBR	\$36
•	•
•	•




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Panel-Mounted Universal Systems Worksurface Supports for Use with Answer Panels, continued

Support Plate



Tip: Support plate can also be used in freestanding applications.


Standard Includes		Required to Specify
► Need help? Product details, page 180	- Support plate: black paint only - Attachment hardware	Style number
Specification Information		
• Dimensions	• Style Number	• U.S. Price
14"D	TS714WSP	\$64
20"D	TS720WSP	\$64
.	.	.

Tie Plates



Standard Includes		Required to Specify
- Package of six tie plates: black paint only - Attachment hardware		Style number
Specification Information		
• Dimensions	• Style Number	• U.S. Price
3¾"L	TS7TIEPLATE	\$94
.	.	.

Reinforcing Channels




Tip: Reinforcing channel can also be used in freestanding applications.

Standard Includes		Required to Specify
► Need help? Product details, page 181	- Reinforcing channel: black paint only - Attachment hardware	Style number
Specification Information		
• Dimensions	• Style Number	• U.S. Price
39"W	TS7WKSPT39	\$47
57"W	TS7WKSPT	\$47
72"W	TS7WKSPT72	\$47
.	.	.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Center Support Panels



Standard Includes	Required to Specify
► Need help? Product details, page 180 - Center support panel: paint price group 1 - Tie plate - Attachment hardware	1 Style number 2 Paint color number for center support panel 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$12 +\$20 Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Dimensions D H	Style Number	U.S. Base Price


On-Module Center Support Panel

11"	28½"	UCSP	\$131
-----	------	-------------	-------

Standing Height

11"	40⅞"	UCSPS	\$154
-----	------	--------------	-------

End Panels



Standard Includes	Required to Specify
► Need help? Product details, page 180 - End panel: paint price group 1 - Attachment hardware	1 Style number 2 Paint color number for end panel 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$28 +\$47 Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Dimensions D H	Style Number	U.S. Base Price

On-Module End Panel

24"	28½"	UEP24	\$359
-----	------	--------------	-------

30"	28½"	UEP30	\$408
-----	------	--------------	-------

Standing Height

24"	40⅞"	UEP24S	\$425
-----	------	---------------	-------

30"	40⅞"	UEP30S	\$477
-----	------	---------------	-------



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Off-Module Worksurface-to-Panel Connector



Standard Includes		Required to Specify
► Need help? Product details, page 218	- Connector: paint - Attachment hardware	1 Style number 2 Paint color number for connector 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color.
	• Paint price group 2	+\$11	Specify paint color.
	• Paint price group 3	+\$21	Specify paint color.

Specification Information		
• Width • • •	• Style • Number • •	• U.S. • Base • Price •
24"	UFS24ANS	\$114
30"	UFS30ANS	\$124
36"	UFS36ANS	\$135
42"	UFS42ANS	\$145
48"	UFS48ANS	\$155
60"	UFS60ANS	\$239
72"	UFS72ANS	\$254
•	•	•



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

FrameOne Legs and Supports for Universal Worksurfaces

FrameOne Legs and
Supports for Universal
Worksurfaces

Standard Includes		Required to Specify
► Need help? Product details, page 220	- Legs and intermediate support: paint - Attachment hardware	1 Style number 2 Paint color number for legs and support 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	For legs		
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$19 per leg +\$32 per leg	Specify paint color. Specify paint color. Specify paint color.
	For intermediate support		
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$12 per leg +\$20 per leg	Specify paint color. Specify paint color. Specify paint color.
Intermediate Support bracing	For laminate or wood storage tops		
	No brace	No cost	Specify <i>with no brace</i> .
	For steel storage tops		
	- One brace (30", 36", or 42"W) - Two braces (30", 36", or 42"W)	+\$47 +\$47	Specify <i>with one brace</i> . Specify <i>with two braces</i> .

Specification Information									
Planning Height	Depth	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price	Style Number	U.S. Base Price

Closed Loop

		Panel Supporting Left-Hand		Panel Supporting Right-Hand		Tethered Application		Table Application	
28½"	24"	UFC24LHANS	\$562	UFC24RHANS	\$562	UFC24	\$562	UFC24T	\$613
28½"	30"	UFC30LHANS	\$562	UFC30RHANS	\$562	UFC30	\$562	UFC30T	\$613

Open Loop

28½"	24"	UFQ24LHANS	\$409	UFQ24RHANS	\$409	UFQ24	\$409	UFQ24T	\$460
28½"	30"	UFQ30LHANS	\$409	UFQ30RHANS	\$409	UFQ30	\$409	UFQ30T	\$460

Half Loop

28½"	24"	UFH24LHANS	\$355	UFH24RHANS	\$355				
28½"	30"	UFH30LHANS	\$355	UFH30RHANS	\$355				

Post Leg

28½"		UFP	\$161						


Intermediate Support

For Use with One-High Universal Storage

28½"	16"	UFS1610H	\$249						

For Use with 1.5-High Universal Storage

28½"	16"	UFS1615H	\$227						



Infills for FrameOne Legs for Universal Worksurfaces



Standard Includes	Required to Specify
- Need help? Product details, page 223 - High-Pressure Laminate infills - Brackets and caps	1 Style number 2 Laminate color number for infill 3 Options, if selected (see below) - See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials High-Pressure Laminate Open Line laminate	+\$ 65 plus cost of laminate	See <i>Surface Materials Reference Manual</i> .
Wood Veneer - Wood veneer surface with wood veneer edges - Premium wood 2 - Premium wood 3 - Customiz stain	Prices below +\$ 98 +\$343 No cost	Specify <i>with wood veneer</i> and indicate wood color number. Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify <i>with Customiz stain</i> . See <i>Surface Materials Reference Manual</i> .

Specification Information			
Planning Width	Style Number	U.S. Base Price	Option (Add \$ to Base Price)
		High-Pressure Laminate	Wood Veneer

For Closed Loop Legs

24"W	UFC24NF	\$549	+\$183
30"W	UFC30NF	\$611	+\$199
:	:	:	:

For Open Loop Legs

24"W	UFQ24NF	\$549	+\$183
30"W	UFQ30NF	\$611	+\$199
:	:	:	:



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 See page 1 for details.

Legs and Columns for Universal Systems Worksurfaces



Without Alignment Tab

Post Legs and Double Post Legs

Tip: Height dimensions listed are nominal and include the thickness of a worksurface.

Tip: Standing height legs can be used as column support in panel-mounted applications only.

Tip: Corner worksurfaces require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.



Standard Includes	Required to Specify
► Need help? Product details, page 224 - Legs: paint - Attachment hardware - Non-locking caster, if selected: black plastic only	1 Style number 2 Paint color number for leg 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$19 per leg +\$32 per leg	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Planning Height	Style Number	U.S. Base Price	Planning Height	Style Number	U.S. Base Price
-----------------	--------------	-----------------	-----------------	--------------	-----------------

Post Leg with Glide			Package of Four Post Legs with Glides		
26"	UNPL	\$118	26"	UNPL4	\$472
28½"	UPL	\$118	28½"	UPL4	\$472
40⅞"	UHPL	\$150			
:	:	:	:	:	:

Post Leg with Caster			Package of Four Post Legs with Casters		
26"	UNPLC	\$135	26"	UNPL4C	\$540
28½"	UPLC	\$135	28½"	UPL4C	\$540
:	:	:	:	:	:

Package of Four Post Legs with Two Glides and Two Casters					
	26"	UNPL4M	\$506		
	28½"	UPL4M	\$506		
:	:	:	:	:	:

► Specification Information, continued on next page



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.


► Specification Information, continued from previous page

Specification Information


Planning Height	Style Number	U.S. Base Price
.	.	.
.	.	.

Double Post Leg with Glides

28½"	UDPL	\$334
40⅞"	UHDPL	\$392
.	.	.



Tip: Double post legs can be used as a shared or column support in applications with other post legs.



Double Post C-Leg with Glides

28½"	UCL	\$378
.	.	.



For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Legs and Columns for Universal Systems Worksurfaces without Alignment Tab, continued


Adjustable-Height Legs

Tip: Corner worksurfaces require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: See Table and Leg Combinations page for number of legs required per worksurface.

► Page 244

Tip: Height dimensions listed include the thickness of a worksurface.



Standard Includes	Required to Specify
► Need help? Product details, page 224 • Worksurface legs: paint • Glides, if selected: paint to match legs • Locking casters, if selected: paint to match legs • Attachment hardware	1 Style number 2 Paint color number for leg 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2	No cost +\$19 per leg	Specify paint color number. Specify paint color number.

Specification Information

Planning Height	Style Number	U.S. Base Price	Planning Height	Style Number	U.S. Base Price
25 1/2"	UADJ	\$195	25 1/2"	UADJ4	\$780

Adjustable-Height Leg with Glide

25 1/2"–31 1/2" UADJ \$195

Package of Four Adjustable-Height Legs with Glides

25 1/2"–31 1/2" UADJ4 \$780

Adjustable-Height Leg with Caster

25 1/2"–31 1/2" UADJC \$218


Package of Four Adjustable-Height Legs with Casters

25 1/2"–31 1/2" UADJ4C \$872

Package of Four Adjustable-Height Legs with Two Glides and Two Casters

25 1/2"–31 1/2" UADJ4M \$826

Columns



Tip: Columns have a different aesthetic than post legs (round vs. elliptical). Columns can be used as column supports in applications without post legs.

Tip: Height dimensions listed include the thickness of a worksurface.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Standard Includes	Required to Specify
► Need help? Product details, page 224 • Column: paint • Attachment hardware	1 Style number 2 Paint color number for column 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$19 per leg +\$32 per leg	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Planning Height	Style Number	U.S. Base Price
28 1/2"	UCOL	\$262
28 1/2"–31 5/8"	UADJCOL	\$323

Specifying Worksurface Power and Communication

Power and Data Strips with Cord	556
Power Spheres	557
Power and Communication Spheres	557
Communication Sphere	558
Power and Communication Port	558
Power/Data Boxes	559
Field-Installed Round Grommet	559
Universal Worksurface Wire Managers	560
Vertebral Cable Riser and Extension	560
Skeleton Bone Wire Managers	561
Cable and Fiber Reels	561
Termination Plate	561
Cord Reels	562
Cable Storage Tray	562
Wire Guide Clips	562
Wire Clips	563
Velcro Wire Clips	563
Wire Manager	563

Wiring and Cabling Accessories

Power and Data Strips with Cord

	Standard Includes	Required to Specify
► Need help? Product details, page 246	- Power and data strip with cord: 8043 Clear Anodized Aluminum cover with black faceplate - Worksurface attachment bracket, if selected: 4799 Platinum paint only - Slatwall attachment bracket, if selected: 4799 Platinum paint only	Style number

Specification Information

• Dimensions	• Style	• U.S.
D W H	Number	Price
:	:	:

Power and Data Strip with Cord with Worksurface Attachment Bracket

2¼"	10¼"	3"	BPDSWSPL	\$222
:	:	:	:	:

Power and Data Strip with Cord with Slatwall Attachment Bracket



2¼"	10¼"	3"	BPDSWSPL	\$222
:	:	:	:	:

Worksurface Attachment Bracket Only

N.A.	N.A.	N.A.	BPDSWB	\$ 41
:	:	:	:	:

Slatwall Attachment Bracket Only

N.A.	N.A.	N.A.	BPDSWB	\$ 41
:	:	:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Power Spheres



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Standard Includes			Required to Specify	
▶ Need help? Product details, page 150	• Sphere with four simplex electrical outlets: black plastic only • Two 6' power cords (each rated at 15 amps), if selected: black plastic only • Two 6' Greenfield conduits (each rated at 15 amps), if selected: metal only			Style number
Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
.	.	.	.	.
Four Electrical Outlets with Two 6' Power Cords				
33⁄8"	33⁄8"	3"	PTDMGB1	\$242
.	.	.	.	.
Four Electrical Outlets with Two 6' Greenfield Conduits for Hardwiring				
33⁄8"	33⁄8"	3"	PTDMGB2	\$422
.	.	.	.	.

Power and Communication Spheres



Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Tip: Face plates in sphere accommodates standard voice/data jacks.

Standard Includes			Required to Specify	
▶ Need help? Product details, page 150	• Sphere with two simplex electrical outlets: black plastic only • Face plates to accommodate two customer-supplied voice/data jacks: black plastic only • 6' power cord with plug rated at 15 amps, if selected: black plastic only • 6' Greenfield conduit for hardwiring, if selected: metal only			Style number

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
Sphere with One 6' Power Cord				
33⁄8"	33⁄8"	3"	PTDMGB3	\$242
Sphere with One 6' Greenfield Conduit for Hardwiring				
33⁄8"	33⁄8"	3"	PTDMGB4	\$347



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Communication Sphere




Tip: Sphere is field installed. Use 3"-diameter drill to cut mounting hole at desired location.

Tip: Face plates in sphere accommodates standard voice/data jacks.

Standard Includes				Required to Specify
- Need help? Product details, page 150 - Sphere with face plates to accommodate four customer-supplied voice/data jacks: black plastic only				Style number
Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		
3 3/8"	3 3/8"	3"	PTDMGB5	\$242

Power and Communication Port



Tip: Port is field installed. Use a 3 1/2"-diameter drill to cut mounting hole at desired location.

Standard Includes				Required to Specify
- Need help? Product details, page 150 - Port with two electrical outlets: black plastic only 6' power cord with plug rated at 15 amps: black plastic only - Adapters for two customer-supplied data couplers/jacks				Style number
Specification Information				
Dimensions			Style Number	U.S. Price
D	W	H		
4 1/4"	4 1/4"	4 5/16"	PTRSGB1	\$326






For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Power/Data Boxes



Standard Includes	Required to Specify
- Need help? Product details, page 150 - Power/data box - Power/power box - Data/data box	Style number

Specification Information

Dimensions	Style	U.S.
D W H	Number	Price

Power/Data Box

3"	3"	1"	AWVBC	\$225
----	----	----	--------------	-------

Power/Power Box

3"	3"	1"	AWVBP	\$225
----	----	----	--------------	-------

Data/Data Box

3"	3"	1"	AWVBD	\$225
----	----	----	--------------	-------

Field-Installed Round Grommet



Tip: Grommet AWAG2 is for use on worksurfaces only.

Standard Includes	Required to Specify
- Need help? Product details, page 150 - Grommet: paint or metal - Installation instructions	1 Style number 2 Paint or metal color number - See <i>Surface Materials</i>, page 708.

Specification Information

Dimensions	Style	U.S.
D W	Number	Price

2 1/2"	2 1/2"	AWAG2	\$65
--------	--------	--------------	------

For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
See page 1 for details.

Universal Worksurface Wire Managers




Standard Includes		Required to Specify
► Need help? Product details, page 150	- Set of six field installed worksurface wire managers: plastic - Attachment hardware	1 Style number 2 Plastic color number for worksurface wire manager: 6000 Black 6009 Arctic White 6052 Milk 6053 Seagull 6249 Platinum Solid 6654 Sand 6695 Midnight 6697 Fog

Specification Information

Style Number	U.S. Price
TS7WWM	\$132

Vertebral Cable Riser and Extension



Standard Includes		Required to Specify
► Need help? Product details, page 150	- Vertebral cable riser: black plastic only - Attachment hardware - Floor plate: Metallic Aluminum only	Style number

Specification Information

Length	Style Number	U.S. Price
--------	--------------	------------

Vertebral Cable Riser

31½"	DAVC	\$128
------	------	-------

Vertebral Cable Riser Extension

15¾"	DAVCE	\$ 37
------	-------	-------

Tip: 15¾"L cable riser is an extension only. Extension does not include attachment hardware or floor plate.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Skeleton Bone Wire Managers




Note: This product is Turnstone, **NOT** Steelcase. It is included here to simplify your planning. Remember that Steelcase has different pricing terms than Turnstone products.

Standard Includes			Required to Specify	
▶ Need help? Product details, page 150			• Wire manager: black plastic • Attachment hardware	
Style number				

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
Skeleton Bone Wire Manager				
1½"	1⅜"	38"	TS5SKLBNE	\$165
Skeleton Bone Wire Manager Extension				
1½"	1⅜"	36"	TS5SKEXT	\$140

Cable and Fiber Reels



Standard Includes		Required to Specify
▶ Need help? Product details, page 150	• Package of four reels: black plastic only	Style number
Specification Information		
• Style Number	• U.S. Price	
98766	\$130	

Termination Plate




Standard Includes			Required to Specify	
▶ Need help? Product details, page 150			• Termination plate: black paint only	Style number
Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
3/4"	7 1/8"	7 1/8"	98765	\$19




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Cord Reels



Standard Includes		Required to Specify
► Need help? Product details, page 150	• Carton of six cord reels: black paint only	Style number
Specification Information		
• Style Number	• U.S. Price	
98767	\$55	

Cable Storage Tray



Standard Includes			Required to Specify	
▶ Need help? Product details, page 150			• Cable storage tray: black paint only	Style number
Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
2"	24"	2½"	98768	\$43

Wire Guide Clips



Standard Includes		Required to Specify
► Need help? Product details, page 150	• Carton of 20 adhesive-backed wire guide clips: black plastic only	Style number
Specification Information		
• Style Number	• U.S. Price	
32WCP	\$30	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Wire Clips



Standard Includes		Required to Specify
▶ Need help? Product details, page 150	• Carton of six: black plastic only • Foam tape • Mounting screws	Style number
Specification Information		
• Style Number	• U.S. Price	
999CHT	\$54	

Velcro Wire Clips



Tip: Attaches under worksurfaces with screws or around leg.

Note: This product is Turnstone, **NOT** Steelcase. It is included here to simplify your planning. Remember that Steelcase has different pricing terms than Turnstone products.

Standard Includes		Required to Specify
▶ Need help? Product details, page 150	• Package of six wire clips: velcro • Attachment hardware	Style number

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
1/2"	8"	1/2"	TS5LEGCLP	\$47

Power and
Communication

Wire Manager



Standard Includes		Required to Specify
▶ Need help? Product details, page 150	• 25" wire manager with double-sided tape: black plastic	Style number
Specification Information		
• Dimensions		• Style
D	W	H
Number	Price	
1"	3/4"	25"
AWVW	\$15	



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.


Specifying Universal Tables

Tables

Straight Tables	566
Transition Tables	568
Corner, 120° Tables	570
Capsule Tables	571
Spanner Tables	572
Peninsula Table	573
Tapered Peninsula Tables	574
Bubble Jetty Tables	575
Round Tables	576
Square Tables	577
Rectangle Tables	578
Oval Tables	579
Hex Conference Tables	580
Bases for Universal Tables	581
Legs for Universal Tables	582
Worksurface Screens	586

Straight Tables

High-Pressure Laminate or Wood Veneer



Standard Includes	Required to Specify
▶ Need help? Product details, page 234 • Table: High-Pressure Laminate or wood veneer • Laminate table: plastic 3 mm edge profile or P-edge profile on all sides • Wood table: wood square 3 mm edge profile on all sides	1 Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge ▶ See edge profiles at right. 2 High-Pressure Laminate or wood color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Premium Wood Pricing:
For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.


Tip: For base and leg support guidelines, see Table and Base Combinations, ▶ page 243 Table and Leg Combinations, ▶ page 244.

Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate tables	
• Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
	Wood veneer tables	
• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
• Full-fill finish on tables	Prices at right	▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Reinforcing Channel	• Reinforcing channel (available on 66"W and wider tables)	No cost
		Specify with <i>reinforcing channel</i> .
Related Products	• Bases for Universal Tables	▶ Page 581
	• Legs for Universal Tables	▶ Page 582
	• Worksurface screens	▶ Page 586
	• Worksurface power and communication components	▶ Page 555



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Tip: To specify 3 mm edge profile, no suffix is required.
For other edge profiles, add suffix to the style number.
(For example, BFS2430 becomes BFS2430SW for wood square edge profile.)



Specification Information

		U.S. Base Prices				
		High-Pressure Laminate		Wood		
						
• Dimensions	• Style	• Plastic	• Plastic	• Wood	• Option	
A	B	3 mm	P-Edge	Square	(Add \$ to	
	Number	Edge		Edge	Base Price)	
		No Suffix	Suffix	Suffix	Full-Fill	
			P	SW	Finish	
24"	29 ³ / ₄ "	BFS2430	\$218	\$264	\$ 672	+\$35
24"	35 ³ / ₄ "	BFS2436	\$231	\$277	\$ 693	+\$36
24"	41 ³ / ₄ "	BFS2442	\$251	\$306	\$ 769	+\$41
24"	47 ³ / ₄ "	BFS2448	\$295	\$350	\$ 834	+\$42
24"	53 ³ / ₄ "	BFS2454	\$319	\$374	\$ 860	+\$44
24"	59 ³ / ₄ "	BFS2460	\$340	\$404	\$ 945	+\$47
24"	65 ³ / ₄ "	BFS2466	\$376	\$440	\$ 998	+\$48
24"	71 ³ / ₄ "	BFS2472	\$423	\$487	\$1060	+\$50
24"	77 ³ / ₄ "	BFS2478	\$464	\$528	\$1114	+\$51
30"	35 ³ / ₄ "	BFS3036	\$321	\$367	\$ 813	+\$38
30"	41 ³ / ₄ "	BFS3042	\$346	\$392	\$ 894	+\$42
30"	47 ³ / ₄ "	BFS3048	\$382	\$437	\$ 952	+\$44
30"	53 ³ / ₄ "	BFS3054	\$410	\$465	\$ 991	+\$45
30"	59 ³ / ₄ "	BFS3060	\$442	\$497	\$1079	+\$48
30"	65 ³ / ₄ "	BFS3066	\$475	\$539	\$1133	+\$50
30"	71 ³ / ₄ "	BFS3072	\$517	\$581	\$1191	+\$51
30"	77 ³ / ₄ "	BFS3078	\$559	\$623	\$1247	+\$53
:	:	:	:	:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Transition Tables

High-Pressure Laminate or Wood Veneer



Standard Includes	Required to Specify
▶ Need help? Product details, page 234 • Table: High-Pressure Laminate or wood veneer • Laminate table: plastic 3 mm edge profile or P-edge profile on all sides • Wood table: wood square 3 mm edge profile on all sides	1 Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge ▶ See edge profiles at right. 2 High-Pressure Laminate or wood color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Premium Wood Pricing:
For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶ Page 244.


Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate tables	
• Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
	Wood veneer tables	
• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
• Customiz stain	No cost	Specify <i>with Customiz stain</i> .
		▶ See <i>Surface Materials Reference Manual</i> .
• Full-fill finish on tables	Prices at right	Specify full-fill finish number.
Reinforcing Channel	• Reinforcing channel (available on 66"W and wider tables)	No cost
		Specify <i>with reinforcing channel</i> .
Related Products	• Legs for Universal Tables	▶ Page 582
	• Worksurface screens	▶ Page 586
	• Worksurface power and communication components	▶ Page 555


For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Tip: To specify 3 mm edge profile, no suffix is required.
For other edge profiles, add suffix to the style number.
(For example, BZC302460 becomes BZC302460SW for wood square edge profile.)


Specification Information

• Dimensions A B C			• Style Number	U.S. Base Prices			• Option (Add \$ to Base Price)
				High-Pressure Laminate	Plastic	Wood	
							
				• Plastic 3 mm Edge	• Plastic P-Edge	• Wood Square Edge	
				No Suffix	Suffix P	Suffix SW	Full-Fill Finish



Left-Hand Tables

30"	24"	59 ³ / ₄ "	BZC302460	\$627	\$738	\$1395	+\$51
30"	24"	65 ³ / ₄ "	BZC302466	\$656	\$767	\$1435	+\$53
30"	24"	71 ³ / ₄ "	BZC302472	\$682	\$793	\$1470	+\$55
30"	24"	77 ³ / ₄ "	BZC302478	\$700	\$820	\$1502	+\$57
36"	30"	59 ³ / ₄ "	BZC363060	\$700	\$820	\$1502	+\$64
36"	30"	65 ³ / ₄ "	BZC363066	\$727	\$847	\$1538	+\$57
36"	30"	71 ³ / ₄ "	BZC363072	\$746	\$877	\$1571	+\$58
36"	30"	77 ³ / ₄ "	BZC363078	\$776	\$907	\$1603	+\$60



Right-Hand Tables

24"	30"	59 ³ / ₄ "	BZC243060	\$627	\$738	\$1395	+\$51
24"	30"	65 ³ / ₄ "	BZC243066	\$656	\$767	\$1435	+\$53
24"	30"	71 ³ / ₄ "	BZC243072	\$682	\$793	\$1470	+\$55
24"	30"	77 ³ / ₄ "	BZC243078	\$700	\$820	\$1502	+\$57
30"	36"	59 ³ / ₄ "	BZC303660	\$700	\$820	\$1502	+\$64
30"	36"	65 ³ / ₄ "	BZC303666	\$727	\$847	\$1538	+\$57
30"	36"	71 ³ / ₄ "	BZC303672	\$746	\$877	\$1571	+\$58
30"	36"	77 ³ / ₄ "	BZC303678	\$776	\$907	\$1603	+\$60




For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.

Corner, 120° Tables

High-Pressure Laminate or Wood Veneer



► Need help?
Product details,
page 234

Standard Includes

- Tables: High-Pressure Laminate or wood veneer
- Laminate tables: plastic 3 mm edge profile or P-edge profile on all sides
- Wood tables: wood square 3 mm edge profile on all sides

Required to Specify

- 1 Style number with appropriate edge profile suffix
P Laminate with plastic P-edge
SW Wood with square edge
► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
► See *Surface Materials*, page 708.

Premium Wood Pricing:

For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ► Page 244.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFB223636 becomes BFB223636SW for wood square edge profile.)

Tip: Screens can be used on corner, 120° tables.

- 24"W screens can be used on tables with dimensions C and D each equal to 43".
- 24"W and 30"W screens can be used on tables with dimensions C and D each equal to 49".

Tip: Corner, 120° tables with dimensions C and D each equal to 37" cannot accommodate screens.

Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate tables	
• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer tables	
• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
• Full-fill finish on tables	Prices below	► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Related Products	• Legs for Universal Tables • Worksurface screens • Worksurface power and communication components	► Page 582 ► Page 586 ► Page 555

Specification Information

					U.S. Base Prices				
					High-Pressure Laminate		Wood		
• Dimensions					• Style	• Plastic	• Plastic	• Wood	• Option
A	B	C	D	E	Number	3 mm Edge	P-Edge	Square Edge	(Add \$ to Base Price)
						No Suffix	Suffix P	Suffix SW	Full-Fill Finish
24"	24"	37"	37"	62"	BFB223636	\$812	\$900	\$1521	+\$75
24"	24"	43"	43"	73"	BFB224242	\$846	\$934	\$1569	+\$78
24"	24"	49"	49"	83"	BFB224848	\$875	\$963	\$1610	+\$79
30"	30"	43"	43"	73"	BFB334242	\$875	\$963	\$1610	+\$79
30"	30"	49"	49"	83"	BFB334848	\$909	\$997	\$1654	+\$81




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Capsule Tables

High-Pressure Laminate or Wood Veneer



► Need help?
Product details,
page 234

Standard Includes

- Tables: High-Pressure Laminate or wood veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides

Required to Specify

- 1 Style number with appropriate edge profile suffix
P Laminate with plastic P-edge
SW Wood with square edge
► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
► See *Surface Materials*, page 708.

Premium Wood Pricing:

For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations, ► Page 243
Table and Leg Combinations, ► Page 244

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFK3672 becomes BFK3672SW for wood square edge profile.)

Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate tables	
• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer tables	
• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
• Full-fill finish on tables	Prices below	► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Reinforcing Channel	• Reinforcing channel (available on 66"W and wider tables)	No cost Specify with <i>reinforcing channel</i> .
Related Products	• Bases for Universal Tables • Legs for Universal Tables • Worksurface screens • Worksurface power and communication components	► Page 581 ► Page 582 ► Page 586 ► Page 555

Specification Information

Dimensions A B		Style Number	U.S. Base Prices			Option (Add \$ to Base Price)
			High-Pressure Laminate	Plastic P-Edge	Wood	
						
			Plastic 3 mm Edge	Plastic P-Edge	Wood Square Edge	
			No Suffix	Suffix P	Suffix SW	Full-Fill Finish
24"	48"	BFK2448	\$ 505	\$ 593	N.A.	N.A.
30"	60"	BFK3060	\$ 568	\$ 679	N.A.	N.A.
36"	72"	BFK3672	\$ 681	\$ 844	\$1876	+\$87
42"	84"	BFK4284	\$1027	\$1199	\$2079	+\$92
48"	96"	BFK4896	\$1217	\$1389	\$2284	+\$95




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Spanner Tables

High-Pressure Laminate or Wood Veneer



Standard Includes	Required to Specify
▶ Need help? Product details, page 234 - Table: High-Pressure Laminate or wood veneer - Laminate table: plastic 3 mm edge profile or P-edge profile on all sides - Wood table: wood square 3 mm edge profile on all sides	1 Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge 2 High-Pressure Laminate or wood color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Premium Wood Pricing:

For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶ Page 244.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFSP48 becomes BFSP48SW for wood square edge profile.)

Options	U.S. Price	Required to Specify
Surface Materials High-Pressure Laminate tables Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Wood veneer tables - Premium wood 2 - Premium wood 3 - Customiz stain	See information at left See information at left No cost	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with Customiz stain. ▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Related Products - Legs for Universal Tables - Worksurface screens - Worksurface power and communication components	Prices below	▶ Page 582 ▶ Page 586 ▶ Page 555

Specification Information

		U.S. Base Prices			Option (Add \$ to Base Price)
		High-Pressure Laminate		Wood	
Dimensions A B	Style Number				
		Plastic 3 mm Edge No Suffix	Plastic P-Edge Suffix P	Wood Square Edge Suffix SW	Full-Fill Finish
30" 48"	BFSP48	\$446	\$534	\$1070	+\$58
30" 52"	BFSP52	\$472	\$560	\$1070	+\$60
36" 60"	BFSP60	\$497	\$585	\$1325	+\$61
36" 64"	BFSP64	\$522	\$610	\$1326	+\$62
:	:	:	:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Peninsula Table

High-Pressure Laminate or Wood Veneer



Standard Includes	Required to Specify
▶ Need help? Product details, page 234 • Tables: High-Pressure Laminate or wood veneer • Laminate table: plastic 3 mm edge profile or P-edge profile on all sides • Wood table: wood square 3 mm edge profile on all sides	1 Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or wood color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Premium Wood Pricing:
For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶ Page 244.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFP2736 becomes BFP2736SW for wood square edge profile.)

Options	U.S. Price	Required to Specify
Surface Materials High-Pressure Laminate tables • Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Wood veneer tables • Premium wood 2 • Premium wood 3 • Customiz stain • Full-fill finish on tables	See information at left See information at left No cost Prices below	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with <i>Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Related Products • Legs for Universal Tables • Worksurface screens		▶ Page 582 ▶ Page 586

Specification Information


		U.S. Base Prices			Option (Add \$ to Base Price)
		High-Pressure Laminate		Wood	
• Dimensions A B	• Style Number				
		• Plastic 3 mm Edge	• Plastic P-Edge	• Wood Square Edge	
		No Suffix	Suffix P	Suffix SW	Full-Fill Finish
27" 36"	BFP2736	\$434	\$498	\$998	+\$56



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Tapered Peninsula Tables

High-Pressure Laminate or Wood Veneer



► Need help?
Product details,
page 234

Standard Includes

- Table: High-Pressure Laminate or wood veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides

Required to Specify

- 1 Style number with appropriate edge profile suffix
P Laminate with plastic P-edge
SW Wood with square edge
► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
► See *Surface Materials*, page 708.

Premium Wood Pricing:

For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ► Page 244.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFTP48 becomes BFTP48SW for wood square edge profile.)

Options	U.S. Price	Required to Specify
Surface Materials		
High-Pressure Laminate tables		
• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
Wood veneer tables		
• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
• Full-fill finish on tables	Prices below	► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Related Products		
• Legs for Universal Tables		► Page 582
• Worksurface screens		► Page 586
• Worksurface power and communication components		► Page 555

Specification Information

		U.S. Base Prices				
		High-Pressure Laminate		Wood		
• Dimensions	• Style Number	• Plastic 3 mm Edge	• Plastic P-Edge	• Wood Square Edge	• Option	
A B C		No Suffix	Suffix P	Suffix SW	(Add \$ to Base Price)	
27" 32" 48"	BFTP48	\$607	\$718	\$1349	+\$51	
33" 40" 60"	BFTP60	\$619	\$730	\$1401	+\$55	



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Bubble Jetty Tables

High-Pressure Laminate or Wood Veneer

Standard Includes	Required to Specify
▶ Need help? Product details, page 234 • Table: High-Pressure Laminate or wood veneer • Laminate table: plastic 3 mm edge profile or P-edge profile on all sides • Wood table: wood square 3 mm edge profile on all sides	1 Style number with appropriate edge profile suffix P Laminate with plastic P-edge SW Wood with square edge ▶ See edge profiles below. 2 High-Pressure Laminate or wood color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials High-Pressure Laminate tables • Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Wood veneer tables • Premium wood 2 • Premium wood 3 • Customiz stain • Full-fill finish on tables	See information at left See information at left No cost Prices below	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with <i>Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Related Products • Legs for Universal Tables • Worksurface screens • Worksurface power and communication components		▶ Page 582 ▶ Page 586 ▶ Page 555

Premium Wood Pricing:
For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, ▶ Page 244.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFJ2472L becomes BFJ2472LSW for wood square edge profile.)

Specification Information



		U.S. Base Prices			
		High-Pressure Laminate		Wood	
					
Dimensions	Style Number	Plastic 3 mm Edge	Plastic P-Edge	Wood Square Edge	Option
A B		No Suffix	Suffix P	Suffix SW	(Add \$ to Base Price)
					Full-Fill Finish

Left-Hand Worksurfaces

24" 72"	BFJ2472L	\$913	\$1076	\$1900	+\$77
24" 78"	BFJ2478L	\$943	\$1106	\$2030	+\$81
30" 72"	BFJ3072L	\$943	\$1106	\$1941	+\$81
30" 78"	BFJ3078L	\$975	\$1138	\$2077	+\$86

Right-Hand Worksurfaces

24" 72"	BFJ2472R	\$913	\$1076	\$1900	+\$77
24" 78"	BFJ2478R	\$943	\$1106	\$2030	+\$81
30" 72"	BFJ3072R	\$943	\$1106	\$1941	+\$81
30" 78"	BFJ3078R	\$975	\$1138	\$2077	+\$86



Round Tables

High-Pressure Laminate or Wood Veneer



Standard Includes	Required to Specify
► Need help? Product details, page 234 - Table: High-Pressure Laminate or wood veneer - Laminate table: plastic 3 mm edge profile or P-edge profile on all sides - Wood table: wood square 3 mm edge profile on all sides	1 Style number with appropriate edge profile suffix P Laminate with plastic P-edge K Laminate with knife edge SW Wood with square edge ► See edge profiles below. 2 High-Pressure Laminate or wood color number for table 3 Plastic color number for edge on laminate table, if selected 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Premium Wood Pricing:
For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations, ► Page 243 Table and Leg Combinations, ► Page 244.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFR36 becomes BFR36SW for wood square edge profile.)

Options	U.S. Price	Required to Specify
Surface Materials High-Pressure Laminate tables Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i>.
Wood veneer tables - Premium wood 2 - Premium wood 3 - Customiz stain - Full-fill finish on tables	See information at left See information at left No cost Prices below	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with <i>Customiz stain</i>. ► See <i>Surface Materials Reference Manual</i>. Specify full-fill finish number.
Related Products - Bases for Universal Tables - Legs for Universal Tables		► Page 581 ► Page 582

Specification Information


		U.S. Base Prices				
		High-Pressure Laminate			Wood	
Diameter	Style Number					Option (Add \$ to Base Price)
		Plastic 3 mm Edge	Plastic P-Edge	Plastic Knife Edge	Wood Square Edge	
		No Suffix	Suffix P	Suffix K	Suffix SW	Full-Fill Finish
30"	BFR30	\$395	N.A.	\$562	N.A.	N.A.
36"	BFR36	\$420	\$508	\$587	\$1340	+\$42
42"	BFR42	\$466	\$554	\$633	\$1409	+\$45
48"	BFR48	\$511	\$609	\$678	\$1570	+\$50
54"	BFR54	\$614	\$725	\$781	\$1732	+\$53
:	:	:	:	:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Square Tables

High-Pressure Laminate or Wood Veneer



Premium Wood Pricing:

For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations, Page 243
Table and Leg Combinations, Page 244.

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFRQ30 becomes BFRQ30SW for wood square edge profile.)

Standard Includes

- ▶ Need help? Product details, page 234
- Table: High-Pressure Laminate or wood veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides

Required to Specify

- 1 Style number with appropriate edge profile suffix
P Laminate with plastic P-edge
SW Wood with square edge
▶ See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
▶ See *Surface Materials*, page 708.

Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate tables	
• Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
	Wood veneer tables	
• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
• Full-fill finish on tables	Prices below	▶ See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Related Products	• Bases for Universal Tables • Legs for Universal Tables • Worksurface screens • Worksurface power and communication components	▶ Page 581 ▶ Page 582 ▶ Page 586 ▶ Page 555

Specification Information

		U.S. Base Prices			
		High-Pressure Laminate		Wood	
• Dimensions A B	• Style Number				• Option (Add \$ to Base Price)
		• Plastic 3 mm Edge No Suffix	• Plastic P-Edge Suffix P	• Wood Square Edge Suffix SW	
24" 24"	BFRQ24	\$205	\$251	N.A.	N.A.
30" 30"	BFRQ30	\$301	\$347	\$ 806	+\$36
36" 36"	BFRQ36	\$424	\$499	N.A.	N.A.
42" 42"	BFRQ42	\$470	\$545	\$1098	+\$45
48" 48"	BFRQ48	\$516	\$614	\$1217	+\$50
54" 54"	BFRQ54	\$619	\$717	\$1359	+\$53
:	:	:	:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Rectangle Tables

High-Pressure Laminate or Wood Veneer



► Need help?
Product details,
page 234

Standard Includes

- Table: High-Pressure Laminate or wood veneer
- Laminate table: plastic 3 mm edge profile or P-edge profile on all sides
- Wood table: wood square 3 mm edge profile on all sides

Required to Specify

- 1 Style number with appropriate edge profile suffix
P Laminate with plastic P-edge
SW Wood with square edge
► See edge profiles below.
- 2 High-Pressure Laminate or wood color number for table
- 3 Plastic color number for edge on laminate table, if selected
- 4 Options, if selected (see below)
► See *Surface Materials*, page 708.

Premium Wood Pricing:
For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Select the reinforcing channel option if the table will be supported by legs. Channels are not required if the table will be supported by T- or X-bases.

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations, ► Page 243 Table and Leg Combinations, ► Page 244

Tip: To specify 3 mm edge profile, no suffix is required. For other edge profiles, add suffix to the style number. (For example, BFRR3672 becomes BFRR3672SW for wood square edge profile.)

Options	U.S. Price	Required to Specify
Surface Materials	High-Pressure Laminate tables	
• Open Line laminate	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
	Wood veneer tables	
• Premium wood 2	See information at left	Specify Premium wood 2 finish number.
• Premium wood 3	See information at left	Specify Premium wood 3 finish number.
• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
• Full-fill finish on tables	Prices below	► See <i>Surface Materials Reference Manual</i> . Specify full-fill finish number.
Reinforcing Channel	• Reinforcing channel (available on 66"W and wider tables)	No cost Specify with <i>reinforcing channel</i> .
Related Products	• Bases for Universal Tables • Legs for Universal Tables • Worksurface screens • Worksurface power and communication components	► Page 581 ► Page 582 ► Page 586 ► Page 555

Specification Information


		U.S. Base Prices			
		High-Pressure Laminate		Wood	
• Dimensions A B	• Style Number	• Plastic 3 mm Edge	• Plastic P-Edge	• Wood Square Edge	• Option (Add \$ to Base Price)
		No Suffix	Suffix P	Suffix SW	Full-Fill Finish
36" 60"	BFRR3660	\$ 603	N.A.	N.A.	N.A.
36" 66"	BFRR3666	\$ 639	N.A.	N.A.	N.A.
36" 72"	BFRR3672	\$ 681	\$ 853	\$1938	+\$89
42" 84"	BFRR4284	\$1027	\$1199	\$2088	+\$92
48" 96"	BFRR4896	\$1217	\$1389	\$2144	+\$95
.	.	.	.	.	.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Oval Tables

High-Pressure Laminate



Standard Includes	Required to Specify
▶ Need help? Product details, page 234 • Tables: High-Pressure Laminate • Laminate table: plastic 3 mm edge profile on all sides	1 Style number ▶ See edge profiles below. 2 High-Pressure Laminate color number for table 3 Plastic color number for edge on laminate table 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • High-Pressure Laminate tables • Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Related Products • Bases for Universal Tables • Legs for Universal Tables		▶ Page 581 ▶ Page 582

Tip: Bases and legs to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Base Combinations, ▶ Page 243 Table and Leg Combinations, ▶ Page 244.

Tip: To specify 3 mm edge profile, no suffix is required.

Specification Information


Dimensions		Style Number	U.S. Base Price High-Pressure Laminate
A	B		
			 • Plastic 3 mm Edge • No Suffix
21"	42"	BEL2142	\$ 453
30"	42"	BEL3042	\$ 494
36"	48"	BEL3648	\$ 542
30"	60"	BEL3060	\$ 664
36"	72"	BEL3672	\$ 681
42"	78"	BEL4278	\$1015
48"	96"	BEL4896	\$1217
:	:	:	:



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Hex Conference Tables

High-Pressure Laminate



Tip: Hex conference tables 150"W or larger are shipped in two pieces. Tight-joint fasteners are supplied for proper assembly.

Tip: Bases to support Universal Tables must be specified separately.

Tip: For leg and support guidelines, see Table and Leg Combinations, Page 244.

Tip: To specify 3 mm edge profile, no suffix is required.

Standard Includes	Required to Specify
- Need help? Product details, page 234 - Tables: High-Pressure Laminate - Laminate table: plastic 3 mm edge profile on all sides - Reinforcing channels, for tables 120"W or wider - Tight-joint fasteners for tables 150"W or wider	1 Style number 2 High-Pressure Laminate color number for table 3 Plastic color number for edge on laminate table 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials High-Pressure Laminate tables - Open Line laminate	+\$65 plus cost of laminate	▶ See <i>Surface Materials Reference Manual</i> .
Related Products Bases for Universal Tables		▶ Page 581

Specification Information

			U.S. Base Price High-Pressure Laminate	
				
• Dimensions	• Style	• Plastic		
A B C	Number	3 mm Edge		
		No Suffix		
30" 36" 60"	BHEX3660		\$ 603	
30" 36" 66"	BHEX3666		\$ 639	
30" 36" 72"	BHEX3672		\$ 681	
36" 42" 96"	BHEX4296		\$1163	
38" 48" 120"	BHEX48120		\$2812	
38" 48" 150"	BHEX48150		\$4107	
38" 48" 180"	BHEX48180		\$4270	
:	:	:		



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.



Bases for Universal Tables

	Standard Includes	Required to Specify
► Need help? Product details, page 237	- Column: paint - Base: paint - Adjustable leveling glides: black plastic	1 Style number 2 Paint color number for column 3 Paint color number for base 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Base - Paint price group 1 - Paint price group 2 - Paint price group 3 - Polished Chrome column and base - Polished Chrome base with painted column	No cost +\$ 19 +\$ 32 +\$153 +\$153	Specify paint color number Specify paint color number. Specify paint color number. Specify with 9201 Polished Chrome column and base. Specify with 9201 Polished Chrome base only and select paint color number for column.

Tip: When specifying a 9201 Polished Chrome base only, specify a paint color number for the column.

Specification Information			
Width	Column Diameter	Style Number	U.S. Base Price
T-Bases			
26"	2 1/4"	BT26	\$285
36"	2 1/4"	BT36	\$351
X-Bases			
26"	2 1/4"	BX26	\$320
36"	2 1/4"	BX36	\$413



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Legs for Universal Tables

Cabby Legs

With Alignment Tab

Tip: See Table and Leg Combinations page for number of legs required per table.
▶ Page 244

Tip: Dimensions listed are nominal and include the thickness of a table.



Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.



Standard Includes	Required to Specify
▶ Need help? Product details, page 238 - Table legs: paint or metal - Glides, if selected: paint to match legs - Locking casters, if selected: paint to match legs - Attachment hardware	1 Style number 2 Paint color number for leg and caster 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials - Paint price group 1 - Paint price group 2	No cost +\$19 per leg	Specify paint color number. Specify paint color number.

Specification Information

Planning Height	Style Number	U.S. Base Price	Planning Height	Style Number	U.S. Base Price
:	:	:	:	:	:

Cabby Leg with Glide			Package of Four Cabby Legs with Glides		
26"	BNCAB	\$169	26"	BNCAB4	\$676
28½"	BCAB	\$169	28½"	BCAB4	\$676
:	:	:	:	:	:

Cabby Leg with Caster			Package of Four Cabby Legs with Casters		
26"	BNCABC	\$192	26"	BNCAB4C	\$768
28½"	BCABC	\$192	28½"	BCAB4C	\$768
:	:	:	:	:	:

Package of Four Cabby Legs with Two Glides and Two Casters		
26"	BNCAB4M	\$722
28½"	BCAB4M	\$722
:	:	:



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.


Adjustable-Height Legs

Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: See Table and Leg Combinations page for number of legs required per table.

► Page 244

Tip: Dimensions listed are nominal and include the thickness of a table.



Standard Includes	Required to Specify
► Need help? Product details, page 238	1 Style number 2 Paint color number for leg 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2	No cost +\$19 per leg	Specify paint color number. Specify paint color number.

Specification Information					
Planning Height	Style Number	U.S. Base Price	Planning Height	Style Number	U.S. Base Price
Adjustable-Height Leg with Glide			Package of Four Adjustable-Height Legs with Glides		
25½"–31½"	BADJ	\$205	25½"–31½"	BADJ4	\$820
Adjustable-Height Leg with Caster			Package of Four Adjustable-Height Legs with Casters		
25½"–31½"	BADJC	\$228	25½"–31½"	BADJ4C	\$912
			Package of Four Adjustable-Height Legs with Two Glides and Two Casters		
			25½"–31½"	BADJ4M	\$866



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Legs for Universal Tables, continued

Elliptical Legs

With Alignment Tab



Tip: Use 26"H legs for nesting capabilities and use 28½"H legs to achieve standard height tables.

Standard Includes	Required to Specify
- Need help? Product details, page 238 - Table leg: paint or metal - Glides: paint or metal - Attachment hardware	1 Style number 2 Paint or metal color number for leg 3 Paint or metal color number for glides 4 Options, if selected (see below) - See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials - Elliptical legs - Black - Basalt - Platinum - Polished Chrome - Glides - Black - Basalt - Brushed Aluminum - Polished Aluminum	- No cost - No cost - No cost +\$77 - No cost - No cost - No cost - No cost	- Specify with 7207 Black paint. - Specify with 7230 Basalt paint. - Specify with 4799 Platinum. - Specify with 9201 Polished Chrome. - Specify with 7207 Black paint. - Specify with 7230 Basalt paint. - Specify with 8042 Brushed Aluminum. - Specify with 8046 Polished Aluminum.

Specification Information		
Planning Height	Style Number	U.S. Base Price
26"	BEL25	\$249
28½"	BEL27	\$252

Tip: Dimensions listed are nominal and include the thickness of a table.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

Post Legs and Double Post C-Legs



With Alignment Tab

Tip: See Table and Leg Combinations page for number of legs required per worksurface.

► Page 244

Tip: Corner tables require a leg in the back corner. Be sure to order fifth leg if specifying a package of four.

Tip: Height dimensions listed are nominal and include the thickness of a table.



Standard Includes	Required to Specify
► Need help? Product details, page 238	1 Style number 2 Paint color number for legs. 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$19 per leg +\$32 per leg	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Planning Height	Style Number	U.S. Base Price	Planning Height	Style Number	U.S. Base Price
Post Leg with Glide			Package of Four Post Legs with Glides		
26"	BNPL	\$129	26"	BNPL4	\$516
28½"	BPL	\$129	28½"	BPL4	\$516
Post Leg with Caster			Package of Four Post Legs with Casters		
26"	BNPLC	\$146	26"	BNPL4C	\$584
28½"	BPLC	\$146	28½"	BPL4C	\$584
Package of Four Post Legs with Two Glides and Two Casters					
			26"	BNPL4M	\$550
			28½"	BPL4M	\$550

Double Post C-Legs with Glides

28½"	BCL	\$393




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Worksurface Screens

Knit Screens



Tip: Attachment clamps are not included with screens. Clamps must be specified separately.

Standard Includes		Required to Specify
► Need help? Product details, page 240	- Screen: knit - Frame and foot: 4799 Platinum only	1 Style number 2 Color number for knit screen ► See <i>Surface Materials</i> , page 708.
Specification Information		
Width	Style Number	U.S. Price
15"H Knit Screen		
24"	DALK24	\$219
30"	DALK30	\$240
36"	DALK36	\$258
42"	DALK42	\$278
:	:	:

Divisio Side Screen



Tip: The Divisio side screen can be used on any $\frac{3}{4}$ "- to $1\frac{1}{2}$ "-thick worksurface.

Tip: The Divisio side screen has an overhang of 8". This is important when planning for returns or storage.

Tip: The Divisio side screen weighs approximately 14 $\frac{1}{2}$ pounds. Take this into consideration when planning for use on Height-Adjustable worksurfaces.


Tip: The Divisio side screen is intended for use on the front of a worksurface.

Tip: The Divisio side screen does not work on knife edge profiles.

Standard Includes		Required to Specify	
► Need help? Product details, page 242	- Screen: fabric price group A - Top cap and clamp: 4799 Platinum paint	1 Style number 2 Fabric color number ► See <i>Surface Materials</i> , page 708.	
Surface Materials	Options	U.S. Price	Required to Specify
	Fabric - Fabric price group A - Fabric price group 1 - Fabric price group 2 - Customer's Own Material (COM)	No cost No cost +\$14 +\$16	Specify fabric color number. Specify fabric color number. Specify fabric color number. ► See <i>Surface Materials Reference Manual</i> .
Specification Information			
Dimensions		Style Number	U.S. Base Price
D	H		
29 $\frac{1}{2}$ "	11 $\frac{5}{8}$ "	DVSS2912	\$309
:	:	:	:

Note: Divisio side screen is included here to simplify your planning. It may have different pricing terms than other products in this specification guide.

Pair of Attachment Clamps for Worksurfaces



Standard Includes	Required to Specify
▶ Need help? Product details, page 240 • Attachment clamps: 4799 Platinum only • Adjustment knob for clamps: 7237 Slate only • Cover for clamp: 7237 Slate only	Style number

Specification Information

• Style • Number • •	• U.S. • Price • •
DSCLAMP	\$127
•	•



For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

▶ See page 1 for details.

TS Series Storage Products



TS Series Fixed Pedestals	590
TS Series Fixed Pedestals Accessories	591
TS Series Mobile Pedestals	592
TS Series Mobile Pedestal Accessories	594
TS Series Bins	595
TS Series Laminate Common Shelves	597
TS Series Under-Worksurface Lateral Files	598
TS Series Under-Worksurface Lateral File Accessories	599
TS Series Tower Too	600
TS 200 Series Lateral Files	602
TS 200 Series Lateral Files with Lift-Up Doors and Roll-Out Shelves	604

TS Series Fixed Pedestals

Tip: Under-worksurface pedestals shipped prior to January 2005 require the use of drawer accessories from the mobile pedestal collection.

Tip: Counterweights are not required on TS Series fixed pedestals.

Tip: File drawer rails are required to file legal-sized files or side-to-side letter-sized files in pedestal file drawers.



Standard Includes		Required to Specify
► Need help? Product details, page 250	• Pedestal: paint price group 1 • Handle pulls: 0835 Black or 9211 Nickel • Lock face ring with plastic plug to accommodate lock cylinder: 9201 Polished Chrome • Attachment hardware • Steel ball-bearing suspensions on box and file drawers • Adjustable glides: black plastic	1 Style number 2 Paint color number for pedestal 3 Paint color number for handle pulls: 0835 Black 9211 Nickel 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708. <i>Tip: Remember to specify lock cylinder and key.</i> ► <i>Lock Cylinders</i> , page 726

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$42 +\$71	Specify paint color number. Specify paint color number. Specify paint color number.
Pulls	• Ledge pulls: 7207 Black • Ledge pulls: 4799 Platinum	+\$27 +\$33	Specify with 7207 Black ledge pulls. Specify with 4799 Platinum ledge pulls.
Drawer Accessories	• Filing rail (package of 2) • Box drawer dividers (package of 2) • File drawer dividers (package of 2) • Pencil tray	+\$18 +\$23 +\$23 +\$18	Specify with filing rail. Specify with box drawer dividers. Specify with file drawer dividers. Specify with pencil tray.


Specification Information					
• Dimensions			• File	• Style	• U.S.
D	W	H	Drawers	Number	Base Price
22"	15 1/4"	27"	File, File	TS2PFF22U	\$417
22"	15 1/4"	27"	Box, Box, File	TS2PBBF22U	\$439
28"	15 1/4"	27"	File, File	TS2PFF28U	\$452
28"	15 1/4"	27"	Box, Box, File	TS2PBBF28U	\$477
.	.	.	.	.	.

 **For Canadian Pricing**
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

TS Series Fixed Pedestal Accessories

Rails

For Use in Fixed Pedestals



Tip: Two rails per drawer accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 18"D pedestals.

Standard Includes		Required to Specify
► Need help? Product details, page 251	• Package of two rails: black only	Style number
Specification Information		
• Width	• Style Number	• U.S. Price
12"	RXADRL15	\$22
.	.	.

Dividers


For Use in Fixed Pedestals



Standard Includes		Required to Specify	
► Need help? Product details, page 250	• Package of dividers: black only		Style number
Specification Information			
• Width	• Quantity	• Style Number	• U.S. Price
•	•	•	•
•	•	•	•
For Use in 6"H Drawers			
12"	2	RDV1506	\$ 35
•	•	•	•
For Use in 12"H Drawers			
12"	2	RDV1512	\$ 38
12"	10	RDV151210	\$179
•	•	•	•

Pencil Tray

For Use in Fixed Pedestals




Tip: Pencil trays for use with fixed pedestals are available as optional accessories.

Standard Includes		Required to Specify
► Need help? Product details, page 250	• Pencil tray: black only	Style number
Specification Information		
• Style Number	• U.S. Price	
RPXDPT	\$32	
.	.	

TS Series Mobile Pedestals

With Steel Top



► Need help?
Product details,
page 250

Standard Includes

- Pedestal: paint price group 1
- Handle pulls: 0835 Black or 9211 Nickel
- Lock face ring with plastic plug to accommodate lock cylinder: 9201 Polished Chrome
- Steel ball-bearing suspensions on box and file drawers
- 1½"-diameter, front-locking, hard casters
- Counterweight package

Required to Specify

- 1 Style number
- 2 Paint color number for pedestal
- 3 Paint color number for handle pulls:
0835 Black
9211 Nickel
- 4 Options, if selected (see below)
► See *Surface Materials*, page 708.
Tip: Remember to specify lock cylinder and key.
► *Lock Cylinders*, page 726

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$ 42 +\$ 71	Specify paint color number. Specify paint color number. Specify paint color number.
Perforation	• Large perforation on drawer fronts	+\$170	Specify <i>with large perforation on drawer fronts</i> .
Pulls	• Ledge pulls: 7207 Black • Ledge pulls: 4799 Platinum	+\$ 27 +\$ 33	Specify <i>with 7207 Black ledge pulls</i> . Specify <i>with 4799 Platinum ledge pulls</i> .
Trim Strip Handle Pull	• Extra handle pull on trim strip of mobile pedestals only	+\$ 33	Specify <i>with extra handle pull on trim strip</i> .
Casters	• 3"-diameter, large, front-locking, hard casters for use with box/file mobile pedestal (TS2PBF22M only)	+\$ 66	Specify <i>with large casters</i> .
Related Products	• Box drawer divider • File drawer divider • Pencil tray		► Page 594 ► Page 594 ► Page 594

Specification Information

• Dimensions			• File	• Style	• U.S.
D	W	H	Drawers	Number	Base Price
22"	15¼"	21"	Box, File	TS2PBF22M	\$490
22"	15¼"	26⅝"	File, File	TS2PFF22M	\$551
22"	15¼"	26⅝"	Box, Box, File	TS2PBBF22M	\$607
.	.	.	.	.	.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

TS Series Mobile Pedestals

With Seat Cushion

Standard Includes	Required to Specify
► Need help? Product details, page 250 • Pedestal: paint price group 1 • Seat cushion: fabric price group 1 • Handle pulls: 0835 Black or 9211 Nickel • Lock face ring with plastic plug to accommodate lock cylinder: 9201 Polished Chrome • Handle on pedestal with seat cushion and handle, if selected: 0835 Black • Steel ball-bearing suspensions on box and file drawers • 1½"-diameter front-locking, hard casters • Counterweight package	1 Style number 2 Fabric color number for seat cushion 3 Paint color number for pedestal 4 Paint color number for handle pulls: 0835 Black 9211 Nickel 5 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708. <i>Tip: Remember to specify lock cylinder and key.</i> ► <i>Lock Cylinders</i>, page 726

Options	U.S. Price	Required to Specify
Surface Materials ► Page 708	Pedestal and handle pulls • Paint price group 1 No cost • Paint price group 2 +\$ 42 • Paint price group 3 +\$ 71	Specify paint color number. Specify paint color number. Specify paint color number.
	Seat cushion • Fabric price group 1 No cost • Fabric price group 2 +\$ 6 • Fabric price group 3 +\$ 14 • Fabric price group 4 +\$ 23 • Fabric price group 5 +\$ 29 • Fabric price group 6 +\$ 35 • Fabric price group 7 +\$ 41 • Fabric price group 8 +\$ 52 • Fabric price group 9 +\$ 65 • Fabric price group 10 +\$ 74 • Customer's Own Material +\$ 16	Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. ► See <i>Understanding Customer's Own Material (COM)</i> .
Perforation	• Large perforation on drawer fronts +\$170	Specify with large perforation on drawer fronts.
Pulls	• Ledge pulls: 7207 Black +\$ 27 • Ledge pulls: 4799 Platinum +\$ 33	Specify with 7207 Black ledge pulls. Specify with 4799 Platinum ledge pulls.
Trim Strip Handle Pull	• Extra handle pull on trim strip of mobile pedestal with seat cushion only. +\$ 33	Specify with extra handle pull on trim strip.
Casters	• 3"-diameter, large front-locking hard casters +\$ 66	Specify with large casters.
Related Products	• Box drawer divider • File drawer divider • Pencil tray	► Page 594 ► Page 594 ► Page 594

Specification Information

Dimensions	File	Style	U.S.
D W H	Drawers	Number	Base Price

Mobile Pedestal with Seat Cushion

22¼"	15½"	22¾"	Box, File	TS2PBF22MC	\$754
.	.	.	.	.	.

Mobile Pedestal with Seat Cushion and Handle

22½"	16¼"	22¾"	Box, File	TS2PBF22MCH	\$811
.	.	.	.	.	.



TS Series Mobile Pedestal Accessories


Box Drawer Divider



Tip: TS2PBDD pedestal box drawer divider cannot be used with Turnstone under-worksurface pedestals.

Standard Includes			Required to Specify	
• Box drawer divider: black plastic			Style number	
Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
3/4"	12 3/4"	4 3/8"	TS2PBDD	\$5

File Drawer Divider




Tip: File drawer divider is required to file legal-sized files in pedestal file drawers.

Tip: TS2PFDD pedestal file drawer divider cannot be used with Turnstone under-worksurface pedestals.

Standard Includes			Required to Specify	
• File drawer divider: black plastic			Style number	
Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
3/4"	123/4"	93/16"	TS2PFDD	\$12

Pencil Tray



Standard Includes			Required to Specify	
• Pencil tray: black plastic			Style number	
Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
59/16"	127/8"	1"	TS2PPT	\$12



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

TS Series Bins

Tip: TS Series bins cannot be upmounted.

Standard Includes	Required to Specify
► Need help? Product details, page 252 - Overhead bin with lift-up door: paint price group 1 - Recess beneath unit to accommodate shelf light - Shelf backstop - On-module attachment hooks with safety catch - Lock, keyed random: 9201 Polished Chrome only	1 Style number 2 Paint color number for overhead bin 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials - Overhead bin - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$42 +\$71	Specify paint color number. Specify paint color number. Specify paint color number.
Shelf Accessories Four dividers: white plastic	+\$44	Specify <i>with dividers</i> .
Keying Field-installed keying		► Page 726
Related Products - Accessories - Shelf lights		► Page 594 ► Page 689

Specification Information



Dimensions					
D	W	H	Number of Doors	Style Number	U.S. Base Price

Bins with Flat Fronts

15¾"	24"	16¼"	1	TSASUB24L	\$ 421
15¾"	30"	16¼"	1	TSASUB30L	\$ 439
15¾"	36"	16¼"	1	TSASUB36L	\$ 459
15¾"	42"	16¼"	1	TSASUB42L	\$ 477
15¾"	48"	16¼"	1	TSASUB48L	\$ 502
15¾"	60"	16¼"	2	TSASUB60L	\$ 773
15¾"	72"	16¼"	2	TSASUB72L	\$ 851
:	:	:	:	:	:

Bins with Radius Fronts


15¾"	24"	16¼"	1	TSASUBC24L	\$ 538
15¾"	30"	16¼"	1	TSASUBC30L	\$ 556
15¾"	36"	16¼"	1	TSASUBC36L	\$ 576
15¾"	42"	16¼"	1	TSASUBC42L	\$ 594
15¾"	48"	16¼"	1	TSASUBC48L	\$ 619
15¾"	60"	16¼"	2	TSASUBC60L	\$ 976
15¾"	72"	16¼"	2	TSASUBC72L	\$1054
:	:	:	:	:	:



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Flexible Markerboard Surface

For Use with TS Series Bins



Standard Includes

- Flexible, magnetic markerboard surface to attach to door of overhead storage bin: white plastic

Required to Specify

Style number

Specification Information

• Dimensions		• Style	• U.S.
W	H	Number	Price
30"	16 $\frac{1}{4}$ "	R30MBB	\$101
36"	16 $\frac{1}{4}$ "	R36MBB	\$108
42"	16 $\frac{1}{4}$ "	R42MBB	\$112
48"	16 $\frac{1}{4}$ "	R48MBB	\$119
:	:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

TS Series Laminate Common Shelves



Tip: For anticipated heavy loads on 42" and 48"W laminate common shelves, a field-installed reinforcing channel (TSATRC39) can be used.

Tip: Standard worksurfaces are 1 1/8" thick. However, the actual thickness between Low-Pressure Laminate (LPL) and High-Pressure Laminate (HPL) worksurfaces is slightly different. It is recommended that only worksurfaces of the same type are specified in a given application. In addition, there may be sheen or texture differences when using LPL and HPL in adjacent applications. Please use caution when mixing and matching different worksurface types.

Standard Includes	Required to Specify
▶ Need help? Product details, page 254 • 1 3/16"-thick shelf: Low-Pressure Laminate or High-Pressure Laminate • 3 mm radius profile edge: plastic • Support brackets: paint price group 1	1 Style number 2 Low-Pressure Laminate or High-Pressure Laminate color number for shelf 3 Plastic edge band color number for worksurface 4 Paint color number for support bracket 5 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 2 +\$14 • Paint price group 3 +\$23		Specify paint color number.
High-Pressure Laminate worksurfaces • Open Line laminate +\$65 plus cost of laminate		Specify paint color number.
		▶ See <i>Surface Materials Reference Manual</i> .

Specification Information						
Dimensions			Style Number LPL	U.S. Price	Style Number HPL	U.S. Base Price
D	W	H				
15"	24"	7¾"	TSASLCL24	\$114	TSASHCL24	\$141
15"	30"	7¾"	TSASLCL30	\$118	TSASHCL30	\$146
15"	36"	7¾"	TSASLCL36	\$126	TSASHCL36	\$156
15"	42"	7¾"	TSASLCL42	\$136	TSASHCL42	\$168
15"	48"	7¾"	TSASLCL48	\$147	TSASHCL48	\$183




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

TS Series Under-Worksurface Lateral Files



Tip: TS Series under-worksurface lateral files are only intended for use under a panel-mounted worksurface and should not be used as freestanding.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 256	- Lateral file: paint price group 1 - Handle pulls: 0835 Black or 9211 Nickel - Lock face ring with plastic plug to accommodate lock cylinder: 9201 Polished Chrome - Adjustable glides: black plastic - Hanging file frames for letter, legal, and A-4 filing: black - Attachment hardware	1 Style number 2 Paint color number for lateral file 3 Paint color number for handle pulls: 0835 Black 9211 Nickel 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708. <i>Tip: Remember to specify lock cylinder and key.</i> ▶ <i>Lock Cylinders</i> , page 726	
Options	U.S. Price	Required to Specify	
Surface Materials	- Paint price group 1: No cost - Paint price group 2: +\$ 50 - Paint price group 3: +\$ 82	Specify paint color number.	
Perforation	Large perforation on drawer fronts of 30¹/₂"W file only: +\$264	Specify with large perforation on drawer fronts.	
Pulls	- Ledge pulls: 7207 Black: +\$ 27 - Ledge pulls: 4799 Platinum: +\$ 33	Specify with 7207 Black ledge pulls. Specify with 4799 Platinum ledge pulls.	
Related Products	- Lateral file drawer dividers - Lateral file front-to-back rails - Lateral file side-to-side hanging file frames	▶ Page 599 ▶ Page 599 ▶ Page 599	

Specification Information

Dimensions			Style Number	U.S. Base Price
D	W	H		
18 ¹ / ₈ "	30 ¹ / ₂ "	27"	TS2F230UL	\$699
18 ¹ / ₈ "	36"	27"	TS2F236UL	\$773



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

TS Series Under-Worksurface Lateral File Accessories

TS Series Under-
Worksurface Lateral File
Accessories


Lateral File Side-to-Side Hanging File Frames



Tip: For use with under-worksurface lateral files TS2F230UL and TS2F236UL only.

Standard Includes			Required to Specify	
▶ Need help? Product details, page 256			• Pair of hanging file frames to accommodate side-to-side filing: black paint	
Style number				
Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
For Use with 31"W Lateral File Drawer				
1/8"	27"	1"	TS2FHF30	\$27
For Use with 36"W Lateral File Drawer				
1/8"	33"	1"	TS2FHF36	\$32


Lateral File Drawer Dividers



Tip: For use with under-worksurface lateral files TS2F230UL and TS2F236UL only.

Standard Includes		Required to Specify	
▶ Need help? Product details, page 256	• Package of three under-worksurface lateral file drawer dividers: black paint	Style number	▶ See <i>Surface Materials</i> , page 708.
Specification Information			
Dimensions		Style	U.S.
D	W	Number	Price
1/8"	15"	7"	TS2FDV \$44
.	.	.	.

Lateral File Front-to-Back Rails



Tip: For use with under-worksurface lateral files TS2F230UL and TS2F236UL only.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Standard Includes			Required to Specify
▶ Need help? Product details, page 256			• Pair of rails to accommodate front-to-back filing: black paint
			Style number

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Price
1"	15"	1/2"	TS2FFTBR	\$12

TS Series Tower Too

Tip: Specify lock cylinders for each lock location.

Tip: For legal or side-to-side filing, use 15" Universal Storage rails, RXADRL15.

Tip: For box drawer dividers, use RDV1506 from the Universal Storage Collection. For file drawer dividers, use RDV1512 from the Universal Storage Collection.

Tip: For pencil trays, use RPXDPT from the Universal Storage collection.

Standard Includes	Required to Specify
► Need help? Product details, page 258 - Tower Too: paint price group 1 - Storage cabinet with two fixed shelves and two file drawers - Handle pulls, if selected: 0835 Black or 9211 Nickel - Contemporary pulls, if selected: paint - Lock face ring for drawers with plastic plug to accommodate lock cylinder: 9201 Polished Chrome - Wardrobe hook, if selected - Wardrobe rod with shelf, if selected - Adjustable leveling glides	1 Style number 2 Paint color number for Tower Too 3 Color number for pulls 4 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708. Tip: Remember to specify lock cylinder and key. ► Lock Cylinders, page 726

Options	U.S. Price	Required to Specify
Surface Materials - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 71 +\$122	Specify paint color number. Specify paint color number. Specify paint color number.
Drawers - Box drawers on 48"H, 54"H, and 66"H towers - Two box drawers in place of top file drawer	+\$185	Specify with box/box/file.
Pulls - Ledge pulls: 7207 Black - Ledge pulls: 4799 Platinum	+\$ 27 +\$ 33	Specify with 7207 Black ledge pulls. Specify with 4799 Platinum ledge pulls.
Lock - All locking (one lock for wardrobe, second lock for drawers, third lock for cabinet) - All locking for open side units (one lock for wardrobe, second lock for drawers)	+\$157 +\$ 78	Specify with doors and drawers locking. Specify with door and drawers locking.

Specification Information

Dimensions	Counterweight	Style Number	U.S.
D W H	Package	Handle Pulls	Base Price
		Contemporary Pulls	

Tower Too, Hinged Right

Wardrobe Hook

24"	24"	54"	Not required	TS2TWR54R	TS2TW54RC	\$1576
24"	24"	66"	Not required	TS2TWR66R	TS2TW66RC	\$1624

Wardrobe Rod with Shelf

24"	24"	54"	Not required	TS2TWR54RS	TS2TW54RSC	\$1660
24"	24"	66"	Not required	TS2TWR66RS	TS2TW66RSC	\$1706



Tower Too, Hinged Left

Wardrobe Hook

24"	24"	54"	Not required	TS2TWR54L	TS2TW54LC	\$1576
24"	24"	66"	Not required	TS2TWR66L	TS2TW66LC	\$1624

Wardrobe Rod with Shelf

24"	24"	54"	Not required	TS2TWR54LS	TS2TW54LSC	\$1660
24"	24"	66"	Not required	TS2TWR66LS	TS2TW66LSC	\$1706



F=Fixed shelf

► Specification Information, continued on next page

► Specification Information, continued from previous page

Specification Information

Dimensions			Counterweight Package	Style Number		U.S. Base Price
D	W	H		Handle Pulls	Contemporary Pulls	

Tower Too, Hinged Right with Open Side Shelving

Wardrobe Hook

24"	24"	48"	Not required	TS2TWRS48R	TS2TWS48RC	\$1831
24"	24"	54"	Not required	TS2TWRS54R	TS2TWS54RC	\$1856
24"	24"	66"	Not required	TS2TWRS66R	TS2TWS66RC	\$1904

Wardrobe Rod with Shelf

24"	24"	48"	Not required	TS2TWRS48RS	TS2TWS48RSC	\$1911
24"	24"	54"	Not required	TS2TWRS54RS	TS2TWS54RSC	\$1938
24"	24"	66"	Not required	TS2TWRS66RS	TS2TWS66RSC	\$1987


Tower Too, Hinged Left with Open Side Shelving

Wardrobe Hook

24"	24"	48"	Not required	TS2TWRS48L	TS2TWS48LC	\$1831
24"	24"	54"	Not required	TS2TWRS54L	TS2TWS54LC	\$1856
24"	24"	66"	Not required	TS2TWRS66L	TS2TWS66LC	\$1904


Wardrobe Rod with Shelf

24"	24"	48"	Not required	TS2TWRS48LS	TS2TWS48LSC	\$1911
24"	24"	54"	Not required	TS2TWRS54LS	TS2TWS54LSC	\$1938
24"	24"	66"	Not required	TS2TWRS66LS	TS2TWS66LSC	\$1987



F=Fixed shelf

Dome



Standard Includes

- Need help?
Product details,
page 259

- Dome: paint price group 1
- Hardware package

Required to Specify

- 1 Style number
 - 2 Paint color number for dome
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 708.

Options

Surface Materials

- Paint price group 1
- Paint price group 2
- Paint price group 3

U.S. Price

No cost
+\$22
+\$42

Required to Specify

Specify paint color number.
Specify paint color number.
Specify paint color number.

Specification Information


Dimensions			Style Number	U.S. Base Price
D	W	H		
24"	24"	41½"	TS2TDME	\$554



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

TS 200 Series Lateral Files

with Flush Steel Fronts



► Need help?
Product details,
page 260

Standard Includes

- Flush-front lateral file with full-width pull: paint price group 1
- 1"H top: paint to match file
- Lift-up door with fixed shelf, if selected: paint to match file
- Lock, keyed random: 9201 Polished Chrome
- One label holder per drawer: clear plastic
- Drawer body: black only
- Drawer suspensions: black only
- One hanging folder bar per drawer
- Four adjustable leveling glides
- Counterweight package, if selected

Required to Specify

- 1 Style number
 - 2 Paint color number for file
 - 3 Options, if selected (see below)
- See *Surface Materials*, page 708.

Tip: Security top reduces overall height by approximately 1".

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Premium Wood Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: One hanging folder bar and three dividers are included with each lift-up door with roll-out shelf.




Tip: Counterweight packages are recommended based on case size and interior options.
► See *Specification Information* at right.

Tip: Counterweight option should be specified if the cabinet is not ganged to adjacent cabinets or bolted to the floor or wall.

Tip: Counterweight packages ship separately from case and must be installed on site.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$ 71 +\$122	Specify paint color number. Specify paint color number. Specify paint color number.
Tops	Security top • For use on 28"H lateral files only	No cost	Specify with <i>security top</i> .
	No top • For use under a worksurface or beneath a common top	-\$ 92	Specify with <i>no top</i> .
	Laminate top • Square edge laminate top	+\$127	Specify with <i>laminate top</i> and indicate laminate color number for top and plastic color number for edges. ► See <i>Surface Materials Reference Manual</i> .
	• Open Line laminate on laminate top	+\$ 65 plus cost of laminate	
	Wood veneer top • Wood veneer top • Premium wood 2 • Premium wood 3 • Customiz stain on wood veneer top	+\$384 See information at left See information at left No cost	Specify with <i>wood veneer top</i> and indicate wood color number. Specify with <i>wood veneer top</i> and indicate Premium wood 2 finish number. Specify with <i>wood veneer top</i> and indicate Premium wood 3 finish number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
Drawer Interiors	• Divider package • Rails	+\$ 24 +\$ 31	Specify with <i>divider package</i> . Specify with <i>rails</i> .
Lift-Up Door With Roll-Out Shelf	• On 65½"H files	+\$ 39	Specify with <i>roll-out shelf</i> .
Counterweights	• Package 2 • Package 3 • Package 4	+\$ 94 +\$106 +\$139	Specify with <i>counterweight</i> . Specify with <i>counterweight</i> . Specify with <i>counterweight</i> .
Lock and Keying	Lock • Ember Chrome	No cost	Specify with <i>9250 Ember Chrome lock</i> .
	Keying • Factory- and field-installed keying		► Page 726
Related Products	• Field-installed tops • Storage accessories • Bookends • Counterweight packages		► Page 666 ► Page 671 ► Page 631 ► Page 676

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.



Specification Information

Dimensions			Counterweight	Style	U.S.
D	W	H	Package	Number	Base Price

Two 12"H Drawers

18"	30"	28"	Package 3	2LF18302F	\$ 665
18"	36"	28"	Package 4	2LF18362F	\$ 774
18"	42"	28"	Package 4	2LF18422F	\$ 876

Three 12"H Drawers

18"	30"	40"	Package 3	2LF18303F	\$ 899
18"	36"	40"	Package 3	2LF18363F	\$1047
18"	42"	40"	Package 3	2LF18423F	\$1185

Four 12"H Drawers

18"	30"	52"	Package 3	2LF18304F	\$1148
18"	36"	52"	Package 4	2LF18364F	\$1335
18"	42"	52"	Package 4	2LF18424F	\$1509

Four 12"H Drawers and One 13½"H Lift-Up Door with Fixed Shelf

18"	30"	65½"	Package 2	2LF18305F	\$1364
18"	36"	65½"	Package 2	2LF18365F	\$1586
18"	42"	65½"	Package 2	2LF18425F	\$1793




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

TS 200 Series Lateral Files with Lift-Up Doors and Roll-Out Shelves

with Flush Steel Fronts



	Standard Includes	Required to Specify
▶ Need help? Product details, page 264	- Flush-front lateral file with full-width pull: paint price group 1 1"H top: paint to match file - Lift-up doors with roll-out shelves: paint to match file - Lock, keyed random: 9201 Polished Chrome - One label holder per door: clear plastic - One divider package per roll-out shelf - Four adjustable leveling glides - Counterweight package, if selected	1 Style number 2 Paint color number for file 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 71 +\$122	Specify paint color number. Specify paint color number. Specify paint color number.
Roll-Out Shelf Interiors	Two hanging folder bars	No cost	Specify <i>with hanging folder bars</i> .
Counterweights	- Package 2 - Package 3 - Package 4	+\$ 94 +\$106 +\$139	Specify <i>with counterweight</i> . Specify <i>with counterweight</i> . Specify <i>with counterweight</i> .
Lock and Keying	Lock - Ember Chrome Keying - Factory- and field-installed keying	No cost	Specify <i>with 9250 Ember Chrome lock</i> . ▶ Page 726
Related Products	- Field-installed tops - Storage accessories - Bookends - Counterweight packages		▶ Page 666 ▶ Page 671 ▶ Page 631 ▶ Page 676

Tip: Counterweight packages are recommended based on case size and interior options.

▶ See *Specification Information* at right.

Tip: Counterweight option should be specified if the cabinet is not ganged to adjacent cabinets or bolted to the floor or wall.

Tip: Counterweight packages ship separately from case and must be installed on site.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Specification Information

Dimensions			Counterweight Package	Style Number	U.S. Base Price
D	W	H			

Two 12"H Lift-Up Doors with Roll-Out Shelves

18"	30"	28"	Package 3	2LF18302AF	\$ 761
18"	36"	28"	Package 4	2LF18362AF	\$ 886
18"	42"	28"	Package 4	2LF18422AF	\$1001

Three 12"H Lift-Up Doors with Roll-Out Shelves





18"	30"	40"	Package 3	2LF18303AF	\$1030
18"	36"	40"	Package 3	2LF18363AF	\$1198
18"	42"	40"	Package 3	2LF18423AF	\$1356

Four 12"H Lift-Up Doors with Roll-Out Shelves

18"	30"	52"	Package 3	2LF18304AF	\$1314
18"	36"	52"	Package 3	2LF18364AF	\$1527
18"	42"	52"	Package 4	2LF18424AF	\$1723

One 13½"H Lift-Up Door with Roll-Out Shelf and Four 12"H Lift-Up Doors with Roll-Out Shelves

18"	30"	65½"	Package 2	2LF18305AF	\$1559
18"	36"	65½"	Package 2	2LF18365AF	\$1812
18"	42"	65½"	Package 2	2LF18425AF	\$2047



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Specifying Universal Storage Products

Universal Pedestals

Universal Fixed Pedestals	608
Universal Pedestal Fillers and Counterweights	610
Universal Fixed to Freestanding Pedestal Conversion Kits	611
Universal Mobile Pedestals	612

Universal Bins and Shelves

Universal Sliding Door Bins with Steel or Wood Fronts	616
Universal Over the Case Bins with Flat or Radius Fronts	618
Universal In the Case Bins with Steel and Wood Flat Fronts	620
Universal Shelves	622
Accessories for Overhead Bins and Shelves	623

Universal Curved Front Bins and L-Shelves

Universal Curved Front Bins with Steel and Wood Doors	629
Universal L-Shelves and Stationary Shelves	630
Accessories for Universal Curved Front Bin and Universal L-Shelves	631

Slim Shelves

632

Universal One-High, 1.5-High, and Two Drawer

Lateral Files

634

Low Storage-to-Beam Tether Bracket

638

Cushion Tops

639

Universal Towers and Workstation Verticals


Universal Open Side Towers	640
Universal Dual Door Towers	644
Universal Full Front Towers	650
Universal Vertical Drawer Towers	654
Universal Workstation Verticals	658

Universal Lateral Files

660

Universal Fixed Pedestals

With Flush Steel, Proud Steel, or Proud Wood Fronts



► Need help?
Product details,
page 272

Standard Includes


- Pedestal: paint price group 1
- Removable drawer fronts: paint to match pedestal or wood veneer if proud wood fronts selected
- Integral pulls on units with flush steel fronts
- Pulls: metal
- Full drawer interiors: black only
 - One pencil tray and two box drawer dividers per box/box/file
- Lock, keyed random: 9201 Polished Chrome
- Mounting hardware
- Four adjustable leveling glides

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided:
 - F** Flush steel front
 - P** Proud steel front
 - W** Proud wood front
 - 2 Paint color number for pedestal
 - 3 Wood color number for drawer fronts, if proud wood fronts selected
 - 4 Pull (see below under required selections)
 - 5 Metal color number for pulls, if proud steel or proud wood front selected
 - 6 Options, if selected (see below)
- See *Surface Materials*, page 708.

Required Selections


Pulls




Contemporary




Handle



Jazz



Bar



c:scape

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3 • Premium wood 2 on proud wood drawer fronts • Premium wood 3 on proud wood drawer fronts • Customiz stain on proud wood drawer fronts	No cost +\$ 42 +\$ 71 See information at left See information at left No cost	Specify paint color number. Specify paint color number. Specify paint color number. Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with Customiz stain. ► See <i>Surface Materials Reference Manual</i> .
Pulls	Flush steel fronts • Full-width wood veneer pull • Customiz stain on wood veneer pull Proud steel or wood fronts • Contemporary • Handle • Jazz • Bar Proud steel fronts only • c:scape	+\$246 No cost No cost No cost No cost +\$ 17 per pull +\$ 25 per pull +\$ 28 per pull	Specify with wood pull and indicate wood color number. Specify with Customiz stain. ► See <i>Surface Materials Reference Manual</i> . Specify with contemporary pull. Specify with handle pull. Specify with jazz pull. Specify with bar pull. Specify with c:scape pull.
Drawer Accessories	Rails • Two side-to-side hanging rails per file drawer	No cost	Specify with rails.
Basic Drawer Interiors	18"D, 24"D, and 30"D box/box/file pedestals • No rails, pencil trays, or box drawer dividers	–\$ 49	Specify with basic drawers.

► Options, continued on next page



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page


Options	U.S. Price	Required to Specify
Lock and Keying	Lock	
• Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
• No lock	–\$ 59	Specify with no lock.
	Individual locking drawers	
• File/file pedestals only	+\$114	Specify with individual drawer lock.
	Keying	
• Factory- and field-installed keying		► Page 726
Related Products	• Universal fixed to freestanding pedestal conversion kits	► Page 611
	• Storage accessories	► Page 671

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPF1827A becomes RPF1827AP for proud steel front).



Tip: Use 27"H pedestals to align with Universal Storage with 3" base. 27"H pedestals support worksurfaces at 28½"H.

Tip: Only 22½"D, 23½"D, 28½"D, and 29½"D pedestals can accommodate legal-size filing.



Tip: 25½"H fixed pedestals are for use in the following two applications: as fixed pedestals when used underneath worksurfaces installed at lower than standard heights (for example, 27"H) or as freestanding pedestals when used with a conversion kit under height-adjustable worksurfaces.

Specification Information

Dimensions				Style Number	U.S. Base Prices		
D	W	H			Flush Steel Front	Proud Steel Front	Proud Wood Front
Flush Steel Front	Proud Steel/Wood Front				Suffix F	Suffix P	Suffix W

27"H Fixed Pedestals with 3" Base

Two Box Drawers and One File Drawer

17½"	18¾"	15"	27"	RPF1827A	\$552	\$609	\$ 850
22½"	23½"	15"	27"	RPF2427A	\$601	\$658	\$ 899
28½"	29½"	15"	27"	RPF3027A	\$725	\$782	\$1023

Two File Drawers

17½"	18¾"	15"	27"	RPF1827B	\$535	\$592	\$ 833
22½"	23½"	15"	27"	RPF2427B	\$584	\$641	\$ 882
28½"	29½"	15"	27"	RPF3027B	\$708	\$765	\$1006

25½"H Fixed Pedestals

Two Box Drawers and One File Drawer

17½"	18¾"	15"	25½"	RPF1825A	\$552	\$609	\$ 850
22½"	23½"	15"	25½"	RPF2425A	\$601	\$658	\$ 899
28½"	29½"	15"	25½"	RPF3025A	\$725	\$782	\$1023

Two File Drawers

17½"	18¾"	15"	25½"	RPF1825B	\$535	\$592	\$ 833
22½"	23½"	15"	25½"	RPF2425B	\$584	\$641	\$ 882
28½"	29½"	15"	25½"	RPF3025B	\$708	\$765	\$1006



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Pedestal Fillers and Counterweights

Universal Pedestal Fillers for 27"H Fixed Pedestals with Flush and Proud Fronts



Standard Includes	Required to Specify
- Need help? Product details, page 273 - Filler: all paint price groups - Installation hardware	1 Style number 2 Paint color number for filler

Specification Information

Dimensions D	H	On- or Off- Module	Application	Style Number	U.S. Price
Flush Steel Front	Proud Steel/ Wood Front				


Pedestal Fillers for 27"H Fixed Pedestals with Flush Steel Fronts

13/8"	N.A.	27"	On-Module	Answer and Kick Panels	RPXFTAKFP	\$64
-------	------	-----	-----------	------------------------	------------------	------

Pedestal Fillers for 27"H Fixed Pedestals with Proud Fronts

N.A.	1/2"	27"	On-Module	Answer and Kick Panels	RPXFTAKPP	\$64
------	------	-----	-----------	------------------------	------------------	------

Universal Pedestal Counterweight for Desks



► Application guidelines, page 273.

Tip: Counterweights fit 27"H fixed pedestals only.

Standard Includes	Required to Specify
- Need help? Product details, page 273 - Pedestal counterweight: black	Style number

Specification Information

Style Number	U.S. Price
RPCW	\$135




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Fixed to Freestanding Pedestal Conversion Kits

Universal Fixed to
Freestanding Pedestal
Conversion Kits



Tip: Flush and proud front pedestals require different conversion kits. Be sure to order the correct style number for your application.

Tip: When converting a file/file pedestal with individual drawer locks, an interlocking bar is required to provide stability to unit. Order 1043922SR through Service Parts.

Standard Includes

- ▶ Need help?
Product details,
page 273
- 1/8"H steel top: all paint price groups
- Counterweight package
- Safety interlock system conversion components
- Installation hardware

Required to Specify

- 1 Style number
- 2 Paint color number for top
- ▶ See *Surface Materials*, page 708.

Specification Information

• Dimensions	• Style	• U.S.
D H	Number	Price

For 27"H Proud Steel or Proud Wood Front Pedestals

18 3/8"	27"	RPXCK2718P	\$186
23 1/2"	27"	RPXCK2724P	\$206
29 1/2"	27"	RPXCK2730P	\$227

For 27"H Flush Steel Front Pedestals

17 1/2"	27"	RPXCK2718F	\$186
22 5/8"	27"	RPXCK2724F	\$206
28 5/8"	27"	RPXCK2730F	\$227

For 25 1/2"H Proud Steel or Proud Wood Front Pedestals

18 3/8"	25 1/2"	RPXCK2518P	\$186
23 1/2"	25 1/2"	RPXCK2524P	\$206
29 1/2"	25 1/2"	RPXCK2530P	\$227

For 25 1/2"H Flush Steel Front Pedestals

17 1/2 "	25 1/2"	RPXCK2518F	\$186
22 5/8 "	25 1/2"	RPXCK2524F	\$206
28 5/8 "	25 1/2"	RPXCK2530F	\$227




For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

▶ See page 1 for details.

Universal Mobile Pedestals

With Flush Steel, Proud Steel, or Proud Wood Fronts



Tip: 1/8"H steel top is non-structural.

► Need help?
Product details,
page 272

Standard Includes


- Pedestal: paint price group 1
- 1/8"H steel top: paint to match pedestal
- Removable drawer fronts: paint to match pedestal or wood veneer if proud wood fronts selected
- Integral pulls on units with flush steel fronts
- Pulls: metal
- Full drawer interiors: black only
 - One pencil tray per box/file or box/box/file and box drawer dividers
- Lock, keyed random: 9201 Polished Chrome
- Four hard-composition, non-locking casters: black only
- Safety interlock mechanism
- Counterweight package

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
 - F** Flush steel front
 - P** Proud steel front
 - W** Proud wood front
- 2 Paint color number for pedestal
- 3 Wood color number for drawer fronts, if proud wood fronts selected
- 4 Pull (see below under required selections)
- 5 Metal color number for pulls, if proud steel or proud wood front selected
- 6 Options, if selected (see below)
 - See *Surface Materials*, page 708.

Required Selections


Pulls




Contemporary




Handle



Jazz



Bar



c:scape

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Optional tops will increase the overall pedestal height.

Tip: If wood veneer top option is selected, finishes must be selected for both the wood veneer top and the wood veneer fronts.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 42	Specify paint color number.
	• Paint price group 3	+\$ 71	Specify paint color number.
	• Premium wood 2 on proud wood drawer fronts	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3 on proud wood drawer fronts	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain on proud wood drawer fronts	No cost	Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
Tops	• 1"H square edge steel top	+\$ 63	Specify with <i>steel square top</i> .
	Laminate top		
	• 13/16"H square edge laminate top	+\$272	Specify with <i>laminate top</i> and indicate laminate color number for top and plastic color number for edges.
	• 17/16"H bullnose laminate top	+\$310	Specify with <i>bullnose laminate top</i> and indicate laminate color number. ► See <i>Surface Materials Reference Manual</i> .
	• Open Line laminate on laminate top	+\$ 65 plus cost of laminate	
	Wood veneer top		
	• 13/16"H wood veneer top	+\$379	Specify with <i>wood veneer top</i> and indicate wood color number.
	• Premium wood 2	See information at left	Specify with <i>wood veneer top</i> and indicate Premium wood 2 finish number.
	• Premium wood 3	See information at left	Specify with <i>wood veneer top</i> and indicate Premium wood 3 finish number.
	• Customiz stain on wood veneer top	No cost	Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
	Cushion top for factory installation on RPM2421C__ only		
	• Cushion top without handle	+\$334	Specify with <i>cushion top</i> and indicate fabric color number.
	• Cushion top with black handle	+\$425	Specify with <i>cushion top and handle</i> and indicate fabric color number.

► Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Tops, cont	Upholstery on pedestal cushion top		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 10	Specify fabric color number.
	• Fabric price group 3	+\$ 38	Specify fabric color number.
	• Fabric price group 4	+\$ 47	Specify fabric color number.
	• Fabric price group 5	+\$ 59	Specify fabric color number.
	• Fabric price group 6	+\$ 83	Specify fabric color number.
	• Fabric price group 7	+\$100	Specify fabric color number.
	• Fabric price group 8	+\$145	Specify fabric color number.
	• Fabric price group 9	+\$186	Specify fabric color number.
	• Fabric price group 10	+\$226	Specify fabric color number.
	• Leather price group	+\$580	Specify leather color number.
	• Elmosoft leather price group	+\$671	Specify Elmosoft leather color number.
	• Customer's Own Material (COM) or Customer's Own Leather (COL)	+\$ 16	► See <i>Surface Materials</i> , page 708. ► See <i>Surface Materials Reference Manual</i> to specify.
Pulls	Flush steel fronts		
	• Full-width wood veneer pull	+\$246	Specify <i>with wood pull</i> and indicate wood color number.
	• Customiz stain on wood veneer pull	No cost	Specify <i>with Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
	Proud steel or wood fronts		
	• Contemporary	No cost	Specify <i>with contemporary pull</i> .
	• Handle	No cost	Specify <i>with handle pull</i> .
	• Jazz	+\$ 17 per pull	Specify <i>with jazz pull</i> .
	• Bar	+\$ 25 per pull	Specify <i>with bar pull</i> .
	Proud steel fronts only		
	• c:scape	+\$ 28 per pull	Specify <i>with c:scape pull</i> .
Drawer Accessories	Rails		
	• Two side-to-side hanging rails per file drawer	No cost	Specify <i>with rails</i> .
Basic Drawer Interiors	Box/file and box/box/file pedestals		
	• No rails, pencil trays, or box drawer dividers	–\$ 49	Specify <i>with basic drawers</i> .
Lock and Keying	Lock		
	• Ember Chrome	No cost	Specify <i>with 9250 Ember Chrome lock</i> .
	Individual locking drawers		
	• File/file pedestals only	+\$122	Specify <i>with individual drawer lock</i> .
	Keying		
	• Factory- and field-installed keying		► Page 726
Related Products	• Storage accessories		► Page 671

► Specification Information, on next page




**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Mobile Pedestals with Flush Steel, Proud Steel, or Proud Wood Fronts, continued

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RPM1821C__ becomes RPM1821CP for proud steel front).



► Options, on previous page

Specification Information

Actual Dimensions				Style Number	U.S. Base Prices		
D	W	H			Flush Steel Front	Proud Steel Front	Proud Wood Front
Flush Steel Front	Proud Steel/Wood Front				Suffix F	Suffix P	Suffix W

Box/File

17½"	18¾"	15"	21"	RPM1821C__	\$780	\$837	\$1078
22⅝"	23½"	15"	21"	RPM2421C__	\$824	\$881	\$1122

Box/Box/File

17½"	18¾"	15"	27"	RPM1827A__	\$867	\$895	\$1137
22⅝"	23½"	15"	27"	RPM2427A__	\$923	\$951	\$1193

File/File

17½"	18¾"	15"	27"	RPM1827B__	\$851	\$879	\$1121
22⅝"	23½"	15"	27"	RPM2427B__	\$907	\$935	\$1177

Pedestal Cushion Top for Field Installation on RPM2421C__ only

Actual Dimensions			Style Number	U.S. Base Price	
D	W	H			

Cushion Top without Handle

22⅝"	15"	2¼"	RPXTC24F	\$294	(For use with RPM2421CF only)
23½"	15"	2¼"	RPXTC24P	\$294	(For use with RPM2421CP and RPM2421CW only)

Cushion Top with Black Handle


22⅝"	15"	2¼"	RPXTCH24F	\$396	(For use with RPM2421CF only)
23½"	15"	2¼"	RPXTCH24P	\$396	(For use with RPM2421CP and RPM2421CW only)



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Universal Sliding Door Bins with Steel or Wood Fronts

For Use with Answer



► Need help?
Product details,
page 276

Standard Includes

- Overhead bin: paint price group 1
- Sliding door: paint or wood
- Recess beneath unit to accommodate shelf light
- Shelf backstop
- On-module attachment brackets with safety catch: black paint only
- Vertical off-module attachment brackets, if selected: black paint only
- Lock, keyed random: 9201 Polished Chrome

Required to Specify

- 1 Style number
 - 2 Paint color number for overhead bin
 - 3 Paint or wood color number for door
 - 4 Options, if selected (see below)
- See *Surface Materials*, page 708.

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Upmount brackets include steel back to enclose storage bin.

	Options	U.S. Price	Required to Specify
Surface Materials	Overhead bin with one steel door		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 42	Specify paint color number.
	• Paint price group 3	+\$ 71	Specify paint color number.
	Overhead bin with one wood door		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 42	Specify paint color number.
	• Paint price group 3	+\$ 63	Specify paint color number.
	• Premium wood 2 on wood door	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3 on wood door	See information at left	Specify Premium wood 3 finish number.
Brackets	• Customiz stain on wood door	No cost	Specify with Customiz stain. ► See <i>Surface Materials Reference Manual</i> .
	Off-module attachment brackets		
	• One vertical off-module bracket	+\$ 58	Specify with one vertical off-module bracket.
	• Two vertical off-module brackets	+\$116	Specify with two vertical off-module brackets.
	Upmount brackets		
	• Upmount kit	+\$171	Specify with upmount kit.
	No brackets		
Shelf Accessories	• Omit brackets	-\$ 20	Specify omit brackets.
	• Four dividers: white plastic	+\$ 44	Specify with dividers.
Lock and Keying	Lock		
	• No lock	-\$ 59	Specify with no lock.
	• Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
Related Products	• Factory- and field-installed keying		► Page 726
	• Accessories		► Page 623
	• Shelf lights		► Pages 690–693




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Specification Information

• Dimensions			• Style	• U.S.	• Style	• U.S.
D	W	H	Number	Base	Number	Base
				Price		Price
			Steel		Wood	
15¾"	36"	16¼"	RSB36TAK	\$ 608	RSB36WTAK	\$ 981
15¾"	42"	16¼"	RSB42TAK	\$ 630	RSB42WTAK	\$1003
15¾"	48"	16¼"	RSB48TAK	\$ 651	RSB48WTAK	\$1024
15¾"	60"	16¼"	RSB60TAK	\$ 983	RSB60WTAK	\$1637
15¾"	66"	16¼"	RSB66TAK	\$1036	RSB66WTAK	\$1690
15¾"	72"	16¼"	RSB72TAK	\$1076	RSB72WTAK	\$1730



Tip: Overhead storage bins with a "TAK" suffix can be used with Privacy Wall as well.

► See Architectural Solutions Specification Guide for attachment information.




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Over the Case Bins with Flat or Radius Fronts

For Use with Answer



	Standard Includes	Required to Specify
► Need help? Product details, page 280	- Overhead bin with lift-up door: paint price group 1 - Recess beneath unit to accommodate shelf light - Shelf backstop - On-module attachment brackets with safety catch: black paint only - Off-module attachment brackets, if selected: black paint only - Picture frame door acrylic insert, if selected: 6538 Satin only - Picture frame door glass insert, if selected: 6580 Ice White only - Lock, keyed random: 9201 Polished Chrome	1 Style number 2 Paint color number for overhead bin 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Overhead bin with one door		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 42	Specify paint color number.
	• Paint price group 3	+\$ 71	Specify paint color number.
	Overhead bin with two doors		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 58	Specify paint color number.
	• Paint price group 3	+\$ 99	Specify paint color number.
Brackets	Off-module attachment brackets		
	• One vertical off-module bracket	+\$ 58	Specify with one vertical off-module bracket.
	• Two vertical off-module brackets	+\$116	Specify with two vertical off-module brackets.
	Upmount brackets		
	• Upmount kit	+\$171	Specify with upmount kit.
	No brackets		
	• Omit brackets	–\$ 20	Specify omit brackets.
Picture Frame Door on Flat Fronts	• Omit insert	Prices at right	Specify omit insert.
	• Acrylic insert	Prices at right	Specify with acrylic insert.
	• Markerboard insert 4/15	Prices at right	Specify with markerboard insert.
	• Glass insert (assist mechanism recommended)	Prices at right	Specify with glass insert.
Door Mechanism	• Assist mechanism for standard door, markerboard insert, glass insert, or omit insert	+\$171 per door	Specify with assist mechanism.
Shelf Accessories	• Four dividers: white plastic	+\$ 44	Specify with dividers.
Lock and Keying	Lock		
	• No lock	–\$ 59 per door	Specify with no lock.
	• Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Keying		
	• Factory- and field-installed keying		► Page 726
Related Products	• Accessories		► Page 623
	• Shelf lights		► Pages 690–697

Tip: Upmount brackets include steel back to enclose storage bin.

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

Tip: A door assist mechanism cannot be used with an acrylic door insert.

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.

► See *Architectural Solutions Specification Guide* for attachment information.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

4/15 = Last order entry
April 19, 2015

Specification Information


Dimensions			Number of Doors	Style Number	U.S. Base Price	Options (Add \$ to Base Price)			
D	W	H				Picture Frame Door Inserts			
						Omit Insert	Acrylic Insert	Marker-board Insert	Glass Insert
								Insert	4/15

Bins with Flat Fronts


15¾"	24"	16¼"	1	RBB24QTAK	\$ 545	+\$238	+\$339	+\$362	4/15	+\$406
15¾"	30"	16¼"	1	RBB30QTAK	\$ 567	+\$251	+\$358	+\$383	4/15	+\$433
15¾"	36"	16¼"	1	RBB36QTAK	\$ 595	+\$263	+\$375	+\$406	4/15	+\$460
15¾"	42"	16¼"	1	RBB42QTAK	\$ 617	+\$274	+\$393	+\$427	4/15	+\$507
15¾"	48"	16¼"	1	RBB48QTAK	\$ 637	+\$286	+\$414	+\$448	4/15	+\$553
15¾"	60"	16¼"	2	RBB60QTAK	\$1020	+\$468	+\$655	+\$710	4/15	+\$825
15¾"	66"	16¼"	2	RBB66QTAK	\$1071	+\$480	+\$674	+\$733	4/15	+\$874
15¾"	72"	16¼"	2	RBB72QTAK	\$1111	+\$490	+\$692	+\$756	4/15	+\$921

Bins with Radius Fronts

15¾"	24"	16¼"	1	RBB24QCTAK	\$ 677	N.A.	N.A.	N.A.	N.A.
15¾"	30"	16¼"	1	RBB30QCTAK	\$ 699	N.A.	N.A.	N.A.	N.A.
15¾"	36"	16¼"	1	RBB36QCTAK	\$ 727	N.A.	N.A.	N.A.	N.A.
15¾"	42"	16¼"	1	RBB42QCTAK	\$ 749	N.A.	N.A.	N.A.	N.A.
15¾"	48"	16¼"	1	RBB48QCTAK	\$ 769	N.A.	N.A.	N.A.	N.A.
15¾"	60"	16¼"	2	RBB60QCTAK	\$1284	N.A.	N.A.	N.A.	N.A.
15¾"	66"	16¼"	2	RBB66QCTAK	\$1335	N.A.	N.A.	N.A.	N.A.
15¾"	72"	16¼"	2	RBB72QCTAK	\$1375	N.A.	N.A.	N.A.	N.A.



Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well. ▶ See Architectural Solutions Specification Guide for attachment information.




For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

4/15 = Last order entry
April 19, 2015

Universal In the Case Bins with Steel and Wood Flat Fronts

For Use with Answer



	Standard Includes	Required to Specify
► Need help? Product details, page 280	- Overhead bin with lift-up door: paint price group 1 - Recess beneath unit to accommodate shelf light - Shelf backstop - On-module attachment brackets with safety catch: black paint only - Off-module attachment brackets, if selected: black paint only - Picture frame door acrylic insert, if selected: 6538 Satin only - Picture frame door glass insert, if selected: 6580 Ice White only - Lock, keyed random: 9201 Polished Chrome	1 Style number 2 Paint color number for overhead bin 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Overhead bin with one steel door		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 42	Specify paint color number.
	• Paint price group 3	+\$ 71	Specify paint color number.
	Overhead bin with two steel doors		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 58	Specify paint color number.
	• Paint price group 3	+\$ 99	Specify paint color number.
	Overhead bin with one wood door		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 42	Specify paint color number.
	• Paint price group 3	+\$ 63	Specify paint color number.
	• Premium wood 2 on wood door	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3 on wood door	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain on wood door	No cost	Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
	Overhead bin with two wood doors		
	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 58	Specify paint color number.
	• Paint price group 3	+\$ 87	Specify paint color number.
	• Premium wood 2 on wood door	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3 on wood door	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain on wood door	No cost	Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
Brackets	Off-module attachment brackets		
	• One vertical off-module bracket	+\$ 58	Specify with <i>one vertical off-module bracket</i> .
	• Two vertical off-module brackets	+\$116	Specify with <i>two vertical off-module brackets</i> .
	Upmount brackets		
	• Upmount kit	+\$171	Specify with <i>upmount kit</i> .
	No brackets		
	• Omit brackets	-\$ 20	Specify <i>omit brackets</i> .

► Options, continued on next page

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Upmount brackets include steel back to enclose storage bin.

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Picture Frame Door on Flat Fronts	• Omit insert • Acrylic insert • Markerboard insert EX4/15 • Glass insert (assist mechanism recommended)	Prices below Prices below Prices below Prices below	Specify <i>omit insert</i> . Specify <i>with acrylic insert</i> . Specify <i>with markerboard insert</i> . Specify <i>with glass insert</i> .
Door Mechanism	• Assist mechanism for standard door, markerboard insert, glass insert, or omit insert	+\$171 per door	Specify with assist mechanism.
Shelf Accessories	• Four dividers: white plastic	+\$ 44	Specify <i>with dividers</i> .
Lock and Keying	Lock • No lock • Ember Chrome	–\$ 59 per door No cost	Specify <i>with no lock</i> . Specify <i>with 9250 Ember Chrome lock</i> .
	Keying • Factory- and field-installed keying		▶ Page 726
Related Products	• Accessories • Shelf lights		▶ Page 623 ▶ Pages 690–697

Tip: When ordering the omit insert option, remember that custom material cannot be factory installed. Custom material must be ordered from a material vendor.

Tip: A door assist mechanism cannot be used with an acrylic door insert.

Tip: Overhead storage bins and shelves with a “TAK” suffix can be used with Privacy Wall as well.
► See Architectural Solutions Specification Guide for attachment information.

Specification Information


Dimensions	Number of Doors	Style Number	U.S. Base Price	Options (Add \$ to Base Price)
D W H				
				Picture Frame Door Inserts
				Omit Insert
				Acrylic Insert
				Markerboard Insert
				Glass Insert
				Insert EX4/15

Bins with Steel Flat Fronts


15¾"	24"	16¼"	1	RBB24TAK	\$ 545	+\$238	+\$339	+\$362 EX4/15	+\$406
15¾"	30"	16¼"	1	RBB30TAK	\$ 567	+\$251	+\$358	+\$383 EX4/15	+\$433
15¾"	36"	16¼"	1	RBB36TAK	\$ 595	+\$263	+\$375	+\$406 EX4/15	+\$460
15¾"	42"	16¼"	1	RBB42TAK	\$ 617	+\$274	+\$393	+\$427 EX4/15	+\$507
15¾"	48"	16¼"	1	RBB48TAK	\$ 637	+\$286	+\$414	+\$448 EX4/15	+\$553
15¾"	60"	16¼"	2	RBB60TAK	\$1020	+\$468	+\$655	+\$710 EX4/15	+\$825
15¾"	66"	16¼"	2	RBB66TAK	\$1071	+\$480	+\$674	+\$733 EX4/15	+\$874
15¾"	72"	16¼"	2	RBB72TAK	\$1111	+\$490	+\$692	+\$756 EX4/15	+\$921

Bins with Wood Flat Fronts

15¾"	24"	16¼"	1	RBB24WTAK	\$ 918	N.A.	N.A.	N.A.	N.A.
15¾"	30"	16¼"	1	RBB30WTAK	\$ 940	N.A.	N.A.	N.A.	N.A.
15¾"	36"	16¼"	1	RBB36WTAK	\$ 968	N.A.	N.A.	N.A.	N.A.
15¾"	42"	16¼"	1	RBB42WTAK	\$ 990	N.A.	N.A.	N.A.	N.A.
15¾"	48"	16¼"	1	RBB48WTAK	\$1010	N.A.	N.A.	N.A.	N.A.
15¾"	60"	16¼"	2	RBB60WTAK	\$1674	N.A.	N.A.	N.A.	N.A.
15¾"	66"	16¼"	2	RBB66WTAK	\$1725	N.A.	N.A.	N.A.	N.A.
15¾"	72"	16¼"	2	RBB72WTAK	\$1765	N.A.	N.A.	N.A.	N.A.



Tip: Overhead storage bins and shelves with a “TAK” suffix can be used with Privacy Wall as well.
► See Architectural Solutions Specification Guide for attachment information.




For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

EX4/15 = Last order entry
April 19, 2015

Universal Shelves

For Use with Answer

Universal Shelves




Standard Includes		Required to Specify
▶ Need help? Product details, page 284	- Shelf: paint price group 1 - Recess beneath unit to accommodate shelf light - Shelf backstop - On-module attachment hooks with safety catch	1 Style number 2 Paint color number for shelf 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$14 +\$23	Specify paint color number. Specify paint color number. Specify paint color number.
Related Products	• Accessories • Shelf lights		▶ Page 623 ▶ Pages 690–697

Specification Information				
• Dimensions			• Style	• U.S.
D	W	H	Number	Base Price
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•
•	•	•	•	•

Tip: Overhead storage bins and shelves with a "TAK" suffix can be used with Privacy Wall as well.
 ▶ See *Architectural Solutions Specification Guide* for attachment information.

Universal Personal Shelves



Standard Includes		Required to Specify
▶ Need help? Product details, page 284	- Personal shelf: paint price group 1 - Recess beneath unit to accommodate shelf light - On-module attachment hooks	1 Style number 2 Paint color number for personal shelf 3 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$14	Specify paint color number.
	• Paint price group 3	+\$23	Specify paint color number.

Specification Information				
Dimensions	D	W	Style Number	U.S. Base Price
13 1/16"	24"	RDS24TAK	\$178	
13 1/16"	30"	RDS30TAK	\$186	
13 1/16"	36"	RDS36TAK	\$198	
13 1/16"	42"	RDS42TAK	\$210	
13 1/16"	48"	RDS48TAK	\$227	




For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Accessories for Overhead Bins and Shelves

Accessories for Overhead
Bins and Shelves

Horizontal Wall Attachment Brackets

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins



Standard Includes	Required to Specify
► Need help? Product details, page 287 • Brackets: paint price group 1 • Steel back to enclose storage bin: paint price group 1	1 Style number 2 Paint color number for brackets and back 3 Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$14 +\$23	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Width	Style Number	U.S. Base Price
24"	RBKHWM24	\$193
25"	RBKHWM25	\$193
30"	RBKHWM30	\$193
35"	RBKHWM35	\$193
36"	RBKHWM36	\$193
42"	RBKHWM42	\$193
45"	RBKHWM45	\$193
48"	RBKHWM48	\$193
60"	RBKHWM60	\$193
70"	RBKHWM70	\$193
72"	RBKHWM72	\$193

Dividers

For Use with Universal Sliding Door, Universal Over the Case, Universal In the Case, and Universal Shelves
For Use with Hutch Kit and Series 9000 Service Module Package Accessory Rail



Standard Includes	Required to Specify
► Need help? Product details, page 286 • Package of four dividers: white plastic only	Style number

Specification Information

Style Number	U.S. Price
RDIV	\$43



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Accessories for Overhead Bins and Shelves, continued

Dividers for Overhead Bin and Full-Height Shelf

For Use with Overhead Storage Products Introduced prior to March 2007



Standard Includes	Required to Specify
-------------------	---------------------

- | | | |
|--|---|--|
| <ul style="list-style-type: none"> ▶ Need help? Product details, page 286 | <ul style="list-style-type: none"> • Carton of four dividers: clear textured plastic | <ul style="list-style-type: none"> Style number |
|--|---|--|

Specification Information

• Dimensions			• Style	• U.S.
D	W	H	Number	Price
10¾"	4"	4½"	TS7STDIV	\$51

Universal Vertical Off-Module Bracket

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins



Standard Includes	Required to Specify
-------------------	---------------------

- | | | |
|--|---|--|
| <ul style="list-style-type: none"> ▶ Need help? Product details, page 280 | <ul style="list-style-type: none"> • Vertical off-module bracket with safety catch: black paint only | <ul style="list-style-type: none"> Style number |
|--|---|--|

Specification Information

• Style	• U.S.
Number	Price
RBKVOFM	\$56

Tip: For two-sided, off-module application, order two vertical off-module brackets.

Tip: Vertical off-module brackets are used with panels which have vertical slot patterns including Answer, Kick, Series 9000, Avenir, and Montage.

Tip: For Montage, vertical off-module brackets can be used with 30"W to 60"W bins only.



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Standard Overhead Upmount Packages

For Use on Answer Panels

For Use with Universal Sliding Door, Universal Over the Case, and Universal In the Case Bins



Standard Includes	Required to Specify
▶ Need help? Product details, page 280 • Pair of steel upmount brackets: paint price group 1 • Steel back to enclose storage bin	1 Style number 2 Paint color number for brackets and back 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$14 +\$23	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Width	Style Number	U.S. Base Price
24"	RUK24TAK	\$167
30"	RUK30TAK	\$167
36"	RUK36TAK	\$167
42"	RUK42TAK	\$167
48"	RUK48TAK	\$167
60"	RUK60TAK	\$167
72"	RUK72TAK	\$167
:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.


Accessories for Overhead Bins and Shelves, continued

Wall Channels for TS Series Bins, Universal Bins, and Universal Shelves



Standard Includes		Required to Specify
► Need help? Product details, page 288	• Pair of channels: paint	1 Style number 2 Paint color number for channels ► See <i>Surface Materials</i> , page 708.
Related Products		
• Tackboard for use with wall channels		► Page 627
Specification Information		
• Height	• Style Number	• U.S. Price
66"	TS7BSWHC	\$108
:	:	:

Wall Channel Horizontal Braces




Standard Includes		Required to Specify
► Need help? Product details, page 288	• Brace: paint	1 Style number 2 Paint color number for horizontal brace ► See <i>Surface Materials</i> , page 708.
Specification Information		
• Width	• Style Number	• U.S. Price
42"	TS742HB	\$79
48"	TS748HB	\$79
60"	TS760HB	\$79
72"	TS772HB	\$79
:	:	:



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Tackboards for Use with Wall Channels



Tip: 72"W tackboards
accommodate fabric in the
horizontal direction only.

Tip: For further information
about fabric direction,
► Page 713.

Standard Includes	Required to Specify
Tackboard, fabric direction with horizontal application: fabric price group 1	1 Style number 2 Fabric color number 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials - Fabric price group 1 - Fabric price group 2 - Fabric price group 3 - Fabric price group 4 - Fabric price group 5 - Fabric price group COM	No cost +\$14 +\$25 +\$37 +\$58 +\$35	Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number. Specify fabric color number.

Fabric direction on 24"W to 60"W tackboards

Related Products Wall channels for Universal bins and shelves	No cost	Specify with vertical application.
		► Page 626

Specification Information

Dimensions W H	Style Number	U.S. Base Price
24" 18"	TS71824TB	\$122
30" 18"	TS71830TB	\$136
36" 18"	TS71836TB	\$148
42" 18"	TS71842TB	\$163
48" 18"	TS71848TB	\$180
60" 18"	TS71860TB	\$230
72" 18"	TS71872TB	\$283
:	:	:




For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Accessories for Overhead Bins and Shelves, continued

Flexible Markerboard Surface

For Use with Universal Over the Case Bins




Standard Includes	Required to Specify
Flexible, magnetic markerboard surface to attach to door of overhead storage bin: white plastic	Style number

Specification Information

• Dimensions W H	• Style Number	• U.S. Price
30" 16 1/4"	R30MBB	\$101
36" 16 1/4"	R36MBB	\$108
42" 16 1/4"	R42MBB	\$112
48" 16 1/4"	R48MBB	\$119
:	:	:

Brackets to Attach Avenir Bins and Shelves to Answer Panels

For Use with Overhead Storage Products Introduced prior to March 2007



Tip: Brackets only work on Avenir bins and shelves manufactured since May 1997. Bins and shelves manufactured prior to this date would require brackets manufactured through Specials.

Tip: Avenir binder bins cannot hang on a stacked segment of an Answer panel.

Standard Includes	Required to Specify
- Need help? Product details, page 287 - Pair of brackets: paint	1 Style number 2 Paint color number for brackets ▶ See <i>Surface Materials</i> , page 708.

Specification Information

• Style Number	• U.S. Price
:	:

For Use with Avenir Bin with Flush Door

TS7AV	\$162
:	:

For Use with Avenir Bin with Integral Door and Avenir Full-Height Shelves with Radius and Square End Supports

TS7BM	\$162
:	:

For Use with Avenir Half-Height Shelves with Square End Supports

TS7AVH	\$162
:	:

For Use with Avenir Half-Height Shelves with Radius End Supports

TS7BMH	\$162
:	:

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Universal Curved Front Bins with Steel and Wood Doors

Universal Curved Front Bins
with Steel and Wood Doors

Tip: Basic attachment bracket allows only 12" off-module configurations on panels with vertical attachment. Bin must be the same width or up to 12" wider than the panel.

Premium Wood



Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Bin is upmountable on Answer panel. Specify with suffix "NON" and choose the upmount bracket option

Tip: Universal curved front bins can be upmounted on Answer slatwall skins as long as there is not another slatwall skin on the adjacent in-line panel

Tip: Open design upmount bracket cannot be used when double-pane window is in top position of panel.

Tip: When using upmount brackets with overhead storage and daisy chaining lights, use the open design upmount bracket for better cord management.



Tip: Only the door is wood. Cabinet is painted metal and end panels are ABS.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Standard Includes		Required to Specify	
► Need help? Product details, page 290	- Overhead storage bin: paint price group 1 - Door: paint or wood - Basic attachment bracket: black only - Lock, keyed random: 9201 Polished Chrome	1 Style number with appropriate bracket suffix: ANS = Answer NON = NO BASIC BRACKET (see bracket options below)	2 Paint or wood color number for storage bin 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.
Surface Materials	Options	U.S. Price	Required to Specify
	- Paint price group 1 - Paint price group 2 - Premium wood 2 on wood door - Premium wood 3 on wood door - Customiz stain on wood door	No cost +\$ 47 See information at left See information at left No cost	Specify paint color number. Specify paint color number. Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with Customiz stain. ► See <i>Surface Materials Reference Manual</i> .
Brackets	Upmount		
	- Basic upmount bracket - Open design upmount bracket	+\$ 38 +\$118	Specify with <i>basic upmount bracket</i> . Specify with <i>open design upmount bracket</i> .
Lock and Keying	Lock		
	Ember Chrome	No cost	Specify with <i>9250 Ember Chrome lock</i> .
	Keying		
	Factory- and field-installed keying		► Page 726
Related Products	- Stationary shelf - Bookends - ADA pull - Underline task light		► Page 630 ► Page 674 ► Page 631 ► Page 698

Specification Information

Dimensions			Style	U.S.
D	W	H	Number	Base Price
:	:	:	:	:

With Steel Doors

16½"	30"	15"	KBIN30L __	\$ 844
16½"	36"	15"	KBIN36L __	\$ 971
16½"	42"	15"	KBIN42L __	\$1114
16½"	48"	15"	KBIN48L __	\$1240
:	:	:	:	:

With Wood Doors

16½"	30"	15"	KBIN30LW __	\$1447
16½"	36"	15"	KBIN36LW __	\$1574
16½"	42"	15"	KBIN42LW __	\$1717
16½"	48"	15"	KBIN48LW __	\$1843
:	:	:	:	:

Universal L-Shelves and Stationary Shelves

For Universal Curved Front Bin and L-Shelf

Tip: Universal L-shelf does not align with Universal overhead bin when mounted side by side.



Tip: Basic attachment bracket allows only 12" off-module configurations on panels with vertical attachment. L-shelf must be the same width or up to 12" wider than the panel.

*Tip: L-shelf is upmountable on Answer panel. Specify with suffix "**NON**" and choose the upmount bracket option.*

Tip: Universal L-shelves can be mounted in front of slatwall skin or upmounted on Answer slatwall skins as long as there is not another bin, shelf or slatwall skin on the adjacent in-line panel.

Tip: Open design upmount bracket cannot be used when double-pane window is in top position of panel.

Tip: When using upmount brackets with overhead storage and daisy chaining lights, use the open design upmount bracket for better cord management.



Tip: Stationary shelf hangs from the bottom of curved front bins with KBIN_ style numbers and L-shelves with KLSHF_ style numbers. Space between bottom of bin or L-shelf and top of stationary shelf is 5½". Overall stationary shelf height dimension is 6⅝". Specify the same width as corresponding bin or L-shelf.

Tip: Stationary shelf cannot hang from an upmounted bin or shelf.

Tip: Shelf is steel with molded endcaps.

Standard Includes	Required to Specify
▶ Need help? Product details, page 292 • Shelf: paint price group 1 • Basic attachment bracket: black only • Rods: shiny chrome • Spacers: 6695 Midnight only • Endcaps: 6695 Midnight only	1 Style number 2 Appropriate bracket suffix for Universal L-Shelves: ANS = Answer NON = NO BASIC BRACKET (see bracket options below) 3 Paint color number for shelf 4 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials • Universal L-Shelves • Paint price group 1 No cost • Paint price group 2 +\$ 28 • Paint price group 3 +\$ 38 • Universal Stationary Shelves • Paint price group 1 No cost • Paint price group 2 +\$ 14 • Paint price group 3 +\$ 23		Specify paint color number. Specify paint color number. Specify paint color number.
Upmount Brackets for L-Shelf • Basic upmount bracket +\$ 38 • Open design upmount bracket +\$118		Specify with basic upmount bracket. Specify with open design upmount bracket.
Related Products • Universal curved front bins • Bookends • Underline task light		▶ Page 629 ▶ Page 631 ▶ Page 698

Specification Information

Dimensions	Style	U.S.
D W H	Number	Base Price

Universal L-Shelves for Universal Curved Front Bin and Universal L-Shelf

14¼"	30"	15"	KLSHF30 __	\$373
14¼"	36"	15"	KLSHF36 __	\$395
14¼"	42"	15"	KLSHF42 __	\$445
14¼"	48"	15"	KLSHF48 __	\$450
:	:	:	:	:


Stationary Shelves for Universal Curved Front Bin and Universal L-Shelf

14"	30"	6⅝"	KSSHF30	\$205
14"	36"	6⅝"	KSSHF36	\$222
14"	42"	6⅝"	KSSHF42	\$244
14"	48"	6⅝"	KSSHF48	\$263
:	:	:	:	:

Accessories for Universal Curved Front Bin and Universal L-Shelf

Accessories for Universal
Curved Front Bin and
Universal L-Shelf

Bookends




Standard Includes	Required to Specify
▶ Need help? Product details, page 294 • Package of two or twenty bookends: 6695 Midnight only	Style number

Specification Information

Style Number	Quantity	U.S. Price
KDIV02	2	\$ 27
KDIV20	20	\$256
.	.	.

ADA Pull




Standard Includes	Required to Specify
▶ Need help? Product details, page 294 • ADA pull: 6695 Midnight only	Style number

Specification Information

Style Number	U.S. Price
KPULL	\$47
.	.

Ganging Bracket



Standard Includes	Required to Specify
▶ Need help? Product details, page 294 • Package of one or twenty ganging brackets: all paint price groups	1 Style number 2 Paint color number ▶ See <i>Surface Materials</i> , page 708.


Specification Information

Style Number	Quantity	U.S. Price
KGANG	1	\$ 16
KGANG20	20	\$279
.	.	.



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Slim Shelves



Standard Includes		Required to Specify
► Need help? Product details, page 295	- Shelf: paint price group 1 - Attachment brackets: paint to match shelf	1 Style number 2 Paint color number for shelf 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

Options	U.S. Price	Required to Specify
Surface Materials - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$14 +\$23	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information			
Dimensions D W		Style Number	U.S. Base Price
6"	24"	RSS24TAK	\$185
6"	30"	RSS30TAK	\$198
6"	36"	RSS36TAK	\$212
6"	42"	RSS42TAK	\$227
6"	48"	RSS48TAK	\$242
6"	60"	RSS60TAK	\$302
6"	72"	RSS72TAK	\$332
6"	96"	RSS96TAK	\$391
:	:	:	:


Tip: Slim shelves with a "TAK" suffix can attach to Privacy Wall.
 ► See *Architectural Solutions Specification Guide* for attachment information.



For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Universal One-High, 1.5-High, and Two Drawer Lateral Files

with Flush Steel, Proud Steel, Proud Wood, or Open Fronts



Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

Premium Wood Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Security top reduces overall height by approximately 1".

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.


Tip: FrameOne tops are available on 28"H lateral files only. FrameOne top will add 1/2" to the overall height.

Tip: Service part Y30291SR, (paintable black plug), can be ordered to cover the glide adjustment holes in the front of the lateral file.

	Standard Includes	Required to Specify
► Need help? Product details, page 300	- Lateral file: paint price group 1 1"H top on units with flush steel or proud steel fronts: paint to match file 1 3/16"H top and drawer fronts on units with proud wood fronts: wood veneer - Base (see below under required selections) - Pulls: metal - Integral pulls on units with flush steel fronts - Central lock, keyed random: 9201 Polished Chrome - One label holder per drawer: clear plastic - Drawer body: black only - Drawer suspensions: black only - One hanging folder bar per drawer on 18"D units - Two rails per drawer on 24"D units - Four adjustable leveling glides - Counterweight package, if selected	- Style number with appropriate front style suffix in the space provided F Flush steel front P Proud steel front W Proud wood front - Paint color number for file - Wood color number for drawer fronts and top, if proud wood front selected - Base (see below under required selections) - Pull (see below under required selections) - Metal color number for pulls, if proud steel or proud wood front selected - Options, if selected (see below) ► See <i>Surface Materials</i>, page 708.

	Required Selections	U.S. Price	Required to Specify
Bases	- Universal 3" base - FrameOne foot base - c:scape glide base	No cost +\$ 87 +\$ 87	Specify with <i>Universal 3" base</i> , painted to match tower. Specify with <i>FrameOne foot base</i> , painted to match tower. Specify with <i>c:scape glide base</i> , 4799 Platinum only.


Pulls




Contemporary




Handle



Jazz



Bar



c:scape

	Options	U.S. Price	Required to Specify
Surface Materials	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 71 +\$122	Specify paint color number. Specify paint color number. Specify paint color number.
	Premium wood on proud wood fronts and top		
	- Premium wood 2 - Premium wood 3	See information at left See information at left	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number.
	Customiz stain on proud wood fronts and top		
	28"H files	No cost	Specify with <i>Customiz stain</i> .
Tops with Flush Steel Front and Proud Steel Front	Security top		
	For use on 28"H lateral files only	No cost	Specify with <i>security top</i> .
	No top		
	For use with a cushion top or beneath a common top	-\$ 92	Specify with <i>no top</i> .
	Laminate top		
	Square edge laminate top	+\$127	Specify with <i>laminate top</i> and indicate laminate color number for top and plastic color number for edges.
	FrameOne laminate top	+\$332	Specify with <i>FrameOne laminate top</i> and indicate laminate color number for top and plastic color number for edges.
	Open Line laminate on laminate top	+\$ 65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .

► Options, continued on next page

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Tops with Flush Steel Front and Proud Steel Front, continued	Wood veneer top		
	• Wood veneer top	+\$384	Specify with wood veneer top and indicate wood color number.
	• FrameOne wood veneer top	+\$589	Specify with FrameOne wood veneer top and indicate wood color number.
	• Premium wood 2	See information at left	Specify with wood veneer top and indicate Premium wood 2 finish number.
Tops with Proud Wood Front	• Premium wood 3	See information at left	Specify with wood veneer top and indicate Premium wood 3 finish number.
	• Customiz stain on wood veneer top	No cost	Specify with Customiz stain. ► See Surface Materials Reference Manual.
	Security top		
	• For use on 28"H lateral files only	-\$384	Specify with security top.
	No top		
	• For use with a cushion top or beneath a common top	-\$476	Specify with no top.
	Laminate top		
	• Square edge laminate top	-\$257	Specify with laminate top and indicate laminate color number for top and plastic color number for edges.
	• FrameOne laminate top	-\$ 52	Specify with FrameOne laminate top and indicate laminate color number for top and plastic color number for edges.
	• Open Line laminate on laminate top	+\$ 65 plus cost of laminate	► See Surface Materials Reference Manual.
	Wood top		
	• FrameOne wood veneer top	+\$205	Specify with FrameOne wood veneer top and indicate wood color number.
Drawer Interiors	• HF bar for use on 24"D units only	+\$ 12	Specify with HF bar.
	• Divider package	+\$ 24	Specify with divider package.
	• Rails for use on 18"D units only	+\$ 31	Specify with rails.
Pulls	Proud steel or wood fronts		
	• Contemporary	No cost	Specify with contemporary pull.
	• Handle	No cost	Specify with handle pull.
	• Jazz	+\$ 17 per pull	Specify with jazz pull.
	• Bar	+\$ 25 per pull	Specify with bar pull.
	Proud steel fronts only		
	• c:scape	+\$ 28 per pull	Specify with c:scape pull.
Counterweights	One-High and 1.5-High Lateral Files with Universal 3" Base		
	• Package A	+\$193	Specify with counterweight.
	• Package B	+\$193	Specify with counterweight.
	• Package C	+\$193	Specify with counterweight.
	• Package D	+\$165	Specify with counterweight.
	• Package E	+\$165	Specify with counterweight.
	• Package F	+\$165	Specify with counterweight.
	One-High and 1.5-High Lateral Files with c:scape Glide and FrameOne Foot Bases		
	• Package G	+\$221	Specify with counterweight.
	• Package H	+\$280	Specify with counterweight.
	• Package J	+\$280	Specify with counterweight.
	Two Drawer with Universal 3" Bases		
	• Package 3	+\$106	Specify with counterweight.
	• Package 4	+\$139	Specify with counterweight.

Tip: Wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: FrameOne tops are available on 28"H lateral files only. FrameOne top will add 1/2" to the overall height.

Premium Wood Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Full-fill finish (option) is available on field-installed tops only.
► Page 708

Tip: Security top reduces overall height by approximately 1".

Tip: 6"H box drawers come standard with a divider package.

Tip: Some cabinets with the c:scape glide base or FrameOne foot base require a different counterweight than the Universal 3" base. Please specify accordingly.

Tip: Counterweight packages are recommended based on case size and interior options.

Tip: Counterweight option should be specified if the cabinet is not ganged back-to-back to adjacent cabinets or bolted to the floor or wall. Cabinets ganged side-to-side require a counterweight.

Tip: Counterweight packages ship separately from case and must be installed on site.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

► Options, continued on next page

Universal One-High, 1.5-High, and Two Drawer Lateral Files with Flush Steel, Proud Steel, Proud Wood, or Open Fronts, continued



► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Counterweights, continued	Two Drawer with c:scape	Glide and FrameOne	Foot Bases
	• Package 7 • Package 8	+\$168 +\$211	- Specify <i>with counterweight.</i> - Specify <i>with counterweight.</i>
Lock and Keying	Lock		
	• Ember Chrome	No cost	Specify <i>with 9250 Ember Chrome lock.</i>
	Individual locking drawers		
	• 18"D with two drawers • 24"D with two drawers	+\$122 +\$136	- Specify <i>with individual lock.</i> - Specify <i>with individual lock.</i>
	Keying		
	• Factory- and field-installed keying		► Page 726
Related Products	• Cushion tops		► Page 639
	• Field-installed tops		► Page 668
	• Storage accessories		► Page 591
	• Bookends		► Page 674
	• Counterweight packages		► Page 676
	• Low storage-to-beam tether bracket		► Page 638


Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: A tether bracket is now available to attach universal units to the c:scape beam.
► Page 638

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18301__ becomes RLF18301F for flush steel front).



Tip: The suffix for open configurations define the unit as flush steel or proud steel to match additional Universal storage.



Tip: The suffix for open-open configurations define the unit as flush steel or proud steel to match additional Universal storage.

Tip: For open-open units, the shelf is affixed with screws. The screws can be removed to adjust the clips/shelf to a different height.

Specification Information

Dimensions	W	H	Counterweight Packages	Style Number	U.S. Base Prices
D					
Flush Steel	Proud Steel/Wood		Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Flush Steel Front Proud Steel Front Proud Wood Front
					Suffix F Suffix P Suffix W

One 12"H Drawer

18"	18 ⁷ / ₈ "	30"	16"	Package A	Package G	RLF18301 __	\$ 744	\$ 765	\$1516
18"	18 ⁷ / ₈ "	36"	16"	Package B	Package H	RLF18361 __	\$ 824	\$ 855	\$1602
18"	18 ⁷ / ₈ "	42"	16"	Package C	Package J	RLF18421 __	\$ 904	\$ 942	\$1683
23 ¹ / ₈ "	24"	30"	16"	Package A	Package G	RLF24301 __	\$ 839	\$ 875	\$1621
23 ¹ / ₈ "	24"	36"	16"	Package B	Package H	RLF24361 __	\$ 973	\$1019	\$1756
:	:	:	:	:	:	:	:	:	:

Open Configurations

18"	18 ⁷ / ₈ "	30"	16"	Not required	Not required	RSC18301A __	\$ 633	\$ 686	N.A.
18"	18 ⁷ / ₈ "	36"	16"	Not required	Not required	RSC18361A __	\$ 741	\$ 805	N.A.
18"	18 ⁷ / ₈ "	42"	16"	Not required	Not required	RSC18421A __	\$ 841	\$ 913	N.A.
23 ¹ / ₈ "	24"	30"	16"	Not required	Not required	RSC24301A __	\$ 771	\$ 832	N.A.
23 ¹ / ₈ "	24"	36"	16"	Not required	Not required	RSC24361A __	\$ 941	\$1020	N.A.
:	:	:	:	:	:	:	:	:	:

Open-Open Configurations

One 6"H Opening with Fixed Shelf and One 12"H Opening with Fixed Shelf

18"	18 ⁷ / ₈ "	30"	22"	Not required	Not required	RLF18301A __	\$ 668	\$ 724	N.A.
18"	18 ⁷ / ₈ "	36"	22"	Not required	Not required	RLF18361A __	\$ 802	\$ 870	N.A.
18"	18 ⁷ / ₈ "	42"	22"	Not required	Not required	RLF18421A __	\$ 930	\$1007	N.A.
23 ¹ / ₈ "	24"	30"	22"	Not required	Not required	RLF24301A __	\$ 881	\$ 952	N.A.
23 ¹ / ₈ "	24"	36"	22"	Not required	Not required	RLF24361A __	\$1051	\$1134	N.A.
:	:	:	:	:	:	:	:	:	:

► Specification Information, continued on next page

► Specification Information, continued from previous page

Specification Information

Dimensions D		W	H	Counterweight Packages		Style Number	U.S. Base Prices		
Flush Steel	Proud Steel/ Wood			Universal 3" Base	FrameOne Foot and c:scape Glide Bases		Flush Steel Front	Proud Steel Front	Proud Wood Front
							Suffix F	Suffix P	Suffix W

Drawer-Drawer Configurations

One 6"H Drawer and One 12" Drawer

18"	18 $\frac{7}{8}$ "	30"	22"	Package A	Package A	RLF18301B	\$ 802	\$ 858	\$1741
18"	18 $\frac{7}{8}$ "	36"	22"	Package B	Package B	RLF18361B	\$ 939	\$1004	\$1866
18"	18 $\frac{7}{8}$ "	42"	22"	Package C	Package C	RLF18421B	\$1064	\$1142	\$2111
23 $\frac{1}{8}$ "	24"	30"	22"	Package A	Package A	RLF24301B	\$1017	\$1087	\$2087
23 $\frac{1}{8}$ "	24"	36"	22"	Package B	Package B	RLF24361B	\$1186	\$1270	\$2244

Drawer-Open Configurations

One 6"H Drawer and One 12"H Opening with Fixed Shelf

18"	18 $\frac{7}{8}$ "	30"	22"	Package D	Package D	RLF18301C	\$ 743	\$ 798	\$1596
18"	18 $\frac{7}{8}$ "	36"	22"	Package E	Package E	RLF18361C	\$ 877	\$ 940	\$1722
18"	18 $\frac{7}{8}$ "	42"	22"	Package F	Package F	RLF18421C	\$ 998	\$1074	\$1966
23 $\frac{1}{8}$ "	24"	30"	22"	Package D	Package D	RLF24301C	\$ 949	\$1020	\$1943
23 $\frac{1}{8}$ "	24"	36"	22"	Package E	Package E	RLF24361C	\$1115	\$1195	\$2100





Open-Drawer Configurations

One 6"H Opening with Fixed Shelf and One 12" Drawer

18"	18 $\frac{7}{8}$ "	30"	22"	Package A	Package A	RLF18301D	\$ 743	\$ 798	\$1596
18"	18 $\frac{7}{8}$ "	36"	22"	Package B	Package B	RLF18361D	\$ 877	\$ 940	\$1722
18"	18 $\frac{7}{8}$ "	42"	22"	Package C	Package C	RLF18421D	\$ 998	\$1074	\$1966
23 $\frac{1}{8}$ "	24"	30"	22"	Package A	Package A	RLF24301D	\$ 949	\$1020	\$1943
23 $\frac{1}{8}$ "	24"	36"	22"	Package B	Package B	RLF24361D	\$1115	\$1195	\$2100

Two 12"H Drawers

18"	18 $\frac{7}{8}$ "	30"	28"	Package 3	Package 7	RLF18302	\$ 823	\$ 879	\$1749
18"	18 $\frac{7}{8}$ "	36"	28"	Package 4	Package 8	RLF18362	\$ 961	\$1027	\$1874
18"	18 $\frac{7}{8}$ "	42"	28"	Package 4	Package 8	RLF18422	\$1086	\$1164	\$2119
23 $\frac{1}{8}$ "	24"	30"	28"	Package 3	Package 7	RLF24302	\$1008	\$1078	\$2095
23 $\frac{1}{8}$ "	24"	36"	28"	Package 4	Package 8	RLF24362	\$1209	\$1292	\$2252



 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Low Storage-to-Beam Tether Bracket



Standard Includes		Required to Specify
▶ Need help? Product details, page 301	• Pair of tether brackets: black • Attachment hardware	Style number


Specification Information	
• Style • Number	• U.S. • Price
UFSTB	\$15



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Cushion Tops

For Universal One-High and 1.5-High Lateral Files



Tip: Seam pattern is determined by upholstery selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style of the lateral (for example, RPDC1830__ becomes RPDC1830F for cushion top for flush steel front).

Standard Includes

- ▶ Need help? Product details, page 300
- Cushion top: fabric
- Attachment hardware

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
F Flush steel front
P Proud steel/wood front
- 2 Fabric color number
- 3 Options, if selected (see below)
▶ See *Surface Materials*, page 708.

Options	U.S. Price	Required to Specify
Surface Materials		
Upholstery		
• Fabric price group 1	No cost	Specify fabric color number.
• Fabric price group 2	+\$ 10	Specify fabric color number.
• Fabric price group 3	+\$ 38	Specify fabric color number.
• Fabric price group 4	+\$ 47	Specify fabric color number.
• Fabric price group 5	+\$ 59	Specify fabric color number.
• Fabric price group 6	+\$ 83	Specify fabric color number.
• Fabric price group 7	+\$100	Specify fabric color number.
• Fabric price group 8	+\$145	Specify fabric color number.
• Fabric price group 9	+\$186	Specify fabric color number.
• Fabric price group 10	+\$226	Specify fabric color number.
• Elmosoft leather price group	+\$580	Specify Elmosoft leather color number.
• Leather price group	+\$671	Specify leather color number.
• Customer's Own Material (COM) or Customer's Own Leather (COL)	+\$ 16	▶ See <i>Surface Materials Reference Manual</i> .
Related Products	• Universal One-High lateral files • Universal 1.5-High lateral files	▶ Page 634 ▶ Page 636

Specification Information

Dimensions		W	H	Style Number	U.S. Base Price	
D						
Flush Steel Front	Proud Steel/Wood Front				Flush Steel Front	Proud Steel/Wood Front
					Suffix F	Suffix P

Cushion Tops

18"	18 ⁷ / ₈ "	30"	1 ¹ / ₂ "	RPDC1830__	\$571	\$571
18"	18 ⁷ / ₈ "	36"	1 ¹ / ₂ "	RPDC1836__	\$582	\$582
18"	18 ⁷ / ₈ "	42"	1 ¹ / ₂ "	RPDC1842__	\$593	\$593
24"	24 ⁷ / ₈ "	30"	1 ¹ / ₂ "	RPDC2430__	\$607	\$607
24"	24 ⁷ / ₈ "	36"	1 ¹ / ₂ "	RPDC2436__	\$617	\$617
:				:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Universal Open Side Towers

with Flush Steel, Proud Steel, or Proud Wood Fronts



► Need help?
Product details,
page 304

Standard Includes

- Tower: paint price group 1
- 1"H top: paint to match tower
- Door and drawer fronts on units with proud wood fronts: wood veneer
- Lock, keyed random: 9201 Polished Chrome
- Base (see below under required selections)
- Pulls: metal
- Integral pulls on units with flush steel fronts
- Drawer body: black only
- Adjustable shelves on 52"H and 65½"H: paint to match tower
- Brackets for adjustable shelves: black
- Post to support adjustable shelf: paint to match tower
- One box drawer divider and one pencil tray: black only
- Coat rod: black
- Four adjustable leveling glides
- Counterweight package, if selected


Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
F Flush steel front
P Proud steel front
W Proud wood front
 - 2 Paint color number for tower
 - 3 Wood color number for door and drawer fronts, if proud wood front selected
 - 4 Base (see below under required selections)
 - 5 Pull (see below under required selections)
 - 6 Metal color number for pulls, if proud steel or proud wood front selected
 - 7 Options, if selected (see below)
- See *Surface Materials*, page 708.

Tip: Power infeed sits proud of the panel approximately 3" and will interfere with Universal storage with the Universal 3" base, FrameOne foot base, or c:scape glide.

	Required Selections	U.S. Price	Required to Specify
Bases	• Universal 3" base	No cost	Specify with <i>Universal 3" base</i> , painted to match tower.
	• FrameOne foot base	+\$174	Specify with <i>FrameOne foot base</i> , painted to match tower.
	• c:scape glide base	+\$174	Specify with <i>c:scape glide base</i> , 4799 Platinum only.


Pulls




Contemporary




Handle



Jazz



Bar



c:scape

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 71	Specify paint color number.
	• Paint price group 3	+\$122	Specify paint color number.
Premium Wood Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.	• Premium wood 2 on proud wood fronts and top	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3 on proud wood fronts and top	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain on proud wood fronts and top	No cost	Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tops with Flush Steel Front, Proud Steel Front, and Proud Wood Front

Laminate top

- Square edge laminate top
- Open Line laminate on laminate top

Wood veneer top

- Wood veneer top
- Premium wood 2
- Premium wood 3
- Customiz stain on wood veneer top on units with flush steel or proud steel fronts

Specify with *laminate top* and indicate laminate color number for top and plastic color number for edges.
► See *Surface Materials Reference Manual*.

Specify with *wood veneer top* and indicate wood color number.
Specify with *wood veneer top* and indicate Premium wood 2 finish number.
Specify with *wood veneer top* and indicate Premium wood 3 finish number.
Specify with *Customiz stain*.
► See *Surface Materials Reference Manual*.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

► Options, continued on next page

► Options, continued from previous page

Tip: Glass shelves are not available on 18"D towers.

Options	U.S. Price	Required to Specify
Glass Shelves	- On 52"H towers +\$112 - On 65½"H towers +\$224	Specify with glass shelves. Specify with glass shelves.
Pulls	Proud steel or wood fronts - Contemporary No cost - Handle No cost - Jazz +\$ 17 per pull - Bar +\$ 25 per pull	Specify with contemporary pull. Specify with handle pull. Specify with jazz pull. Specify with bar pull.
	Proud steel fronts only c:scape +\$ 28 per pull	Specify with c:scape pull.
Counterweights	- Tower Package 1 +\$ 98 - Tower Package 2 +\$122	Specify with counterweight. Specify with counterweight.
Lock and Keying	Lock Ember Chrome No cost	Specify with 9250 Ember Chrome lock.
	Keying Factory- and field-installed keying	► Page 726
Related Products	- Field-installed tops - Adjustable shelves - Counterweights - Storage accessories - Bookends	► Page 666 ► Page 670 ► Page 676 ► Page 591 ► Page 674

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RQS24244LA__ becomes RQS24244LAF for flush steel front).

Specification Information

Dimensions			Style Number	U.S. Base Prices			Counterweights			
D	W	H					Steel Fronts		Wood Fronts	
Flush Steel Front	Proud Steel/Wood Front			Flush Steel Front	Proud Steel Front	Proud Wood Front	Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Universal 3" Base	FrameOne Foot and c:scape Glide Bases
				Suffix F	Suffix P	Suffix W				

Tower with Door Hinged on Left

One 6"H Drawer and Two 12"H Drawers



18"	18⅞"	24"	47½"	RQS182448LA__	\$1882	\$2186	\$2630	Package 1	Package 1	Package 2	Package 2
23⅞"	24"	24"	47½"	RQS242448LA__	\$2084	\$2388	\$2832	Not required	Package 1	Not required	Package 1
29⅞"	30"	24"	47½"	RQS302448LA__	\$2286	\$2590	\$3034	Not required	Not required	Not required	Not required

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Universal Open Side Towers with Flush Steel, Proud Steel, or Proud Wood Fronts, continued

► Specification Information, continued from previous page

Specification Information											
Dimensions				Style Number	U.S. Base Prices			Counterweights			
D	W	H			Flush Steel Front	Proud Steel Front	Proud Wood Front	Steel Fronts	Wood Fronts		
					Suffix F	Suffix P	Suffix W	Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Universal 3" Base	FrameOne Foot and c:scape Glide Bases


Tower with Door Hinged on Left, continued

One Adjustable Shelf, One 6"H Drawer, and Two 12"H Drawers



18"	18 7/8"	24"	52"	RQS18244LA __	\$1944	\$2248	\$2692	Package 1	Package 1	Package 1	Package 1
23 1/8"	24"	24"	52"	RQS24244LA __	\$2162	\$2466	\$2910	Not required	Not required	Not required	Not required
29 1/8"	30"	24"	52"	RQS30244LA __	\$2381	\$2685	\$3129	Not required	Not required	Not required	Not required
:	:	:	:	:	:	:	:	:	:	:	:

Two Adjustable Shelves, One 6"H Drawer, and Two 12"H Drawers



18"	18 7/8"	24"	65 1/2"	RQS18245LC __	\$2293	\$2597	\$3041	Package 1	Package 1	Package 1	Package 1
23 1/8"	24"	24"	65 1/2"	RQS24245LC __	\$2548	\$2852	\$3296	Not required	Not required	Not required	Not required
29 1/8"	30"	24"	65 1/2"	RQS30245LC __	\$2803	\$3107	\$3551	Not required	Not required	Not required	Not required
:	:	:	:	:	:	:	:	:	:	:	:

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


► Specification Information, continued from previous page

Specification Information

Dimensions		W	H	Style Number	U.S. Base Prices			Counterweights			
D								Steel Fronts		Wood Fronts	
Flush Steel Front	Proud Steel/Wood Front				Flush Steel Front	Proud Steel Front	Proud Wood Front	Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Universal 3" Base	FrameOne Foot and c:scape Glide Bases
					Suffix F	Suffix P	Suffix W				


Tower with Door Hinged on Right

One 6"H Drawer and Two 12"H Drawers




18"	18 ⁷ / ₈ "	24"	47 ¹ / ₂ "	RQS182448RA __	\$1882	\$2186	\$2630	Package 1	Package 1	Package 2	Package 2
23 ¹ / ₈ "	24"	24"	47 ¹ / ₂ "	RQS242448RA __	\$2084	\$2388	\$2832	Not required	Package 1	Not required	Package 1
29 ¹ / ₈ "	30"	24"	47 ¹ / ₂ "	RQS302448RA __	\$2286	\$2590	\$3034	Not required	Not required	Not required	Not required
:	:	:	:	:	:	:	:	:	:	:	:

One Adjustable Shelf, One 6"H Drawer, and Two 12"H Drawers



18"	18 ⁷ / ₈ "	24"	52"	RQS18244RA __	\$1944	\$2248	\$2692	Package 1	Package 1	Package 1	Package 1
23 ¹ / ₈ "	24"	24"	52"	RQS24244RA __	\$2162	\$2466	\$2910	Not required	Not required	Not required	Not required
29 ¹ / ₈ "	30"	24"	52"	RQS30244RA __	\$2381	\$2685	\$3129	Not required	Not required	Not required	Not required
:	:	:	:	:	:	:	:	:	:	:	:

Two Adjustable Shelves, One 6"H Drawer, and Two 12"H Drawers



18"	18 ⁷ / ₈ "	24"	65 ¹ / ₂ "	RQS18245RC __	\$2293	\$2597	\$3041	Package 1	Package 1	Package 1	Package 1
23 ¹ / ₂ "	24"	24"	65 ¹ / ₂ "	RQS24245RC __	\$2548	\$2852	\$3296	Not required	Not required	Not required	Not required
29 ¹ / ₈ "	30"	24"	65 ¹ / ₂ "	RQS30245RC __	\$2803	\$3107	\$3551	Not required	Not required	Not required	Not required
:	:	:	:	:	:	:	:	:	:	:	:




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Dual Door Towers

with Flush Steel, Proud Steel, or Proud Wood Fronts



► Need help?
Product details,
page 304

Standard Includes


- Tower: paint price group 1
- 1"H top: paint to match tower
- Door and drawer fronts on units with proud wood fronts: wood veneer
- Lock, keyed random: 9201 Polished Chrome
- Base (see below under required selections)
- Pulls: metal
- Integral pulls on units with flush steel fronts
- Drawer body: black only
- Adjustable shelves on 52"H and 65½"H: paint to match tower
- Brackets for adjustable shelves: black
- Post to support adjustable shelf: paint to match tower
- One box drawer divider and one pencil tray: black only
- Coat rod: black
- Four adjustable leveling glides
- Counterweight package, if selected

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
F Flush steel front
P Proud steel front
W Proud wood front
 - 2 Paint color number for tower
 - 3 Wood color number for door and drawer fronts, if proud wood front selected
 - 4 Base (see below under required selections)
 - 5 Pull (see below under required selections)
 - 6 Metal color number for pulls, if proud steel or proud wood front selected
 - 7 Options, if selected (see below)
- See *Surface Materials*, page 708.

	Required Selections	U.S. Price	Required to Specify
Bases	• Universal 3" base	No cost	Specify with <i>Universal 3" base</i> , painted to match tower.
	• FrameOne foot base	+\$174	Specify with <i>FrameOne foot base</i> , painted to match tower.
	• c:scape glide base	+\$174	Specify with <i>c:scape glide base</i> , 4799 Platinum only.


Pulls




Contemporary




Handle



Jazz



Bar



c:scape

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 71	Specify paint color number.
	• Paint price group 3	+\$122	Specify paint color number.
	• Premium wood 2 on proud wood fronts and top	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3 on proud wood fronts and top	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain on proud wood fronts and top	No cost	Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
Tops with Flush Steel Front, Proud Steel Front, and Proud Wood Front	Laminate top		
	• Square edge laminate top	+\$127	Specify with <i>laminate top</i> and indicate laminate color number for top and plastic color number for edges. ► See <i>Surface Materials Reference Manual</i> .
	• Open Line laminate on laminate top	+\$ 65 plus cost of laminate	

► Options, continued on next page

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

Premium Wood Pricing:
For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RDD182448LA becomes RDD182448LAF for flush steel front).


Options	U.S. Price	Required to Specify
Tops with Flush Steel Front, Proud Steel Front, and Proud Wood Front, continued	Wood veneer top • Wood veneer top +\$384 • Premium wood 2 See information at left • Premium wood 3 See information at left • Customiz stain on wood veneer top on units with flush steel or proud steel fronts No cost	Specify with wood veneer top and indicate wood color number. Specify with wood veneer top and indicate Premium wood 2 finish number. Specify with wood veneer top and indicate Premium wood 3 finish number. Specify with Customiz stain. ► See Surface Materials Reference Manual.
Pulls	Proud steel or wood fronts • Contemporary No cost • Handle No cost • Jazz +\$ 17 per pull • Bar +\$ 25 per pull Proud steel fronts only • c:scape +\$ 28 per pull	Specify with contemporary pull. Specify with handle pull. Specify with jazz pull. Specify with bar pull. Specify with c:scape pull.
Counterweights	• Tower Package 1 +\$ 98 • Tower Package 2 +\$122	Specify with counterweight. Specify with counterweight.
Lock and Keying	Lock • Ember Chrome No cost Keying • Factory- and field-installed keying	Specify with 9250 Ember Chrome lock. ► Page 726
Related Products	• Field-installed tops • Adjustable shelves • Counterweights • Storage accessories	► Page 666 ► Page 670 ► Page 676 ► Page 591

Specification Information

Dimensions			Style Number	U.S. Base Prices			Counterweights			
D	W	H		Flush Steel Front	Proud Steel Front	Proud Wood Front	Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Universal 3" Base	FrameOne Foot and c:scape Glide Bases
Flush Steel Front	Proud Steel/Wood Front			Suffix F	Suffix P	Suffix W				

Tower with Doors Hinged on Left

One Fixed Shelf and Two 12"H Drawers



18"	18 7/8"	24"	47 1/2"	RDD182448LA	\$1662	\$1929	\$2320	Package 1	Package 1	Package 2	Package 2
23 1/8"	24"	24"	47 1/2"	RDD242448LA	\$2000	\$2097	\$2497	Not required	Package 1	Not required	Package 1

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Dual Door Towers with Flush Steel, Proud Steel, or Proud Wood Fronts, continued


► Specification Information, continued from previous page

Specification Information

Dimensions		W	H	Style Number	U.S. Base Prices			Counterweights			
D					Flush Steel Front	Proud Steel Front	Proud Wood Front	Steel Fronts Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Wood Fronts Universal 3" Base	FrameOne Foot and c:scape Glide Bases
Flush Steel Front	Proud Steel/Wood Front				Suffix F	Suffix P	Suffix W				


Tower with Doors Hinged on Left, continued

One Fixed Shelf, Two 6"H Drawers, and One 12"H Drawer




18"	18 ⁷ / ₈ "	24"	47 ¹ / ₂ "	RDD182448LB__	\$1809	\$2082	\$2480	Package 1	Package 1	Package 2	Package 2
23 ¹ / ₈ "	24"	24"	47 ¹ / ₂ "	RDD242448LB__	\$2140	\$2245	\$2662	Not required	Package 1	Not required	Package 1
:	:	:	:	:	:	:	:	:	:	:	:

One Fixed Shelf, One Adjustable Shelf, and Two 12"H Drawers



18"	18 ⁷ / ₈ "	24"	52"	RDD18244LA__	\$1835	\$2085	\$2473	Package 1	Package 1	Package 1	Package 1
23 ¹ / ₈ "	24"	24"	52"	RDD24244LA__	\$2160	\$2275	\$2633	Not required	Not required	Not required	Not required
:	:	:	:	:	:	:	:	:	:	:	:

One Fixed Shelf, One Adjustable Shelf, Two 6"H Drawers, and One 12"H Drawer



18"	18 ⁷ / ₈ "	24"	52"	RDD18244LB__	\$1955	\$2205	\$2593	Package 1	Package 1	Package 1	Package 1
23 ¹ / ₈ "	24"	24"	52"	RDD24244LB__	\$2280	\$2395	\$2783	Not required	Not required	Not required	Not required
:	:	:	:	:	:	:	:	:	:	:	:

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


► Specification Information, continued from previous page

Specification Information

Dimensions		W	H	Style Number	U.S. Base Prices			Counterweights			
D								Steel Fronts		Wood Fronts	
Flush Steel Front	Proud Steel/Wood Front				Flush Steel Front	Proud Steel Front	Proud Wood Front	Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Universal 3" Base	FrameOne Foot and c:scape Glide Bases
					Suffix F	Suffix P	Suffix W				


Tower with Doors Hinged on Left, continued

One Fixed Shelf, Two Adjustable Shelves, and Two 12"H Drawers



18"	18 7/8"	24"	65 1/2"	RDD18245LC__	\$2059	\$2343	\$2730	Package 1	Package 1	Package 1	Package 1
23 1/8"	24"	24"	65 1/2"	RDD24245LC__	\$2280	\$2360	\$2960	Not required	Not required	Not required	Not required
:	:	:	:	:	:	:	:	:	:	:	:

One Fixed Shelf, Two Adjustable Shelves, Two 6"H Drawers, and One 12"H Drawer



18"	18 7/8"	24"	65 1/2"	RDD18245LD__	\$2179	\$2452	\$2850	Package 1	Package 1	Package 1	Package 1
23 1/8"	24"	24"	65 1/2"	RDD24245LD__	\$2400	\$2480	\$3080	Not required	Not required	Not required	Not required
:	:	:	:	:	:	:	:	:	:	:	:

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Dual Door Towers with Flush Steel, Proud Steel, or Proud Wood Fronts, continued


► Specification Information, continued from previous page

Specification Information

Dimensions		W	H	Style Number	U.S. Base Prices			Counterweights			
D								Steel Fronts		Wood Fronts	
Flush Steel Front	Proud Steel/Wood Front				Flush Steel Front	Proud Steel Front	Proud Wood Front	Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Universal 3" Base	FrameOne Foot and c:scape Glide Bases
					Suffix F	Suffix P	Suffix W				


Tower with Doors Hinged on Right

One Fixed Shelf and Two 12"H Drawers




18"	18 ⁷ / ₈ "	24"	47 ¹ / ₂ "	RDD182448RA __	\$1662	\$1929	\$2320	Package 1	Package 1	Package 2	Package 2
23 ¹ / ₈ "	24"	24"	47 ¹ / ₂ "	RDD242448RA __	\$2000	\$2097	\$2497	Not required	Package 1	Not required	Package 1
:	:	:	:	:	:	:	:	:	:	:	:

One Fixed Shelf, Two 6"H Drawers, and One 12"H Drawer



18"	18 ⁷ / ₈ "	24"	47 ¹ / ₂ "	RDD182448RB __	\$1809	\$2082	\$2480	Package 1	Package 1	Package 2	Package 2
23 ¹ / ₈ "	24"	24"	47 ¹ / ₂ "	RDD242448RB __	\$2140	\$2245	\$2662	Not required	Package 1	Not required	Package 1
:	:	:	:	:	:	:	:	:	:	:	:

One Fixed Shelf, One Adjustable Shelf, and Two 12"H Drawers



18"	18 ⁷ / ₈ "	24"	52"	RDD18244RA __	\$1835	\$2085	\$2473	Package 1	Package 1	Package 1	Package 1
23 ¹ / ₈ "	24"	24"	52"	RDD24244RA __	\$2160	\$2275	\$2633	Not required	Not required	Not required	Not required
:	:	:	:	:	:	:	:	:	:	:	:

► Specification Information, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


► Specification Information, continued from previous page

Specification Information

Dimensions			Style Number	U.S. Base Prices			Counterweights			
D	W	H		Flush Steel Front	Proud Steel Front	Proud Wood Front	Steel Fronts Universal 3" Base	FrameOne Foot and c:scape Glide Bases	Wood Fronts Universal 3" Base	FrameOne Foot and c:scape Glide Bases
Flush Steel Front	Proud Steel/Wood Front			Suffix F	Suffix P	Suffix W				


Tower with Doors Hinged on Right, continued

One Fixed Shelf, One Adjustable Shelf, Two 6"H Drawers, and One 12"H Drawer




18"	18 7/8"	24"	52"	RDD18244RB __	\$1955	\$2205	\$2593	Package 1	Package 1	Package 1	Package 1
23 1/8"	24"	24"	52"	RDD24244RB __	\$2280	\$2395	\$2783	Not required	Not required	Not required	Not required

One Fixed Shelf, Two Adjustable Shelves, and Two 12"H Drawers



18"	18 7/8"	24"	65 1/2"	RDD18245RC __	\$2059	\$2343	\$2730	Package 1	Package 1	Package 1	Package 1
23 1/8"	24"	24"	65 1/2"	RDD24245RC __	\$2280	\$2360	\$2960	Not required	Not required	Not required	Not required

One Fixed Shelf, Two Adjustable Shelves, Two 6"H Drawers, and One 12"H Drawer



18"	18 7/8"	24"	65 1/2"	RDD18245RD __	\$2179	\$2452	\$2850	Package 1	Package 1	Package 1	Package 1
23 1/8"	24"	24"	65 1/2"	RDD24245RD __	\$2400	\$2480	\$3080	Not required	Not required	Not required	Not required




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Full Front Towers

With Flush Steel, Proud Steel, or Proud Wood Fronts



► Need help?
Product details,
page 304

Standard Includes

- Tower: paint price group 1
- 1"H top: paint to match tower
- Door fronts on units with proud wood fronts: wood veneer
- Integral pulls on units with flush steel fronts
- Pulls: metal
- Lock, keyed random: 9201 Polished Chrome
- Drawer body: black only
- Adjustable shelves: paint to match tower
- Brackets for adjustable shelves: black
- Coat rod: black
- Four adjustable leveling glides

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
F Flush steel front
P Proud steel front
W Proud wood front
 - 2 Paint color number for tower
 - 3 Wood color number for door, if proud wood fronts selected
 - 4 Pull (see below under required selections)
 - 5 Metal color number for pulls, if proud steel or proud wood front selected
 - 6 Options, if selected (see below)
- See *Surface Materials*, page 708.

Required Selections


Pulls




Contemporary




Handle



Jazz



Bar



c:scape

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

Tip: Counterweight packages are recommended based on case size and interior options.

► See *Specification Information* on next page.

Tip: Counterweight option should be specified if the cabinet is not ganged to adjacent cabinets or bolted to the floor or wall.

Tip: Counterweight packages ship separately from case and must be installed on site.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 71	Specify paint color number.
	• Paint price group 3	+\$122	Specify paint color number.
	• Premium wood 2 on proud wood fronts and top	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3 on proud wood fronts and top	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain on proud wood fronts and top	No cost	Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
Tops with Flush Steel Front, Proud Steel Front, and Proud Wood Front	Laminate top		
	• Square edge laminate top	+\$127	Specify with <i>laminate top</i> and indicate laminate color number for top and plastic color number for edges. ► See <i>Surface Materials Reference Manual</i> .
	• Open Line laminate on laminate top	+\$ 65 plus cost of laminate	
	Wood veneer top		
	• Wood veneer top	+\$384	Specify with <i>wood veneer top</i> and indicate wood color number.
	• Premium wood 2	See information at left	Specify with <i>wood veneer top</i> and indicate Premium wood 2 finish number.
	• Premium wood 3	See information at left	Specify with <i>wood veneer top</i> and indicate Premium wood 3 finish number.
	• Customiz stain on wood veneer top on units with flush steel or proud steel fronts	No cost	Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
Counterweights	52"H tower with proud wood fronts		
	• Tower package	+\$ 84	Specify with <i>counterweight</i> .
Pulls	Proud steel or wood fronts		
	• Contemporary	No cost	Specify with <i>contemporary pull</i> .
	• Handle	No cost	Specify with <i>handle pull</i> .
	• Jazz	+\$ 17 per pull	Specify with <i>jazz pull</i> .
	• Bar	+\$ 25 per pull	Specify with <i>bar pull</i> .
	Proud steel fronts only		
	• c:scape	+\$ 28 per pull	Specify with <i>c:scape pull</i> .

► Options, continued on next page

► Options, continued from previous page

Options	U.S. Price	Required to Specify
Lock and Keying	Lock • Ember Chrome	No cost
	Keying • Factory- and field-installed keying	Specify with 9250 Ember Chrome lock. ► Page 726
Related Products	• Field-installed tops • Storage accessories • Bookends	► Page 666 ► Page 671 ► Page 674

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RFF24244LR_ becomes RFF24244LRF for flush steel front).


Specification Information

Dimensions	W	H	Counterweight Package	Style Number	U.S. Base Prices
D					
Flush Steel Front	Proud Steel/Wood Front				Flush Steel Front Proud Steel Front Proud Wood Front
					Suffix F Suffix P Suffix W

52"H Tower with Door Hinged on Left


Partition with Coat Rod and Four 12"H Drawers

23 1/8"	24"	24"	52"	Tower package 1 for proud wood fronts only	RFF24244LR_	\$2378	\$2554	\$3040
---------	-----	-----	-----	--	--------------------	--------	--------	--------




Partition with Coat Rod, One Fixed Shelf, and Three 12"H Drawers

23 1/8"	24"	24"	52"	Tower package 1 for proud wood fronts only	RFF24244LS_	\$2315	\$2491	\$2977
---------	-----	-----	-----	--	--------------------	--------	--------	--------



Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Two 12"H Drawers

23 1/8"	24"	24"	52"	Tower package 1 for proud wood fronts only	RFF24244LT_	\$2256	\$2432	\$2918
:	:	:	:	:	:	:	:	:



Tip: The adjustable shelf is always in the top/upper position.



For Canadian Pricing






Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Full Front Towers with Flush Steel, Proud Steel, or Proud Wood Fronts, continued

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RFF24244RR__ becomes RFF24244RRF for flush steel front).



► Specification Information, continued from previous page

Specification Information

Dimensions		W	H	Counterweight Package	Style Number	U.S. Base Prices		
D						Flush Steel Front	Proud Steel/Wood Front	Proud Wood Front
						Suffix F	Suffix P	Suffix W

52"H Tower with Door Hinged on Right

Partition with Coat Rod and Four 12"H Drawers

23 1/8"	24"	24"	52"	Tower package 1 for proud wood fronts only	RFF24244RR__	\$2378	\$2554	\$3040
---------	-----	-----	-----	--	---------------------	--------	--------	--------

Partition with Coat Rod, One Fixed Shelf, and Three 12"H Drawers

23 1/8"	24"	24"	52"	Tower package 1 for proud wood fronts only	RFF24244RS__	\$2315	\$2491	\$2977
---------	-----	-----	-----	--	---------------------	--------	--------	--------

Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Two 12"H Drawers

23 1/8"	24"	24"	52"	Tower package 1 for proud wood fronts only	RFF24244RT__	\$2256	\$2432	\$2918
:	:	:	:	:	:	:	:	:

65 1/2"H Tower with Door Hinged on Left

Partition with Coat Rod, One Fixed Shelf, and Four 12"H Drawers

23 1/8"	24"	24"	65 1/2"	Not required	RFF24245LU__	\$2632	\$2808	\$3294
---------	-----	-----	---------	--------------	---------------------	--------	--------	--------

Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Three 12"H Drawers

23 1/8"	24"	24"	65 1/2"	Not required	RFF24245LV__	\$2571	\$2747	\$3233
:	:	:	:	:	:	:	:	:

► Specification Information, continued on next page

► Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RFF24245LW__ becomes RFF24245LWF for flush steel front).


Specification Information

Dimensions		W	H	Counterweight Package	Style Number	U.S. Base Prices		
D						Flush Steel Front	Proud Steel/Wood Front	Proud Wood Front
						Suffix F	Suffix P	Suffix W

65½"H Tower with Door Hinged on Left, continued

Partition with Coat Rod, Two Adjustable Shelves, One Fixed Shelf, and Two 12"H Drawers


23⅛"	24"	24"	65½"	Not required	RFF24245LW__	\$2510	\$2686	\$3172
.	.	.	.	.	.	.	.	.



65½"H Tower with Door Hinged on Right


Partition with Coat Rod, One Fixed Shelf, and Four 12"H Drawers

23⅛"	24"	24"	65½"	Not required	RFF24245RU__	\$2632	\$2808	\$3294
------	-----	-----	------	--------------	---------------------	--------	--------	--------




Partition with Coat Rod, One Adjustable Shelf, One Fixed Shelf, and Three 12"H Drawers

23⅛"	24"	24"	65½"	Not required	RFF24245RV__	\$2571	\$2747	\$3233
------	-----	-----	------	--------------	---------------------	--------	--------	--------



Partition with Coat Rod, Two Adjustable Shelves, One Fixed Shelf, and Two 12"H Drawers


23⅛"	24"	24"	65½"	Not required	RFF24245RW__	\$2510	\$2686	\$3172
.	.	.	.	.	.	.	.	.



 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Universal Vertical Drawer Towers

With Flush Steel, Proud Steel, or Proud Wood Fronts



► Need help?
Product details,
page 304

Standard Includes


- Tower: paint price group 1
- 1"H top: paint to match tower
- Integral pulls on units with flush steel fronts
- Pulls: metal
- Hinged door on units with flush steel or proud steel fronts: paint to match tower
- Hinged door on units with proud wood fronts: wood veneer to match tower
- Lift-up door with fixed shelf on 65½"H units with flush steel fronts: paint to match tower
- Lift-up door with fixed shelf on 65½"H units with proud wood fronts: wood veneer to match tower
- Lock, keyed random: 9201 Polished Chrome
- Drawer body: black only
- Drawer suspensions: black only
- Two box drawer dividers and one pencil tray in units with 6"H box drawers: black only
- Coat rod: black
- Four adjustable leveling glides
- Counterweight package; if selected

Required to Specify


- 1 Style number with appropriate front style suffix in the space provided
F Flush steel front
P Proud steel front
W Proud wood front
- 2 Paint color number for tower
- 3 Wood color number for door and drawer fronts, if proud wood fronts selected
- 4 Pull (see below under required selections)
- 5 Metal color number for pulls, if proud steel or proud wood front selected
- 6 Options, if selected (see below)
► See *Surface Materials*, page 708.

Required Selections


Pulls




Contemporary




Handle



Jazz



Bar



c:scape

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 71	Specify paint color number.
	• Paint price group 3	+\$122	Specify paint color number.
Premium Wood Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.	• Premium wood 2 on proud wood fronts and top	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3 on proud wood fronts and top	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain on proud wood fronts and top	No cost	Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
Tops with Flush Steel Front, Proud Steel Front, and Proud Wood Front	Laminate top		
	• Square edge laminate top	+\$127	Specify with <i>laminate top</i> and indicate laminate color number for top and plastic color number for edges. ► See <i>Surface Materials Reference Manual</i> .
	• Open Line laminate on laminate top	+\$ 65 plus cost of laminate	
Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.	Wood veneer top		
	• Wood veneer top	+\$384	Specify with <i>wood veneer top</i> and indicate wood color number.
	• Premium wood 2	See information at left	Specify with <i>wood veneer top</i> and indicate Premium wood 2 finish number.
	• Premium wood 3	See information at left	Specify with <i>wood veneer top</i> and indicate Premium wood 3 finish number.
Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.	• Customiz stain on wood veneer top on units with flush steel or proud steel fronts	No cost	Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .

► Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Counterweights	52"H Towers		
	• No counterweight • Tower package 1	No cost No cost	Specify <i>without counterweight</i> . Specify <i>with counterweight</i> .
Pulls	Proud steel or wood fronts		
	• Contemporary	No cost	Specify <i>with contemporary pull</i> .
	• Handle	No cost	Specify <i>with handle pull</i> .
	• Jazz	+\$17 per pull	Specify <i>with jazz pull</i> .
	• Bar	+\$25 per pull	Specify <i>with bar pull</i> .
	Proud steel fronts only		
	• c:scape	+\$28 per pull	Specify <i>with c:scape pull</i> .
Lock and Keying	Lock		
	• Ember Chrome	No cost	Specify <i>with 9250 Ember Chrome lock</i> .
	Keying		
	• Factory- and field-installed keying		► Page 726
Related Products	• Field-installed tops		► Page 666
	• Storage accessories		► Page 671

► Specification Information, on next page

Tip: Counterweight option should be specified if the cabinet is not ganged to adjacent cabinets or bolted to the floor or wall.

Tip: Counterweight packages ship separately from case and must be installed on site.






For Canadian Pricing
 Multiply U.S. Price by the
 Canadian price factor.
 ► See page 1 for details.

Universal Vertical Drawer Towers with Flush Steel, Proud Steel, or Proud Wood Fronts, continued

► Options, on previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RVD24244LA__ becomes RVD24244LAF for flush steel front).



Specification Information

Dimensions		W	H	Counterweight Package	Style Number	U.S. Base Prices		
D	Flush Steel Front	Proud Steel/Wood Front				Flush Steel Front	Proud Steel Front	Proud Wood Front
						Suffix F	Suffix P	Suffix W

Tower with Door Hinged on Left

Four 12"H Drawers

23 1/8"	24"	24"	52"	Tower package 1	RVD24244LA__	\$2091	\$2349	\$2792
29 1/8"	30"	24"	52"	Tower package 1	RVD30244LA__	\$2304	\$2562	\$3005

Three 12"H Drawers and Two 6"H Drawers

23 1/8"	24"	24"	52"	Tower package 1	RVD24244LB__	\$2267	\$2525	\$2968
29 1/8"	30"	24"	52"	Tower package 1	RVD30244LB__	\$2481	\$2739	\$3182

Four 12"H Drawers and One 13 1/2"H Lift-Up Door with Fixed Shelf

23 1/8"	24"	24"	65 1/2"	Not required	RVD24245LC__	\$2467	\$2767	\$3168
29 1/8"	30"	24"	65 1/2"	Not required	RVD30245LC__	\$2718	\$3018	\$3419

Three 12"H Drawers, Two 6"H Drawers, and One 13 1/2"H Lift-Up Door with Fixed Shelf

23 1/8"	24"	24"	65 1/2"	Not required	RVD24245LD__	\$2642	\$2942	\$3343
29 1/8"	30"	24"	65 1/2"	Not required	RVD30245LD__	\$2896	\$3196	\$3597

► Specification Information, continued on next page

 **For Canadian Pricing**
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

► Specification Information, continued from previous page

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RVD24244RA__ becomes RVD24244RAF for flush steel front).

Specification Information

Dimensions		W	H	Counterweight Package	Style Number	U.S. Base Prices		
D						Flush Steel Front	Proud Steel/Wood Front	Proud Wood Front
						Suffix F	Suffix P	Suffix W

Tower with Door Hinged on Right

Four 12"H Drawers

23 1/8"	24"	24"	52"	Tower package 1	RVD24244RA__	\$2091	\$2349	\$2792
29 1/8"	30"	24"	52"	Tower package 1	RVD30244RA__	\$2304	\$2562	\$3005

Three 12"H Drawers and Two 6"H Drawers





23 1/8"	24"	24"	52"	Tower package 1	RVD24244RB__	\$2267	\$2525	\$2968
29 1/8"	30"	24"	52"	Tower package 1	RVD30244RB__	\$2481	\$2739	\$3182

Four 12"H Drawers and One 13 1/2"H Lift-Up Door with Fixed Shelf

23 1/8"	24"	24"	65 1/2"	Not required	RVD24245RC__	\$2467	\$2767	\$3168
29 1/8"	30"	24"	65 1/2"	Not required	RVD30245RC__	\$2718	\$3018	\$3419

Three 12"H Drawers, Two 6"H Drawers, and One 13 1/2"H Lift-Up Door with Fixed Shelf


23 1/8"	24"	24"	65 1/2"	Not required	RVD24245RD__	\$2642	\$2942	\$3343
29 1/8"	30"	24"	65 1/2"	Not required	RVD30245RD__	\$2896	\$3196	\$3597



 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Universal Workstation Verticals

With Flush Steel, Proud Steel, or Proud Wood Fronts



► Need help?
Product details,
page 304

Standard Includes

- Vertical: paint price group 1
- 1"H top: paint to match tower
- Door and drawer fronts on units with proud wood fronts, if selected: wood veneer
- Integral pulls on units with flush steel fronts
- Pulls: metal
- Lift-up door with fixed shelf on 65½"H units with flush steel fronts: paint to match tower
- Lift-up door with fixed shelf on 65½"H units with proud wood fronts: wood veneer to match tower
- Central lock, keyed random: 9201 Polished Chrome
- Drawer body: black only
- Drawer suspensions: black only
- One pencil tray in units with 6"H box drawers: black only
- Four adjustable leveling glides


Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
 - F** Flush steel front
 - P** Proud steel front
 - W** Proud wood front
- 2 Paint color number for tower
- 3 Wood color number for door and drawer fronts, if proud wood fronts selected
- 4 Pull (see below under required selections)
- 5 Metal color number for pulls, if proud steel or proud wood front selected
- 6 Options, if selected (see below)

► See *Surface Materials*, page 708.

Required Selections


Pulls




Contemporary




Handle



Jazz



Bar



c:scape

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: If wood veneer top option is selected, wood veneer top color will default to match wood front.

Tip: Counterweight packages are recommended based on case size and interior options.

► See Specification Information on next page.

Tip: Counterweight option should be specified if the cabinet is not ganged to adjacent cabinets or bolted to the floor or wall.

Tip: Counterweight packages ship separately from case and must be installed on site.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1	No cost	Specify paint color number.
	• Paint price group 2	+\$ 71	Specify paint color number.
	• Paint price group 3	+\$122	Specify paint color number.
	• Premium wood 2 on proud wood fronts and top	See information at left	Specify Premium wood 2 finish number.
	• Premium wood 3 on proud wood fronts and top	See information at left	Specify Premium wood 3 finish number.
	• Customiz stain on proud wood fronts and top	No cost	Specify <i>with Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> .
Tops with Flush Steel Front, Proud Steel Front, and Proud Wood Front	Laminate top		
	• Square edge laminate top	+\$127	Specify <i>with laminate top</i> and indicate laminate color number for top and plastic color number for edges. ▶ See <i>Surface Materials Reference Manual</i> .
	• Open Line laminate on laminate top	+\$ 65 plus cost of laminate	
	Wood veneer top		
	• Wood veneer top	+\$384	Specify <i>with wood veneer top</i> and indicate wood color number.
	• Premium wood 2	See information at left	Specify <i>with wood veneer top</i> and indicate Premium wood 2 finish number.
	• Premium wood 3	See information at left	Specify <i>with wood veneer top</i> and indicate Premium wood 3 finish number.
	• Customiz stain on wood veneer top on units with flush steel or proud steel fronts	No cost	Specify <i>with Customiz stain</i> . ▶ See <i>Surface Materials Reference Manual</i> .
Counterweights	• Tower package	+\$ 84	Specify <i>with counterweight</i> .
Pulls	Proud steel or wood fronts		
	• Contemporary	No cost	Specify <i>with contemporary pull</i> .
	• Handle	No cost	Specify <i>with handle pull</i> .
	• Jazz	+\$ 17 per pull	Specify <i>with jazz pull</i> .
	• Bar	+\$ 25 per pull	Specify <i>with bar pull</i> .
Options, continued on next page			

► Options, continued on next page

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Pulls, continued	Proud steel fronts only • c:scape	+\$ 28 per pull	Specify with c:scape pull.
Lock and Keying	Lock • Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Individual locking drawers • For use when limiting drawer access	+\$366	Specify with individual lock.
	Keying • Factory- and field-installed keying		► Page 726
Related Products	• Field-installed tops • Storage accessories		► Page 666 ► Page 671

Tip: Individual locking drawer option is not available on verticals with 6"H drawers.

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.


Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RWV2415A__ becomes RWV2415AF for flush steel front).

Specification Information

Dimensions		W	H	Counterweight Package	Style Number	U.S. Base Prices		
D						Flush Steel Front	Proud Steel/Wood Front	Proud Wood Front
						Suffix F	Suffix P	Suffix W


Four 12"H Drawers

23 1/8"	24"	15"	52"	Tower package 1	RWV24154A__	\$1525	\$1702	\$2191
29 1/8"	30"	15"	52"	Tower package 1	RWV30154A__	\$1683	\$1860	\$2349
:	:	:	:	:	:	:	:	:




Three 12"H Drawers and Two 6"H Drawers

23 1/8"	24"	15"	52"	Tower package 1	RWV24154B__	\$1701	\$1878	\$2367
29 1/8"	30"	15"	52"	Tower package 1	RWV30154B__	\$1862	\$2039	\$2528
:	:	:	:	:	:	:	:	:




Four 12"H Drawers and One 13 1/2"H Lift-Up Door with Fixed Shelf

23 1/8"	24"	15"	65 1/2"	Tower package 1	RWV24155C__	\$1810	\$2031	\$2476
29 1/8"	30"	15"	65 1/2"	Not required	RWV30155C__	\$1996	\$2217	\$2662
:	:	:	:	:	:	:	:	:




Three 12"H Drawers, Two 6"H Drawers, and One 13 1/2"H Lift-Up Door with Fixed Shelf

23 1/8"	24"	15"	65 1/2"	Tower package 1	RWV24155D__	\$1987	\$2208	\$2653
29 1/8"	30"	15"	65 1/2"	Not required	RWV30155D__	\$2172	\$2393	\$2838
:	:	:	:	:	:	:	:	:



Universal Lateral Files

with Flush Steel, Proud Steel, or Proud Wood Fronts



► Need help?
Product details,
page 308

Standard Includes


- Lateral file: paint price group 1
- 1"H top on units with flush steel or proud steel fronts: paint to match file
- 1 $\frac{3}{16}$ "H top and drawer fronts on units with proud wood fronts: wood veneer
- Integral pulls on units with flush steel front
- Pulls: metal
- Lift-up door with fixed shelf on 65 $\frac{1}{2}$ "H units with flush steel or proud steel front: paint to match file
- Lift-up door with fixed shelf on 65 $\frac{1}{2}$ "H units with proud wood fronts: wood veneer to match file
- Central lock, keyed random: 9201 Polished Chrome
- One label holder per drawer: clear plastic
- Drawer body: black only
- Drawer suspensions: black only
- One hanging folder bar per drawer on 18"D units
- Two rails per drawer on 24"D units
- One hanging folder bar and three dividers on roll-out shelf, if selected
- Four adjustable leveling glides
- Counterweight package, if selected

Required to Specify

- 1 Style number with appropriate front style suffix in the space provided
F Flush steel front
P Proud steel front
W Proud wood front
- 2 Paint color number for file
- 3 Wood color number for drawer fronts and top, if proud wood front selected
- 4 Pull (see below under required selections)
- 5 Metal color number for pulls, if proud steel or proud wood front selected
- 6 Options, if selected (see below)
► See *Surface Materials*, page 708.

Required Selections


Pulls




Contemporary




Handle



Jazz



Bar



c:scape

Premium Wood

Pricing: For Premium wood 2 or Premium wood 3 pricing, please refer to the electronic catalog or SmartTools.

Tip: Laminate and wood veneer tops are $\frac{3}{16}$ " taller than other tops and will add $\frac{3}{16}$ " to overall case height.

Tip: Full-fill finish (option) is available on field-installed tops only.

► Page 708



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

	Options	U.S. Price	Required to Specify
Surface Materials	• Paint price group 1 • Paint price group 2 • Paint price group 3	No cost +\$ 71 +\$122	Specify paint color number. Specify paint color number. Specify paint color number.
	Premium wood on proud wood fronts and top		
	• Premium wood 2 • Premium wood 3	See information at left See information at left	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number.
	Customiz stain on proud wood fronts and top		
	• 40"H files • 52"H or 65$\frac{1}{2}$"H files	No cost No cost	Specify with Customiz stain. Specify with Customiz stain. ► See <i>Surface Materials Reference Manual</i> .
Tops with Flush Steel Front and Proud Steel Front	No top on 40"H or 52"H		
	• For use under a worksurface or beneath a common top	-\$ 92	Specify with no top.
	Laminate top		
	• Square edge laminate top	+\$127	Specify with laminate top and indicate laminate color number for top and plastic color number for edges. ► See <i>Surface Materials Reference Manual</i> .
	• Open Line laminate on laminate top	+\$ 65 plus cost of laminate	
	Wood veneer top		
	• Wood veneer top	+\$384	Specify with wood veneer top and indicate wood color number.
	• Premium wood 2	See information at left	Specify with wood veneer top and indicate Premium wood 2 finish number.
	• Premium wood 3	See information at left	Specify with wood veneer top and indicate Premium wood 3 finish number.
	• Customiz stain on wood veneer top	No cost	Specify with Customiz stain. ► See <i>Surface Materials Reference Manual</i>

► Options, continued on next page

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Tops with Proud Wood Front	No top on 40"H or 52"H		
	• For use under a worksurface or beneath a common top	–\$476	Specify <i>with no top</i> .
	Laminate top		
	• Square edge laminate top	–\$257	Specify <i>with laminate top</i> and indicate laminate color number for top and plastic color number for edges.
	• Open Line laminate on laminate top	+\$ 65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .
Drawer Interiors	• HF bar for use on 24"D units only	+\$ 12	Specify <i>with HF bar</i> .
	• Divider package	+\$ 24	Specify <i>with divider package</i> .
	• Rails for use on 18"D units only	+\$ 31	Specify <i>with rails</i> .
Lift-Up Door With Roll-Out Shelf	65½"H flush steel front files only		
	• On 18"D files	+\$ 39	Specify <i>with roll-out shelf</i> .
	• On 24"D files	+\$ 55	Specify <i>with roll-out shelf</i> .
Pulls	Proud steel or wood fronts		
	• Contemporary	No cost	Specify <i>with contemporary pull</i> .
	• Handle	No cost	Specify <i>with handle pull</i> .
	• Jazz	+\$ 17 per pull	Specify <i>with jazz pull</i> .
	• Bar	+\$ 25 per pull	Specify <i>with bar pull</i> .
	Proud steel fronts only		
	• c:scape	+\$ 28 per pull	Specify <i>with c:scape pull</i> .
Counterweights	• Package 1	+\$ 84	Specify <i>with counterweight</i> .
	• Package 2	+\$ 94	Specify <i>with counterweight</i> .
	• Package 3	+\$106	Specify <i>with counterweight</i> .
	• Package 4	+\$139	Specify <i>with counterweight</i> .
Lock and Keying	Lock		
	• Ember Chrome	No cost	Specify <i>with 9250 Ember Chrome lock</i> .
	Individual locking drawers on 18"D file		
	• With two drawers	+\$122	Specify <i>with individual lock</i> .
	• With three drawers	+\$244	Specify <i>with individual lock</i> .
	• With four drawers	+\$366	Specify <i>with individual lock</i> .
	Individual locking drawers on 24"D file		
	• With two drawers	+\$136	Specify <i>with individual lock</i> .
	• With three drawers	+\$272	Specify <i>with individual lock</i> .
	• With four drawers	+\$408	Specify <i>with individual lock</i> .
	Keying		
	• Factory- and field-installed keying		► Page 726
Related Products	• Field-installed tops		► Page 666
	• Storage accessories		► Page 671
	• Bookends		► Page 674
	• Counterweight packages		► Page 676

► Specification Information, on next page

Tip: Laminate and wood veneer tops are 3/16" taller than other tops and will add 3/16" to overall case height.

Tip: Counterweight packages are recommended based on case size and interior options.

► See *Specification Information* on next page.

Tip: Counterweight option should be specified if the cabinet is not ganged back-to-back with another cabinet or bolted to the floor or wall. Cabinets bolted side-to-side now require a counterweight.

Tip: Counterweight packages ship separately from case and must be installed on site.

Tip: 65½"H files with individual lock option do not have a lock in the lift-up door. Lift-up door is locked by the drawer below.

**For Canadian Pricing**




Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Universal Lateral Files with Flush Steel, Proud Steel, or Proud Wood Fronts, continued

Tip: Height dimension listed is for units with 1" top. Overall height will vary if another top is selected.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RLF18363__ becomes RLF18363F for flush steel front).



► Options, on previous page

Specification Information

Dimensions		W	H	Counterweight Package	Style Number	U.S. Base Prices		
D	Flush Steel Front	Proud Steel/Wood Front				Flush Steel Front	Proud Steel Front	Proud Wood Front
						Suffix F	Suffix P	Suffix W

Three 12"H Drawers

18"	18 ⁷ / ₈ "	30"	40"	Package 3	RLF18303__	\$1084	\$1213	\$2180
18"	18 ⁷ / ₈ "	36"	40"	Package 3	RLF18363__	\$1260	\$1413	\$2347
18"	18 ⁷ / ₈ "	42"	40"	Package 3	RLF18423__	\$1424	\$1597	\$2461
23 ¹ / ₈ "	24"	30"	40"	Package 2	RLF24303__	\$1386	\$1554	\$2487
23 ¹ / ₈ "	24"	36"	40"	Package 2	RLF24363__	\$1581	\$1772	\$2693

Four 12"H Drawers

18"	18 ⁷ / ₈ "	30"	52"	Package 3	RLF18304__	\$1416	\$1586	\$2681
18"	18 ⁷ / ₈ "	36"	52"	Package 4	RLF18364__	\$1646	\$1842	\$2908
18"	18 ⁷ / ₈ "	42"	52"	Package 4	RLF18424__	\$1859	\$2083	\$3130
23 ¹ / ₈ "	24"	30"	52"	Package 2	RLF24304__	\$1774	\$1989	\$3095
23 ¹ / ₈ "	24"	36"	52"	Package 3	RLF24364__	\$2063	\$2315	\$3373

Four 12"H Drawers and One 13¹/₂"H Lift-Up Door with Fixed Shelf

18"	18 ⁷ / ₈ "	30"	65 ¹ / ₂ "	Package 2	RLF18305__	\$1698	\$1900	\$3033
18"	18 ⁷ / ₈ "	36"	65 ¹ / ₂ "	Package 2	RLF18365__	\$1969	\$2208	\$3305
18"	18 ⁷ / ₈ "	42"	65 ¹ / ₂ "	Package 3	RLF18425__	\$2225	\$2494	\$3576
23 ¹ / ₈ "	24"	30"	65 ¹ / ₂ "	Package 1	RLF24305__	\$2128	\$2388	\$3531
23 ¹ / ₈ "	24"	36"	65 ¹ / ₂ "	Package 1	RLF24365__	\$2471	\$2770	\$3870



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Specifying Storage Tops, Shelves, and Accessories

When ordered and installed in accordance with Steelcase specification and installation guidelines, these products meet applicable ANSI/BIFMA standards.

Connectors	664
Steel Security Tops	666
Square Edge Tops	668
Adjustable Shelves for Towers	670
Storage Accessories	671

Connectors

Worksurface-to-Tower Connectors



Standard Includes		Required to Specify
▶ Need help? Product details, page 311	• Connector: paint • Attachment hardware	1 Style number 2 Paint ▶ See <i>Surface Materials</i> , page 708.

Specification Information		
• Dimensions • D	• Style • Number	• U.S. • Price
24"	UFSTOWER24	\$114
30"	UFSTOWER30	\$114
:	:	:

 **For Canadian Pricing**
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Storage-to-Panel Connectors

Tip: Storage-to-panel connectors can only be used with Universal Storage products manufactured on or after October 2005.

► Need help?
Product details,
page 312

• Connector: black paint
• Attachment hardware

Required to Specify

Style number

Specification Information

Dimensions H	Style Number	U.S. Price
-----------------	-----------------	---------------

Low Storage-to-Panel Connectors for One-High Storage

Left-Hand

8¾"	UFSLOWLHANS	\$83
-----	-------------	------

Right-Hand

8¾"	UFSLOWRHANS	\$83
-----	-------------	------

Medium Storage-to-Panel Connectors for 1.5-High, 2-High, and 3-High Storage

Left-Hand

16"	UFSMEDLHANS	\$83
-----	-------------	------

Right-Hand

16"	UFSMEDRHANS	\$83
-----	-------------	------

Tall Storage-to-Panel Connectors for 48"H, 4-High, and 5-High Towers

Left-Hand

39⅝"	UFSTALLHANS	\$83
------	-------------	------

Right-Hand

39⅝"	UFSTALLRHANS	\$83
------	--------------	------



For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.

► See page 1 for details.



Steel Security Tops

For Use with Flush or Proud Front Products

Tip: Tops are for field installation only.

*Tip: Security tops should only be used on units that are positioned under a work-surface—these are **NOT** structural tops.*

Tip: Security top cannot be installed on a file with a lift-up door in the top position.



Standard Includes	Required to Specify
▶ Need help? Product details, page 304 • Security top: all paint price groups • Attachment hardware	1 Style number 2 Paint color number for top ▶ See <i>Surface Materials</i>, page 708.

Specification Information

Dimensions D W	For Use On	Style Number	U.S. Price
------------------------	------------	-----------------	---------------

Flush Front

18"	30"	Lateral file, storage cabinet	RATF1830F	\$94
18"	36"	Lateral file, storage cabinet	RATF1836F	\$94
18"	42"	Lateral file, storage cabinet	RATF1842F	\$94
23½"	30"	Lateral file, storage cabinet	RATF2430F	\$94
23½"	36"	Lateral file, storage cabinet	RATF2436F	\$94
:	:	:	:	:

Proud Front

18⅞"	30"	Lateral file, storage cabinet	RATF1830P	\$94
18⅞"	36"	Lateral file, storage cabinet	RATF1836P	\$94
18⅞"	42"	Lateral file, storage cabinet	RATF1842P	\$94
24"	30"	Lateral file, storage cabinet	RATF2430P	\$94
24"	36"	Lateral file, storage cabinet	RATF2436P	\$94
:	:	:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Tip: Your specification is not complete until you add a suffix to the style number to define the front style (for example, RATL1524__ becomes RATL1524F for a top to be used on a flush steel front unit).

► Specification Information, continued from previous page

Specification Information

• Dimensions		W	H	• Style Number	• U.S. Base Prices		• Option (Add \$ to Base Price)
D					Flush Steel Front	Proud Steel or Proud Wood Front	
• Flush Steel Front	• Proud Steel/ Proud Wood				• Suffix F	• Suffix P	• Full-Fill Finish

Laminate Common Tops, continued

23 1/8"	24"	60 1/16"	13 1/16"	RATCL2460 __	\$ 301	\$ 301	N.A.
23 1/8"	24"	66 1/16"	13 1/16"	RATCL2466 __	\$ 338	\$ 338	N.A.
23 1/8"	24"	72 1/16"	13 1/16"	RATCL2472 __	\$ 381	\$ 381	N.A.
23 1/8"	24"	90 1/8"	13 1/16"	RATCL2490 __	\$ 639	\$ 639	N.A.
23 1/8"	24"	96 1/8"	13 1/16"	RATCL2496 __	\$ 701	\$ 701	N.A.
23 1/8"	24"	108 1/8"	13 1/16"	RATCL24108 __	\$ 847	\$ 847	N.A.
36 1/16"	37 13/16"	36"	13 1/16"	RATCL3636 __	\$ 364	\$ 364	N.A.
36 1/16"	37 13/16"	72 1/16"	13 1/16"	RATCL3672 __	\$ 500	\$ 500	N.A.
46 5/16"	48 1/16"	36"	13 1/16"	RATCL4836 __	\$ 410	\$ 410	N.A.
46 5/16"	48 1/16"	72 1/16"	13 1/16"	RATCL4872 __	\$ 564	\$ 564	N.A.

Individual File Wood Tops

18"	18 7/8"	30"	13 1/16"	RATW1830 __	\$ 458	\$ 458	+\$27
18"	18 7/8"	36"	13 1/16"	RATW1836 __	\$ 468	\$ 468	+\$27
18"	18 7/8"	42"	13 1/16"	RATW1842 __	\$ 527	\$ 527	+\$27
23 1/8"	24"	30"	13 1/16"	RATW2430 __	\$ 475	\$ 475	+\$27
23 1/8"	24"	36"	13 1/16"	RATW2436 __	\$ 488	\$ 488	+\$27

Wood Common Tops

18"	18 7/8"	60 1/16"	13 1/16"	RATCW1860 __	\$ 646	\$ 646	+\$45
18"	18 7/8"	66 1/16"	13 1/16"	RATCW1866 __	\$ 681	\$ 681	+\$45
18"	18 7/8"	72 1/16"	13 1/16"	RATCW1872 __	\$ 715	\$ 715	+\$45
18"	18 7/8"	78 1/16"	13 1/16"	RATCW1878 __	\$ 855	\$ 855	+\$45
18"	18 7/8"	84 1/16"	13 1/16"	RATCW1884 __	\$ 972	\$ 972	+\$65
18"	18 7/8"	90 1/8"	13 1/16"	RATCW1890 __	\$1028	\$1028	+\$65
18"	18 7/8"	96 1/8"	13 1/16"	RATCW1896 __	\$1133	\$1133	+\$65
23 1/8"	24"	60 1/16"	13 1/16"	RATCW2460 __	\$ 663	\$ 663	+\$45
23 1/8"	24"	66 1/16"	13 1/16"	RATCW2466 __	\$ 698	\$ 698	+\$65
23 1/8"	24"	72 1/16"	13 1/16"	RATCW2472 __	\$ 740	\$ 740	+\$65
23 1/8"	24"	90 1/8"	13 1/16"	RATCW2490 __	\$1099	\$1099	+\$65
23 1/8"	24"	96 1/8"	13 1/16"	RATCW2496 __	\$1212	\$1212	+\$65



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Adjustable Shelves for Towers

Adjustable Steel Standard Shelves

For Use with Towers



Tip: Adjustable shelves are for field installation only.

Standard Includes		Required to Specify	
▶ Need help? See <i>Storage Specification Guide</i>. • ¾"H adjustable shelf: all paint price groups • Set of adjustable brackets: black only		1 Style number 2 Paint color number for shelf ▶ See <i>Surface Materials</i>, page 708.	
Specification Information			
• Dimensions		• Style	• U.S.
D	W	Number	Price
For Use with Open Side Towers			
24"	15"	RXSA2415	\$54
30"	15"	RXSA3015	\$58
For Use with Dual Door Towers and Full Front Towers			
24"	15"	RXSAFFT2415	\$54

Adjustable Glass Shelves

For Use with Open Side Towers Only



Tip: Adjustable shelves are for field installation only.

Standard Includes		Required to Specify
▶ Need help? See <i>Storage Specification Guide</i>. • ¾"H adjustable shelf: frosted glass only • Set of four adjustable brackets: black only		Style number
Specification Information		
• Dimensions	• Style	• U.S.
• D • W	• Number	• Price
24"	15"	RXSG2415
		\$131
30"	15"	RXSG3015
		\$145



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Rails

For Use in Pedestals Manufactured after February 22, 2004

For Use in Universal Towers and Universal Workstation Verticals



Tip: Two rails per drawer accommodate side-to-side filing of letter-, A4-, and legal-size hanging folders. Exception: Legal-size file folders cannot be filed in 18"D pedestals.

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

Standard Includes

- ▶ Need help? See *Storage Specification Guide*.
- Package of two rails: black only

Required to Specify

Style number

Specification Information

Width	Style Number	U.S. Price
12"	RXADRL15	\$22

Dividers

For Use in Pedestals Manufactured after February 22, 2004

For Use in Universal Towers and Universal Workstation Verticals

Tip: For pedestals manufactured on or before February 22, 2004, see Service Parts catalog.

Standard Includes

- ▶ Need help? See *Storage Specification Guide*.
- Package of dividers: black only

Required to Specify

Style number

Specification Information

Width	Quantity	Style Number	U.S. Price
-------	----------	--------------	------------

For Use in 6"H Drawers

12"	2	RDV1506	\$ 35
-----	---	----------------	-------

For Use in 12"H Drawers

12"	2	RDV1512	\$ 38
12"	10	RDV151210	\$179



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Storage Accessories, continued

Pencil Tray


For Use in Pedestals, Universal Towers, and Universal Workstation Verticals



Tip: Pedestals with box drawers include one pencil tray per pedestal.

Standard Includes		Required to Specify
► Need help? See <i>Storage Specification Guide</i>.	• Pencil tray: black only	Style number
Specification Information		
• Style Number	• U.S. Price	
RPXDPT	\$32	

Reference Shelf




Standard Includes		Required to Specify
► Need help? See <i>Storage Specification Guide</i>.	• Reference shelf: black only	Style number
	• Insert: clear plastic only	
Specification Information		
• Style Number	• U.S. Price	
RPXDRS	\$44	

Hanging Folder Bars

For Use with Universal Lateral Files and Universal Combination Cabinets Manufactured on or after October 17, 2005

For Use with 900 Series, 800 Series, and TS 200 Series Lateral Files Manufactured on or after May 5, 1997



Standard Includes		Required to Specify
► Need help? See <i>Storage Specification Guide</i>.	• Hanging folder bar: black only	Style number
Specification Information		
• Width	• Style Number	• U.S. Price
30"	RAHF30	\$12
36"	RAHF36	\$12
42"	RAHF42	\$12




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.


► See page 1 for details.

Rails

For Use with Lateral Files and Combination Cabinets



18"D



24"D

Tip: All drawer sizes require two rails per drawer for maximum capacity front-to-back filing.

Note: Actual rail dimensions are 15½" deep for an 18" deep cabinet and 20" deep for a 24" deep cabinet.

Standard Includes

- ▶ Need help? See *Storage Specification Guide*.
- Package of two or four rails: black only

Required to Specify

Style number

Specification Information

• Depth	• Style Number	• U.S. Price
•	•	•

Package of Two

18"	800RW	\$31
24"	RXADRL24	\$22
•	•	•

Package of Four

24"	RXADRL2442	\$42
•	•	•

Dividers

For Use in Lateral Files and Combination Cabinets

Standard Includes

- ▶ Need help? See *Storage Specification Guide*.
- Carton of three dividers: black only

Required to Specify

Style number

Specification Information



• Dimensions	• Style Number	• U.S. Price
D W H	•	•
•	•	•

For Use in 12"H Drawers or 12"H Roll-Out Shelves

11⅞"	1/16"	6¼"	800DV12	\$24
•	•	•	•	•

For Use in 6"H Roll-Out Shelves or Drawers and 9"H Drawers

13½"	1/16"	3⅝"	800DV6	\$24
•	•	•	•	•




For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.


Storage Accessories, continued

Shelf Divider Assembly



Standard Includes		Required to Specify
► Need help? See <i>Storage Specification Guide</i> .	• Divider bracket: black only • Two dividers: clear plastic	Style number
Specification Information		
• Width	• Style Number	• U.S. Price
30"	RASTDIV30	\$88
36"	RASTDIV36	\$88
42"	RASTDIV42	\$88
.	.	.

Bookends




Standard Includes		Required to Specify
► Need help? See <i>Storage Specification Guide</i> .	• Package of two or twenty bookends: 6695 Midnight only	Style number
Specification Information		
• Style Number	• Quantity	• U.S. Price
KDIV02	2	\$ 27
KDIV20	20	\$256
.	.	.

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.


Wood Drawer Pulls



Standard Includes		Required to Specify	
▶ Need help? See <i>Storage Specification Guide</i> .	• Pull: wood	1 Style number	
		2 Wood color number	
		3 Options, if selected (see below)	
		▶ See <i>Surface Materials</i> , page 708.	
Options		U.S. Price	Required to Specify
Surface Materials	• Customiz stain	No cost	Specify with <i>Customiz stain</i> .
			▶ See <i>Surface Materials Reference Manual</i> .
Specification Information			
• Width	• Style Number	• U.S. Price	
15"	RPULL15W	\$131	
30"	RPULL30W	\$179	
36"	RPULL36W	\$203	
42"	RPULL42W	\$226	
:	:	:	

Counterweight Packages

For Use with Universal One-High and 1.5-High Lateral Files



Standard Includes		Required to Specify			
► Need help? See <i>Storage Specification Guide</i> .	• Counterweight: black only	Style number			
	• Attachment hardware				
Specification Information					
• Package Name	• Style Number	• U.S. Price	• Package Name	• Style Number	• U.S. Price
Package A	RAACWA	\$193	Package F	RAACWF	\$165
Package B	RAACWB	\$193	Package G	RAACWG	\$221
Package C	RAACWC	\$193	Package H	RAACWH	\$280
Package D	RAACWD	\$165	Package J	RAACWJ	\$280
Package E	RAACWE	\$165			



For Canadian Pricing


Multiply U.S. Price by the Canadian price factor.

▶ See page 1 for details.

Storage Accessories, continued

Counterweight Packages


For Use with Universal 2H, 3H, 4H, and 5H Lateral Files



Standard Includes			Required to Specify		
▶ Need help? See <i>Storage Specification Guide</i> .			Style number		
• Counterweight: black only • Attachment hardware					
Specification Information					
• Package Number	• Style Number	• U.S. Price	• Package Number	• Style Number	• U.S. Price
Package 1	RAACW1	\$ 84	Package 5	RAACW5	\$176
Package 2	RAACW2	\$ 94	Package 6	RAACW6	\$176
Package 3	RAACW3	\$106	Package 7	RAACW7	\$168
Package 4	RAACW4	\$139	Package 8	RAACW8	\$211
.	.	.	.	.	.


Counterweight Packages

For Use with Universal Towers



Standard Includes		Required to Specify
▶ Need help? See <i>Storage Specification Guide</i> .	- Counterweight: black only - Attachment hardware	Style number
Specification Information		
• Package Name	• Style Number	• U.S. Price
Tower package 1	RAACT1	\$ 98
Tower package 2	RAACT2	\$122

Anchor Bracket Package




Tip: Four anchor bracket packages are required for each cabinet.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
▶ See page 1 for details.

Standard Includes		Required to Specify
▶ Need help? See <i>Storage Specification Guide</i>. • Two-piece anchor bracket and attachment hardware		Style number
Specification Information		
• Style Number	• U.S. Price	
RAANBRK	\$33	

Underworksurface Lateral File Fillers



Tip: Order filler which matches nominal worksurface depth.

Tip: 24"D filler is used with 18"D storage. 30"D filler is used with 18"D or 24"D storage.

Standard Includes	Required to Specify
- Need help? See <i>Storage Specification Guide</i>. - Filler: paint	1 Style number 2 Paint color number 3 Options, if selected (see below) ▶ See <i>Surface Materials</i>, page 708.

Options	U.S. Price	Required to Specify
Surface Materials - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$28 +\$47	Specify paint color number. Specify paint color number. Specify paint color number.

Specification Information

Depth	Style Number	U.S. Base Price
.	.	.
.	.	.
.	.	.

For Lateral Files with Flush Steel Fronts

24"	ULFF24F	\$49
30"	ULFF30F	\$49
.	.	.

For Lateral Files with Proud Fronts

24"	ULFF24P	\$49
30"	ULFF30P	\$49
.	.	.

Attachment Cable



Tip: For use with underworksurface lateral files.

Standard Includes	Required to Specify
- Attachment cable - Package of 1 or 25	Style number

Specification Information

Style Number	U.S. Price
.	.
.	.
PAB12 (package of 1)	\$ 16
PAB12M (package of 25)	\$299
.	.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ▶ See page 1 for details.

Specifying Duo Storage Products

Duo Tall Storage

680

Duo Storage

Duo Storage

For Use with Answer In-line, L, T, and End-of-Run Junctions

	Standard Includes	Required to Specify
► Need help? Product details, page 316	- Tall storage box: laminate - Painted steel interior divider cover: paint price group 1 - Leg: 4799 Platinum paint - Panel attachment brackets: 4799 Platinum paint - Worksurface brackets	1 Style number 2 Laminate color number for box 3 Paint color number for interior 4 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.


	Options	U.S. Price	Required to Specify
Surface Materials	Interior divider cover		
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$14 +\$23	Specify paint color number. Specify paint color number. Specify paint color number.
	Open Line laminate on box	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .

Specification Information

Dimensions	Style	U.S.
D W H	Number	Base Price

Individual Tall Storage with Leg


18"	54"	15"	BDTS54ANL	\$ 930
18"	66"	15"	BDTS66ANL	\$1040
18"	78"	15"	BDTS78ANL	\$1168
:	:	:	:	:



Tip: For individual tall storage, only the external side of the interior divider cover has the option to be painted.

Shared Tall Storage with Leg

18"	54"	15"	BDTD54ANL	\$1018
18"	66"	15"	BDTD66ANL	\$1126
18"	78"	15"	BDTD78ANL	\$1309
:	:	:	:	:



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Duo Storage

For Use with Top Cap Mounted Storage

Standard Includes		Required to Specify
► Need help? Product details, page 316	- Tall storage box: laminate - Painted steel interior divider cover on tall storage: paint price group 1	1 Style number 2 Paint color number for top cap 3 Paint color number for interior ► See <i>Surface Materials</i> , page 708.


Options	U.S. Price	Required to Specify
Surface Materials Interior divider cover - Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$14 +\$23	Specify paint color number. Specify paint color number. Specify paint color number.
Open Line laminate on box	+\$65 plus cost of laminate	► See <i>Surface Materials Reference Manual</i> .

Specification Information

Dimensions			Style	U.S.
D	W	H	Number	Base Price
:	:	:	:	:


Individual Tall Storage

18"	54"	15"	BDTS54	\$680
18"	66"	15"	BDTS66	\$790
:	:	:	:	:




Shared Tall Storage

18"	54"	15"	BDTD54	\$770
18"	66"	15"	BDTD66	\$880
:	:	:	:	:



Slim Storage

25"	54"	7½"	BDS54	\$625
25"	66"	7½"	BDS66	\$725
:	:	:	:	:



For Canadian Pricing

Multiply U.S. Price by the
Canadian price factor.


► See page 1 for details.

Specifying Victor2 Products

Mobile Unit	684
Freestanding Units	686
Tray Shelf and Display	688



Mobile Unit



► Need help?
Product details,
page 324

Standard Includes

- Mobile unit:
 - Front and back: wood
 - Sides and top: paint
- Finished back hinged doors
- Three slot opening with sloped receptacles and built in bag holding system
- Acrylic inserts etched with recycling icons and wording
- Three 100% recycled plastic rigid recycling bins – 12 gallon capacity each
- Four non-locking black casters: two swivel/two fixed

Required to Specify

- 1 Style number
 - 2 Wood color number for front and back
 - 3 Paint color number for sides and top (case)
 - 4 Three acrylic inserts (see below under Required Selections)
 - 5 Options, if selected (see below)
- See *Surface Materials*, page 707.

Tip: Acrylic inserts lift out without tools for ease of cleaning and changeability.

Tip: Verbiage on each insert contains English, Spanish, and French.

Required Selections

Acrylic Inserts (Pick three)



Plastic



Compost



Mixed



Waste



Paper



Aluminum



Returnables



Glass

Options	U.S. Price	Required to Specify
Surface Materials		
Wood Front and Back		
• Premium Wood 2	+\$ 65	Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
• Premium Wood 3	+\$228	
• Customiz stain	No cost	
Laminate Front and Back		
• Laminate	–\$312	Specify laminate color number. ► See <i>Surface Materials Reference Manual</i> .
• Open Line Laminate	–\$247 plus cost of laminate	
Paint on Case		
• Paint price group 1	No cost	Specify paint color number. Specify paint color number. Specify paint color number.
• Paint price group 2	+\$ 71	
• Paint price group 3	+\$122	

Specification Information

Dimensions			Style Number	U.S. Base Price
D	W	H		

Mobile Unit - 3 Openings

18"	36"	36"	AWRM183636	\$3641

Tip: Receptacle contains features to accommodate oversized bags.

Tip: Soft-touch integral handle allows easy movement from one location to another.





For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.



Freestanding Units



Tip: Tray shelf and display are ordered separately.

Tip: Acrylic inserts lift out without tools for ease of cleaning and changeability.

Tip: Verbiage on each insert contains English, Spanish, and French.

Standard Includes	Required to Specify
► Need help? Product details, page 324 - Freestanding unit: - Front and back: wood - Side and top: paint - Finished back - Four or five top slot openings with receptacles - Acrylic inserts etched with recycling icons and wording - Four or five recycling bins (capacity of 23 gallon each receptacle) – fits 30 gallon size bags and larger - Leveling glides: black only	- Style number - Wood color number for front and back - Paint color number for sides and top (case) - Four or five acrylic inserts (see below under Required Selections) - Options, if selected (see below) ► See <i>Surface Materials</i>, page 707.

Required Selections	
Acrylic Inserts (Pick four or five)	
	Plastic
	Compost
	Mixed
	Waste
	Paper
	Aluminum
	Returnables
	Glass

Options	U.S. Price	Required to Specify
Surface Materials	Wood Front and Back	
	- Premium Wood 2 - Premium Wood 3 - Customiz stain	Prices at right Prices at right No cost Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with <i>Customiz stain</i> . ► See <i>Surface Materials Reference Manual</i> .
	Laminate Front and Back	
	- Laminate - Four opening –\$520 - Five opening –\$728 - Open Line Laminate - Four opening –\$455 plus cost of laminate - Five opening –\$663 plus cost of laminate	Specify laminate color number. Specify laminate color number. ► See <i>Surface Materials Reference Manual</i> . ► See <i>Surface Materials Reference Manual</i> .
	Paint on Case	
	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 71 +\$122 Specify paint color number. Specify paint color number. Specify paint color number.
Related Products	- Tray Shelf - Display	► Page 688 ► Page 688



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Tip: Maximum tray storage is 20 food trays.

Display



Tip: Paper is placed between the two acrylic plates.



► See page 1 for details.

Specifying Lighting

Lighting

Standard Shelf Lights	690
Utility2 Shelf Lights	692
Underline Shelf Lights	694
Bottomline Shelf Lights	696
LED Shelf Lights	697
LED Personal Task Lights	698

Related Products



Vertical Wire Manager	699
-----------------------	-----

Standard Shelf Lights

Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: Because shelf lights are usually recessed, black is the standard paint color. Paint colors other than black have an upcharge.

Tip: If an optional paint color is selected for the housing, the electrical switches and end caps will remain black plastic.



Tip: Remember to order a daisy chain starter cord.

► See *Related Products* on next page.

	Standard Includes	Required to Specify
► Need help? Product details, page 332	- Light housing with centered on-off switch: black paint - End cap cord managers: black plastic only - Cords: — 9' cord with three-prong plug at 45° angle: black plastic only — One 30" and one 48" cord with modular connectors for daisy chaining: black plastic only - Contrast sleeve around lamp - Faceted reflector: white only - T8 3500K lamp - Ballast - Universal mounting hardware package - Daisy chain starter cord, if selected: black plastic only (order separately)	1 Style number 2 Paint color number, if other than black (see options below) 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Painted light housing other than black	+\$23	Specify paint color number for housing.
Bracket Option	- Competitive mounting package - Flush mounting package	No cost No cost	Specify <i>with competitive mounting package</i> . Specify <i>with flush mounting package</i> and paint color number for end cap covers.

Specification Information

• Dimensions	• Lamp	• Style	• U.S.
D W H	Wattage	Number	Base Price
•••	•••	•••	•••

Electronic High-Power-Factor Ballast

9 1/4"	25"	1 3/4"	17 watts	LSM24K	\$397
9 1/4"	37"	1 3/4"	25 watts	LSM36K	\$421
9 1/4"	49"	1 3/4"	32 watts	LSM48K	\$456

With Chicago Cord Including Circuit Breaker

9 1/4"	25"	1 3/4"	17 watts	LSM24KC	\$458
9 1/4"	37"	1 3/4"	25 watts	LSM36KC	\$482
9 1/4"	49"	1 3/4"	32 watts	LSM48KC	\$517

With Daisy Chain Cords

9 1/4"	25"	1 3/4"	17 watts	LSM24KD	\$431
9 1/4"	37"	1 3/4"	25 watts	LSM36KD	\$455
9 1/4"	49"	1 3/4"	32 watts	LSM48KD	\$490

► **Specification Information, continued on next page**



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

► Specification Information, continued from previous page

Related Products

• Quantity • in Package	• Length	• Style • Number	• U.S. • Price
----------------------------	----------	---------------------	-------------------

Daisy Chain Starter Cord

1	78"	LS1FSC	\$ 55
6	78"	LS6FSC	\$330
:	:	:	:



Tip: Use with Standard shelf light only. Do not order with Utility2.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Utility2 Shelf Lights




Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: Specification guidelines can be found on the next page.

Tip: Cord on stand alone light has right-hand exit. Cord on daisy chain light has off center exit.

Tip: Because shelf lights are usually recessed, black is the standard paint color. Paint colors other than black have an upcharge.

Tip: If an optional paint color is selected for the housing, the electrical switches and end caps will remain black plastic.



Tip: Minimum of two fixtures for daisy chaining and maximum of 10.

Tip: When ordering starter light do not order a daisy chain starter cord.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

	Standard Includes	Required to Specify
► Need help? Product details, page 332	- Light housing with right-hand on-off switch: black paint - End cap cord managers: black plastic only - Cords: – 9' cord with three-prong plug on stand alone lights and daisy chain starter lights, if selected – 78" jumper cord on daisy chain lights, if selected - Prismatic lens - Angled reflector: silver only - T8 3500K lamp - Ballast - Universal and flush mounting hardware package	1 Style number 2 Paint color number, if other than black (see options below) 3 Options, if selected (see below) ► See <i>Surface Materials</i> , page 708.

	Options	U.S. Price	Required to Specify
Surface Materials	Painted light housing other than black	+\$23	Specify paint color number for housing.
Lens	Batwing lens	+\$31	Specify with batwing lens.

Specification Information

Dimensions	Lamp	Style	U.S.
D W H	Wattage	Number	Base Price

Electronic High-Power-Factor Ballast

67/8"	25"	15/8"	17 watts	LSB24K2	\$262
67/8"	37"	15/8"	25 watts	LSB36K2	\$310
67/8"	49"	15/8"	32 watts	LSB48K2	\$344

With Chicago Cord Including Circuit Breaker

67/8"	25"	15/8"	17 watts	LSB24KC2	\$323
67/8"	37"	15/8"	25 watts	LSB36KC2	\$371
67/8"	49"	15/8"	32 watts	LSB48KC2	\$405

Daisy Chain Light with 78" Jumper Cord

67/8"	25"	15/8"	17 watts	LSB24KD2	\$296
67/8"	37"	15/8"	25 watts	LSB36KD2	\$344
67/8"	49"	15/8"	32 watts	LSB48KD2	\$378

Daisy Chain Starter Light with 9' Starter Cord


67/8"	25"	15/8"	17 watts	LSB24KS2	\$296
67/8"	37"	15/8"	25 watts	LSB36KS2	\$344
67/8"	49"	15/8"	32 watts	LSB48KS2	\$378

► **Specification Information, continued on next page**

► Specification Information, continued from previous page

Specification Information

Dimensions			Lamp	Style	U.S.
D	W	H	Wattage	Number	Base Price

**Electronic Normal-Power-Factor Ballast**

67/8"	25"	15/8"	17 watts	LSB24M2	\$187
67/8"	37"	15/8"	25 watts	LSB36M2	\$235
67/8"	49"	15/8"	32 watts	LSB48M2	\$269

With Chicago Cord Including Circuit Breaker



67/8"	25"	15/8"	17 watts	LSB24MC2	\$248
67/8"	37"	15/8"	25 watts	LSB36MC2	\$296
67/8"	49"	15/8"	32 watts	LSB48MC2	\$330

Daisy Chain Light with 78" Jumper Cord

67/8"	25"	15/8"	17 watts	LSB24MD2	\$221
67/8"	37"	15/8"	25 watts	LSB36MD2	\$269
67/8"	49"	15/8"	32 watts	LSB48MD2	\$303

Daisy Chain Starter Light with 9' Starter Cord

67/8"	25"	15/8"	17 watts	LSB24MS2	\$221
67/8"	37"	15/8"	25 watts	LSB36MS2	\$269
67/8"	49"	15/8"	32 watts	LSB48MS2	\$303



Tip: Minimum of two fixtures for daisy chaining and maximum of 10.

Tip: When ordering starter light do not order a daisy chain starter cord.

Specification Guidelines


Application	Requirement
2 lights	1 starter light fixture and 1 daisy chain light with jumper cord fixtures
3 lights	1 starter light fixture and 2 daisy chain light with jumper cord fixtures
4 lights	1 starter light fixture and 3 daisy chain light with jumper cord fixtures
5 lights	1 starter light fixture and 4 daisy chain light with jumper cord fixtures
6 lights	1 starter light fixture and 5 daisy chain light with jumper cord fixtures
7 lights	1 starter light fixture and 6 daisy chain light with jumper cord fixtures
8 lights	1 starter light fixture and 7 daisy chain light with jumper cord fixtures
9 lights	1 starter light fixture and 8 daisy chain light with jumper cord fixtures
10 lights	1 starter light fixture and 9 daisy chain light with jumper cord fixtures

**For Canadian Pricing**

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Underline Shelf Lights



Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

	Standard Includes	Required to Specify
► Need help? Product details, page 334	• Steel light housing: paint • Aluminum reflector • Acrylic lens • Polycarbonate end caps: molded to match housing • Cords, 9' cord with three-prong plug at 90°/45° angle: black plastic only • Soft touch switch • Thin profile, energy-efficient T2 fluorescent lamp • Universal spring brackets for recessed mount and screw-in for flush mount • Tool free clips for New York application	1 Style number 2 Paint color number for housing and end caps: 0835 Black 7018 Pewter 7021 Dark Champagne

Related Products
• Underline daisy chain starter cord • Underline daisy chain jumper cord

► Page 695

► Page 695

Specification Information					
• Dimensions	• Lamp	• Style	• U.S.		
D W H	Wattage	Number	Price		
•	•	•	•		
Without Dimming					
4¾"	22"	¾"	13 watts	LT2	\$274
With Dimming					
4¾"	22"	¾"	13 watts	LT2D	\$342
With Chicago Cord Including Circuit Breaker					
4¾"	22"	¾"	13 watts	LT2CHI	\$315
With Chicago Cord Including Circuit Breaker and Dimming					
4¾"	22"	¾"	13 watts	LT2DCHI	\$391
With Daisy Chain Cord					
4¾"	22"	¾"	13 watts	LT2Y	\$274
With Daisy Chain Cord and Dimming					
4¾"	22"	¾"	13 watts	LT2DY	\$342
•	•	•	•		

Tip: Order one daisy chain jumper cord between fixtures. Must be used with LT2Y or LT2DY daisy chain lights.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

Underline Daisy Chain Starter Cord



Tip: Order one daisy chain starter cord to bring power to the start of the daisy chain. Must be used with LT2Y or LT2DY daisy chain light.

Standard Includes		Required to Specify
▶ Need help? Product details, page 334	9' cord: black plastic only - Modular plug for connector to LT2Y or LT2DY daisy chain lights	Style number
Related Products		
• Underline daisy chain jumper cord		▶ See below.
Specification Information		
Length	Style Number	U.S. Price
108"	LTSTART	\$23

Underline Daisy Chain Jumper Cord




Tip: Order one daisy chain jumper cord between fixtures. Must be used with LT2Y or LT2DY daisy chain light.

Standard Includes		Required to Specify
▶ Need help? Product details, page 334	- Cord: black plastic only - Modular plugs for connector to LT2Y or LT2DY daisy chain lights	Style number
Related Products		
• Underline daisy chain starter cord		▶ See above.
Specification Information		
Length	Style Number	U.S. Price
6' Length		
72"	LTJUMP	\$11
3' Length		
36"	LTJUMP3	\$11



For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
▶ See page 1 for details.

Bottomline Shelf Lights



Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

	Standard Includes	Required to Specify
► Need help? Product details, page 334	- Steel light housing: paint - Mylar reflector - Batwing lens - Polycarbonate end caps: molded to match housing - Acrylic lens 9' cord with three-prong plug at 90°/45° angle: black plastic only - Energy efficient electronic ballast - Energy efficient 3500K T5 fluorescent light - Universal spring brackets for recessed mount and screw-in for flush mount - Tool free clips for New York application	1 Style number 2 Paint color number for housing and end caps: 0835 Black 7018 Pewter 7021 Dark Champagne

Specification Information

Dimensions	Lamp	Style	U.S.
D W H	Wattage	Number	Price

Without Daisy Chain Cord

4 1/2"	23 1/4"	1 1/4"	14 watts	L52FT	\$239
4 1/2"	35"	1 1/4"	21 watts	L53FT	\$255
4 1/2"	46 3/4"	1 1/4"	28 watts	L54FT	\$274

With Chicago Cord Including Circuit Breaker

4 1/2"	23 1/4"	1 1/4"	14 watts	L52FTCHI	\$279
4 1/2"	35"	1 1/4"	21 watts	L53FTCHI	\$302
4 1/2"	46 3/4"	1 1/4"	28 watts	L54FTCHI	\$325

With Daisy Chain Cord

4 1/2"	23 1/4"	1 1/4"	14 watts	L52FTY	\$262
4 1/2"	35"	1 1/4"	21 watts	L53FTY	\$279
4 1/2"	46 3/4"	1 1/4"	28 watts	L54FTY	\$297

With Daisy Chain Starter Cord

4 1/2"	23 1/4"	1 1/4"	14 watts	L52FTS	\$262
4 1/2"	35"	1 1/4"	21 watts	L53FTS	\$279
4 1/2"	46 3/4"	1 1/4"	28 watts	L54FTS	\$297

Tip: When ordering the Bottomline daisy chain starter you do NOT need to order a starter cord or jumper cord.

Specification Guidelines

Application	Requirement
2 lights	1 starter fixture and 1 daisy chain fixture
3 lights	1 starter fixture and 2 daisy chain fixtures
4 lights	1 starter fixture and 3 daisy chain fixtures
5 lights	1 starter fixture and 4 daisy chain fixtures
6 lights	1 starter fixture and 5 daisy chain fixtures

Note: Daisy chaining minimum of two fixtures; maximum of six fixtures.



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

► See page 1 for details.

LED Shelf Lights

Tip: Daisy chaining is not allowed in Chicago. Local electrical codes vary, so you should consult a qualified electrical contractor or engineer for proper installation of all electrical equipment.

Tip: Maximum number of lights that can be daisy chained is three lights.

	Standard Includes	Required to Specify
► Need help? Product details, page 336	- Aluminum extrusion with plastic cover - Power supply with cord - Soft touch switch - Thin profile accommodates recessed and low profile flush mounting - Ultra energy efficient LED light source - Universal magnetic mounting - Polycarbonate matte film diffuser - Continuous dimming	1 Style number 2 Plastic color number for cover: 6000 Black 6009 Arctic White 3 Options, if selected (see below)


	Options	U.S. Price	Required to Specify
Mounting	Fastener kit for use with wood or aluminum shelf	+\$8	Specify with fastener kit.

Specification Information


Dimensions			Lamp Wattage	Style Number	U.S. Base Price
D	W	H			
2 1/2"	18"	1/2"	11 watts	LSL18	\$328
:	:	:	:	:	:

LED Standard Light

2 1/2"	18"	1/2"	11 watts	LSL18	\$328
:	:	:	:	:	:




Tip: LED standard light comes with a 9' 15 watt power supply.



Tip: Daisy chain starter light comes with a 60 watt power supply that will support up to three lights in series (11' cord, 6' from power supply to power outlet, 5' from power supply to fixture). Does not include daisy chain cords.

LED Daisy Chain Starter Light

2 1/2"	18"	1/2"	11 watts	LSL18YA	\$351
:	:	:	:	:	:



Tip: Daisy chain secondary light does not come with a power supply. Daisy chain cord package (8" and 30") comes standard with each secondary light.

LED Daisy Chain Secondary Light

2 1/2"	18"	1/2"	11 watts	LSL18YB	\$322
:	:	:	:	:	:

LED Personal Task Lights

	Standard Includes	Required to Specify
► Need help? Product details, page 338	- Housing: 6009 Arctic White plastic only - Fixture and stanchions: paint - Power supply with 12' cordage (6' from power supply to power outlet, 6' from power supply to fixture) - Soft touch switch - Ultra energy efficient LED light source - Polycarbonate matte film diffuser - Continuous dimming	1 Style number 2 Paint color number for fixture and stanchions: 4231 Arctic White 4710 Low Gloss Black 4799 Platinum Metallic

Related Products
- c:scape desk - FrameOne bench - Details SOTO rail - Impact - Technology zone integral rail - Worksurfaces - Campfire Big Table
► See <i>c:scape Specification Guide</i>. ► See <i>FrameOne Specification Guide</i>. ► See <i>Details SpecGuide</i>. ► See <i>Wood Caseloads and Tables Specification Guide</i>. ► See <i>Elective Elements Specification Guide</i>. ► Page 489. ► See <i>Turnstone Specification Guide</i>.

Specification Information



Dimensions	Lamp	Style	U.S.
D W H	Wattage	Number	Price

Rail-Mounted LED Personal Task Light

6"	30"	17"	14 watts	LPTL30	\$576
:	:	:	:	:	:

Non Rail-Mounted LED Personal Task Light

6"	30"	17"	14 watts	LPTL30NR	\$576
:	:	:	:	:	:



Tip: Non rail-mounted LED personal task lights will not work on worksurfaces with knife edge that is longer than 1 1/4", or with modesty panels or modesty screens closer than 6" from the back edge.



For Canadian Pricing
 Multiply U.S. Price by the Canadian price factor.
 ► See page 1 for details.

Vertical Wire Manager

Vertical Wire Manager



Tip: Wire manager can be cut in the field to the specific length needed.

Standard Includes		Required to Specify
► Need help? Product details, page 342	• Vertical wire manager: plastic	1 Style number 2 Plastic color number: 6000 Black 6009 Arctic White 6249 Platinum Solid 6652 Titanium 6654 Sand 6697 Fog ► See <i>Surface Materials</i> , page 708.

Specification Information		
• Height • •	• Style • Number •	• U.S. • Price •
48"	TS7PVWM	\$28
•	•	•


For Canadian Pricing
Multiply U.S. Price by the
Canadian price factor.
► See page 1 for details.

Specifying Transitional Answer Storage

Answer Fixed Pedestals	702
Answer Mobile Pedestals	704

Answer Fixed Pedestals

These products fall into the established category, intended for customers with existing standards. Universal pedestals and lateral files are recommended for new customers.

Standard Includes		Required to Specify	
- Pedestal: paint price group 1 - Oval pulls: plastic - Basic drawer interiors: black only —No drawer accessories - Lock, keyed random: 9201 Polished Chrome - Four adjustable leveling glides: black only		1 Style number 2 Paint color number for pedestal 3 Plastic color number for oval pulls 4 Options, if selected (see below) ▶ See <i>Surface Materials</i> , page 708.	
Options	U.S. Price	Required to Specify	
Surface Materials	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 42 +\$ 71	Specify paint color number. Specify paint color number. Specify paint color number.
Full Drawer Interiors	24"D and 30"D box/box/file pedestals		
	Include pencil tray and two box drawer dividers	+\$ 49	Specify with full drawers.
Drawer Accessories	Rails		
	Two side-to-side hanging file rails per file drawer	No cost	Specify with rails.
Lock and Keying	Lock		
	Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Individual locking drawers		
	File/file pedestals only	+\$122	Specify with individual drawer lock.
	Keying		
	Factory- and field-installed keying		▶ Page 726
Related Products	- Storage accessories - Universal pedestal counterweight for desks		▶ Page 671 ▶ Page 610

Specification Information

• Dimensions	• Style	• U.S.
D W H	Number	Base Price
•	•	•
•	•	•
•	•	•

Two Box and One File Drawer

23½"	15"	27"	TU720BBFL	\$625
29½"	15"	27"	TU726BBFL	\$811
•	•	•	•	•

Two File Drawers

23½"	15"	27"	TU720FFL	\$659
29½"	15"	27"	TU726FFL	\$790
•	•	•	•	•

Pedestal Fillers

½"	N.A.	27"	RPXFTAKPP	\$ 62
•	•	•	•	•



Tip: Pedestal fillers can be used to aesthetically close the ½" gap that may exist behind the pedestal or structurally connect the pedestal to the panel.

Answer Mobile Pedestals

These products fall into the established category, intended for customers with existing standards. Universal pedestals and lateral files are recommended for new customers.



Tip: 1/8"H steel top is non-structural.

Standard Includes		Required to Specify	
- Pedestal: paint price group 1 1/8"H steel top: paint to match pedestal - Oval pulls: plastic - Basic drawer interiors: black only - No drawer accessories - Lock, keyed random: 9201 Polished Chrome - Four hard-composition, non-locking, casters: black only - Counterweight package		- Style number - Paint color number for pedestal - Plastic color number for oval pulls - Options, if selected (see below) - See <i>Surface Materials</i>, page 708.	
Options	U.S. Price	Required to Specify	
Surface Materials	- Paint price group 1 - Paint price group 2 - Paint price group 3	No cost +\$ 42 +\$ 71	Specify paint color number. Specify paint color number. Specify paint color number.
Full Drawer Interiors	24"D box/file and box/box/file pedestals Include full-depth drawers, full drawer extensions, pencil tray, and two box drawer dividers	+\$ 49	Specify with full drawers.
Drawer Accessories	Rails Two side-to-side hanging file rails per file drawer	No cost	Specify with rails.
Lock and Keying	Lock Ember Chrome	No cost	Specify with 9250 Ember Chrome lock.
	Individual locking drawers File/file pedestals only	+\$122	Specify with individual lock.
	Keying Factory- and field-installed keying		Page 726
Tops	1"H square edge steel top	+\$ 63	Specify with steel square top.
	Laminate top 13/16"H square edge laminate top 17/16"H bullnose laminate top	+\$272 +\$310	Specify with laminate top and indicate laminate color number. Specify with bullnose laminate top and indicate laminate color number.
	Open Line laminate on laminate top	+\$ 65 plus cost of laminate	See <i>Surface Materials Reference Manual</i> .
	Wood veneer top 13/16"H wood veneer top - Premium wood 2 - Premium wood 3 - Customiz stain on wood veneer top	+\$379 +\$ 26 +\$ 90 No cost	Specify with wood veneer top and indicate wood color number. Specify Premium wood 2 finish number. Specify Premium wood 3 finish number. Specify with Customiz stain. See <i>Surface Materials Reference Manual</i> .

Options, continued on next page



For Canadian Pricing

Multiply U.S. Price by the Canadian price factor.

See page 1 for details.

These products fall into the established category, intended for customers with existing standards. Universal pedestals and lateral files are recommended for new customers.

► Options, continued from previous page

	Options	U.S. Price	Required to Specify
Tops, continued	• Cushion top for factory installation on TU7MOBILE only		
	• Cushion top without handle	+\$334	Specify <i>with cushion top</i> and indicate fabric color number.
	• Cushion top with black handle	+\$425	Specify <i>with cushion top and handle</i> and indicate fabric color number.
	Upholstery on pedestal cushion top		
	• Fabric price group 1	No cost	Specify fabric color number.
	• Fabric price group 2	+\$ 10	Specify fabric color number.
	• Fabric price group 3	+\$ 38	Specify fabric color number.
	• Fabric price group 4	+\$ 47	Specify fabric color number.
	• Fabric price group 5	+\$ 59	Specify fabric color number.
	• Fabric price group 6	+\$ 83	Specify fabric color number.
	• Fabric price group 7	+\$100	Specify fabric color number.
	• Fabric price group 8	+\$145	Specify fabric color number.
	• Fabric price group 9	+\$186	Specify fabric color number.
	• Fabric price group 10	+\$226	Specify fabric color number.
	• Leather price group	+\$580	Specify leather color number.
	• Elmosoft leather upholstery	+\$671	Specify Elmosoft leather color number.
	• Customer's own material (COM) or Customer's own leather (COL)	+\$ 16	► See <i>Surface Materials</i> , page 708. ► See <i>Surface Materials Reference Manual</i> to specify.
Related Products	• Storage accessories		► Page 671

Specification Information

• Dimensions			• Style	• U.S.
D	W	H	Number	Base Price

One Box and One File Drawer

23½"	15"	21"	TU7MOBILE	\$ 917
------	-----	-----	------------------	--------

Two Box and One File Drawer

23½"	15"	27"	TU7BBFM	\$1022
------	-----	-----	----------------	--------

Two File Drawers

23½"	15"	27"	TU7FFM	\$1000
------	-----	-----	---------------	--------

Pedestal Cushion Top for Field Installation on TU7MOBILE only


• Actual Dimensions			• Style Number	• U.S. Base Price
D	W	H		

Cushion Top without Handle

23½"	15"	2¼"	RPXTC24P	\$294
------	-----	-----	-----------------	-------

Cushion Top with Black Handle

23½"	15"	2¼"	RPXTCH24P	\$396
------	-----	-----	------------------	-------



Surface Materials

Surface Materials	708
Specification Guidelines for Directional Fabrics	713
Paint Color Availability Matrix	714
Recommended Worksurface Edge Finishes	716
Directional Laminate Grain Directions	718
Wood Veneer Grain Directions	720

Surface Materials

This listing includes all the surface material choices that are available for the products in this specification guide.

Resources

For more information about surface materials, refer to the following resources:

Additional surface materials specification tools are available to assist you in the specification process—the Surface Materials Binders.

The global surface materials palette is a core collection of finishes that is available across multiple geographies (Americas/EMEA – Europe, Middle East, and Africa/APAC – Asia Pacific) and on global product lines, where applicable. For a list of finishes included in the offering, see the Surface Materials Reference Manual. Additional details, like product approvals by geography and finish number conversions, can also be found in the Surface Materials Reference Manual or see steelcase.com/surfacematerials.

Surface Materials Binders

- Surface Materials Reference Manual
- A complete set of swatch cards for hard surfaces, vertical surface fabrics, and seating upholstery

Paint

► See *Surface Materials Reference Manual* for a listing of available paints for Victor2.

Tip: All products may not be available in all colors listed below.

► See page 714 for an overview of the paint colors available on each component.

ⓔ = Established

Steelcase Surfaces Price Group 1

Smooth Paint

4242 Milk

Textured Paint

7207 Black
7225 Sand
7230 Basalt
7236 Fog ⓔ
7237 Slate ⓔ
7238 Fieldstone
7239 Midnight
7241 Arctic White
7243 Seagull
7278 Dark Bronze
7360 Merle

Price Group 2

Smooth Metallic Paint

4728 Nickel Metallic
4743 Mineral Metallic
4744 Pearl Metallic
4750 Champagne Metallic
4752 Steel Metallic ⓔ
4788 Gold Dust Metallic ⓔ
4798 Sterling Metallic
4799 Platinum Metallic
4803 Near Black Metallic

Textured Metallic Paint

7245 Carbon Metallic
7246 Midnight Metallic

Select Surfaces

Price Group 3

Accent paint

Accent paints allow you to choose from a pre-matched color palette of trend driven colors that are available without the PerfectMatch registration fee. Refer to the *Surface Materials Reference Manual* for more information about this program.

Custom Surfaces

Price Group 3

PerfectMatch

PerfectMatch is a service that allows you to create your own paint color. Refer to the *Surface Materials Reference Manual* for more information about this program.

Laminate

► See *Surface Materials Reference Manual* for a listing of available laminates for Victor2.

Steelcase Surfaces

Applies to:

- Duo Storage boxes

Solid Laminate

2722 Cream ⓔ
2730 Arctic White
2746 Black
2759 Warm White ⓔ
2811 Mist ⓔ
2883 Seagull
2884 Milk
2885 Dune

Applies to:

- Answer Laminate Skins
- Universal Worksurfaces and Tables—High-Pressure Laminate
- Answer mobile pedestal tops
- Universal Storage tops
- TS Series Worksurfaces
- TS Series Storage
- Infills for FrameOne legs

High-Pressure Laminate

Fiber Laminate

2850 Vanadium Fiber
2851 Rhyme Fiber
2852 Tungsten Fiber
2854 Vellum Fiber
2859 Novell Fiber
2860 Granite Fiber
2861 Coconut Fiber
2862 Stucco Fiber

Metallic Laminate

2503 Brushed Silver*

Micro Laminate

2920 Marl Micro
2921 Gypsum Micro
2922 Clay Micro
2923 Shadow Micro

Patina Laminate

2870 Blonde Bronze Patina
2871 Blackened Bronze Patina
2873 Instant Iron Patina

Solid Laminate

2722 Cream ⓔ
2730 Arctic White
2746 Black
2759 Warm White ⓔ
2811 Mist ⓔ
2883 Seagull
2884 Milk
2885 Dune

Speckle Laminate

2820 Coffee Speckle
2822 Woodrose Speckle
2823 Driftwood Speckle
2824 Smoke Speckle
2825 Vanadium Speckle

*Only available on TS Series worksurfaces and TS Series common shelves.

Note: Some wood veneer finishes and woodgrain laminates share the same name. Because of the difference in materials, veneers and laminates of the same name are not an exact match but do coordinate with each other.

Woodgrain Laminate

2406 Clear Cherry
2409 Clear Maple
2410 Graphite Walnut
2412 Natural Cherry
2422 Medium Cherry
2511 Winter on Maple
2535 Virginia Walnut
2536 Blackwood
2538 Clear Walnut
2539 Warm Oak ⓔ
2592 Blonde on Maple
2714 Natural Walnut
2772 Medium Mahogany on Walnut ⓔ
2HAK Clear Oak
2HAT Acacia

Note: Woodgrain Laminates and the Turnstone Laminate Collection are not available as matched sets. The grain patterns will not align. These are not recommended for fully segmented skin applications.

Turnstone Laminate Collection

A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy. Please see the Turnstone section of village.steelcase.com for swatching information.

2535 Virginia Walnut
2536 Blackwood
2612 Marbled Maple
2614 Chocolate Walnut
2615 Marbled Cherry

Tip: Turnstone Laminate Collection are not available on doors or bullnose laminate storage tops.

Custom Surfaces

Open Line Laminate (OLL)

This service allows you to order non-standard laminate at an additional processing fee of \$65 U.S. per worksurface or top, plus the cost of the laminate.

When processing orders for Open Line laminate on Universal worksurfaces and Universal Storage tops, specify 2900 in the laminate finish field and enter the OLL manufacturer information. Enter the required edge finish as you would a standard laminate.

Laminate Approval and Material Requirements

To confirm whether a particular laminate has already been tested for use on a specific Steelcase product or to determine material square foot requirements:

- Visit www.steelcase.com

For additional information, refer to the *Steelcase Surface Materials Reference Manual*.

Low-Pressure Laminate

Applies to:

- TS Series worksurfaces and TS Series Storage
- 247L Black Version 2 LPL
- 25L1 Winter on Maple LPL
- 25L5 Virginia Walnut LPL
- 25L6 Blackwood LPL
- 25L8 Clear Walnut LPL
- 25L9 Warm Oak LPL **E**
- 262L Marbled Maple LPL
- 264L Chocolate Walnut LPL
- 267L Marbled Cherry Version 2 LPL
- 26L1 Natural Cherry Version 2 LPL
- 2L03 Brushed Silver LPL
- 2L09 Clear Maple LPL
- 2L30 Arctic White LPL
- 2L50 Vanadium Fiber LPL
- 2L52 Tungsten Fiber LPL
- 2L83 Seagull LPL
- 2L85 Dune LPL
- 2LAK Clear Oak LPL
- 2LAT Acacia LPL

Wood

Applies to:

- Universal Worksurfaces and tables—wood veneer
- Answer pedestal tops and fronts
- Universal Storage tops and fronts
- Wood skins and trims
- Infills for FrameOne legs

Steelcase carefully selects veneer and solid wood for consistent color and grain structure. Wood is a natural material and variations will occur in color, grain and texture. These variations are part of the inherent natural beauty of wood and are not considered defects.

All wood products will darken with age and exposure to ultraviolet light. This is especially apparent with cherry and maple veneer. We recommend that desk accessories be rearranged periodically to ensure even aging of wood surfaces.

When storing your wood furniture, please follow the following guidelines:

- Do not store products in trailers
- Store products in areas that simulate office temperatures (60°F to 90°F)
- Store products in areas that maintain constant, office-like humidity levels
- Keep product away from light. Cover products to make sure they are not exposed to light.

E = Established

Steelcase Surfaces

Veneer

Veneers are matched for proper balance and consistency. Veneers are available flat cut or quarter cut, except for Oak, which is rift cut. Refer to the *Surface Materials Reference Manual* for descriptions of each cut.

Tip: Answer panel wood trims are only available with quarter-cut finishes with the exception of maple finishes. Maple on wood trims is only available with flat-cut finishes. For ordering simplicity, both flat-cut and quarter-cut finishes can be specified on panel trims. However, for all finishes except maple, if a flat-cut finish is selected, the trims will have the coordinating quarter-cut finish. For maple finishes, if quarter-cut is selected, the trims will have the coordinating flat-cut finish. Blending panel trims with other wood products that have flat-cut finishes may be visually acceptable for most applications. If a more exact match is desired for non-maple finishes, please specify quarter-cut finishes for the entire project. If a more exact match is desired for maple finishes, please specify flat-cut finishes for the entire project.

Open-pore finish is a medium gloss finish that leaves the wood grain texture visible to the eye and distinguishable to the touch.

► See *Surface Materials Reference Manual* for a listing of available veneers for Victor2.

Flat-cut open-pore finish choices

- 3062 FC/OP Graphite Walnut
- 3402 FC/OP Clear Cherry (Aged)
- 3412 FC/OP Natural Cherry **E**
- 3422 FC/OP Medium Cherry
- 3522 FC/OP Clear Maple*
- 3572 FC/OP Amber on Maple **E**
- 3592 FC/OP Blonde on Maple
- 3702 FC/OP Clear Walnut
- 3712 FC/OP Natural Walnut
- 3722 FC/OP Dark Mahogany on Walnut
- 3752 FC/OP Medium Walnut
- 3762 FC/OP Dark Walnut
- 3772 FC/OP Medium Mahogany on Walnut

Quarter-cut open-pore finish choices

- 3042 QC/OP Ash*
- 3222 QC/OP Clear Maple*
- 3272 QC/OP Amber on Maple **E**
- 3292 QC/OP Blonde on Maple
- 3302 QC/OP Clear Walnut
- 3312 QC/OP Natural Walnut
- 3322 QC/OP Dark Mahogany on Walnut
- 3352 QC/OP Medium Walnut
- 3362 QC/OP Dark Walnut
- 3372 QC/OP Medium Mahogany on Walnut
- 3382 QC/OP Graphite Walnut

Rift-cut open-pore finish choices

- 3602 RC/OP Desert Oak
- 3612 RC/OP Warm Oak **E**
- 3692 RC/OP Espresso Oak

Full-fill finish is a medium-gloss finish that completely fills the grain texture, yet allows the grain pattern to be seen. The wood has a lustrous, satiny look, and it is smooth to the touch. This finish is available on the wood worksurface or field-installed top only.

Flat-cut full-fill finish choices

- 3064 FC/FF Graphite Walnut
- 3404 FC/FF Clear Cherry (Aged)
- 3414 FC/FF Natural Cherry **E**
- 3424 FC/FF Medium Cherry
- 3524 FC/FF Clear Maple*
- 3544 FC/FF Blonde on Maple
- 3574 FC/FF Amber on Maple **E**
- 3704 FC/FF Clear Walnut
- 3714 FC/FF Natural Walnut
- 3724 FC/FF Dark Mahogany on Walnut
- 3754 FC/FF Medium Walnut
- 3764 FC/FF Dark Walnut
- 3774 FC/FF Medium Mahogany on Walnut

Quarter-cut full-fill finish choices

- 3224 QC/FF Clear Maple*
- 3274 QC/FF Amber on Maple **E**
- 3294 QC/FF Blonde on Maple
- 3304 QC/FF Clear Walnut
- 3314 QC/FF Natural Walnut
- 3324 QC/FF Dark Mahogany on Walnut
- 3354 QC/FF Medium Walnut
- 3364 QC/FF Dark Walnut
- 3374 QC/FF Medium Mahogany on Walnut
- 3384 QC/FF Graphite Walnut

Rift-cut full-fill finish choices

- 3604 RC/FF Desert Oak
- 3614 RC/FF Warm Oak **E**
- 3694 RC/FF Espresso Oak

**To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000756 for 3042,05-0001370 for 3222 and 3224.*

Steelcase Surfaces

Composite Veneer

Composite veneers are an engineered wood intended to create specific grain patterns and characteristics. They are pre-stained and finished with Steelcase's Clarity water-borne UV topcoat, which protects the environment while providing durability and clarity. Only open-pore finishes are available on composite wood. Composite veneer and matching edge bands are available on most Steelcase brand products. Composites, for use as a solid nosing substitute, are not available. Steelcase does not recommend mixing composite veneers with natural solid nosings because composite and natural wood grain and color matching are rarely compatible. Composite veneers are Graded-In as Wood Group 1 pricing.

Flat-cut open-pore finish choices

3JDX FC/OP Oak Composite
3JFX FC/OP Maple Composite
3JHX FC/OP Cherry Composite
3JJX FC/OP Walnut Composite

Quarter-cut open-pore finish choices

3HGX QC/OP Oak Composite
3JEX QC/OP Maple Composite
3JGX QC/OP Cherry Composite

Note: To understand more about composite ordering, leadtimes, and pricing, please consult the composite sign-off sheet available through Steelcase advertising stock, form number 14-0000141. A sign-off sheet is required prior to orders being accepted for composite projects.

Steelcase Surfaces

Premium Veneers

A selection of Premium veneers in this collection are available on most Steelcase brand products. The collection will be available as close to standard leadtimes as possible. However, because adequate supplies of veneer and solids must be secured, all orders will be scheduled individually. Leadtimes will vary based on Premium veneer and Premium solids availability at the time the order is placed. The collection is Graded-In as Wood Group 2 and Wood Group 3, and supported like standard veneers to make ordering easy. Please see the Steelcase surface materials section on village.steelcase.com for sample information and product line availability. All premium veneers are in clear-coat.

Quarter-cut open-pore finish choices

Wood Group 2

3032 QC/OP Dark Thin Line Bamboo
3052 QC/OP Ribbon Sapele

Wood Group 3

3832 QC/OP Figured Anegre
3842 QC/OP Figured Makore

To ensure an understanding of the color ranges and characteristic variations of natural veneer, a sign-off sheet is required prior to orders being accepted for this clear-coat finish. The sign-off sheet is available through Steelcase advertising stock. Please use form number 09-0000755 for 3032, form number 09-0000757 for 3052, form number 09-0000758 for 3832, and form number 09-0000759 for 3842.

Custom Surfaces

Customiz stain is a service that allows you to create your own stain colors and finishes on standard veneer. Customiz stain color is available on all product lines that offer wood veneer.

A \$425 stain-matching fee applies on CUSTOMIZ requests (Exception: The \$425 fee does not apply on matches to Coalesse standard finishes or for a low-gloss finish request on a standard color). The \$425 fee covers the cost of formulating the Customiz color finish and applies regardless of whether or not an order for product is placed.

In addition, an approval form must be signed to indicate customer acceptance of Customiz match. A \$5,000 initiation fee will be charged prior to first order entry. This initiation fee activates the finish for unlimited use on any Steelcase product for an 18 month time period. After the 18 month time period has lapsed, the Customiz finish may be reactivated for another 18 months for a \$1,000 fee at any point within five years after the \$5,000 initiation fee was paid. If the finish is not reactivated within five years after the \$5,000 initiation fee was paid, the finish will be culled and the customer will need to pay the \$5,000 initiation fee again. All style number related Customiz charges products are no cost as of April 2014. The matching and initiation fees are not discountable.

Customiz stain takes 10 days to formulate. Consult the *Surface Materials Reference Manual* for more information. Custom veneers are also available and must be quoted by Steelcase specials group. Customiz stain on custom veneers takes 2 to 4 weeks to formulate.

Requirements and information on ordering a Customiz stain color are found in the *Surface Materials Reference Manual*.

Plastic

Steelcase Surfaces

Applies to:

- Oval trim components
- 6000 Black
- 6009 Arctic White
- 6052 Milk
- 6053 Seagull
- 6055 Carbon Metallic
- 6056 Midnight Metallic
- 6094 Mineral Metallic
- 6654 Sand
- 6685 Champagne
- 6686 Gold Dust **E**
- 6688 Steel **E**
- 6694 Slate
- 6695 Midnight
- 6696 Sterling **E**
- 6697 Fog
- 6698 Fieldstone
- 6699 Platinum

Applies to:

- Oval pull
- 6000 Black
- 6249 Platinum Solid
- 6654 Sand
- 6694 Slate
- 6695 Midnight
- 6698 Fieldstone

Applies to:

- Oval trim components
- Oval pulls

Note: The following two plastics are available for existing customers only. The matching paints have moved to the *Surface Materials Reference Manual*.

6651 Tungsten
6652 Titanium

E = Established

Applies to:

- 3 mm and 1 mm front edge profile on Universal Systems Worksurfaces and Tables and TS Series Worksurfaces
- 1 mm square edge profile on Universal Storage laminate tops
- 3 mm front edge radius profile on TS Series Shelves
- Square edge laminate top on TS 200 Series

6000 Black*
6001 Coffee*
6009 Arctic White*
6034 Natural Cherry
6036 Medium Cherry
6037 Winter on Maple
6038 Blonde on Maple
6041 Natural Walnut
6045 Medium Mahogany on Walnut **E**
6052 Milk*
6053 Seagull*
6213 Acacia
6219 Clear Oak
6231 Graphite Walnut*
6234 Clear Cherry*
6237 Clear Maple*
6242 Virginia Walnut*
6243 Blackwood*
6245 Clear Walnut*
6246 Warm Oak* **E**
6249 Platinum Solid*
6615 Grey V5*
6619 Ice* **E**
6631 Cream*
6635 Dawn* **E**
6636 Mist*
6654 Sand*
6655 Warm White*
6676 Marbled Maple
6677 Chocolate Walnut
6678 Marbled Cherry
6689 Brushed Silver** **E**
6694 Slate*
6695 Midnight*
6697 Fog*
6698 Fieldstone*

*These solid color and wood grain edge colors are a polyolefin blend, PVC-free material for 3 mm and 1 mm edge bandings.

**6689 Brushed Silver is only available on TS Series products.

E = Established

Applies to:

- P-edge and 1 mm profile on Universal Systems Worksurfaces and Tables with High-Pressure Laminate
- 6000 Black
6009 Arctic White
6052 Milk
6053 Seagull
6249 Platinum Solid
6654 Sand
6694 Slate
6695 Midnight
6697 Fog
6698 Fieldstone

Applies to:

- Personal Caddy
- 6009 Arctic White
6249 Platinum Solid
6695 Midnight

Note: Light color plastic edges are susceptible to degradation due to normal wear and tear. Staining (e.g., ball point pen or clothing dyes such as blue jeans) and dirt effects are more pronounced in light colors and are not considered defects.

Accessory Paint

Steelcase Surfaces

Applies to:

- Cabby legs with glides
 - Adjustable-height legs with glides
 - Universal table bases
 - Universal lateral files with c:scape pulls
- 4140 Arctic White Gloss
4144 Black Gloss

Metal

Steelcase Surfaces

Applies to:

- Elliptical leg
- 9201 Polished Chrome

Applies to:

- Field-installed round grommet
- 9201 Polished Chrome
9211 Nickel

Plated Metal

Steelcase Surfaces

Applies to:

- Universal Storage pulls
- 0835 Black **E**
9201 Polished Chrome
9211 Nickel
9212 Silver

Glass

Steelcase Surfaces

Applies to:

- Universal over the case or Universal in the case bin picture frame door glass insert
- 6580 Ice White

Acrylic

Steelcase Surfaces

Applies to:

- Universal over the case or Universal in the case bin picture frame door acrylic insert
- 6538 Satin

Vertical Surface Fabric

► See *Surface Materials Reference Manual* for a listing of available fabrics for Divisio side screen.

Applies to:

- Knit screens
- B902 Soft White
B903 Fog
B904 Sand

Applies to:

- Fabric skins and trims
- Hutch kit tackboards

Steelcase Surfaces

Price Group A

Lido

R159 Oak Bluffs
R160 Cape May
R162 Hermosa

Sprite

5540 Khaki
5541 Snow
5542 Butter
5543 Linen
5544 Sherbet
5545 Powder
5546 Harvest
5547 Sky
5548 Kiwi

Price Group 1

Abacus **E**

P122 Entasis
P123 Portico
P124 Opus
P125 Cusp
P126 Artifact
P129 Atlas

Acadia **E**

G031 Tin
G033 Iron
G034 Pewter
G039 Silica
G041 Brimstone
G043 Azurite

Alloy

P525 Polar
P526 Skim
P527 Bubbly
P528 Tern
P529 Shore
P530 Asti
P531 Silver
P532 Oxide
P533 Element
P534 Construct
P535 Currency
P536 Iron

Boccie

P200 New Rice
P201 New Almond
P202 New Nutmeg
P203 New Camel
P204 New Opal
P205 New Mist
P206 New Plum
P207 New Lichen
P208 New Spearmint
P209 New Sky

Buzz2

5F01 Camel **E**
5F03 Tomato
5F04 Red **E**
5F05 Burgundy
5F06 Sky **E**
5F07 Blue
5F08 Navy
5F10 Grape **E**
5F11 Eggplant **E**
5F15 Stone
5F16 Grey
5F17 Black
5G50 Dunegrass
5G51 Sable
5G52 Barley
5G53 Sunrise
5G54 Carrot
5G55 Pumpkin
5G56 Timber
5G57 Rouge
5G58 Chocolate
5G59 Meadow
5G60 Ivy
5G61 Cyan
5G62 Atlantic
5G63 Crocus
5G64 Alpine
5G65 Tornado

Charm

P504 Tint
P505 Shell
P506 Mimosa
P507 Birch
P508 Sparkle
P509 Ginkgo
P510 Debut
P511 Clover
P512 Spicy
P513 Twilight

Embrasure **E**

P140 Colonnade
P141 Rotunda
P143 Baluster

Lapel

P409 Cement
P410 Pebble
P411 Beech
P412 Dune
P413 Grain
P414 Sprout
P415 Misty Blue
P416 Maple
P417 Slate

Optic

P540 Hazel
P541 Twinkle
P542 Orion
P543 Seaglass
P544 Shine
P545 Halo
P546 Whiskey
P547 Bath
P548 Whisper
P549 Breezy
P550 Wry
P551 Glimmer

Pianista

P420 Sand
P421 Mist
P422 Rain
P423 Natural
P424 Café
P425 Denim
P426 Carbon
P427 Stone
P428 Flax
P429 Oat
P430 Wheat
P431 Maize

Rhythm

P555 Allegro
P556 Tempo
P557 Refrain
P558 Pitch
P559 Harmony
P560 Melody
P561 Stanza
P562 Opus

Tinsel

P515 Sugar
P516 Lit
P517 Ego
P518 Fizz
P519 Muse
P520 Depth
P521 Bliss
P522 Grow
P523 Dolce
P524 Boost

Price Group 2

Amiranté ③

5664 Mink
5665 Ivory
5666 Silver Frost
5677 Moonglo
5679 Woodbine

Ashanti Reverse ③

5638 Mink
5648 Moonglo
5650 Woodbine
5654 Quince

Bariolage

G200 New Etude
G201 New Andante
G202 New Cantata
G203 New Adagio
G205 New Ballata
G206 New Sonata

Bouquet ③

P165 Hosta
P166 Dundee
P169 Argenta
P170 Hoya
P173 Camomile

Cogent: Geode Seating ③

5S47 Coal
5S48 Smoke
5S49 Cobalt
5S50 Ink
5S55 Sunset
5S57 Thunder

Cogent: Geode Vertical ③

5S32 Canyon
5S35 Slate
5S36 Cement
5S37 Rock
5S38 Oyster
5S40 Toast
5S41 Sesame
5S42 Ecu

Flip: Orbit

5F85 Mud Pie
5F86 Hummus
5F87 Petoskey
5F88 Pluto
5F89 Papyrus
5F91 Blizzard
5F92 Briquette

Flip: Plain Jane

5F70 Mud Pie
5F71 Hummus
5F72 Petoskey
5F73 Pluto
5F74 Papyrus
5F94 Blizzard
5F95 Briquette

Flip: TexHex

5F75 Mud Pie
5F76 Hummus
5F77 Petoskey
5F78 Pluto
5F79 Papyrus
5F97 Blizzard
5F98 Briquette

Fresco

G001 Sandrift
G002 Mistiblu
G003 Faon
G006 Chamoline
G007 Grapenut
G017 Flint

Milano ③

N001 Oyster
N002 Delft
N003 Woodland
N004 Sunshadow
N005 Olivine
N012 Teakwood

Regatta ③

D011 Licorice
5335 Warm Brown V1
5338 Tan V1

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit www.steelcase.com/selectsurfaces.

Custom Surfaces

Price Group COM (Customer's Own Material)

Fabric Approval and Yardage

To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

- Visit www.steelcase.com

For additional information regarding Customer's Own Material

call 1.888.STEELCASE (1.888.783.3522) or send an e-mail to lineone@steelcase.com.

► See *Surface Materials Reference Manual* for a listing of available seating upholstery colors.

Seating Upholstery

► See *Surface Materials Reference Manual* for a listing of available fabrics for Divisio side screen.

- Available on mobile pedestal cushion top only.

Steelcase Surfaces

Price Group 1

Buzz2
Jacks
Link
Playground

Price Group 2

Chainmail
Cogent: Connect
Cogent: Geode Seating ③
Cogent: Geode Vertical ③
Cogent: Trails
Cricket ③
Crosswalk
Nitelights
Seating Vinyl ③
Spyder ③
Stand In
Zoe2

Price Group 3

Gaja—C2C
Imperma
Redeem
Retrieve
Texel

Price Group 5

Bo Peep
Remix

Price Group 6

Brisa

Price Group 7

Steelcut Trio

Leather

Steelcase Leather

Elmosoft Leather

Elmosoft Leather

Select Surfaces

For information on products within Select Surfaces, including accent paints and fabrics from Designtex, Gabriel, Kvadrat, and Pollack, please refer to the *Surface Materials Reference Manual* or visit www.steelcase.com/selectsurfaces.

Custom Surfaces


Price Group COM (Customer's Own Material)

Fabric Approval and Yardage


To confirm whether a particular COM material has already been tested for use on a specific Steelcase product or to determine actual yardage requirements:

- Visit www.steelcase.com

③ = Established



The standard application direction of fabric on Answer panels, skins, and Hutch kit tackboard is warp horizontal. Standard Steelcase fabrics were designed for this application direction.



The optional application direction of fabrics on Answer panels, skins, and Hutch kit tackboard is warp vertical. This is most commonly used on COMs designed for warp vertical application.

For more information about the warp direction of fabrics, see the *Surface Materials Reference Manual*.

Paint Color Availability Matrix

	Paint Price Group 1 (Smooth)												Paint Price Group 1 (Textured)												Paint Price Group 2 (Metallic)																									
	4242	Milk	7207	Black	7225	Sand	7230	Basalt	7236	Fog E	7237	Slate E	7238	Fieldstone	7239	Midnight	7241	Arctic White	7243	Seagull	7278	Dark Bronze	7360	Merle	4728	Nickel Metallic	4743	Mineral Metallic	4744	Pearl Metallic	4750	Champagne Metallic	4752	Steel Metallic E	4788	Gold Dust Metallic E	4798	Sterling Metallic	4799	Platinum Metallic	4803	Near Black Metallic	7245	Carbon Metallic	7246	Midnight Metallic				
Panels																																																		
Panel trim components	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
Skins and Related Products																																																		
Steel skins and technology skins	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
Slatwall skins	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
Glass windows	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
Laminate skin trim	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
Wood skin trim	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Panel top screen supports (for square trim only)	•	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Sliding panel doors	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Storage																																																		
Universal storage	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Universal curved front bin and L-shelf	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Universal overhead bins and shelves, upmount bin brackets, and hutch kits	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
TS Series Storage	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Answer storage components	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Duo storage legs and brackets	•	■	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	■	■	■	■	•	•	•	•	•	•	•		
Duo storage steel interior cover	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Worksurfaces, Desks, and Tables																																																		
Cantilevers, center support panels, and end panels	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
Universal legs, double post C-Legs, and columns	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■
TS Series Post and H-Legs	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■																						

Legend

- = Not available
- = Available
- = Available with exceptions
- E = Established

Recommended Worksurface Edge Finishes

Recommended Edge Colors—High-Pressure Laminate

Edges

The recommended edge color will complement the laminate color you specify. Edge color is specified separately.

Laminate Color		Recommended 3 mm or 1 mm Edge Color		Recommended P-Edge Color	
Fiber Laminate					
2850	Vanadium Fiber	6654	Sand	6697	Fog
2851	Rhyme Fiber	6631	Cream	6654	Sand
2852	Tungsten Fiber	6636	Mist	6654	Sand
2854	Vellum Fiber	6655	Warm White	6697	Fog
2859	Novell Fiber	6001	Coffee	6697	Fog
2860	Granite Fiber	6000	Black	6000	Black
2861	Coconut Fiber	6654	Sand	6654	Sand
2862	Stucco Fiber	6053	Seagull	6053	Seagull
Micro Laminate					
2920	Marl Micro	6053	Seagull	6053	Seagull
2921	Gypsum Micro	6654	Sand	6654	Sand
2922	Clay Micro	6654	Sand	6654	Sand
2923	Shadow Micro	6249	Platinum Solid	6249	Platinum Solid
Patina Laminate					
2870	Blonde Bronze Patina	6654	Sand	6654	Sand
2871	Blackened Bronze Patina	6615	Grey V5	6000	Black
2873	Instant Iron Patina	6615	Grey V5	6000	Black
Solid Laminate					
2722	Cream E	6631	Cream	6654	Sand
2730	Arctic White	6009	Arctic White	6009	Arctic White
2746	Black	6000	Black	6000	Black
2759	Warm White E	6655	Warm White	6654	Sand
2811	Mist E	6636	Mist	6697	Fog
2883	Seagull	6053	Seagull	6053	Seagull
2884	Milk	6052	Milk	6052	Milk
2885	Dune	6654	Sand	6654	Sand
Speckle Laminate					
2820	Coffee Speckle	6631	Cream	6654	Sand
2822	Woodrose Speckle	6635	Dawn E	6000	Black
2823	Driftwood Speckle	6631	Cream	6000	Black
2824	Smoke Speckle	6636	Mist	6654	Sand
2825	Vanadium Speckle	6619	Ice E	6697	Fog
Woodgrain Laminate					
2406	Clear Cherry	6234	Clear Cherry	6000	Black
2409	Clear Maple	6237	Clear Maple	6654	Sand
2410	Graphite Walnut	6231	Graphite Walnut	6000	Black
2412	Natural Cherry	6034	Natural Cherry	6000	Black
2422	Medium Cherry	6036	Medium Cherry	6000	Black
2511	Winter on Maple	6037	Winter on Maple	6654	Sand
2538	Clear Walnut	6245	Clear Walnut	6000	Black
2539	Warm Oak E	6246	Warm Oak E	6246	Warm Oak E
2592	Blonde on Maple	6038	Blonde on Maple	6654	Sand
2714	Natural Walnut	6041	Natural Walnut	6000	Black

► Recommended Worksurface Edge Finishes, continued on next page

E = Established

Recommended Edge Colors—High-Pressure Laminate, continued

Edges

The recommended edge color will complement the laminate color you specify. Edge color is specified separately.

Laminate Color	Recommended 3 mm or 1 mm Edge Color	Recommended P-Edge Color
Woodgrain Laminate, continued		
2772 Medium Mahogany on Walnut E	6045 Medium Mahogany on Walnut E	6000 Black
2HAK Clear Oak	6219 Clear Oak	6654 Sand
2HAT Acacia	6213 Acacia	6559 Warm White Solid
Turnstone Laminate Collection*		
2535 Virginia Walnut	6242 Virginia Walnut	6000 Black
2536 Blackwood	6243 Blackwood	6000 Black
2612 Marbled Maple	6676 Marbled Maple	6000 Black
2614 Chocolate Walnut	6677 Chocolate Walnut	6000 Black
2615 Marbled Cherry	6678 Marbled Cherry	6000 Black

* A selection of laminates and edge bands in this collection are available on Steelcase brand products. This collection is available with standard leadtimes and supported like standard laminates to help make ordering easy.


Recommended Edge Colors—Low-Pressure Laminate

Low-Pressure Laminate Color	Recommended Edge Band
247L Black Version 2 LPL	6000 Black
25L1 Winter on Maple LPL	6037 Winter On Maple
25L5 Virginia Walnut LPL	6242 Virginia Walnut
25L6 Blackwood LPL	6243 Blackwood
25L8 Clear Walnut LPL	6245 Clear Walnut
25L9 Warm Oak LPL E	6246 Warm Oak E
262L Marbled Maple LPL	6676 Marbled Maple
264L Chocolate Walnut LPL	6677 Chocolate Walnut
267L Marbled Cherry Version 2 LPL	6678 Marbled Cherry
26L1 Natural Cherry Version 2 LPL	6034 Natural Cherry
2L03 Brushed Silver LPL	6689 Brushed Silver E
2L09 Clear Maple LPL	6237 Clear Maple
2L30 Arctic White LPL	6009 Arctic White
2L50 Vanadium Fiber LPL	6654 Sand
2L52 Tungsten Fiber LPL	6697 Fog
2L83 Seagull LPL	6053 Seagull
2L85 Dune LPL	6654 Sand
2LAK Clear Oak LPL	6219 Clear Oak
2LAT Acacia LPL	6213 Acacia

Directional Laminate Grain Directions

Directional laminates are standard with the grain directions shown.

Universal Systems Worksurfaces—High-Pressure Laminate




Universal Tables—High-Pressure Laminate



Straight
Table



Transition
Table



Corner, 120°
Table



Capsule
Table



Spanner
Table



Peninsula
Table



Tapered Peninsula
Table



Bubble Jetty
Table



Round
Table



Square
Table



Rectangle
Table



Oval Table




Hex Conference Table


Wood Veneer Grain Directions

The appearance of wood veneer may change slightly depending on the angle from which it is viewed. This natural phenomenon is called polarization, and it can be seen on natural veneer, and to a lesser extent on composite veneer. Polarization is often noticed on worksurfaces installed at a 90-degree angle with each other. Please refer to the following illustrations for an understanding of grain direction on your installation.


Universal Systems Worksurfaces—Wood Veneer




Universal Tables—Wood Veneer




Straight
Table



Transition
Table



Corner, 120°
Table



Capsule
Table




Spanner
Table



Peninsula
Table



Tapered Peninsula
Table




Bubble Jetty
Table




Round
Table




Square
Table



Rectangle
Table



Oval Table




Hex Conference Table

Resources

Lock and Keying for TS Series Storage	724
Lock and Keying for Universal Storage Products	726
Safe Use of Storage Products	728
Style Number Index	730

Lock and Keying for TS Series Storage



Front-removable lock cylinders can be installed or removed in the field with a special tool. This feature allows you to field install lock cylinders after the furniture is installed.

All locks are designated with key numbers. You can specify a key number; however, if you don't specify a key number, the locks in your order will be keyed random.

Two types of locks are available — the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

Standard Keying

All products are standard keyed random.

Step 1

Furniture will be shipped with a plastic shipping plug. Specify lock cylinder and keying options separately. Only products with factory-installed lock mechanisms can accept lock cylinders in the field.

Tip: For TS 200 Series be sure to specify a lock color number (9201 Polished Chrome or 9250 Ember Chrome) for the lock face ring.

Step 2

Order enough lock cylinders to fill each lock location. You must also order a lock tool. *Tip: Lock tools are reusable. You don't need to order additional lock tools with every furniture order.*

Lock cylinders and the installation tool will be shipped separately so that you can install the locks when you are ready.

To specify lock cylinders, list the total number of lock cylinders that you want with the appropriate style number. If you are specifying key numbers, list the breakdown of the quantity of each key number.

An example of how your order should look is shown below:

Example:


10 LOCK9201FR FR320
5 LOCK9201FR FR350
15 LOCK9201XF XF1100
30 Total

1 877102003SR standard lock tool
1 877102002SR master lock tool

Keying Options


Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key numbers for all locks.




Master key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from XF1001 to XF1150. All XF locks can be opened with a master key.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key numbers for all locks.




Key specific means that you can specify any key number from FR305 to FR454. This option can be used to key all the furniture units in a workstation or department the same.

Tip: Designate the quantity per key number in your specification when ordering more than one product with the same style number.




Master key specific means that you can specify any key number from XF1001 to XF1150. All the locks in the XF series can be opened with a master key.


Tip: Designate the quantity per key number in your specification when ordering more than one product with the same style number.




Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454.



Master key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from XF1001 to XF1150. All the locks in the XF series can be opened with a master key.



Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

Standard Includes	Required to Specify
-------------------	---------------------

- | | |
|--|--|
| <ul style="list-style-type: none"> Lock cylinder, keyed random: 9201 Polished Chrome or 9250 Ember Chrome Two keys | 1 Style number
2 Options, if selected (see below) |
|--|--|

Options	U.S. Price	Required to Specify
---------	------------	---------------------

Key specific	No cost	Select key number from FR305–FR454.
Key consecutive	No cost	Specify <i>key consecutive</i> and must select beginning key number from FR305–FR454.
Master key random	+\$23 each	Specify <i>master key random</i> .
Master key specific	+\$23 each	Specify key number from XF1001–XF1150.
Master key consecutive	+\$23 each	Specify <i>master key consecutive</i> and must select beginning key number from XF1001–XF1150.

Specification Information

Color	Style Number	U.S. Base Price

FR Series (Standard Keying System) – Lock Cylinder

Polished Chrome	LOCK9201FR	No cost
Ember Chrome	LOCK9250FR	No cost

Standard Lock Tool

	877102003SR	\$23

XF Series (Master Keying System) – Lock Cylinder

Polished Chrome	LOCK9201XF	No additional cost. Price included in price of furniture with master-keyed locks.
Ember Chrome	LOCK9250XF	No additional cost. Price included in price of furniture with master-keyed locks.

Master Lock Tool

	877102002SR	\$23


Tip: You can change lock cylinders in the field by using the appropriate lock tool.



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Lock and Keying for Universal Storage Products

All locking products are standard with factory-installed, keyed-random locks. Consecutive, specific, and random keying are available as field-installed options.
Exception: Individual locking drawers are only available with field-installed locks.



Locks consist of a factory- or field-installed lock cylinder and a factory-installed lock face ring.


Two types of locks are available — the standard keying system (FR series) and the master keying system (XF series). All the locks in the XF series can be opened with a single master key.

Factory-Installed Keying

Factory-installed locks are always key random (standard) or master key random (option). Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). All locks within a unit will be keyed alike.

Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify field-installed, key specific or key consecutive lock cylinders.
 ▶ See below.

Key Random



Required to Specify

Master key random	+\$23	Specify with master key random.
--------------------------	-------	---------------------------------

Field-Installed Keying

Field-installed locks are only available on products that include factory-installed lock mechanisms.

Specify "plug" when specifying furniture, and the product will ship with a plastic plug in place of the lock cylinder.


Front-removable lock cylinders must be specified separately. You must also order a special lock tool to install or remove lock cylinders in the field.
Tip: Lock tools are reusable. You do not need to order additional lock tools with every furniture order.

Lock cylinders will be shipped separately so that you can install the locks when you are ready.

Three keying choices are available for field installation—random (standard), specific, and consecutive. All three are also available with master keying, which means that all locks can be opened with a single master key.


Key random means that the locks will be assigned arbitrarily at the factory with key numbers ranging from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).
Tip: Random keying can mean that different furniture units will have the same key number. If you must have all locks keyed differently, you should specify key specific or key consecutive lock cylinders.

Key Random




Key specific means that you can specify any key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150). This option can be used to key all the furniture units in a workstation or department the same.
Tip: Designate the quantity per key number in your specification.
 ▶ See example at right.

Key Specific



Key consecutive means that you can specify lock numbers in a consecutive order to ensure that no two locks have the same key number until the key sequence repeats. You must select a beginning key number from FR305 to FR454 (Master keying numbers: XF1001 to XF1150).


Key Consecutive



Example of a typical lock cylinder specification is shown below:

10	LOCK9201FR FR320
5	LOCK9201FR FR350
15	LOCK9201XF XF1100
30	Total
1	877102003SR standard lock tool
1	877102002SR master lock tool

Field-Installed Lock Cylinders



Tip: Lock price is included in price of furniture with locks.

Tip: For replacement lock cylinders, refer to Service Parts.

Standard Includes	Required to Specify
- Lock cylinder: 9201 Polished Chrome or 9250 Ember Chrome - Two keys	1 Style number 2 Options, if selected (see below)

Options	U.S. Price	Required to Specify
Key specific	No cost	Select key number from FR305–FR454.
Key consecutive	No cost	Specify <i>key consecutive</i> and select beginning key number from FR305–FR454.
Master key random	+\$23 each	Specify <i>master key random</i> .
Master key specific	+\$23 each	Specify key number from XF1001–XF1150.
Master key consecutive	+\$23 each	Specify <i>master key consecutive</i> and select beginning key number from XF1001–XF1150.

Specification Information		
Color	Style Number	U.S. Base Price

FR Series (Standard Keying System) – Lock Cylinder

Polished Chrome	LOCK9201FR	No cost
Ember Chrome	LOCK9250FR	No cost

Standard Lock Tool

	877102003SR	\$23

XF Series (Master Keying System) – Lock Cylinder

Polished Chrome	LOCK9201XF	No additional cost. Price included in price of furniture with master-keyed locks.
Ember Chrome	LOCK9250XF	No additional cost. Price included in price of furniture with master-keyed locks.

Master Lock Tool

	877102002SR	\$23



For Canadian Pricing
Multiply U.S. Price by the Canadian price factor.
► See page 1 for details.

Safe Use of Storage Products


Shipping

Lateral files are normally shipped in heavy-duty, recyclable stretch wrap to reduce the amount of corrugated board needed.

Counterweight packages ship separately from case and must be field-installed.

Universal Storage and Lateral Files

Stability of unit is assured if they are properly installed and loaded. To avoid personal injury, each unit with roll-out components is standard with an interlock system that allows only one drawer or roll-out shelf to be opened at a time. In addition, there are steps that must be followed to prevent the tipping of a unit.




Gang unit with adjacent units, either side-by-side or back-to-back, or bolt unit to the floor or wall for stability. Ganging hardware is included with each unit.

Order a counterweight package option if recommended on specifying page and freestanding unit is not ganged to adjacent units or bolted to the floor or wall.

Counterweight packages prevent accidental tipping when an upper drawer or shelf is opened. They are ordered as an option, shipped separately and field-installed.


Load files starting with the bottom drawers or shelves. The upper drawers or shelves should be loaded last. Load units with the heaviest contents at the bottom.




Follow the instructions that are shipped with the units to ensure that they are properly installed to provide safe performance.

Complete instructions for the safe installation and use of universal storage products are taped to the inside of the unit. Instructions include information about:

- Leveling files
- Ganging files together
- Counter-balancing files
- Removing and reinstalling drawers and shelves
- Moving files



A temporary, peel-off caution label is affixed to the front of the top drawer or door exterior.



A permanent caution label is affixed to the left side of the top drawer or roll-out shelf and is visible when the drawer or shelf is opened.

Safety information for storage cabinets, bookcases, and over-files is included with the installation instructions that are shipped with the products.

Guidelines for Answer Panel-Hung Components

► Page 125

Style Number Index

Style Number	Page	Description
2LF18302AF	605	200 Ser Lat File w/FI Frnt
2LF18302F	603	200 Ser Lat File w/FI Frnt
2LF18303AF	605	200 Ser Lat File w/FI Frnt
2LF18303F	603	200 Ser Lat File w/FI Frnt
2LF18304AF	605	200 Ser Lat File w/FI Frnt
2LF18304F	603	200 Ser Lat File w/FI Frnt
2LF18305AF	605	200 Ser Lat File w/FI Frnt
2LF18305F	603	200 Ser Lat File w/FI Frnt
2LF18362AF	605	200 Ser Lat File w/FI Frnt
2LF18362F	603	200 Ser Lat File w/FI Frnt
2LF18363AF	605	200 Ser Lat File w/FI Frnt
2LF18363F	603	200 Ser Lat File w/FI Frnt
2LF18364AF	605	200 Ser Lat File w/FI Frnt
2LF18364F	603	200 Ser Lat File w/FI Frnt
2LF18365AF	605	200 Ser Lat File w/FI Frnt
2LF18365F	603	200 Ser Lat File w/FI Frnt
2LF18422AF	605	200 Ser Lat File w/FI Frnt
2LF18422F	603	200 Ser Lat File w/FI Frnt
2LF18423AF	605	200 Ser Lat File w/FI Frnt
2LF18423F	603	200 Ser Lat File w/FI Frnt
2LF18424AF	605	200 Ser Lat File w/FI Frnt
2LF18424F	603	200 Ser Lat File w/FI Frnt
2LF18425AF	605	200 Ser Lat File w/FI Frnt
2LF18425F	603	200 Ser Lat File w/FI Frnt
32WCP	562	Wire Guide Clip
800DV12	673	Dividers
800DV6	673	Dividers
800RW	673	Rail
877102002SR	725, 727	Master Lock Tool
877102003SR	725, 727	Standard Lock Tool
98765	561	Termination Plate
98766	561	Cable/Fiber Reel
98767	562	Cord Reels
98768	562	Cable Storage Tray
98863	487	Ser 9000 Dx Cable Grom
999CHT	563	Wire Clips
AWAG2	559	Round Grommet
AWDR	688	Victor2 Display
AWRF254836	687	Victor2 Freestanding Unit
AWRF256036	687	Victor2 Freestanding Unit
AWRM183636	684	Victor2 Mobile Unit
AWTS	688	Victor2 Tray Shelf
AWVBC	559	Power/Data Box
AWVBD	559	Power/Power Box
AWVBP	559	Data/Data Box
AWVW	563	Wire Manager
BADJ	583	Univ Tbl Adj-Hgt Leg
BADJ4	583	Univ Tbl Adj-Hgt Leg
BADJ4C	583	Univ Tbl Adj-Hgt Leg
BADJ4M	583	Univ Tbl Adj-Hgt Leg
BADJC	583	Univ Tbl Adj-Hgt Leg
BB042	473	Beam
BB048	473	Beam
BB060	473	Beam
BB072	473	Beam

Style Number	Page	Description
BB084	473	Beam
BB096	473	Beam
BB108	473	Beam
BB120	473	Beam
BCAB	582	Univ Tbl Cabby Leg
BCAB4	582	Univ Tbl Cabby Leg
BCAB4C	582	Univ Tbl Cabby Leg
BCAB4M	582	Univ Tbl Cabby Leg
BCABC	582	Univ Tbl Cabby Leg
BCL	585	Univ Tbl Dbl Post C-Leg
BDS54	681	Slim Storage
BDS66	681	Slim Storage
BDTD54	681	Shared Tall Storage
BDTD54ANL	680	Shared Tall Storage
BDTD66	681	Shared Tall Storage
BDTD66ANL	680	Shared Tall Storage
BDTD78ANL	680	Shared Tall Storage
BDTS54	681	Individual Tall Storage
BDTS54ANL	680	Individual Tall Storage
BDTS66	681	Individual Tall Storage
BDTS66ANL	680	Individual Tall Storage
BDTS78ANL	680	Individual Tall Storage
BEL2142	579	Univ Tbl Oval
BEL25	584	Univ Tbl Elliptical Leg
BEL27	584	Univ Tbl Elliptical Leg
BEL3042	579	Univ Tbl Oval
BEL3060	579	Univ Tbl Oval
BEL3648	579	Univ Tbl Oval
BEL3672	579	Univ Tbl Oval
BEL4278	579	Univ Tbl Oval
BEL4896	579	Univ Tbl Oval
BFB223636	570	Univ Tbl Cnr, 120°
BFB224242	570	Univ Tbl Cnr, 120°
BFB224848	570	Univ Tbl Cnr, 120°
BFB334242	570	Univ Tbl Cnr, 120°
BFB334848	570	Univ Tbl Cnr, 120°
BFENCEVPT	471	Fence Vertical Post Tube
BFJ2472L	575	Univ Tbl Bubl Jetty
BFJ2472R	575	Univ Tbl Bubl Jetty
BFJ2478L	575	Univ Tbl Bubl Jetty
BFJ2478R	575	Univ Tbl Bubl Jetty
BFJ3072L	575	Univ Tbl Bubl Jetty
BFJ3072R	575	Univ Tbl Bubl Jetty
BFJ3078L	575	Univ Tbl Bubl Jetty
BFJ3078R	575	Univ Tbl Bubl Jetty
BFK2448	571	Univ Tbl Capsule
BFK3060	571	Univ Tbl Capsule
BFK3672	571	Univ Tbl Capsule
BFK4284	571	Univ Tbl Capsule
BFK4896	571	Univ Tbl Capsule
BFP2736	573	Univ Tbl Pnsl
BFR30	576	Univ Tbl Round
BFR36	576	Univ Tbl Round
BFR42	576	Univ Tbl Round
BFR48	576	Univ Tbl Round

Style Number	Page	Description	Style Number	Page	Description
BFR54	576	Univ Tbl Round	BPDSSB	556	Slatwall Attachment Brkt
BFRQ24	577	Univ Tbl Square	BPDSSWPL	556	Pwr and Data Stp w/Cord
BFRQ30	577	Univ Tbl Square	BPDSWB	556	Wksf Attachment Brkt
BFRQ36	577	Univ Tbl Square	BPDSWSPL	556	Power and Data Strip
BFRQ42	577	Univ Tbl Square	BPL	585	Univ Tbl Post Leg
BFRQ48	577	Univ Tbl Square	BPL4	585	Univ Tbl Post Leg
BFRQ54	577	Univ Tbl Square	BPL4C	585	Univ Tbl Post Leg
BFRR3660	578	Univ Tbl Rectangle	BPL4M	585	Univ Tbl Pkg Four
BFRR3666	578	Univ Tbl Rectangle	BPLC	585	Univ Tbl Post Leg
BFRR3672	578	Univ Tbl Rectangle	BT26	581	Univ Tbl Base
BFRR4284	578	Univ Tbl Rectangle	BT36	581	Univ Tbl Base
BFRR4896	578	Univ Tbl Rectangle	BX26	581	Univ Tbl Base
BFS2430	567	Univ Tbl Str	BX36	581	Univ Tbl Base
BFS2436	567	Univ Tbl Str	BXP36	472	X-Post with Large Base
BFS2442	567	Univ Tbl Str	BXPS36	472	X-Post with Small Base
BFS2448	567	Univ Tbl Str	BYP36	472	Y-Post with Large Base
BFS2454	567	Univ Tbl Str	BYPS36	472	Y-Post with Small Base
BFS2460	567	Univ Tbl Str	BZC243060	569	Univ Tbl Trans
BFS2466	567	Univ Tbl Str	BZC243066	569	Univ Tbl Trans
BFS2472	567	Univ Tbl Str	BZC243072	569	Univ Tbl Trans
BFS2478	567	Univ Tbl Str	BZC243078	569	Univ Tbl Trans
BFS3036	567	Univ Tbl Str	BZC302460	569	Univ Tbl Trans
BFS3042	567	Univ Tbl Str	BZC302466	569	Univ Tbl Trans
BFS3048	567	Univ Tbl Str	BZC302472	569	Univ Tbl Trans
BFS3054	567	Univ Tbl Str	BZC302478	569	Univ Tbl Trans
BFS3060	567	Univ Tbl Str	BZC303660	569	Univ Tbl Trans
BFS3066	567	Univ Tbl Str	BZC303666	569	Univ Tbl Trans
BFS3072	567	Univ Tbl Str	BZC303672	569	Univ Tbl Trans
BFS3078	567	Univ Tbl Str	BZC303678	569	Univ Tbl Trans
BFSP48	572	Univ Tbl Spnr	BZC363060	569	Univ Tbl Trans
BFSP52	572	Univ Tbl Spnr	BZC363066	569	Univ Tbl Trans
BFSP60	572	Univ Tbl Spnr	BZC363072	569	Univ Tbl Trans
BFSP64	572	Univ Tbl Spnr	BZC363078	569	Univ Tbl Trans
BFTP48	574	Univ Tbl Taprd Pnsl	CBRKTS	360, 403	Flr Anchor Bracket
BFTP60	574	Univ Tbl Taprd Pnsl	CFENCELC	471	Fence Connector
BHEX3660	580	Univ Tbl Hex Conference	CFENCERC	471	Fence Connector
BHEX3666	580	Univ Tbl Hex Conference	CQVM	479	Junction Box Faceplate—Modular
BHEX3672	580	Univ Tbl Hex Conference	DALK24	586	Knit Screen
BHEX4296	580	Univ Tbl Hex Conference	DALK30	586	Knit Screen
BHEX48120	580	Univ Tbl Hex Conference	DALK36	586	Knit Screen
BHEX48150	580	Univ Tbl Hex Conference	DALK42	586	Knit Screen
BHEX48180	580	Univ Tbl Hex Conference	DAVC	560	Cable Riser
BHHCX	543	Connector	DAVCE	560	Cable Riser Extn
BHHCY	543	Connector	DSCLAMP	587	Pair of Atchmnt Clamps
BHHCZ	543	Connector	DVSS2912	586	Divisio Side Screen
BNCAB	582	Univ Tbl Cabby Leg	FMVF	544	Filler Package — Power/Data
BNCAB4	582	Univ Tbl Cabby Leg	GQTUHCX	543	Connector
BNCAB4C	582	Univ Tbl Cabby Leg	GQTUHCY	543	Connector
BNCAB4M	582	Univ Tbl Cabby Leg	GQTUHCZ	543	Connector
BNCABC	582	Univ Tbl Cabby Leg	KBIN30L_	629	Curved Front Bin
BNPL	585	Univ Tbl Post Leg	KBIN30LW_	629	Curved Front Bin
BNPL4	585	Univ Tbl Post Leg	KBIN36L_	629	Curved Front Bin
BNPL4C	585	Univ Tbl Post Leg	KBIN36LW_	629	Curved Front Bin
BNPL4M	585	Univ Tbl Pkg Four	KBIN42L_	629	Curved Front Bin
BNPLC	585	Univ Tbl Post Leg	KBIN42LW_	629	Curved Front Bin

Style Number Index, continued

Style Number	Page	Description
KBIN48L_	629	Curved Front Bin
KBIN48LW_	629	Curved Front Bin
KDIV02	631, 674	Bookends
KDIV20	631, 674	Bookends
KGANG	631	Ganging Bracket
KGANG20	631	Ganging Bracket
KLSHF30_	630	L-Shelf
KLSHF36_	630	L-Shelf
KLSHF42_	630	L-Shelf
KLSHF48_	630	L-Shelf
KPULL	631	ADA Pull
KSSHF30	630	Stationary Shelf
KSSHF36	630	Stationary Shelf
KSSHF42	630	Stationary Shelf
KSSHF48	630	Stationary Shelf
L52FT	696	Bottomline
L52FTCHI	696	Bottomline
L52FTS	696	Bottomline
L52FTY	696	Bottomline
L53FT	696	Bottomline
L53FTCHI	696	Bottomline
L53FTS	696	Bottomline
L53FTY	696	Bottomline
L54FT	696	Bottomline
L54FTCHI	696	Bottomline
L54FTS	696	Bottomline
L54FTY	696	Bottomline
LOCK9201FR	725, 727	Lock Cylinder
LOCK9201XF	725, 727	Lock Cylinder
LOCK9250FR	725, 727	Lock Cylinder
LOCK9250XF	725, 727	Lock Cylinder
LP TL30	698	LED Personal Task Light
LP TL30NR	698	LED Personal Task Light
LS1FSC	691	Daisy Chain Cord
LS6FSC	691	Daisy Chain Cord
LSB24K2	692	Utility2 Shelf Light
LSB24KC2	692	Utility2 Shelf Light
LSB24KD2	692	Utility2 Shelf Light
LSB24KS2	692	Utility2 Shelf Light
LSB24M2	693	Utility2 Shelf Light
LSB24MC2	693	Utility2 Shelf Light
LSB24MD2	693	Utility2 Shelf Light
LSB24MS2	693	Utility2 Shelf Light
LSB36K2	692	Utility2 Shelf Light
LSB36KC2	692	Utility2 Shelf Light
LSB36KD2	692	Utility2 Shelf Light
LSB36KS2	692	Utility2 Shelf Light
LSB36M2	693	Utility2 Shelf Light
LSB36MC2	693	Utility2 Shelf Light
LSB36MD2	693	Utility2 Shelf Light
LSB36MS2	693	Utility2 Shelf Light
LSB48K2	692	Utility2 Shelf Light
LSB48KC2	692	Utility2 Shelf Light
LSB48KD2	692	Utility2 Shelf Light
LSB48KS2	692	Utility2 Shelf Light

Style Number	Page	Description
LSB48M2	693	Utility2 Shelf Light
LSB48MC2	693	Utility2 Shelf Light
LSB48MD2	693	Utility2 Shelf Light
LSB48MS2	693	Utility2 Shelf Light
LSL18	697	LED Light
LSL18YA	697	LED Light
LSL18YB	697	LED Light
LSM24K	690	Standard Light
LSM24KC	690	Standard Light
LSM24KD	690	Standard Light
LSM36K	690	Standard Light
LSM36KC	690	Standard Light
LSM36KD	690	Standard Light
LSM48K	690	Standard Light
LSM48KC	690	Standard Light
LSM48KD	690	Standard Light
LT2	694	Underline Light
LT2CHI	694	Underline Light
LT2D	694	Dimming Task Light
LT2DCHI	694	Dimming Task Light
LT2DY	694	Dimming Daisy Ch
LT2Y	694	Underline Daisy Ch Light
LTJUMP	695	Daisy Ch Jumper Crd
LTJUMP3	695	Jumper Cord
LTSTART	695	Daisy Ch Strtr Crd
PAB12	677	Attachment Cable
PAB12M	677	Attachment Cable
PTDMGB1	557	Power Sphere
PTDMGB2	557	Power Sphere
PTDMGB3	557	Pwr Comm Sphere
PTDMGB4	557	Pwr Comm Sphere
PTDMGB5	558	Communication Sphere
PTRSGB1	558	Power Comm Port
R30MBB	596, 628	Flexible Mkrd Surf
R36MBB	596, 628	Flexible Mkrd Surf
R42MBB	596, 628	Flexible Mkrd Surf
R48MBB	596, 628	Flexible Mkrd Surf
RAACT1	676	Counterweight Pkg
RAACT2	676	Counterweight Pkg
RAACW1	676	Counterweight Pkg
RAACW2	676	Counterweight Pkg
RAACW3	676	Counterweight Pkg
RAACW4	676	Counterweight Pkg
RAACW5	676	Counterweight Pkg
RAACW6	676	Counterweight Pkg
RAACW7	676	Counterweight Pkg
RAACW8	676	Counterweight Pkg
RAACWA	675	Counterweight Pkg
RAACWB	675	Counterweight Pkg
RAACWC	675	Counterweight Pkg
RAACWD	675	Counterweight Pkg
RAACWE	675	Counterweight Pkg
RAACWF	675	Counterweight Pkg
RAACWG	675	Counterweight Pkg
RAACWH	675	Counterweight Pkg

Style Number	Page	Description	Style Number	Page	Description
RAACWJ	675	Counterweight Pkg	RATW1842	669	Square Edge Top
RAANBRK	676	Anchor Bracket Pkg	RATW2430	669	Square Edge Top
RAHF30	672	Hanging Folder Bars	RATW2436	669	Square Edge Top
RAHF36	672	Hanging Folder Bars	RBB24QCTAK	619	Univ OTC
RAHF42	672	Hanging Folder Bars	RBB24QTAK	619	Univ OTC
RASTDIV30	674	Shelf Divider Assembly	RBB24TAK	621	Univ In the Case Bin
RASTDIV36	674	Shelf Divider Assembly	RBB24WTAK	621	Univ In the Case Bin
RASTDIV42	674	Shelf Divider Assembly	RBB30QCTAK	619	Univ OTC
RATCL18108	668	Square Edge Top	RBB30QTAK	619	Univ OTC
RATCL1860	668	Square Edge Top	RBB30TAK	621	Univ In the Case Bin
RATCL1866	668	Square Edge Top	RBB30WTAK	621	Univ In the Case Bin
RATCL1872	668	Square Edge Top	RBB36QCTAK	619	Univ OTC
RATCL1878	668	Square Edge Top	RBB36QTAK	619	Univ OTC
RATCL1884	668	Square Edge Top	RBB36TAK	621	Univ In the Case Bin
RATCL1890	668	Square Edge Top	RBB36WTAK	621	Univ In the Case Bin
RATCL1896	668	Square Edge Top	RBB42QCTAK	619	Univ OTC
RATCL24108	669	Square Edge Top	RBB42QTAK	619	Univ OTC
RATCL2460	669	Square Edge Top	RBB42TAK	621	Univ In the Case Bin
RATCL2466	669	Square Edge Top	RBB42WTAK	621	Univ In the Case Bin
RATCL2472	669	Square Edge Top	RBB48QCTAK	619	Univ OTC
RATCL2490	669	Square Edge Top	RBB48QTAK	619	Univ OTC
RATCL2496	669	Square Edge Top	RBB48TAK	621	Univ In the Case Bin
RATCL3636	669	Square Edge Top	RBB48WTAK	621	Univ In the Case Bin
RATCL3672	669	Square Edge Top	RBB60QCTAK	619	Univ OTC
RATCL4836	669	Square Edge Top	RBB60QTAK	619	Univ OTC
RATCL4872	669	Square Edge Top	RBB60TAK	621	Univ In the Case Bin
RATCW1860	669	Square Edge Top	RBB60WTAK	621	Univ In the Case Bin
RATCW1866	669	Square Edge Top	RBB66QCTAK	619	Univ OTC
RATCW1872	669	Square Edge Top	RBB66QTAK	619	Univ OTC
RATCW1878	669	Square Edge Top	RBB66TAK	621	Univ In the Case Bin
RATCW1884	669	Square Edge Top	RBB66WTAK	621	Univ In the Case Bin
RATCW1890	669	Square Edge Top	RBB72QCTAK	619	Univ OTC
RATCW1896	669	Square Edge Top	RBB72QTAK	619	Univ OTC
RATCW2460	669	Square Edge Top	RBB72TAK	621	Univ In the Case Bin
RATCW2466	669	Square Edge Top	RBB72WTAK	621	Univ In the Case Bin
RATCW2472	669	Square Edge Top	RBKHWM24	623	Wall Bracket
RATCW2490	669	Square Edge Top	RBKHWM25	623	Wall Bracket
RATCW2496	669	Square Edge Top	RBKHWM30	623	Wall Bracket
RATF1830F	666	Steel Security Top	RBKHWM35	623	Wall Bracket
RATF1830P	666	Steel Security Top	RBKHWM36	623	Wall Bracket
RATF1836F	666	Steel Security Top	RBKHWM42	623	Wall Bracket
RATF1836P	666	Steel Security Top	RBKHWM45	623	Wall Bracket
RATF1842F	666	Steel Security Top	RBKHWM48	623	Wall Bracket
RATF1842P	666	Steel Security Top	RBKHWM60	623	Wall Bracket
RATF2430F	666	Steel Security Top	RBKHWM70	623	Wall Bracket
RATF2430P	666	Steel Security Top	RBKHWM72	623	Wall Bracket
RATF2436F	666	Steel Security Top	RBKVOFM	624	Vertical Off-Module Brkt
RATF2436P	666	Steel Security Top	RDD182448LA	645	Univ Dual Door Tower
RATL1830	668	Square Edge Top	RDD182448LB	646	Univ Dual Door Tower
RATL1836	668	Square Edge Top	RDD182448RA	648	Univ Dual Door Tower
RATL1842	668	Square Edge Top	RDD182448RB	648	Univ Dual Door Tower
RATL2430	668	Square Edge Top	RDD18244LA	646	Univ Dual Door Tower
RATL2436	668	Square Edge Top	RDD18244LB	646	Univ Dual Door Tower
RATW1830	669	Square Edge Top	RDD18244RA	648	Univ Dual Door Tower
RATW1836	669	Square Edge Top	RDD18244RB	649	Univ Dual Door Tower

Style Number Index, continued

Style Number	Page	Description
RDD18245LC_	647	Univ Dual Door Tower
RDD18245LD_	647	Univ Dual Door Tower
RDD18245RC_	649	Univ Dual Door Tower
RDD18245RD_	649	Univ Dual Door Tower
RDD242448LA_	645	Univ Dual Door Tower
RDD242448LB_	646	Univ Dual Door Tower
RDD242448RA_	648	Univ Dual Door Tower
RDD242448RB_	648	Univ Dual Door Tower
RDD24244LA_	646	Univ Dual Door Tower
RDD24244LB_	646	Univ Dual Door Tower
RDD24244RA_	648	Univ Dual Door Tower
RDD24244RB_	649	Univ Dual Door Tower
RDD24245LC_	647	Univ Dual Door Tower
RDD24245LD_	647	Univ Dual Door Tower
RDD24245RC_	649	Univ Dual Door Tower
RDD24245RD_	649	Univ Dual Door Tower
RDIV	623	Dividers
RDS24TAK	622	Univ Personal Shelf
RDS30TAK	622	Univ Personal Shelf
RDS36TAK	622	Univ Personal Shelf
RDS42TAK	622	Univ Personal Shelf
RDS48TAK	622	Univ Personal Shelf
RDV1506	591, 671	Dividers
RDV1512	591, 671	Dividers
RDV151210	591, 671	Dividers
RFF24244LR_	651	Univ Full Front Tower
RFF24244LS_	651	Univ Full Front Tower
RFF24244LT_	651	Univ Full Front Tower
RFF24244RR_	652	Univ Full Front Tower
RFF24244RS_	652	Univ Full Front Tower
RFF24244RT_	652	Univ Full Front Tower
RFF24245LU_	652	Univ Full Front Tower
RFF24245LV_	652	Univ Full Front Tower
RFF24245LW_	653	Univ Full Front Tower
RFF24245RU_	653	Univ Full Front Tower
RFF24245RV_	653	Univ Full Front Tower
RFF24245RW_	653	Univ Full Front Tower
RLF18301_	636	Univ One-High Lat File
RLF18301A_	636	Univ 1.5-High Lat File
RLF18301B_	637	Univ 1.5-High Lat File
RLF18301C_	637	Univ 1.5-High Lat File
RLF18301D_	637	Univ 1.5-High Lat File
RLF18302_	637	Univ Lat File
RLF18303_	662	Univ Lat File
RLF18304_	662	Univ Lat File
RLF18305_	662	Univ Lat File
RLF18361_	636	Univ One-High Lat File
RLF18361A_	636	Univ 1.5-High Lat File
RLF18361B_	637	Univ 1.5-High Lat File
RLF18361C_	637	Univ 1.5-High Lat File
RLF18361D_	637	Univ 1.5-High Lat File
RLF18362_	637	Univ Lat File
RLF18363_	662	Univ Lat File
RLF18364_	662	Univ Lat File
RLF18365_	662	Univ Lat File

Style Number	Page	Description
RLF18421_	636	Univ One-High Lat File
RLF18421A_	636	Univ 1.5-High Lat File
RLF18421B_	637	Univ 1.5-High Lat File
RLF18421C_	637	Univ 1.5-High Lat File
RLF18421D_	637	Univ 1.5-High Lat File
RLF18422_	637	Univ Lat File
RLF18423_	662	Univ Lat File
RLF18424_	662	Univ Lat File
RLF18425_	662	Univ Lat File
RLF24301_	636	Univ One-High Lat File
RLF24301A_	636	Univ 1.5-High Lat File
RLF24301B_	637	Univ 1.5-High Lat File
RLF24301C_	637	Univ 1.5-High Lat File
RLF24301D_	637	Univ 1.5-High Lat File
RLF24302_	637	Univ Lat File
RLF24303_	662	Univ Lat File
RLF24304_	662	Univ Lat File
RLF24305_	662	Univ Lat File
RLF24361_	636	Univ One-High Lat File
RLF24361A_	636	Univ 1.5-High Lat File
RLF24361B_	637	Univ 1.5-High Lat File
RLF24361C_	637	Univ 1.5-High Lat File
RLF24361D_	637	Univ 1.5-High Lat File
RLF24362_	637	Univ Lat File
RLF24363_	662	Univ Lat File
RLF24364_	662	Univ Lat File
RLF24365_	662	Univ Lat File
RPCW	610	Univ Ped Counterweight
RPDC1830_	639	Cushion Top
RPDC1836_	639	Cushion Top
RPDC1842_	639	Cushion Top
RPDC2430_	639	Cushion Top
RPDC2436_	639	Cushion Top
RPF1825A_	609	Univ Fixed Pedestal
RPF1825B_	609	Univ Fixed Pedestal
RPF1827A_	609	Univ Fixed Pedestal
RPF1827B_	609	Univ Fixed Pedestal
RPF2425A_	609	Univ Fixed Pedestal
RPF2425B_	609	Univ Fixed Pedestal
RPF2427A_	609	Univ Fixed Pedestal
RPF2427B_	609	Univ Fixed Pedestal
RPF3025A_	609	Univ Fixed Pedestal
RPF3025B_	609	Univ Fixed Pedestal
RPF3027A_	609	Univ Fixed Pedestal
RPF3027B_	609	Univ Fixed Pedestal
RPM1821C_	614	Univ Mobile Pedestal
RPM1827A_	614	Univ Mobile Pedestal
RPM1827B_	614	Univ Mobile Pedestal
RPM2421C_	614	Univ Mobile Pedestal
RPM2427A_	614	Univ Mobile Pedestal
RPM2427B_	614	Univ Mobile Pedestal
RPULL15W	675	Wood Drawer Pull
RPULL30W	675	Wood Drawer Pull
RPULL36W	675	Wood Drawer Pull
RPULL42W	675	Wood Drawer Pull

Style Number	Page	Description	Style Number	Page	Description
RPXCK2518F	611	Univ Conversion Kit	RSH24TAK	622	Univ Shelf
RPXCK2518P	611	Univ Conversion Kit	RSH30TAK	622	Univ Shelf
RPXCK2524F	611	Univ Conversion Kit	RSH36TAK	622	Univ Shelf
RPXCK2524P	611	Univ Conversion Kit	RSH42TAK	622	Univ Shelf
RPXCK2530F	611	Univ Conversion Kit	RSH48TAK	622	Univ Shelf
RPXCK2530P	611	Univ Conversion Kit	RSH60TAK	622	Univ Shelf
RPXCK2718F	611	Univ Conversion Kit	RSH72TAK	622	Univ Shelf
RPXCK2718P	611	Univ Conversion Kit	RSS24TAK	632	Slim Shelf
RPXCK2724F	611	Univ Conversion Kit	RSS30TAK	632	Slim Shelf
RPXCK2724P	611	Univ Conversion Kit	RSS36TAK	632	Slim Shelf
RPXCK2730F	611	Univ Conversion Kit	RSS42TAK	632	Slim Shelf
RPXCK2730P	611	Univ Conversion Kit	RSS48TAK	632	Slim Shelf
RPXDPT	591, 672	Pencil Tray	RSS60TAK	632	Slim Shelf
RPXDRS	672	Reference Shelf	RSS72TAK	632	Slim Shelf
RPXFTAKFP	610	Univ Fil for Prd Frnt Ped	RSS96TAK	632	Slim Shelf
RPXFTAKPP	610, 702	Univ Fil for Prd Frnt Ped	RUUK24TAK	625	Stnd OH Upmount Pkg
RPXTC24F	614	Univ Ped Cushion Top	RUUK30TAK	625	Stnd OH Upmount Pkg
RPXTC24P	614, 705	Univ Ped Cushion Top	RUUK36TAK	625	Stnd OH Upmount Pkg
RPXTCH24F	614	Univ Ped Cushion Top	RUUK42TAK	625	Stnd OH Upmount Pkg
RPXTCH24P	614, 705	Univ Ped Cushion Top	RUUK48TAK	625	Stnd OH Upmount Pkg
RQS182448LA	641	Univ Open Side Tower	RUUK60TAK	625	Stnd OH Upmount Pkg
RQS182448RA	643	Univ Open Side Tower	RUUK72TAK	625	Stnd OH Upmount Pkg
RQS18244LA	642	Univ Open Side Tower	RVD24244LA	656	Univ Vertical Dwr Tower
RQS18244RA	643	Univ Open Side Tower	RVD24244LB	656	Univ Vertical Dwr Tower
RQS18245LC	642	Univ Open Side Tower	RVD24244RA	657	Univ Vertical Dwr Tower
RQS18245RC	643	Univ Open Side Tower	RVD24244RB	657	Univ Vertical Dwr Tower
RQS242448LA	641	Univ Open Side Tower	RVD24244LC	656	Univ Vertical Dwr Tower
RQS242448RA	643	Univ Open Side Tower	RVD24245LD	656	Univ Vertical Dwr Tower
RQS24244LA	642	Univ Open Side Tower	RVD24245RC	657	Univ Vertical Dwr Tower
RQS24244RA	643	Univ Open Side Tower	RVD24245RD	657	Univ Vertical Dwr Tower
RQS24245LC	642	Univ Open Side Tower	RVD30244LA	656	Univ Vertical Dwr Tower
RQS24245RC	643	Univ Open Side Tower	RVD30244LB	656	Univ Vertical Dwr Tower
RQS302448LA	641	Univ Open Side Tower	RVD30244RA	657	Univ Vertical Dwr Tower
RQS302448RA	643	Univ Open Side Tower	RVD30244RB	657	Univ Vertical Dwr Tower
RQS30244LA	642	Univ Open Side Tower	RVD30245LC	656	Univ Vertical Dwr Tower
RQS30244RA	643	Univ Open Side Tower	RVD30245LD	656	Univ Vertical Dwr Tower
RQS30245LC	642	Univ Open Side Tower	RVD30245RC	657	Univ Vertical Dwr Tower
RQS30245RC	643	Univ Open Side Tower	RVD30245RD	657	Univ Vertical Dwr Tower
RSB36TAK	617	Univ Sldg Dr Bin Stl Frnt	RWV24154A	659	Univ Workstation Vertical
RSB36WTAK	617	Univ Sldg Dr Bin Wd Frnt	RWV24154B	659	Univ Workstation Vertical
RSB42TAK	617	Univ Sldg Dr Bin Stl Frnt	RWV24155C	659	Univ Workstation Vertical
RSB42WTAK	617	Univ Sldg Dr Bin Wd Frnt	RWV24155D	659	Univ Workstation Vertical
RSB48TAK	617	Univ Sldg Dr Bin Stl Frnt	RWV30154A	659	Univ Workstation Vertical
RSB48WTAK	617	Univ Sldg Dr Bin Wd Frnt	RWV30154B	659	Univ Workstation Vertical
RSB60TAK	617	Univ Sldg Dr Bin Stl Frnt	RWV30155C	659	Univ Workstation Vertical
RSB60WTAK	617	Univ Sldg Dr Bin Wd Frnt	RWV30155D	659	Univ Workstation Vertical
RSB66TAK	617	Univ Sldg Dr Bin Stl Frnt	RXADRL15	591, 671	Rails
RSB66WTAK	617	Univ Sldg Dr Bin Wd Frnt	RXADRL24	673	Rails
RSB72TAK	617	Univ Sldg Dr Bin Stl Frnt	RXADRL2442	673	Rails
RSB72WTAK	617	Univ Sldg Dr Bin Wd Frnt	RXSA2415	670	Adjustable Steel Std Shelf
RSC18301A	636	Univ One-High Lat File	RXSA3015	670	Adjustable Steel Std Shelf
RSC18361A	636	Univ One-High Lat File	RXSAFFT2415	670	Adjustable Steel Std Shelf
RSC18421A	636	Univ One-High Lat File	RXSG2415	670	Adjustable Glass Shelf
RSC24301A	636	Univ One-High Lat File	RXSG3015	670	Adjustable Glass Shelf
RSC24361A	636	Univ One-High Lat File	TS2F230UL	598	Under-Wksf Lat File

Style Number Index, continued

Style Number	Page	Description
TS2F236UL	598	Under-Wksf Lat File
TS2FDV	599	Lat File Dwr Div
TS2FFTBR	599	Lateral File Rail
TS2FHF30	599	Lat File Frame
TS2FHF36	599	Lat File Frame
TS2PBBF22M	592	Mobile Ped
TS2PBBF22U	590	Under-Wksf Ped
TS2PBBF28U	590	Under-Wksf Ped
TS2PBDD	594	Box Dwr Divider
TS2PBF22M	592	Mobile Ped
TS2PBF22MC	593	Mobile Ped
TS2PBF22MCH	593	Mobile Ped
TS2PFDD	594	File Dwr Divider
TS2PFF22M	592	Mobile Ped
TS2PFF22U	590	Under-Wksf Ped
TS2PFF28U	590	Under-Wksf Ped
TS2PPT	594	Pencil Tray
TS2TDME	601	Tower Too Dome
TS2TW54LC	600	Tower Too
TS2TW54LSC	600	Tower Too
TS2TW54RC	600	Tower Too
TS2TW54RSC	600	Tower Too
TS2TW66LC	600	Tower Too
TS2TW66LSC	600	Tower Too
TS2TW66RC	600	Tower Too
TS2TW66RSC	600	Tower Too
TS2TWR54L	600	Tower Too
TS2TWR54LS	600	Tower Too
TS2TWR54R	600	Tower Too
TS2TWR54RS	600	Tower Too
TS2TWR66L	600	Tower Too
TS2TWR66LS	600	Tower Too
TS2TWR66R	600	Tower Too
TS2TWR66RS	600	Tower Too
TS2TWR548L	601	Tower Too
TS2TWR548LS	601	Tower Too
TS2TWR548R	601	Tower Too
TS2TWR548RS	601	Tower Too
TS2TWR554L	601	Tower Too
TS2TWR554LS	601	Tower Too
TS2TWR554R	601	Tower Too
TS2TWR554RS	601	Tower Too
TS2TWR566L	601	Tower Too
TS2TWR566LS	601	Tower Too
TS2TWR566R	601	Tower Too
TS2TWR566RS	601	Tower Too
TS2TWS48LC	601	Tower Too
TS2TWS48LSC	601	Tower Too
TS2TWS48RC	601	Tower Too
TS2TWS48RSC	601	Tower Too
TS2TWS54LC	601	Tower Too
TS2TWS54LSC	601	Tower Too
TS2TWS54RC	601	Tower Too
TS2TWS54RSC	601	Tower Too
TS2TWS66LC	601	Tower Too

Style Number	Page	Description
TS2TWS66LSC	601	Tower Too
TS2TWS66RC	601	Tower Too
TS2TWS66RSC	601	Tower Too
TS5LEGCLP	563	Under Worksurface Wire Clips
TS5SKEXT	561	Under Worksurface Skel Wire Manager
TS5SKLBNE	561	Under Worksurface Skel Wire Manager
TS7120JB3	374	120° Jct Block
TS7120JB4	374	120° Jct Block
TS7120JB5	374	120° Jct Block
TS7120JC	375	120° Jct Cap
TS7120JCW	375	120° Jct Cap
TS7120VA4	375	120° to V Trim Aligner
TS71218HS	438	Steel Pnl Skin
TS71218MB	441	Mkrbd Surf for Panel Buildups
TS71218TA	434	F-Covered Pnl Skin
TS71218TK	434	F-Covered Pnl Skin
TS71224DPW	465	Dbl-Pane Glass Win
TS71224HS	438	Steel Pnl Skin
TS71224LS	444	Laminate Skin
TS71224MB	441	Mkrbd Skin
TS71224MBS	440	Mkrbd Surf for Steel Skin
TS71224SBP	443	Slatwall Skin Brace Pkg
TS71224SCW	466	Sgl-Pane Glass Win Kit
TS71224SFG	425	Frameless Glass Screen
TS71224SPTS	426	Pnl Top Screen
TS71224SPW	464	Sgl-Pane Glass Win
TS71224SW	443	Slatwall Skin
TS71224TA	434	F-Covered Pnl Skin
TS71224TFG	387	Frameless Glass
TS71224TFGR	385	Frameless Glass
TS71224TK	434	F-Covered Pnl Skin
TS71224TSMB	461	Mkrbd Tech Skin
TS71224TSS	459	Steel Tech Skin
TS71224TSSW	460	Slatwall Tech Skin
TS71224WS	446	Wood Skin
TS71230DPW	465	Dbl-Pane Glass Win
TS71230HS	438	Steel Pnl Skin
TS71230LS	444	Laminate Skin
TS71230LTSMB	461	Mkrbd Tech Skin, LH Co
TS71230LTSS	459	Steel Tech Skin, LH Co
TS71230LTSSW	460	Slatwall Tech Skin, LH Co
TS71230MB	441	Mkrbd Skin
TS71230MBS	440	Mkrbd Surf for Steel Skin
TS71230PTS	426	Pnl Top Screen
TS71230RTSMB	461	Mkrbd Tech Skin, RH Co
TS71230RTSS	459	Steel Tech Skin, RH Co
TS71230RTSSW	460	Slatwall Tech Skin, RH Co
TS71230SBP	443	Slatwall Skin Brace Pkg
TS71230SCW	466	Sgl-Pane Glass Win Kit
TS71230SFG	425	Frameless Glass Screen
TS71230SPTS	426	Pnl Top Screen
TS71230SPW	464	Sgl-Pane Glass Win
TS71230SW	443	Slatwall Skin
TS71230TA	434	F-Covered Pnl Skin
TS71230TFG	387	Frameless Glass

Style Number	Page	Description	Style Number	Page	Description
TS71230TFGR	385	Frameless Glass	TS71242TSS	459	Steel Tech Skin
TS71230TK	434	F-Covered Pnl Skin	TS71242TSSW	460	Slatwall Tech Skin
TS71230TSMB	461	Mkrbd Tech Skin	TS71242WS	446	Wood Skin
TS71230TSS	459	Steel Tech Skin	TS71248DPW	465	Double-Pane Glass Win
TS71230TSSW	460	Slatwall Tech Skin	TS71248HS	438	Steel Pnl Skin
TS71230WS	446	Wood Skin	TS71248LS	444	Laminate Skin
TS71236DPW	465	Double-Pane Glass Win	TS71248LTSMB	461	Mkrbd Tech Skin, LH Co
TS71236HS	438	Steel Pnl Skin	TS71248LTSS	459	Steel Tech Skin, LH Co
TS71236LS	444	Laminate Skin	TS71248LTSSW	460	Slatwall Tech Skin, LH Co
TS71236LTSMB	461	Mkrbd Tech Skin, LH Co	TS71248MB	441	Mkrbd Skin
TS71236LTSS	459	Steel Tech Skin, LH Co	TS71248MBS	440	Mkrbd Surf for Steel Skin
TS71236LTSSW	460	Slatwall Tech Skin, LH Co	TS71248PTS	426	Pnl Top Screen
TS71236MB	441	Mkrbd Skin	TS71248RTSMB	461	Mkrbd Tech Skin, RH Co
TS71236MBS	440	Mkrbd Surf for Steel Skin	TS71248RTSS	459	Steel Tech Skin, RH Co
TS71236PTS	426	Pnl Top Screen	TS71248RTSSW	460	Slatwall Tech Skin, RH Co
TS71236RTSMB	461	Mkrbd Tech Skin, RH Co	TS71248SBP	443	Slatwall Skin Brace Pkg
TS71236RTSS	459	Steel Tech Skin, RH Co	TS71248SCW	466	Sgl-Pane Glass Win Kit
TS71236RTSSW	460	Slatwall Tech Skin, RH Co	TS71248SFG	425	Frameless Glass Screen
TS71236SBP	443	Slatwall Skin Brace Pkg	TS71248SPTS	426	Pnl Top Screen
TS71236SCW	466	Sgl-Pane Glass Win Kit	TS71248SPW	464	Sgl-Pane Glass Win
TS71236SFG	425	Frameless Glass Screen	TS71248SW	443	Slatwall Skin
TS71236SPTS	426	Pnl Top Screen	TS71248TA	434	F-Covered Pnl Skin
TS71236SPW	464	Sgl-Pane Glass Win	TS71248TFG	387	Frameless Glass
TS71236SW	443	Slatwall Skin	TS71248TFGR	385	Frameless Glass
TS71236TA	434	F-Covered Pnl Skin	TS71248TK	434	F-Covered Pnl Skin
TS71236TFG	387	Frameless Glass	TS71248TSMB	461	Mkrbd Tech Skin
TS71236TFGR	385	Frameless Glass	TS71248TSS	459	Steel Tech Skin
TS71236TK	434	F-Covered Pnl Skin	TS71248TSSW	460	Slatwall Tech Skin
TS71236TSMB	461	Mkrbd Tech Skin	TS71248WS	446	Wood Skin
TS71236TSS	459	Steel Tech Skin	TS71254TFGR	385	Frameless Glass
TS71236TSSW	460	Slatwall Tech Skin	TS71260DPW	465	Double-Pane Glass Win
TS71236WS	446	Wood Skin	TS71260HS	438	Steel Pnl Skin
TS71242DPW	465	Double-Pane Glass Win	TS71260LTSS	459	Steel Tech Skin, LH Co
TS71242HS	438	Steel Pnl Skin	TS71260RTSS	459	Steel Tech Skin, RH Co
TS71242LS	444	Laminate Skin	TS71260SCW	466	Sgl-Pane Glass Win Kit
TS71242LTSMB	461	Mkrbd Tech Skin, LH Co	TS71260SFG	425	Frameless Glass Screen
TS71242LTSS	459	Steel Tech Skin, LH Co	TS71260SPW	464	Sgl-Pane Glass Win
TS71242LTSSW	460	Slatwall Tech Skin, LH Co	TS71260TA	434	F-Covered Pnl Skin
TS71242MB	441	Mkrbd Skin	TS71260TFG	387	Frameless Glass
TS71242MBS	440	Mkrbd Surf for Steel Skin	TS71260TFGR	385	Frameless Glass
TS71242PTS	426	Pnl Top Screen	TS71260TK	434	F-Covered Pnl Skin
TS71242RTSMB	461	Mkrbd Tech Skin, RH Co	TS71260TSS	459	Steel Tech Skin
TS71242RTSS	459	Steel Tech Skin, RH Co	TS71266TFGR	385	Frameless Glass
TS71242RTSSW	460	Slatwall Tech Skin, RH Co	TS71272DPW	465	Double-Pane Glass Win
TS71242SBP	443	Slatwall Skin Brace Pkg	TS71272HS	438	Steel Pnl Skin
TS71242SCW	466	Sgl-Pane Glass Win Kit	TS71272LTSS	459	Steel Tech Skin, LH Co
TS71242SFG	425	Frameless Glass Screen	TS71272RTSS	459	Steel Tech Skin, RH Co
TS71242SPTS	426	Pnl Top Screen	TS71272SCW	466	Sgl-Pane Glass Win Kit
TS71242SPW	464	Sgl-Pane Glass Win	TS71272SFG	425	Frameless Glass Screen
TS71242SW	443	Slatwall Skin	TS71272SPW	464	Sgl-Pane Glass Win
TS71242TA	434	F-Covered Pnl Skin	TS71272TA	434	F-Covered Pnl Skin
TS71242TFG	387	Frameless Glass	TS71272TFG	387	Frameless Glass
TS71242TFGR	385	Frameless Glass	TS71272TFGR	385	Frameless Glass
TS71242TK	434	F-Covered Pnl Skin	TS71272TK	434	F-Covered Pnl Skin
TS71242TSMB	461	Mkrbd Tech Skin	TS71272TSS	459	Steel Tech Skin

Style Number Index, continued

Style Number	Page	Description
TS71278DPW	465	Double-Pane Glass Win
TS71278SCW	466	Sgl-Pane Glass Win Kit
TS71278SFG	425	Frameless Glass Screen
TS71278SPW	464	Sgl-Pane Glass Win
TS71278TFG	387	Frameless Glass
TS71278TFGR	385	Frameless Glass
TS71284DPW	465	Double-Pane Glass Win
TS71284SCW	466	Sgl-Pane Glass Win Kit
TS71284SFG	425	Frameless Glass Screen
TS71284SPW	464	Sgl-Pane Glass Win
TS71284TFG	387	Frameless Glass
TS71284TFGR	385	Frameless Glass
TS71290DPW	465	Double-Pane Glass Win
TS71290SCW	466	Sgl-Pane Glass Win Kit
TS71290SFG	425	Frameless Glass Screen
TS71290SPW	464	Sgl-Pane Glass Win
TS71290TFG	387	Frameless Glass
TS71290TFGR	385	Frameless Glass
TS71296DPW	465	Double-Pane Glass Win
TS71296SCW	466	Sgl-Pane Glass Win Kit
TS71296SFG	425	Frameless Glass Screen
TS71296SPW	464	Sgl-Pane Glass Win
TS71296TFG	387	Frameless Glass
TS71296TFGR	385	Frameless Glass
TS712BPSFX	480	Base Power Infeed
TS712BPSFY	480	Base Power Infeed
TS712BPSFZ	480	Base Power Infeed
TS712BPX	480	Base Power Infeed
TS712BPY	480	Base Power Infeed
TS712BPZ	480	Base Power Infeed
TS712CH	417	Change-of-Hgt Trim
TS712CHS	417	Change-of-Hgt Trim
TS712CHST	418	Stck Change-of-Hgt Trim
TS712CHSTW	418	Stck Change-of-Hgt Trim
TS712CHSW	417	Change-of-Hgt Trim
TS712CHT	418	Stck Change-of-Hgt Trim
TS712CHTW	418	Stck Change-of-Hgt Trim
TS712CHW	417	Change-of-Hgt Trim
TS712EPJS	407	Stck EOR Pnl Jct
TS712EPJSW	407	Stck EOR Pnl Jct
TS712IPJS	362, 405	Stck In-Line Pnl Jct
TS712LPJS	406	Stacking L Pnl Jct
TS712LPJSW	406	Stacking L Pnl Jct
TS712SCH	416	Change-of-Hgt Trim
TS712SCHS	416	Change-of-Hgt Trim
TS712SCHSW	416	Change-of-Hgt Trim
TS712SCHW	416	Change-of-Hgt Trim
TS712T120CHT	372	120° Cor Chng-of-Hgt Trim
TS712T120CHTW	372	120° Cor Chng-of-Hgt Trim
TS712TCLCHT	371	L Cor Chng-of-Hgt Trim
TS712TCLCHTW	371	L Cor Chng-of-Hgt Trim
TS712TCTCHT	371	T Cor Chng-of-Hgt Trim
TS712TCTCHTW	371	T Cor Chng-of-Hgt Trim
TS712TEPJS	362	Stck EOR Pnl Jct
TS712TICHT	370	EOR In-Line COH Trim

Style Number	Page	Description
TS712TICHTW	370	EOR In-Line COH Trim
TS712TLPJS	363	Stacking L Pnl Jct
TS712TPJS	406	Stacking T Pnl Jct
TS712TPJSW	406	Stacking T Pnl Jct
TS712TTPJS	363	Stacking T Pnl Jct
TS712TVCHT	372	V Cnr Chng-of-Hgt Trim
TS712TVCHTW	372	V Cnr Chng-of-Hgt Trim
TS712TVPJS	363	Stacking V Pnl Jct
TS712UPHX	483	Multipurpose Power Infeed
TS712UPHXN	483	Multipurpose Power Infeed
TS712UPHY	483	Multipurpose Power Infeed
TS712UPHYN	483	Multipurpose Power Infeed
TS712UPHZ	483	Multipurpose Power Infeed
TS712UPHZN	483	Multipurpose Power Infeed
TS712VPJS	408	Stacking V Pnl Jct
TS712VPJSW	408	Stacking V Pnl Jct
TS712WPJS	362, 409	Stacking Wall-Start Jct
TS712XPJS	363, 406	Stacking X Pnl Jct
TS712YPJS	363, 408	Stacking Y Pnl Jct
TS714WSP	546	Univ Support Plate
TS71818HS	438	Steel Pnl Skin
TS71818MB	441	Mkrbd Surf for Panel Buildups
TS71818TA	434	F-Covered Pnl Skin
TS71818TK	434	F-Covered Pnl Skin
TS71824DPW	465	Double-Pane Glass Win
TS71824HS	438	Steel Pnl Skin
TS71824LS	444	Laminate Skin
TS71824MB	441	Mkrbd Skin
TS71824SBP	443	Slatwall Skin Brace Pkg
TS71824SCW	466	Sgl-Pane Glass Win Kit
TS71824SPW	464	Sgl-Pane Glass Win
TS71824SW	443	Slatwall Skin
TS71824TA	434	F-Covered Pnl Skin
TS71824TB	468, 627	Tkbd for Use w/Wall Chan
TS71824TFGR	385	Frameless Glass
TS71824TK	434	F-Covered Pnl Skin
TS71824TSMB	461	Mkrbd Tech Skin
TS71824TSS	459	Steel Tech Skin
TS71824TSSW	460	Slatwall Tech Skin
TS71824WS	446	Wood Skin
TS71830DPW	465	Double-Pane Glass Win
TS71830HS	438	Steel Pnl Skin
TS71830LS	444	Laminate Skin
TS71830LTSMB	461	Mkrbd Tech Skin, LH Co
TS71830LTSS	459	Steel Tech Skin, LH Co
TS71830LTSSW	460	Slatwall Tech Skin, LH Co
TS71830MB	441	Mkrbd Skin
TS71830RTSMB	461	Mkrbd Tech Skin, RH Co
TS71830RTSS	459	Steel Tech Skin, RH Co
TS71830RTSSW	460	Slatwall Tech Skin, RH Co
TS71830SBP	443	Slatwall Skin Brace Pkg
TS71830SCW	466	Sgl-Pane Glass Win Kit
TS71830SPW	464	Sgl-Pane Glass Win
TS71830SW	443	Slatwall Skin
TS71830TA	434	F-Covered Pnl Skin

Style Number	Page	Description	Style Number	Page	Description
TS71830TB	468, 627	Tkbd for Use w/Wall Chan	TS71848LTSS	459	Steel Tech Skin, LH Co
TS71830TFGR	385	Frameless Glass	TS71848LTSSW	460	Slatwall Tech Skin, LH Co
TS71830TK	434	F-Covered Pnl Skin	TS71848MB	441	Mkrbd Skin
TS71830TSMB	461	Mkrbd Tech Skin	TS71848RTSMB	461	Mkrbd Tech Skin, RH Co
TS71830TSS	459	Steel Tech Skin	TS71848RTSS	459	Steel Tech Skin, RH Co
TS71830TSSW	460	Slatwall Tech Skin	TS71848RTSSW	460	Slatwall Tech Skin, RH Co
TS71830WS	446	Wood Skin	TS71848SBP	443	Slatwall Skin Brace Pkg
TS71836DPW	465	Double-Pane Glass Win	TS71848SCW	466	Sgl-Pane Glass Win Kit
TS71836HS	438	Steel Pnl Skin	TS71848SPW	464	Sgl-Pane Glass Win
TS71836LS	444	Laminate Skin	TS71848SW	443	Slatwall Skin
TS71836LTSMB	461	Mkrbd Tech Skin, LH Co	TS71848TA	434	F-Covered Pnl Skin
TS71836LTSS	459	Steel Tech Skin, LH Co	TS71848TB	468, 627	Tkbd for Use w/Wall Chan
TS71836LTSSW	460	Slatwall Tech Skin, LH Co	TS71848TFGR	385	Frameless Glass
TS71836MB	441	Mkrbd Skin	TS71848TK	434	F-Covered Pnl Skin
TS71836RTSMB	461	Mkrbd Tech Skin, RH Co	TS71848TSMB	461	Mkrbd Tech Skin
TS71836RTSS	459	Steel Tech Skin, RH Co	TS71848TSS	459	Steel Tech Skin
TS71836RTSSW	460	Slatwall Tech Skin, RH Co	TS71848TSSW	460	Slatwall Tech Skin
TS71836SBP	443	Slatwall Skin Brace Pkg	TS71848WS	446	Wood Skin
TS71836SCW	466	Sgl-Pane Glass Win Kit	TS71854TFGR	385	Frameless Glass
TS71836SPW	464	Sgl-Pane Glass Win	TS71860DPW	465	Double-Pane Glass Win
TS71836SW	443	Slatwall Skin	TS71860HS	438	Steel Pnl Skin
TS71836TA	434	F-Covered Pnl Skin	TS71860LTSS	459	Steel Tech Skin, LH Co
TS71836TB	468, 627	Tkbd for Use w/Wall Chan	TS71860RTSS	459	Steel Tech Skin, RH Co
TS71836TFGR	385	Frameless Glass	TS71860SCW	466	Sgl-Pane Glass Win Kit
TS71836TK	434	F-Covered Pnl Skin	TS71860SPW	464	Sgl-Pane Glass Win
TS71836TSMB	461	Mkrbd Tech Skin	TS71860TA	434	F-Covered Pnl Skin
TS71836TSS	459	Steel Tech Skin	TS71860TB	468, 627	Tkbd for Use w/Wall Chan
TS71836TSSW	460	Slatwall Tech Skin	TS71860TFGR	385	Frameless Glass
TS71836WS	446	Wood Skin	TS71860TK	434	F-Covered Pnl Skin
TS71842DPW	465	Double-Pane Glass Win	TS71860TSS	459	Steel Tech Skin
TS71842HS	438	Steel Pnl Skin	TS71866TFGR	385	Frameless Glass
TS71842LS	444	Laminate Skin	TS71872DPW	465	Double-Pane Glass Win
TS71842LTSMB	461	Mkrbd Tech Skin, LH Co	TS71872HS	438	Steel Pnl Skin
TS71842LTSS	459	Steel Tech Skin, LH Co	TS71872LTSS	459	Steel Tech Skin, LH Co
TS71842LTSSW	460	Slatwall Tech Skin, LH Co	TS71872RTSS	459	Steel Tech Skin, RH Co
TS71842MB	441	Mkrbd Skin	TS71872SCW	466	Sgl-Pane Glass Win Kit
TS71842RTSMB	461	Mkrbd Tech Skin, RH Co	TS71872SPW	464	Sgl-Pane Glass Win
TS71842RTSS	459	Steel Tech Skin, RH Co	TS71872TA	434	F-Covered Pnl Skin
TS71842RTSSW	460	Slatwall Tech Skin, RH Co	TS71872TB	468, 627	Tkbd for Use w/Wall Chan
TS71842SBP	443	Slatwall Skin Brace Pkg	TS71872TFGR	385	Frameless Glass
TS71842SCW	466	Sgl-Pane Glass Win Kit	TS71872TK	434	F-Covered Pnl Skin
TS71842SPW	464	Sgl-Pane Glass Win	TS71872TSS	459	Steel Tech Skin
TS71842SW	443	Slatwall Skin	TS71878SCW	466	Sgl-Pane Glass Win Kit
TS71842TA	434	F-Covered Pnl Skin	TS71878SPW	464	Sgl-Pane Glass Win
TS71842TB	468, 627	Tkbd for Use w/Wall Chan	TS71878TFGR	385	Frameless Glass
TS71842TFGR	385	Frameless Glass	TS71884SCW	466	Sgl-Pane Glass Win Kit
TS71842TK	434	F-Covered Pnl Skin	TS71884SPW	464	Sgl-Pane Glass Win
TS71842TSMB	461	Mkrbd Tech Skin	TS71884TFGR	385	Frameless Glass
TS71842TSS	459	Steel Tech Skin	TS71890SCW	466	Sgl-Pane Glass Win Kit
TS71842TSSW	460	Slatwall Tech Skin	TS71890SPW	464	Sgl-Pane Glass Win
TS71842WS	446	Wood Skin	TS71890TFGR	385	Frameless Glass
TS71848DPW	465	Double-Pane Glass Win	TS71896SCW	466	Sgl-Pane Glass Win Kit
TS71848HS	438	Steel Pnl Skin	TS71896SPW	464	Sgl-Pane Glass Win
TS71848LS	444	Laminate Skin	TS71896TFGR	385	Frameless Glass
TS71848LTSMB	461	Mkrbd Tech Skin, LH Co	TS718BT	392	Base Trim

Style Number Index, continued

Style Number	Page	Description
TS718CH	417	Chng-of-Hgt Trim
TS718CHS	417	Chng-of-Hgt Trim
TS718CHST	418	Stacking Chng-of-Hgt Trim
TS718CHSTW	418	Stacking Chng-of-Hgt Trim
TS718CHSW	417	Chng-of-Hgt Trim
TS718CHT	418	Stacking Chng-of-Hgt Trim
TS718CHTW	418	Stacking Chng-of-Hgt Trim
TS718CHW	417	Chng-of-Hgt Trim
TS718CT	474	Cable Tray
TS718EPJS	407	Stck EOR Pnl Jct
TS718EPJSW	407	Stck EOR Pnl Jct
TS718HF	422	Base Horiz Frame Pkg
TS718HFS	382, 423	Stck Horiz Frame Pkg
TS718IPJS	362, 405	Stacking In-Line Pnl Jct
TS718LPJS	406	Stacking L Pnl Jct
TS718LPJSW	406	Stacking L Pnl Jct
TS718OBK	392	Open Base Conversion Kit
TS718SCH	416	Chng-of-Hgt Trim
TS718SCHS	416	Chng-of-Hgt Trim
TS718SCHSW	416	Chng-of-Hgt Trim
TS718SCHW	416	Chng-of-Hgt Trim
TS718SHF	421	Base Horiz Frame Pkg
TS718T120CHT	372	120° Cnr Chng-of-Hgt Trim
TS718T120CHTW	372	120° Cnr Chng-of-Hgt Trim
TS718TCLCHT	371	L Cnr Chng-of-Hgt Trim
TS718TCLCHTW	371	L Cnr Chng-of-Hgt Trim
TS718TCTCHT	371	T Cnr Chng-of-Hgt Trim
TS718TCTCHTW	371	T Cnr Chng-of-Hgt Trim
TS718TEPJS	362	Stck EOR Pnl Jct
TS718THF	381	Base Horiz Frame Pkg
TS718TICHT	370	EOR In-Line COH Trim
TS718TICHTW	370	EOR In-Line COH Trim
TS718TLPJS	363	Stacking L Pnl Jct
TS718TPJS	406	Stacking T Pnl Jct
TS718TPJSW	406	Stacking T Pnl Jct
TS718TTPJS	363	Stacking T Pnl Jct
TS718TVCHT	372	V Cnr Chng-of-Hgt Trim
TS718TVCHTW	372	V Cnr Chng-of-Hgt Trim
TS718TVPJS	363	Stacking V Pnl Jct
TS718VPJS	408	Stacking V Pnl Jct
TS718VPJSW	408	Stacking V Pnl Jct
TS718WPJS	362, 409	Stacking Wall-Start Jct
TS718XPJS	363, 406	Stacking X Pnl Jct
TS718YPJS	363, 408	Stacking Y Pnl Jct
TS71SGX	477	15-Amp Duplex Rcpt
TS71SGY	477	15-Amp Duplex Rcpt
TS71SGZ	477	15-Amp Duplex Rcpt
TS71SSX	477	15-Amp Duplex Rcpt
TS71SSY	477	15-Amp Duplex Rcpt
TS71SSZ	477	15-Amp Duplex Rcpt
TS71USBX	478	USB Receptacle
TS71USBY	478	USB Receptacle
TS71USBZ	478	USB Receptacle
TS720WSP	546	Univ Support Plate
TS72323TCXJCQ	378	Answer to c:scape X Junction—Thin Trim

Style Number	Page	Description
TS7232TCTJCQ	377	Answer to c:scape T Junction—Thin Trim
TS723TCLJCQ	376	Answer to c:scape L Junction—Thin Trim
TS72418HS	438	Steel Pnl Skin
TS72418HSF	439	Steel To The Flr Skin
TS72418MB	441	Mkrbd Surf for Panel Buildups
TS72418MBF	442	Mkrbd to the Floor Skins
TS72418TA	434	F-Covered Pnl Skin
TS72418TAF	436	F-Covered Pnl Skin
TS72418TK	434	F-Covered Pnl Skin
TS72418TKF	436	F-Covered To The Flr Skin
TS72424DPW	465	Double-Pane Glass Win
TS72424HS	438	Steel Pnl Skin
TS72424HSF	439	Steel To The Flr Skin
TS72424LS	444	Laminate Skin
TS72424LSF	445	Lam To The Flr Skin
TS72424MB	441	Mkrbd Skin
TS72424MBF	442	Mkrbd to the Floor Skins
TS72424MBS	440	Mkrbd Surf for Steel Skin
TS72424SBP	443	Slatwall Skin Brace Pkg
TS72424SCW	466	Sgl-Pane Glass Win Kit
TS72424SPW	464	Sgl-Pane Glass Win
TS72424SW	443	Slatwall Skin
TS72424TA	434	F-Covered Pnl Skin
TS72424TAF	436	F-Covered To The Flr Skin
TS72424TCXJCQ	378	Answer to c:scape X Junction—Thin Trim
TS72424TK	434	F-Covered Pnl Skin
TS72424TKF	436	F-Covered To The Flr Skin
TS72424WS	446	Wood Skin
TS72424WSF	448	Wood To The Flr Skin
TS7242TCTJCQ	377	Answer to c:scape T Junction—Thin Trim
TS72430DPW	465	Double-Pane Glass Win
TS72430HS	438	Steel Pnl Skin
TS72430HSF	439	Steel To The Flr Skin
TS72430LS	444	Laminate Skin
TS72430LSF	445	Laminate To The Flr Skin
TS72430MB	441	Mkrbd Skin
TS72430MBF	442	Mkrbd to the Floor Skins
TS72430MBS	440	Mkrbd Surf for Steel Skin
TS72430SBP	443	Slatwall Skin Brace Pkg
TS72430SCW	466	Sgl-Pane Glass Win Kit
TS72430SPW	464	Sgl-Pane Glass Win
TS72430SW	443	Slatwall Skin
TS72430TA	434	F-Covered Pnl Skin
TS72430TAF	436	F-Covered To The Flr Skin
TS72430TK	434	F-Covered Pnl Skin
TS72430TKF	436	F-Covered To The Flr Skin
TS72430WS	446	Wood Skin
TS72430WSF	448	Wood To The Flr Skin
TS72436DPW	465	Double-Pane Glass Win
TS72436HS	438	Steel Pnl Skin
TS72436HSF	439	Steel To The Flr Skin
TS72436LS	444	Laminate Skin
TS72436LSF	445	Laminate To The Flr Skin
TS72436MB	441	Mkrbd Skin
TS72436MBF	442	Mkrbd to the Floor Skins

Style Number	Page	Description	Style Number	Page	Description
TS72436MBS	440	Mkrbd Surf for Steel Skin	TS72460TK	434	F-Covered Pnl Skin
TS72436SBP	443	Slatwall Skin Brace Pkg	TS72460TKF	436	F-Covered To The Flr Skin
TS72436SCW	466	Sgl-Pane Glass Win Kit	TS72472DPW	465	Double-Pane Glass Win
TS72436SPW	464	Sgl-Pane Glass Win	TS72472HS	438	Steel Pnl Skin
TS72436SW	443	Slatwall Skin	TS72472HSF	439	Steel To The Flr Skin
TS72436TA	434	F-Covered Pnl Skin	TS72472MBF	442	Mkrbd to the Floor Skins
TS72436TAF	436	F-Covered To The Flr Skin	TS72472SCW	466	Sgl-Pane Glass Win Kit
TS72436TK	434	F-Covered Pnl Skin	TS72472SPW	464	Sgl-Pane Glass Win
TS72436TKF	436	F-Covered To The Flr Skin	TS72472TA	434	F-Covered Pnl Skin
TS72436WS	446	Wood Skin	TS72472TAF	436	F-Covered To The Flr Skin
TS72436WSF	448	Wood To The Flr Skin	TS72472TK	434	F-Covered Pnl Skin
TS72442DPW	465	Double-Pane Glass Win	TS72472TKF	436	F-Covered To The Flr Skin
TS72442HS	438	Steel Pnl Skin	TS72478SCW	466	Sgl-Pane Glass Win Kit
TS72442HSF	439	Steel To The Flr Skin	TS72478SPW	464	Sgl-Pane Glass Win
TS72442LS	444	Laminate Skin	TS72484SCW	466	Sgl-Pane Glass Win Kit
TS72442LSF	445	Laminate To The Flr Skin	TS72484SPW	464	Sgl-Pane Glass Win
TS72442MB	441	Mkrbd Skin	TS72490SCW	466	Sgl-Pane Glass Win Kit
TS72442MBF	442	Mkrbd to the Floor Skins	TS72490SPW	464	Sgl-Pane Glass Win
TS72442MBS	440	Mkrbd Surf for Steel Skin	TS72496SCW	466	Sgl-Pane Glass Win Kit
TS72442SBP	443	Slatwall Skin Brace Pkg	TS72496SPW	464	Sgl-Pane Glass Win
TS72442SCW	466	Sgl-Pane Glass Win Kit	TS724BKT	361, 404	Off-Module Pnl Conn
TS72442SPW	464	Sgl-Pane Glass Win	TS724BT	392	Base Trim
TS72442SW	443	Slatwall Skin	TS724BTH	470	Hardwire Base Trim
TS72442TA	434	F-Covered Pnl Skin	TS724CH	417	Chng-of-Hgt Trim
TS72442TAF	436	F-Covered To The Flr Skin	TS724CHS	417	Chng-of-Hgt Trim
TS72442TK	434	F-Covered Pnl Skin	TS724CHST	418	Stacking Chng-of-Hgt Trim
TS72442TKF	436	F-Covered To The Flr Skin	TS724CHSTW	418	Stacking Chng-of-Hgt Trim
TS72442WS	446	Wood Skin	TS724CHSW	417	Chng-of-Hgt Trim
TS72442WSF	448	Wood To The Flr Skin	TS724CHT	418	Stacking Chng-of-Hgt Trim
TS72448DPW	465	Double-Pane Glass Win	TS724CHTW	418	Stacking Chng-of-Hgt Trim
TS72448HS	438	Steel Pnl Skin	TS724CHW	417	Chng-of-Hgt Trim
TS72448HSF	439	Steel To The Flr Skin	TS724CT	474	Cable Tray
TS72448LS	444	Laminate Skin	TS724EPJS	407	Stck EOR Pnl Jct
TS72448LSF	445	Laminate To The Flr Skin	TS724EPJSW	407	Stck EOR Pnl Jct
TS72448MB	441	Mkrbd Skin	TS724HF	422	Base Horz Frame Pkg
TS72448MBF	442	Mkrbd to the Floor Skins	TS724HFS	382, 423	Stacking Horz Frame Pkg
TS72448MBS	440	Mkrbd Surf for Steel Skin	TS724IPJS	362, 405	Stacking In-Line Pnl Jct
TS72448SBP	443	Slatwall Skin Brace Pkg	TS724LPJS	406	Stacking L Pnl Jct
TS72448SCW	466	Sgl-Pane Glass Win Kit	TS724LPJSW	406	Stacking L Pnl Jct
TS72448SPW	464	Sgl-Pane Glass Win	TS724OBK	392	Open Base Conversion Kit
TS72448SW	443	Slatwall Skin	TS724SCH	416	Chng-of-Hgt Trim
TS72448TA	434	F-Covered Pnl Skin	TS724SCHS	416	Chng-of-Hgt Trim
TS72448TAF	436	F-Covered To The Flr Skin	TS724SCHSW	416	Chng-of-Hgt Trim
TS72448TK	434	F-Covered Pnl Skin	TS724SCHW	416	Chng-of-Hgt Trim
TS72448TKF	436	F-Covered To The Flr Skin	TS724SHF	421	Base Horz Frame Pkg
TS72448WS	446	Wood Skin	TS724T120CHT	372	120° Cnr Chng-of-Hgt Trim
TS72448WSF	448	Wood To The Flr Skin	TS724T120CHTW	372	120° Cnr Chng-of-Hgt Trim
TS72460DPW	465	Double-Pane Glass Win	TS724TCLCHT	371	L Cnr Chng-of-Hgt Trim
TS72460HS	438	Steel Pnl Skin	TS724TCLCHTW	371	L Cnr Chng-of-Hgt Trim
TS72460HSF	439	Steel To The Flr Skin	TS724TCLJCQ	376	Answer to c:scape L Junction—Thin Trim
TS72460MBF	442	Mkrbd to the Floor Skins	TS724TCTCHT	371	T Cnr Chng-of-Hgt Trim
TS72460SCW	466	Sgl-Pane Glass Win Kit	TS724TCTCHTW	371	T Cnr Chng-of-Hgt Trim
TS72460SPW	464	Sgl-Pane Glass Win	TS724TEPJS	362	Stck EOR Pnl Jct
TS72460TA	434	F-Covered Pnl Skin	TS724THF	381	Base Horz Frame Pkg
TS72460TAF	436	F-Covered To The Flr Skin	TS724TICHT	370	EOR In-Line COH Trim

Style Number Index, continued

Style Number	Page	Description
--------------	------	-------------

TS724TICHTW	370	EOR In-Line COH Trim
TS724TLPJS	363	Stacking L Pnl Jct
TS724TPJS	406	Stacking T Pnl Jct
TS724TPJSW	406	Stacking T Pnl Jct
TS724TTPJS	363	Stacking T Pnl Jct
TS724TVCHT	372	V Cnr Chng-of-Hgt Trim
TS724TVCHTW	372	V Cnr Chng-of-Hgt Trim
TS724VTPJS	363	Stacking V Pnl Jct
TS724UPHX	483	Multipurpose Power Infeed
TS724UPHXN	483	Multipurpose Power Infeed
TS724UPHY	483	Multipurpose Power Infeed
TS724UPHYN	483	Multipurpose Power Infeed
TS724UPHZ	483	Multipurpose Power Infeed
TS724UPHZN	483	Multipurpose Power Infeed
TS724VPJS	408	Stacking V Pnl Jct
TS724VPJSW	408	Stacking V Pnl Jct
TS724WPJS	362, 409	Stacking Wall-Start Jct
TS724XPJS	363, 406	Stacking X Pnl Jct
TS724YPJS	363, 408	Stacking Y Pnl Jct
TS72525TCXJCQ	378	Answer to c:scape X Junction—Thin Trim
TS7252TCTJCQ	377	Answer to c:scape T Junction—Thin Trim
TS725TCLJCQ	376	Answer to c:scape L Junction—Thin Trim
TS72828TCXJCQ	378	Answer to c:scape X Junction—Thin Trim
TS7282TCTJCQ	377	Answer to c:scape T Junction—Thin Trim
TS728TCLJCQ	376	Answer to c:scape L Junction—Thin Trim
TS72SGX	477	15-Amp Duplex Rcpt
TS72SGY	477	15-Amp Duplex Rcpt
TS72SGZ	477	15-Amp Duplex Rcpt
TS72SSX	477	15-Amp Duplex Rcpt
TS72SSY	477	15-Amp Duplex Rcpt
TS72SSZ	477	15-Amp Duplex Rcpt
TS72USBX	478	USB Receptacle
TS72USBY	478	USB Receptacle
TS72USBZ	478	USB Receptacle
TS73018HS	438	Steel Pnl Skin
TS73018HSF	439	Steel To The Flr Skin
TS73018MB	441	Mkrbd Surf for Panel Buildups
TS73018MBF	442	Mkrbd to the Floor Skins
TS73018TA	434	F-Covered Pnl Skin
TS73018TAF	436	F-Covered To The Flr Skin
TS73018TK	434	F-Covered Pnl Skin
TS73018TKF	436	F-Covered To The Flr Skin
TS73024HS	438	Steel Pnl Skin
TS73024HSF	439	Steel To The Flr Skin
TS73024LS	444	Laminate Skin
TS73024LSF	445	Laminate To The Flr Skin
TS73024MB	441	Mkrbd Skin
TS73024MBF	442	Mkrbd to the Floor Skins
TS73024TA	434	F-Covered Pnl Skin
TS73024TAF	436	F-Covered To The Flr Skin
TS73024TK	434	F-Covered Pnl Skin
TS73024TKF	436	F-Covered To The Flr Skin
TS73024WS	446	Wood Skin
TS73024WSF	448	Wood To The Flr Skin
TS73030HS	438	Steel Pnl Skin

Style Number	Page	Description
--------------	------	-------------

TS73030HSF	439	Steel To The Flr Skin
TS73030LS	444	Laminate Skin
TS73030LSF	445	Laminate To The Flr Skin
TS73030MB	441	Mkrbd Skin
TS73030MBF	442	Mkrbd to the Floor Skins
TS73030TA	434	F-Covered Pnl Skin
TS73030TAF	436	F-Covered To The Flr Skin
TS73030TK	434	F-Covered Pnl Skin
TS73030TKF	436	F-Covered To The Flr Skin
TS73030WS	446	Wood Skin
TS73030WSF	448	Wood To The Flr Skin
TS73036HS	438	Steel Pnl Skin
TS73036HSF	439	Steel To The Flr Skin
TS73036LS	444	Laminate Skin
TS73036LSF	445	Laminate To The Flr Skin
TS73036MB	441	Mkrbd Skin
TS73036MBF	442	Mkrbd to the Floor Skins
TS73036TA	434	F-Covered Pnl Skin
TS73036TAF	436	F-Covered To The Flr Skin
TS73036TK	434	F-Covered Pnl Skin
TS73036TKF	436	F-Covered To The Flr Skin
TS73036WS	446	Wood Skin
TS73036WSF	448	Wood To The Flr Skin
TS73042HS	438	Steel Pnl Skin
TS73042HSF	439	Steel To The Flr Skin
TS73042LS	444	Laminate Skin
TS73042LSF	445	Laminate To The Flr Skin
TS73042MB	441	Mkrbd Skin
TS73042MBF	442	Mkrbd to the Floor Skins
TS73042TA	434	F-Covered Pnl Skin
TS73042TAF	436	F-Covered To The Flr Skin
TS73042TK	434	F-Covered Pnl Skin
TS73042TKF	436	F-Covered To The Flr Skin
TS73042WS	446	Wood Skin
TS73042WSF	448	Wood To The Flr Skin
TS73048HS	438	Steel Pnl Skin
TS73048HSF	439	Steel To The Flr Skin
TS73048LS	444	Laminate Skin
TS73048LSF	445	Laminate To The Flr Skin
TS73048MB	441	Mkrbd Skin
TS73048MBF	442	Mkrbd to the Floor Skins
TS73048TA	434	F-Covered Pnl Skin
TS73048TAF	436	F-Covered To The Flr Skin
TS73048TK	434	F-Covered Pnl Skin
TS73048TKF	436	F-Covered To The Flr Skin
TS73048WS	446	Wood Skin
TS73048WSF	448	Wood To The Flr Skin
TS73060HS	438	Steel Pnl Skin
TS73060HSF	439	Steel To The Flr Skin
TS73060MBF	442	Mkrbd to the Floor Skins
TS73060TA	434	F-Covered Pnl Skin
TS73060TAF	436	F-Covered To The Flr Skin
TS73060TK	434	F-Covered Pnl Skin
TS73060TKF	436	F-Covered To The Flr Skin
TS73072HS	438	Steel Pnl Skin

Style Number	Page	Description	Style Number	Page	Description
TS73072HSF	439	Steel To The Flr Skin	TS730THF	381	Base Horz Frame Pkg
TS73072MBF	442	Mkrbd to the Floor Skins	TS730TICHT	370	EOR In-Line COH Trim
TS73072TA	434	F-Covered Pnl Skin	TS730TICHTW	370	EOR In-Line COH Trim
TS73072TAF	436	F-Covered To The Flr Skin	TS730TIPJ	344	In-Line Base Pnl Jct
TS73072TK	434	F-Covered Pnl Skin	TS730TLPJ	345	L Base Pnl Jct
TS73072TKF	436	F-Covered To The Flr Skin	TS730TLPJW	345	L Base Pnl Jct
TS730BKT	361, 404	Off-Module Pnl Conn	TS730TLVT	368	L Vertical Trim
TS730BT	392	Base Trim	TS730TLVTW	368	L Vertical Trim
TS730BTH	470	Hardwire Base Trim	TS730TPJ	397	T Base Pnl Jct
TS730CH	417	Chng-of-Hgt Trim	TS730TPJW	397	T Base Pnl Jct
TS730CHS	417	Chng-of-Hgt Trim	TS730TSUC	365	Clg-Access Lay-in Util Pkg
TS730CHSW	417	Chng-of-Hgt Trim	TS730TSUF	366	Flr-Access Lay-in Util Pkg
TS730CHW	417	Chng-of-Hgt Trim	TS730TTCR	389	Top Cap & Aligner Packages – Painted
TS730CT	474	Cable Tray	TS730TTCWR	389	Top Cap & Aligner Packages – Wood
TS730EPJ	399	EOR Base Pnl Jct	TS730TTPJ	345	T Base Pnl Jct
TS730EPJW	399	EOR Base Pnl Jct	TS730TTPJW	345	T Base Pnl Jct
TS730HF	422	Base Horz Frame Pkg	TS730TTVT	368	T Vertical Trim
TS730HFS	382, 423	Stacking Horz Frame Pkg	TS730TTVTW	368	T Vertical Trim
TS730IPJ	395	In-Line Base Pnl Jct	TS730TVCHT	372	V Cnr Chng-of-Hgt Trim
TS730JP	373	Jct Post	TS730TVCHTW	372	V Cnr Chng-of-Hgt Trim
TS730LPJ	397	L Base Pnl Jct	TS730TVPJ	348	V Base Pnl Jct
TS730LPJW	397	L Base Pnl Jct	TS730TVPJW	348	V Base Pnl Jct
TS730OBK	392	Open Base Conversion Kit	TS730TVVT	369	V Vertical Trim
TS730SCH	416	Chng-of-Hgt Trim	TS730TVVTW	369	V Vertical Trim
TS730SCHS	416	Chng-of-Hgt Trim	TS730TXPJ	346	X Base Pnl Jct
TS730SCHSW	416	Chng-of-Hgt Trim	TS730TXPJW	346	X Base Pnl Jct
TS730SCHW	416	Chng-of-Hgt Trim	TS730TYPJ	348	Y Base Pnl Jct
TS730SEPJ	398	EOR Base Pnl Jct	TS730TYPJW	348	Y Base Pnl Jct
TS730SEPJW	398	EOR Base Pnl Jct	TS730VPJ	401	V Base Pnl Jct
TS730SHF	421	Base Horz Frame Pkg	TS730VPJW	401	V Base Pnl Jct
TS730SIPJ	394	In-Line Base Pnl Jct	TS730XPJ	397	X Base Pnl Jct
TS730SLPJ	396	L Base Pnl Jct	TS730XPJW	397	X Base Pnl Jct
TS730SLPJW	396	L Base Pnl Jct	TS730YPJ	401	Y Base Pnl Jct
TS730SSUC	412	Clg-Access Lay-In Util Pkg	TS730YPJW	401	Y Base Pnl Jct
TS730SSUF	414	Flr-Access Lay-In Util Pkg	TS7323TCTJQCQ	377	Answer to c:scape T Junction–Thin Trim
TS730STPJ	396	T Base Pnl Jct	TS732TCLJQCQ	376	Answer to c:scape L Junction–Thin Trim
TS730STPJW	396	T Base Pnl Jct	TS73334TCXJ	355	X Chng-of-Hgt Jct
TS730SUC	413	Clg-Access Lay-In Util Pkg	TS73334TCXJW	355	X Chng-of-Hgt Jct
TS730SUF	415	Flr-Access Lay-In Util Pkg	TS73335TCXJ	355	X Chng-of-Hgt Jct
TS730SVPJ	400	V Base Pnl Jct	TS73335TCXJW	355	X Chng-of-Hgt Jct
TS730SVPJW	400	V Base Pnl Jct	TS73336TCXJ	355	X Chng-of-Hgt Jct
TS730SXPJ	396	X Base Pnl Jct	TS73336TCXJW	355	X Chng-of-Hgt Jct
TS730SXPJW	396	X Base Pnl Jct	TS73338TCXJ	355	X Chng-of-Hgt Jct
TS730SYPJ	400	Y Base Pnl Jct	TS73338TCXJW	355	X Chng-of-Hgt Jct
TS730SYPJW	400	Y Base Pnl Jct	TS73344TCXJ	355	X Chng-of-Hgt Jct
TS730T120CHT	372	120° Cnr Chng-of-Hgt Trim	TS73344TCXJW	355	X Chng-of-Hgt Jct
TS730T120CHTW	372	120° Cnr Chng-of-Hgt Trim	TS7334TCTJ	352	T Chng-of-Hgt Jct
TS730TCLCHT	371	L Cnr Chng-of-Hgt Trim	TS7334TCTJW	352	T Chng-of-Hgt Jct
TS730TCLCHTW	371	L Cnr Chng-of-Hgt Trim	TS73355TCXJ	355	X Chng-of-Hgt Jct
TS730TCTCHT	371	T Cnr Chng-of-Hgt Trim	TS73355TCXJW	355	X Chng-of-Hgt Jct
TS730TCTCHTW	371	T Cnr Chng-of-Hgt Trim	TS7335TCTJ	352	T Chng-of-Hgt Jct
TS730TEPJ	347	EOR Base Pnl Jct	TS7335TCTJW	352	T Chng-of-Hgt Jct
TS730TEPJW	347	EOR Base Pnl Jct	TS73366TCXJ	355	X Chng-of-Hgt Jct
TS730TEVT	367	EOR Vertical Trim	TS73366TCXJW	355	X Chng-of-Hgt Jct
TS730TEVTW	367	EOR Vertical Trim	TS7336TCTJ	352	T Chng-of-Hgt Jct

Style Number Index, continued

Style Number	Page	Description
TS7336TCTJW	352	T Chng-of-Hgt Jct
TS7338TCXJ	355	X Chng-of-Hgt Jct
TS7338TCXJW	355	X Chng-of-Hgt Jct
TS7338TCTJ	352	T Chng-of-Hgt Jct
TS7338TCTJW	352	T Chng-of-Hgt Jct
TS73434TCXJ	354	X Chng-of-Hgt Jct
TS73434TCXJW	354	X Chng-of-Hgt Jct
TS7343TCTJ	351	T Chng-of-Hgt Jct
TS7343TCTJW	351	T Chng-of-Hgt Jct
TS7344TCYJ	358	Y Chng-of-Hgt Jct
TS7344TCYJW	358	Y Chng-of-Hgt Jct
TS734TCIJ	349	In-Line Chng-of-Hgt Jct
TS734TCIJW	349	In-Line Chng-of-Hgt Jct
TS734TCLJ	350	L Chng-of-Hgt Jct
TS734TCLJW	350	L Chng-of-Hgt Jct
TS734TCVJ	357	V Chng-of-Hgt Jct
TS734TCVJW	357	V Chng-of-Hgt Jct
TS73535TCXJ	354	X Chng-of-Hgt Jct
TS73535TCXJW	354	X Chng-of-Hgt Jct
TS7353TCTJ	351	T Chng-of-Hgt Jct
TS7353TCTJW	351	T Chng-of-Hgt Jct
TS7355TCYJ	358	Y Chng-of-Hgt Jct
TS7355TCYJW	358	Y Chng-of-Hgt Jct
TS735TCIJ	349	In-Line Chng-of-Hgt Jct
TS735TCIJW	349	In-Line Chng-of-Hgt Jct
TS735TCLJ	350	L Chng-of-Hgt Jct
TS735TCLJW	350	L Chng-of-Hgt Jct
TS735TCVJ	357	V Chng-of-Hgt Jct
TS735TCVJW	357	V Chng-of-Hgt Jct
TS73618HS	438	Steel Pnl Skin
TS73618HSF	439	Steel To The Flr Skin
TS73618MB	441	Mkrbd Surf for Panel Buildups
TS73618MBF	442	Mkrbd to the Floor Skins
TS73618TA	435	F-Covered Pnl Skin
TS73618TAF	436	F-Covered To The Flr Skin
TS73618TK	435	F-Covered Pnl Skin
TS73618TKF	436	F-Covered To The Flr Skin
TS73624HS	438	Steel Pnl Skin
TS73624HSF	439	Steel To The Flr Skin
TS73624LS	444	Laminate Skin
TS73624LSF	445	Laminate To The Flr Skin
TS73624MB	441	Mkrbd Skin
TS73624MBF	442	Mkrbd to the Floor Skins
TS73624MBS	440	Mkrbd Surf for Steel Skin
TS73624TA	435	F-Covered Pnl Skin
TS73624TAF	436	F-Covered To The Flr Skin
TS73624TK	435	F-Covered Pnl Skin
TS73624TKF	436	F-Covered To The Flr Skin
TS73624WS	447	Wood Skin
TS73624WSF	449	Wood To The Flr Skin
TS73630HS	438	Steel Pnl Skin
TS73630HSF	439	Steel To The Flr Skin
TS73630LS	444	Laminate Skin
TS73630LSF	445	Laminate To The Flr Skin
TS73630MB	441	Mkrbd Skin

Style Number	Page	Description
TS73630MBF	442	Mkrbd to the Floor Skins
TS73630MBS	440	Mkrbd Surf for Steel Skin
TS73630TA	435	F-Covered Pnl Skin
TS73630TAF	436	F-Covered To The Flr Skin
TS73630TK	435	F-Covered Pnl Skin
TS73630TKF	436	F-Covered To The Flr Skin
TS73630WS	447	Wood Skin
TS73630WSF	449	Wood To The Flr Skin
TS73636HS	438	Steel Pnl Skin
TS73636HSF	439	Steel To The Flr Skin
TS73636LS	444	Laminate Skin
TS73636LSF	445	Laminate To The Flr Skin
TS73636MB	441	Mkrbd Skin
TS73636MBF	442	Mkrbd to the Floor Skins
TS73636MBS	440	Mkrbd Surf for Steel Skin
TS73636TA	435	F-Covered Pnl Skin
TS73636TAF	436	F-Covered To The Flr Skin
TS73636TCXJ	354	X Chng-of-Hgt Jct
TS73636TCXJW	354	X Chng-of-Hgt Jct
TS73636TK	435	F-Covered Pnl Skin
TS73636TKF	436	F-Covered To The Flr Skin
TS73636WS	447	Wood Skin
TS73636WSF	449	Wood To The Flr Skin
TS7363TCTJ	351	T Chng-of-Hgt Jct
TS7363TCTJW	351	T Chng-of-Hgt Jct
TS73642HS	438	Steel Pnl Skin
TS73642HSF	439	Steel To The Flr Skin
TS73642LS	444	Laminate Skin
TS73642LSF	445	Laminate To The Flr Skin
TS73642MB	441	Mkrbd Skin
TS73642MBF	442	Mkrbd to the Floor Skins
TS73642MBS	440	Mkrbd Surf for Steel Skin
TS73642TA	435	F-Covered Pnl Skin
TS73642TAF	436	F-Covered To The Flr Skin
TS73642TK	435	F-Covered Pnl Skin
TS73642TKF	436	F-Covered To The Flr Skin
TS73642WS	447	Wood Skin
TS73642WSF	449	Wood To The Flr Skin
TS73648HS	438	Steel Pnl Skin
TS73648HSF	439	Steel To The Flr Skin
TS73648LS	444	Laminate Skin
TS73648LSF	445	Laminate To The Flr Skin
TS73648MB	441	Mkrbd Skin
TS73648MBF	442	Mkrbd to the Floor Skins
TS73648MBS	440	Mkrbd Surf for Steel Skin
TS73648TA	435	F-Covered Pnl Skin
TS73648TAF	436	F-Covered To The Flr Skin
TS73648TK	435	F-Covered Pnl Skin
TS73648TKF	436	F-Covered To The Flr Skin
TS73648WS	447	Wood Skin
TS73648WSF	449	Wood To The Flr Skin
TS73660HS	438	Steel Pnl Skin
TS73660HSF	439	Steel To The Flr Skin
TS73660MBF	442	Mkrbd to the Floor Skins
TS73660TA	435	F-Covered Pnl Skin

Style Number	Page	Description	Style Number	Page	Description
TS73660TAF	436	F-Covered To The Flr Skin	TS736TTCWR	389	Top Cap & Aligner Packages – Wood
TS73660TK	435	F-Covered Pnl Skin	TS736TVCHT	372	V Cnr Chng-of-Hgt Trim
TS73660TKF	436	F-Covered To The Flr Skin	TS736TVCHTW	372	V Cnr Chng-of-Hgt Trim
TS7366TCYJ	358	Y Chng-of-Hgt Jct	TS73838TCXJ	354	X Chng-of-Hgt Jct
TS7366TCYJW	358	Y Chng-of-Hgt Jct	TS73838TCXJW	354	X Chng-of-Hgt Jct
TS73672HS	438	Steel Pnl Skin	TS7383TCTJ	351	T Chng-of-Hgt Jct
TS73672HSF	439	Steel To The Flr Skin	TS7383TCTJW	351	T Chng-of-Hgt Jct
TS73672MBF	442	Mkrbd to the Floor Skins	TS7388TCYJ	358	Y Chng-of-Hgt Jct
TS73672TA	435	F-Covered Pnl Skin	TS7388TCYJW	358	Y Chng-of-Hgt Jct
TS73672TAF	436	F-Covered To The Flr Skin	TS738TCIJ	349	In-Line Chng-of-Hgt Jct
TS73672TK	435	F-Covered Pnl Skin	TS738TCIJW	349	In-Line Chng-of-Hgt Jct
TS73672TKF	436	F-Covered To The Flr Skin	TS738TCLJ	350	L Chng-of-Hgt Jct
TS736BKT	361, 404	Off-Module Pnl Connector	TS738TCLJW	350	L Chng-of-Hgt Jct
TS736BT	392	Base Trim	TS738TCVJ	357	V Chng-of-Hgt Jct
TS736BTH	470	Hardwire Base Trim	TS738TCVJW	357	V Chng-of-Hgt Jct
TS736CH	417	Chng-of-Hgt Trim	TS73SGX	477	15-Amp Duplex Rcpt
TS736CHS	417	Chng-of-Hgt Trim	TS73SGY	477	15-Amp Duplex Rcpt
TS736CHSW	417	Chng-of-Hgt Trim	TS73SGZ	477	15-Amp Duplex Rcpt
TS736CHW	417	Chng-of-Hgt Trim	TS73SSX	477	15-Amp Duplex Rcpt
TS736CT	474	Cable Tray	TS73SSY	477	15-Amp Duplex Rcpt
TS736HF	422	Base Horiz Frame Pkg	TS73SSZ	477	15-Amp Duplex Rcpt
TS736HFS	382, 423	Stacking Horiz Frame Pkg	TS73USBX	478	USB Receptacle
TS736OBK	392	Open Base Conversion Kit	TS73USBY	478	USB Receptacle
TS736SCH	416	Chng-of-Hgt Trim	TS73USBZ	478	USB Receptacle
TS736SCHS	416	Chng-of-Hgt Trim	TS74218PF	431	Perf Tack Acst Pnl Pkg
TS736SCHSW	416	Chng-of-Hgt Trim	TS74218SPF	429	Perf Tack Acst Pnl Pkg
TS736SCHW	416	Chng-of-Hgt Trim	TS74218STF	429	Tack Acst Pnl Pkg
TS736SHF	421	Base Horiz Frame Pkg	TS74218TA	435	F-Covered Pnl Skin
TS736SSUC	412	Clg-Access Lay-In Util Pkg	TS74218TAF	437	F-Covered To The Flr Skin
TS736SSUF	414	Flr-Access Lay-In Util Pkg	TS74218TF	431	Tack Acst Pnl Pkg
TS736STC	424	Spanning Top Cap	TS74218TK	435	F-Covered Pnl Skin
TS736STCW	424	Spanning Top Cap	TS74218TKF	437	F-Covered To The Flr Skin
TS736SUC	413	Clg-Access Lay-In Util Pkg	TS74218TPF	391	Perf Tack Acst Pnl Pkg
TS736SUF	415	Flr-Access Lay-In Util Pkg	TS74218TTF	391	Tack Acst Pnl Pkg
TS736T120CHT	372	120° Cnr Chng-of-Hgt Trim	TS74224AWSF	454	Wood To The Flr Skin Set
TS736T120CHTW	372	120° Cnr Chng-of-Hgt Trim	TS74224AWSS	450	Wood Skin Set
TS736TCIJ	349	In-Line Chng-of-Hgt Jct	TS74224LS	444	Laminate Skin
TS736TCIJW	349	In-Line Chng-of-Hgt Jct	TS74224LSF	445	Laminate To The Flr Skin
TS736TCLCHT	371	L Cnr Chng-of-Hgt Trim	TS74224PF	431	Perf Tack Acst Pnl Pkg
TS736TCLCHTW	371	L Cnr Chng-of-Hgt Trim	TS74224SPF	429	Perf Tack Acst Pnl Pkg
TS736TCLJ	350	L Chng-of-Hgt Jct	TS74224STF	429	Tack Acst Pnl Pkg
TS736TCLJW	350	L Chng-of-Hgt Jct	TS74224TA	435	F-Covered Pnl Skin
TS736TCTCHT	371	T Cnr Chng-of-Hgt Trim	TS74224TAF	437	F-Covered To The Flr Skin
TS736TCTCHTW	371	T Cnr Chng-of-Hgt Trim	TS74224TF	431	Tack Acst Pnl Pkg
TS736TCVJ	357	V Chng-of-Hgt Jct	TS74224TK	435	F-Covered Pnl Skin
TS736TCVJW	357	V Chng-of-Hgt Jct	TS74224TKF	437	F-Covered To The Flr Skin
TS736TEPJS	362	Stk EOR Pnl Jct	TS74224TPF	391	Perf Tack Acst Pnl Pkg
TS736THF	381	Base Horiz Frame Pkg	TS74224TTF	391	Tack Acst Pnl Pkg
TS736TICHT	370	EOR In-Line COH Trim	TS74224WS	447	Wood Skin
TS736TICHTW	370	EOR In-Line COH Trim	TS74224WSF	449	Wood To The Flr Skin
TS736TSUC	365	Clg-Access Lay-in Util Pkg	TS74230AWSF	454	Wood To The Flr Skin Set
TS736TSUF	366	Flr-Access Lay-in Util Pkg	TS74230AWSS	450	Wood Skin Set
TS736TTC	383	Spanning Top Cap	TS74230LS	444	Laminate Skin
TS736TTCR	389	Top Cap & Aligner Packages – Painted	TS74230LSF	445	Laminate To The Flr Skin
TS736TTCW	383	Spanning Top Cap	TS74230PF	431	Perf Tack Acst Pnl Pkg

Style Number Index, continued

Style Number	Page	Description
TS74230SPF	429	Perf Tack Acst Pnl Pkg
TS74230STF	429	Tack Acst Pnl Pkg
TS74230TA	435	F-Covered Pnl Skin
TS74230TAF	437	F-Covered To The Flr Skin
TS74230TF	431	Tack Acst Pnl Pkg
TS74230TK	435	F-Covered Pnl Skin
TS74230TKF	437	F-Covered To The Flr Skin
TS74230TPF	391	Perf Tack Acst Pnl Pkg
TS74230TTF	391	Tack Acst Pnl Pkg
TS74230WS	447	Wood Skin
TS74230WSF	449	Wood To The Flr Skin
TS74236AWSF	454	Wood To The Flr Skin Set
TS74236AWSS	450	Wood Skin Set
TS74236LS	444	Laminate Skin
TS74236LSF	445	Laminate To The Flr Skin
TS74236PF	431	Perf Tack Acst Pnl Pkg
TS74236SPF	429	Perf Tack Acst Pnl Pkg
TS74236STF	429	Tack Acst Pnl Pkg
TS74236TA	435	F-Covered Pnl Skin
TS74236TAF	437	F-Covered To The Flr Skin
TS74236TF	431	Tack Acst Pnl Pkg
TS74236TK	435	F-Covered Pnl Skin
TS74236TKF	437	F-Covered To The Flr Skin
TS74236TPF	391	Perf Tack Acst Pnl Pkg
TS74236TTF	391	Tack Acst Pnl Pkg
TS74236WS	447	Wood Skin
TS74236WSF	449	Wood To The Flr Skin
TS74242AWSF	454	Wood To The Flr Skin Set
TS74242AWSS	450	Wood Skin Set
TS74242LS	444	Laminate Skin
TS74242LSF	445	Laminate To The Flr Skin
TS74242PF	431	Perf Tack Acst Pnl Pkg
TS74242SPF	429	Perf Tack Acst Pnl Pkg
TS74242STF	429	Tack Acst Pnl Pkg
TS74242TA	435	F-Covered Pnl Skin
TS74242TAF	437	F-Covered To The Flr Skin
TS74242TF	431	Tack Acst Pnl Pkg
TS74242TK	435	F-Covered Pnl Skin
TS74242TKF	437	F-Covered To The Flr Skin
TS74242TPF	391	Perf Tack Acst Pnl Pkg
TS74242TTF	391	Tack Acst Pnl Pkg
TS74242WS	447	Wood Skin
TS74242WSF	449	Wood To The Flr Skin
TS74248AWSF	454	Wood To The Flr Skin Set
TS74248AWSS	450	Wood Skin Set
TS74248LS	444	Laminate Skin
TS74248LSF	445	Laminate To The Flr Skin
TS74248PF	431	Perf Tack Acst Pnl Pkg
TS74248SPF	429	Perf Tack Acst Pnl Pkg
TS74248STF	429	Tack Acst Pnl Pkg
TS74248TA	435	F-Covered Pnl Skin
TS74248TAF	437	F-Covered To The Flr Skin
TS74248TF	431	Tack Acst Pnl Pkg
TS74248TK	435	F-Covered Pnl Skin
TS74248TKF	437	F-Covered To The Flr Skin

Style Number	Page	Description
TS74248TPF	391	Perf Tack Acst Pnl Pkg
TS74248TTF	391	Tack Acst Pnl Pkg
TS74248WS	447	Wood Skin
TS74248WSF	449	Wood To The Flr Skin
TS7424TCTJCQ	377	Answer to c:scape T Junction--Thin Trim
TS74260PF	431	Perf Tack Acst Pnl Pkg
TS74260SPF	429	Perf Tack Acst Pnl Pkg
TS74260STF	429	Tack Acst Pnl Pkg
TS74260TA	435	F-Covered Pnl Skin
TS74260TAF	437	F-Covered To The Flr Skin
TS74260TF	431	Tack Acst Pnl Pkg
TS74260TK	435	F-Covered Pnl Skin
TS74260TKF	437	F-Covered To The Flr Skin
TS74260TPF	391	Perf Tack Acst Pnl Pkg
TS74260TTF	391	Tack Acst Pnl Pkg
TS74272PF	431	Perf Tack Acst Pnl Pkg
TS74272SPF	429	Perf Tack Acst Pnl Pkg
TS74272STF	429	Tack Acst Pnl Pkg
TS74272TA	435	F-Covered Pnl Skin
TS74272TAF	437	F-Covered To The Flr Skin
TS74272TF	431	Tack Acst Pnl Pkg
TS74272TK	435	F-Covered Pnl Skin
TS74272TKF	437	F-Covered To The Flr Skin
TS74272TPF	391	Perf Tack Acst Pnl Pkg
TS74272TTF	391	Tack Acst Pnl Pkg
TS742BKT	361, 404	Off-Module Pnl Connector
TS742BT	392	Base Trim
TS742BTH	470	Hardwire Base Trim
TS742CT	474	Cable Tray
TS742EPJ	399	EOR Base Pnl Jct
TS742EPJW	399	EOR Base Pnl Jct
TS742ERUP	411	EOR Jct w/Util Pole
TS742HB	626	Horiz Brace
TS742HF	422	Base Horiz Frame Pkg
TS742HFS	382, 423	Stacking Horiz Frame Pkg
TS742IPJ	395	In-Line Base Pnl Jct
TS742JP	373	Jct Post
TS742LPJ	397	L Base Pnl Jct
TS742LPJW	397	L Base Pnl Jct
TS742LUP	411	L/In-Line Jct w/Util Pole
TS742OBK	392	Open Base Conversion Kit
TS742SEPJ	398	EOR Base Pnl Jct
TS742SEPJW	398	EOR Base Pnl Jct
TS742SERUP	410	EOR Jct w/Util Pole
TS742SHF	421	Base Horiz Frame Pkg
TS742SIPJ	394	In-Line Base Pnl Jct
TS742SLPJ	396	L Base Pnl Jct
TS742SLPJW	396	L Base Pnl Jct
TS742SLUP	410	L/In-Line Jct w/Util Pole
TS742SSUC	412	Clg-Access Lay-In Util Pkg
TS742SSUF	414	Flr-Access Lay-In Util Pkg
TS742STC	424	Spanning Top Cap
TS742STCW	424	Spanning Top Cap
TS742STPJ	396	T Base Pnl Jct
TS742STPJW	396	T Base Pnl Jct

Style Number	Page	Description	Style Number	Page	Description
TS742STUP	410	T Jct w/Util Pole	TS743MHYN	484	Modular Harness
TS742SUC	413	Clg-Access Lay-In Util Pkg	TS743MHZ	484	Modular Harness
TS742SUF	415	Flr-Access Lay-In Util Pkg	TS743MHZN	484	Modular Harness
TS742SVPJ	400	V Base Pnl Jct	TS7443TCTJ	353	T Chng-of-Hgt Jct
TS742SVPJW	400	V Base Pnl Jct	TS7443TCTJW	353	T Chng-of-Hgt Jct
TS742SXPJ	396	X Base Pnl Jct	TS74443TCXJ	356	X Chng-of-Hgt Jct
TS742SXPJW	396	X Base Pnl Jct	TS74443TCXJW	356	X Chng-of-Hgt Jct
TS742SYPJ	400	Y Base Pnl Jct	TS74445TCXJ	355	X Chng-of-Hgt Jct
TS742SYPJW	400	Y Base Pnl Jct	TS74445TCXJW	355	X Chng-of-Hgt Jct
TS742TCLJCQ	376	Answer to c:scape L Junction–Thin Trim	TS74446TCXJ	355	X Chng-of-Hgt Jct
TS742TEPJ	347	EOR Base Pnl Jct	TS74446TCXJW	355	X Chng-of-Hgt Jct
TS742TEPJW	347	EOR Base Pnl Jct	TS74447TCXJ	355	X Chng-of-Hgt Jct
TS742TEVT	367	EOR Vertical Trim	TS74447TCXJW	355	X Chng-of-Hgt Jct
TS742TEVTW	367	EOR Vertical Trim	TS74455TCXJ	355	X Chng-of-Hgt Jct
TS742THF	381	Base Horiz Frame Pkg	TS74455TCXJW	355	X Chng-of-Hgt Jct
TS742TIPJ	344	In-Line Base Pnl Jct	TS7445TCTJ	352	T Chng-of-Hgt Jct
TS742TLPJ	345	L Base Pnl Jct	TS7445TCTJW	352	T Chng-of-Hgt Jct
TS742TLPJW	345	L Base Pnl Jct	TS74466TCXJ	355	X Chng-of-Hgt Jct
TS742TLVT	368	L Vertical Trim	TS74466TCXJW	355	X Chng-of-Hgt Jct
TS742TLVTW	368	L Vertical Trim	TS7446TCTJ	352	T Chng-of-Hgt Jct
TS742TPJ	397	T Base Pnl Jct	TS7446TCTJW	352	T Chng-of-Hgt Jct
TS742TPJW	397	T Base Pnl Jct	TS74477TCXJ	355	X Chng-of-Hgt Jct
TS742TSUC	365	Clg-Access Lay-in Util Pkg	TS74477TCXJW	355	X Chng-of-Hgt Jct
TS742TSUF	366	Flr-Access Lay-in Util Pkg	TS7447TCTJ	352	T Chng-of-Hgt Jct
TS742TTC	383	Spanning Top Cap	TS7447TCTJW	352	T Chng-of-Hgt Jct
TS742TTCR	389	Top Cap and Aligner Packages – Painted	TS74545TCXJ	354	X Chng-of-Hgt Jct
TS742TTCW	383	Spanning Top Cap	TS74545TCXJW	354	X Chng-of-Hgt Jct
TS742TTCWR	389	Top Cap and Aligner Packages – Wood	TS7454TCTJ	351	T Chng-of-Hgt Jct
TS742TTPJ	345	T Base Pnl Jct	TS7454TCTJW	351	T Chng-of-Hgt Jct
TS742TTPJW	345	T Base Pnl Jct	TS7455TCYJ	358	Y Chng-of-Hgt Jct
TS742TTVT	368	T Vertical Trim	TS7455TCYJW	358	Y Chng-of-Hgt Jct
TS742TTVTW	368	T Vertical Trim	TS745TCIJ	349	In-Line Chng-of-Hgt Jct
TS742TUP	411	T Jct w/Util Pole	TS745TCIJW	349	In-Line Chng-of-Hgt Jct
TS742TVPJ	348	V Base Pnl Jct	TS745TCLJ	350	L Chng-of-Hgt Jct
TS742TVPJW	348	V Base Pnl Jct	TS745TCLJW	350	L Chng-of-Hgt Jct
TS742TVVT	369	V Vertical Trim	TS745TCVJ	357	V Chng-of-Hgt Jct
TS742TVVTW	369	V Vertical Trim	TS745TCVJW	357	V Chng-of-Hgt Jct
TS742TXPJ	346	X Base Pnl Jct	TS74646TCXJ	354	X Chng-of-Hgt Jct
TS742TXPJW	346	X Base Pnl Jct	TS74646TCXJW	354	X Chng-of-Hgt Jct
TS742TYPJ	348	Y Base Pnl Jct	TS7464TCTJ	351	T Chng-of-Hgt Jct
TS742TYPJW	348	Y Base Pnl Jct	TS7464TCTJW	351	T Chng-of-Hgt Jct
TS742VPJ	401	V Base Pnl Jct	TS7466TCYJ	358	Y Chng-of-Hgt Jct
TS742VPJW	401	V Base Pnl Jct	TS7466TCYJW	358	Y Chng-of-Hgt Jct
TS742WPJ	359, 402	Wall-Start Jct	TS746TCIJ	349	In-Line Chng-of-Hgt Jct
TS742XPJ	397	X Base Pnl Jct	TS746TCIJW	349	In-Line Chng-of-Hgt Jct
TS742XPJW	397	X Base Pnl Jct	TS746TCLJ	350	L Chng-of-Hgt Jct
TS742YPJ	401	Y Base Pnl Jct	TS746TCLJW	350	L Chng-of-Hgt Jct
TS742YPJW	401	Y Base Pnl Jct	TS746TCVJ	357	V Chng-of-Hgt Jct
TS7433TCYJ	358	Y Chng-of-Hgt Jct	TS746TCVJW	357	V Chng-of-Hgt Jct
TS7433TCYJW	358	Y Chng-of-Hgt Jct	TS74747TCXJ	354	X Chng-of-Hgt Jct
TS7434TCTJ	352	T Chng-of-Hgt Jct	TS74747TCXJW	354	X Chng-of-Hgt Jct
TS7434TCTJW	352	T Chng-of-Hgt Jct	TS7474TCTJ	351	T Chng-of-Hgt Jct
TS743MHX	484	Modular Harness	TS7474TCTJW	351	T Chng-of-Hgt Jct
TS743MHXN	484	Modular Harness	TS7477TCYJ	358	Y Chng-of-Hgt Jct
TS743MHY	484	Modular Harness	TS7477TCYJW	358	Y Chng-of-Hgt Jct

Style Number Index, continued

Style Number	Page	Description
TS747TCIJ	349	In-Line Chng-of-Hgt Jct
TS747TCIJW	349	In-Line Chng-of-Hgt Jct
TS747TCLJ	350	L Chng-of-Hgt Jct
TS747TCLJW	350	L Chng-of-Hgt Jct
TS747TCVJ	357	V Chng-of-Hgt Jct
TS747TCVJW	357	V Chng-of-Hgt Jct
TS74818PF	431	Perf Tack Acst Pnl Pkg
TS74818SPF	429	Perf Tack Acst Pnl Pkg
TS74818STF	429	Tack Acst Pnl Pkg
TS74818TA	435	F-Covered Pnl Skin
TS74818TAF	437	F-Covered To The Flr Skin
TS74818TF	431	Tack Acst Pnl Pkg
TS74818TK	435	F-Covered Pnl Skin
TS74818TKF	437	F-Covered To The Flr Skin
TS74818TPF	391	Perf Tack Acst Pnl Pkg
TS74818TTF	391	Tack Acst Pnl Pkg
TS74824AWSF	454	Wood To The Flr Skin Set
TS74824AWSS	450	Wood Skin Set
TS74824BWSF	454	Wood To The Flr Skin Set
TS74824BWSS	450	Wood Skin Set
TS74824LS	444	Laminate Skin
TS74824LSF	445	Laminate To The Flr Skin
TS74824PF	431	Perf Tack Acst Pnl Pkg
TS74824SPF	429	Perf Tack Acst Pnl Pkg
TS74824STF	429	Tack Acst Pnl Pkg
TS74824TA	435	F-Covered Pnl Skin
TS74824TAF	437	F-Covered To The Flr Skin
TS74824TF	431	Tack Acst Pnl Pkg
TS74824TK	435	F-Covered Pnl Skin
TS74824TKF	437	F-Covered To The Flr Skin
TS74824TPF	391	Perf Tack Acst Pnl Pkg
TS74824TTF	391	Tack Acst Pnl Pkg
TS74824WS	447	Wood Skin
TS74824WSF	449	Wood To The Flr Skin
TS74830AWSF	454	Wood To The Flr Skin Set
TS74830AWSS	450	Wood Skin Set
TS74830BWSF	454	Wood To The Flr Skin Set
TS74830BWSS	450	Wood Skin Set
TS74830LS	444	Laminate Skin
TS74830LSF	445	Laminate To The Flr Skin
TS74830PF	431	Perf Tack Acst Pnl Pkg
TS74830SPF	429	Perf Tack Acst Pnl Pkg
TS74830STF	429	Tack Acst Pnl Pkg
TS74830TA	435	F-Covered Pnl Skin
TS74830TAF	437	F-Covered To The Flr Skin
TS74830TF	431	Tack Acst Pnl Pkg
TS74830TK	435	F-Covered Pnl Skin
TS74830TKF	437	F-Covered To The Flr Skin
TS74830TPF	391	Perf Tack Acst Pnl Pkg
TS74830TTF	391	Tack Acst Pnl Pkg
TS74830WS	447	Wood Skin
TS74830WSF	449	Wood To The Flr Skin
TS74836AWSF	454	Wood To The Flr Skin Set
TS74836AWSS	450	Wood Skin Set
TS74836BWSF	454	Wood To The Flr Skin Set

Style Number	Page	Description
TS74836BWSS	450	Wood Skin Set
TS74836LS	444	Laminate Skin
TS74836LSF	445	Laminate To The Flr Skin
TS74836PF	431	Perf Tack Acst Pnl Pkg
TS74836SPF	429	Perf Tack Acst Pnl Pkg
TS74836STF	429	Tack Acst Pnl Pkg
TS74836TA	435	F-Covered Pnl Skin
TS74836TAF	437	F-Covered To The Flr Skin
TS74836TF	431	Tack Acst Pnl Pkg
TS74836TK	435	F-Covered Pnl Skin
TS74836TKF	437	F-Covered To The Flr Skin
TS74836TPF	391	Perf Tack Acst Pnl Pkg
TS74836TTF	391	Tack Acst Pnl Pkg
TS74836WS	447	Wood Skin
TS74836WSF	449	Wood To The Flr Skin
TS74842AWSF	454	Wood To The Flr Skin Set
TS74842AWSS	450	Wood Skin Set
TS74842BWSF	454	Wood To The Flr Skin Set
TS74842BWSS	450	Wood Skin Set
TS74842LS	444	Laminate Skin
TS74842LSF	445	Laminate To The Flr Skin
TS74842PF	431	Perf Tack Acst Pnl Pkg
TS74842SPF	429	Perf Tack Acst Pnl Pkg
TS74842STF	429	Tack Acst Pnl Pkg
TS74842TA	435	F-Covered Pnl Skin
TS74842TAF	437	F-Covered To The Flr Skin
TS74842TF	431	Tack Acst Pnl Pkg
TS74842TK	435	F-Covered Pnl Skin
TS74842TKF	437	F-Covered To The Flr Skin
TS74842TPF	391	Perf Tack Acst Pnl Pkg
TS74842TTF	391	Tack Acst Pnl Pkg
TS74842WS	447	Wood Skin
TS74842WSF	449	Wood To The Flr Skin
TS74848AWSF	454	Wood To The Flr Skin Set
TS74848AWSS	450	Wood Skin Set
TS74848BWSF	454	Wood To The Flr Skin Set
TS74848BWSS	450	Wood Skin Set
TS74848LS	444	Laminate Skin
TS74848LSF	445	Laminate To The Flr Skin
TS74848PF	431	Perf Tack Acst Pnl Pkg
TS74848SPF	429	Perf Tack Acst Pnl Pkg
TS74848STF	429	Tack Acst Pnl Pkg
TS74848TA	435	F-Covered Pnl Skin
TS74848TAF	437	F-Covered To The Flr Skin
TS74848TF	431	Tack Acst Pnl Pkg
TS74848TK	435	F-Covered Pnl Skin
TS74848TKF	437	F-Covered To The Flr Skin
TS74848TPF	391	Perf Tack Acst Pnl Pkg
TS74848TTF	391	Tack Acst Pnl Pkg
TS74848WS	447	Wood Skin
TS74848WSF	449	Wood To The Flr Skin
TS74860PF	431	Perf Tack Acst Pnl Pkg
TS74860SPF	429	Perf Tack Acst Pnl Pkg
TS74860STF	429	Tack Acst Pnl Pkg
TS74860TA	435	F-Covered Pnl Skin

Style Number	Page	Description	Style Number	Page	Description
TS74860TAF	437	F-Covered To The Flr Skin	TS748TEPJW	347	EOR Base Pnl Jct
TS74860TF	431	Tack Acst Pnl Pkg	TS748TEVT	367	EOR Vertical Trim
TS74860TK	435	F-Covered Pnl Skin	TS748TEVTW	367	EOR Vertical Trim
TS74860TKF	437	F-Covered To The Flr Skin	TS748THF	381	Base Horiz Frame Pkg
TS74860TPF	391	Perf Tack Acst Pnl Pkg	TS748TIPJ	344	In-Line Base Pnl Jct
TS74860TTF	391	Tack Acst Pnl Pkg	TS748TLPJ	345	L Base Pnl Jct
TS74872PF	431	Perf Tack Acst Pnl Pkg	TS748TLPJW	345	L Base Pnl Jct
TS74872SPF	429	Perf Tack Acst Pnl Pkg	TS748TLVT	368	L Vertical Trim
TS74872STF	429	Tack Acst Pnl Pkg	TS748TLVTW	368	L Vertical Trim
TS74872TA	435	F-Covered Pnl Skin	TS748TPJ	397	T Base Pnl Jct
TS74872TAF	437	F-Covered To The Flr Skin	TS748TPJW	397	T Base Pnl Jct
TS74872TF	431	Tack Acst Pnl Pkg	TS748TSUC	365	Clg-Access Lay-in Util Pkg
TS74872TK	435	F-Covered Pnl Skin	TS748TSUF	366	Flr-Access Lay-in Util Pkg
TS74872TKF	437	F-Covered To The Flr Skin	TS748TTC	383	Spanning Top Cap
TS74872TPF	391	Perf Tack Acst Pnl Pkg	TS748TTCR	389	Top Cap & Aligner Packages – Painted
TS74872TTF	391	Tack Acst Pnl Pkg	TS748TTCW	383	Spanning Top Cap
TS748BKT	361, 404	Off-Module Pnl Connector	TS748TTCWR	389	Top Cap & Aligner Packages – Wood
TS748BT	392	Base Trim	TS748TTPJ	345	T Base Pnl Jct
TS748BTH	470	Hardwire Base Trim	TS748TTPJW	345	T Base Pnl Jct
TS748CT	474	Cable Tray	TS748TTVT	368	T Vertical Trim
TS748EPJ	399	EOR Base Pnl Jct	TS748TTVTW	368	T Vertical Trim
TS748EPJW	399	EOR Base Pnl Jct	TS748TUP	411	T Jct w/Util Pole
TS748ERUP	411	EOR Jct w/Util Pole	TS748TVPJ	348	V Base Pnl Jct
TS748HB	626	Horiz Brace	TS748TVPJW	348	V Base Pnl Jct
TS748HF	422	Base Horiz Frame Pkg	TS748TVVT	369	V Vertical Trim
TS748HFS	382, 423	Stacking Horiz Frame Pkg	TS748TVVTW	369	V Vertical Trim
TS748IPJ	395	In-Line Base Pnl Jct	TS748TXPJ	346	X Base Pnl Jct
TS748JP	373	Jct Post	TS748TXPJW	346	X Base Pnl Jct
TS748LPJ	397	L Base Pnl Jct	TS748TYPJ	348	Y Base Pnl Jct
TS748LPJW	397	L Base Pnl Jct	TS748TYPJW	348	Y Base Pnl Jct
TS748LUP	411	L/In-Line Jct w/Util Pole	TS748VPJW	401	V Base Pnl Jct
TS748OBK	392	Open Base Conversion Kit	TS748WPJ	359, 402	Wall-Start Jct
TS748SEPJ	398	EOR Base Pnl Jct	TS748XPJ	397	X Base Pnl Jct
TS748SEPJW	398	EOR Base Pnl Jct	TS748XPJW	397	X Base Pnl Jct
TS748SERUP	410	EOR Jct w/Util Pole	TS748YPJ	401	Y Base Pnl Jct
TS748SHF	421	Base Horiz Frame Pkg	TS748YPJW	401	Y Base Pnl Jct
TS748SIPJ	394	In-Line Base Pnl Jct	TS74SGX	477	15-Amp Duplex Rcpt
TS748SLPJ	396	L Base Pnl Jct	TS74SGY	477	15-Amp Duplex Rcpt
TS748SLPJW	396	L Base Pnl Jct	TS74SSX	477	15-Amp Duplex Rcpt
TS748SLUP	410	L/In-Line Jct w/Util Pole	TS74SSY	477	15-Amp Duplex Rcpt
TS748SSUC	412	Clg-Access Lay-In Util Pkg	TS74USBX	478	USB Receptacle
TS748SSUF	414	Flr-Access Lay-In Util Pkg	TS74USBY	478	USB Receptacle
TS748STC	424	Spanning Top Cap	TS7525TCTJCQ	377	Answer to c:scape T Junction–Thin Trim
TS748STCW	424	Spanning Top Cap	TS752TCLJCQ	376	Answer to c:scape L Junction–Thin Trim
TS748STPJ	396	T Base Pnl Jct	TS7533TCYJ	358	Y Chng-of-Hgt Jct
TS748STPJW	396	T Base Pnl Jct	TS7533TCYJW	358	Y Chng-of-Hgt Jct
TS748STUP	410	T Jct w/Util Pole	TS7535TCTJ	352	T Chng-of-Hgt Jct
TS748SUC	413	Clg-Access Lay-In Util Pkg	TS7535TCTJW	352	T Chng-of-Hgt Jct
TS748SUF	415	Flr-Access Lay-In Util Pkg	TS75418PF	431	Perf Tack Acst Pnl Pkg
TS748SVPJ	400	V Base Pnl Jct	TS75418SPF	429	Perf Tack Acst Pnl Pkg
TS748SXPJ	396	X Base Pnl Jct	TS75418STF	429	Tack Acst Pnl Pkg
TS748SXPJW	396	X Base Pnl Jct	TS75418TF	431	Tack Acst Pnl Pkg
TS748SYPJ	400	V Base Pnl Jct	TS75418TPF	391	Perf Tack Acst Pnl Pkg
TS748SYPJW	400	Y Base Pnl Jct	TS75418TTF	391	Tack Acst Pnl Pkg
TS748TEPJ	347	EOR Base Pnl Jct	TS75424AWSF	455	Wood To The Flr Skin Set

Style Number Index, continued

Style Number	Page	Description
TS75424AWSS	451	Wood Skin Set
TS75424BWSF	455	Wood To The Flr Skin Set
TS75424BWSS	451	Wood Skin Set
TS75424CWSF	455	Wood To The Flr Skin Set
TS75424CWSS	451	Wood Skin Set
TS75424PF	431	Perf Tack Acst Pnl Pkg
TS75424SPF	429	Perf Tack Acst Pnl Pkg
TS75424STF	429	Tack Acst Pnl Pkg
TS75424TF	431	Tack Acst Pnl Pkg
TS75424TPF	391	Perf Tack Acst Pnl Pkg
TS75424TTF	391	Tack Acst Pnl Pkg
TS75430AWSF	455	Wood To The Flr Skin Set
TS75430AWSS	451	Wood Skin Set
TS75430BWSF	455	Wood To The Flr Skin Set
TS75430BWSS	451	Wood Skin Set
TS75430CWSF	455	Wood To The Flr Skin Set
TS75430CWSS	451	Wood Skin Set
TS75430PF	431	Perf Tack Acst Pnl Pkg
TS75430SPF	429	Perf Tack Acst Pnl Pkg
TS75430STF	429	Tack Acst Pnl Pkg
TS75430TF	431	Tack Acst Pnl Pkg
TS75430TPF	391	Perf Tack Acst Pnl Pkg
TS75430TTF	391	Tack Acst Pnl Pkg
TS75436AWSF	455	Wood To The Flr Skin Set
TS75436AWSS	451	Wood Skin Set
TS75436BWSF	455	Wood To The Flr Skin Set
TS75436BWSS	451	Wood Skin Set
TS75436CWSF	455	Wood To The Flr Skin Set
TS75436CWSS	451	Wood Skin Set
TS75436PF	431	Perf Tack Acst Pnl Pkg
TS75436SPF	429	Perf Tack Acst Pnl Pkg
TS75436STF	429	Tack Acst Pnl Pkg
TS75436TF	431	Tack Acst Pnl Pkg
TS75436TPF	391	Perf Tack Acst Pnl Pkg
TS75436TTF	391	Tack Acst Pnl Pkg
TS75442AWSF	455	Wood To The Flr Skin Set
TS75442AWSS	451	Wood Skin Set
TS75442BWSF	455	Wood To The Flr Skin Set
TS75442BWSS	451	Wood Skin Set
TS75442CWSF	455	Wood To The Flr Skin Set
TS75442CWSS	451	Wood Skin Set
TS75442PF	431	Perf Tack Acst Pnl Pkg
TS75442SPF	429	Perf Tack Acst Pnl Pkg
TS75442STF	429	Tack Acst Pnl Pkg
TS75442TF	431	Tack Acst Pnl Pkg
TS75442TPF	391	Perf Tack Acst Pnl Pkg
TS75442TTF	391	Tack Acst Pnl Pkg
TS75448AWSF	455	Wood To The Flr Skin Set
TS75448AWSS	451	Wood Skin Set
TS75448BWSF	455	Wood To The Flr Skin Set
TS75448BWSS	451	Wood Skin Set
TS75448CWSF	455	Wood To The Flr Skin Set
TS75448CWSS	451	Wood Skin Set
TS75448PF	431	Perf Tack Acst Pnl Pkg
TS75448SPF	429	Perf Tack Acst Pnl Pkg

Style Number	Page	Description
TS75448STF	429	Tack Acst Pnl Pkg
TS75448TF	431	Tack Acst Pnl Pkg
TS75448TPF	391	Perf Tack Acst Pnl Pkg
TS75448TTF	391	Tack Acst Pnl Pkg
TS7544TCYJ	358	Y Chng-of-Hgt Jct
TS7544TCYJW	358	Y Chng-of-Hgt Jct
TS7545TCTJ	352	T Chng-of-Hgt Jct
TS7545TCTJW	352	T Chng-of-Hgt Jct
TS75460PF	431	Perf Tack Acst Pnl Pkg
TS75460SPF	429	Perf Tack Acst Pnl Pkg
TS75460STF	429	Tack Acst Pnl Pkg
TS75460TF	431	Tack Acst Pnl Pkg
TS75460TPF	391	Perf Tack Acst Pnl Pkg
TS75460TTF	391	Tack Acst Pnl Pkg
TS75472PF	431	Perf Tack Acst Pnl Pkg
TS75472SPF	429	Perf Tack Acst Pnl Pkg
TS75472STF	429	Tack Acst Pnl Pkg
TS75472TF	431	Tack Acst Pnl Pkg
TS75472TPF	391	Perf Tack Acst Pnl Pkg
TS75472TTF	391	Tack Acst Pnl Pkg
TS754EPJ	399	EOR Base Pnl Jct
TS754EPJW	399	EOR Base Pnl Jct
TS754ERUP	411	EOR Jct w/Util Pole
TS754ICLS	374	Inside Cnr Light Seal
TS754IPJ	395	In-Line Base Pnl Jct
TS754JP	373	Jct Post
TS754LPJ	397	L Base Pnl Jct
TS754LPJW	397	L Base Pnl Jct
TS754LUP	411	L/In-Line Jct w/Util Pole
TS754SEPJ	398	EOR Base Pnl Jct
TS754SEPJW	398	EOR Base Pnl Jct
TS754SERUP	410	EOR Jct w/Util Pole
TS754SIPJ	394	In-Line Base Pnl Jct
TS754SLPJ	396	L Base Pnl Jct
TS754SLPJW	396	L Base Pnl Jct
TS754SLUP	410	L/In-Line Jct w/Util Pole
TS754STPJ	396	T Base Pnl Jct
TS754STPJW	396	T Base Pnl Jct
TS754STUP	410	T Jct w/Util Pole
TS754SVPJ	400	V Base Pnl Jct
TS754SVPJW	400	V Base Pnl Jct
TS754SXPJ	396	X Base Pnl Jct
TS754SXPJW	396	X Base Pnl Jct
TS754SYPJ	400	Y Base Pnl Jct
TS754SYPJW	400	Y Base Pnl Jct
TS754TEPJ	347	EOR Base Pnl Jct
TS754TEPJW	347	EOR Base Pnl Jct
TS754TEVT	367	EOR Vertical Trim
TS754TEVTW	367	EOR Vertical Trim
TS754TIPJ	344	In-Line Base Pnl Jct
TS754TLPJ	345	L Base Pnl Jct
TS754TLPJW	345	L Base Pnl Jct
TS754TLVT	368	L Vertical Trim
TS754TLVTW	368	L Vertical Trim
TS754TPJ	397	T Base Pnl Jct

Style Number	Page	Description	Style Number	Page	Description
TS754TPJW	397	T Base Pnl Jct	TS756TCVJ	357	V Chng-of-Hgt Jct
TS754TTC	383	Spanning Top Cap	TS756TCVJW	357	V Chng-of-Hgt Jct
TS754TTCR	389	Top Cap & Aligner Packages – Painted	TS75757TCXJ	354	X Chng-of-Hgt Jct
TS754TTCW	383	Spanning Top Cap	TS75757TCXJW	354	X Chng-of-Hgt Jct
TS754TTCWR	389	Top Cap & Aligner Packages – Wood	TS7575TCTJ	351	T Chng-of-Hgt Jct
TS754TTPJ	345	T Base Pnl Jct	TS7575TCTJW	351	T Chng-of-Hgt Jct
TS754TTPJW	345	T Base Pnl Jct	TS7577TCYJ	358	Y Chng-of-Hgt Jct
TS754TTVT	368	T Vertical Trim	TS7577TCYJW	358	Y Chng-of-Hgt Jct
TS754TTVTW	368	T Vertical Trim	TS757TCIJ	349	In-Line Chng-of-Hgt Jct
TS754TUP	411	T Jct w/Util Pole	TS757TCIJW	349	In-Line Chng-of-Hgt Jct
TS754TVPJ	348	V Base Pnl Jct	TS757TCLJ	350	L Chng-of-Hgt Jct
TS754TVPJW	348	V Base Pnl Jct	TS757TCLJW	350	L Chng-of-Hgt Jct
TS754TVVT	369	V Vertical Trim	TS757TCVJ	357	V Chng-of-Hgt Jct
TS754TVVTW	369	V Vertical Trim	TS757TCVJW	357	V Chng-of-Hgt Jct
TS754TXPJ	346	X Base Pnl Jct	TS759TCIJ	349	In-Line Chng-of-Hgt Jct
TS754TXPJW	346	X Base Pnl Jct	TS759TCIJW	349	In-Line Chng-of-Hgt Jct
TS754TYPJ	348	Y Base Pnl Jct	TS76018TA	435	F-Covered Pnl Skin
TS754TYPJW	348	Y Base Pnl Jct	TS76018TAF	437	F-Covered To The Flr Skin
TS754VPJ	401	V Base Pnl Jct	TS76018TK	435	F-Covered Pnl Skin
TS754VPJW	401	V Base Pnl Jct	TS76018TKF	437	F-Covered To The Flr Skin
TS754WPJ	359, 402	Wall-Start Jct	TS76024LS	444	Laminate Skin
TS754XPJ	397	X Base Pnl Jct	TS76024LSF	445	Laminate To The Flr Skin
TS754XPJW	397	X Base Pnl Jct	TS76024TA	435	F-Covered Pnl Skin
TS754YPJ	401	Y Base Pnl Jct	TS76024TAF	437	F-Covered To The Flr Skin
TS754YPJW	401	Y Base Pnl Jct	TS76024TK	435	F-Covered Pnl Skin
TS7553TCTJ	353	T Chng-of-Hgt Jct	TS76024TKF	437	F-Covered To The Flr Skin
TS7553TCTJW	353	T Chng-of-Hgt Jct	TS76024WS	447	Wood Skin
TS7554TCTJ	353	T Chng-of-Hgt Jct	TS76024WSF	449	Wood To The Flr Skin
TS7554TCTJW	353	T Chng-of-Hgt Jct	TS76030LS	444	Laminate Skin
TS75553TCXJ	356	X Chng-of-Hgt Jct	TS76030LSF	445	Laminate To The Flr Skin
TS75553TCXJW	356	X Chng-of-Hgt Jct	TS76030TA	435	F-Covered Pnl Skin
TS75554TCXJ	356	X Chng-of-Hgt Jct	TS76030TAF	437	F-Covered To The Flr Skin
TS75554TCXJW	356	X Chng-of-Hgt Jct	TS76030TK	435	F-Covered Pnl Skin
TS75556TCXJ	355	X Chng-of-Hgt Jct	TS76030TKF	437	F-Covered To The Flr Skin
TS75556TCXJW	355	X Chng-of-Hgt Jct	TS76030WS	447	Wood Skin
TS75557TCXJ	355	X Chng-of-Hgt Jct	TS76030WSF	449	Wood To The Flr Skin
TS75557TCXJW	355	X Chng-of-Hgt Jct	TS76036LS	444	Laminate Skin
TS75566TCXJ	355	X Chng-of-Hgt Jct	TS76036LSF	445	Laminate To The Flr Skin
TS75566TCXJW	355	X Chng-of-Hgt Jct	TS76036TA	435	F-Covered Pnl Skin
TS7556TCTJ	352	T Chng-of-Hgt Jct	TS76036TAF	437	F-Covered To The Flr Skin
TS7556TCTJW	352	T Chng-of-Hgt Jct	TS76036TK	435	F-Covered Pnl Skin
TS75577TCXJ	355	X Chng-of-Hgt Jct	TS76036TKF	437	F-Covered To The Flr Skin
TS75577TCXJW	355	X Chng-of-Hgt Jct	TS76036WS	447	Wood Skin
TS7557TCTJ	352	T Chng-of-Hgt Jct	TS76036WSF	449	Wood To The Flr Skin
TS7557TCTJW	352	T Chng-of-Hgt Jct	TS76042LS	444	Laminate Skin
TS75656TCXJ	354	X Chng-of-Hgt Jct	TS76042LSF	445	Laminate To The Flr Skin
TS75656TCXJW	354	X Chng-of-Hgt Jct	TS76042TA	435	F-Covered Pnl Skin
TS7565TCTJ	351	T Chng-of-Hgt Jct	TS76042TAF	437	F-Covered To The Flr Skin
TS7565TCTJW	351	T Chng-of-Hgt Jct	TS76042TK	435	F-Covered Pnl Skin
TS7566TCYJ	358	Y Chng-of-Hgt Jct	TS76042TKF	437	F-Covered To The Flr Skin
TS7566TCYJW	358	Y Chng-of-Hgt Jct	TS76042WS	447	Wood Skin
TS756TCIJ	349	In-Line Chng-of-Hgt Jct	TS76042WSF	449	Wood To The Flr Skin
TS756TCIJW	349	In-Line Chng-of-Hgt Jct	TS76048LS	444	Laminate Skin
TS756TCLJ	350	L Chng-of-Hgt Jct	TS76048LSF	445	Laminate To The Flr Skin
TS756TCLJW	350	L Chng-of-Hgt Jct	TS76048TA	435	F-Covered Pnl Skin

Style Number Index, continued

Style Number	Page	Description
TS76048TAF	437	F-Covered To The Flr Skin
TS76048TK	435	F-Covered Pnl Skin
TS76048TKF	437	F-Covered To The Flr Skin
TS76048WS	447	Wood Skin
TS76048WSF	449	Wood To The Flr Skin
TS76060TA	435	F-Covered Pnl Skin
TS76060TAF	437	F-Covered To The Flr Skin
TS76060TK	435	F-Covered Pnl Skin
TS76060TKF	437	F-Covered To The Flr Skin
TS76072TA	435	F-Covered Pnl Skin
TS76072TK	435	F-Covered Pnl Skin
TS760BKT	361, 404	Off-Module Pnl Connector
TS760BT	392	Base Trim
TS760BTH	470	Hardwire Base Trim
TS760CT	474	Cable Tray
TS760HB	626	Horiz Brace
TS760HF	422	Base Horiz Frame Pkg
TS760HFS	382, 423	Stacking Horiz Frame Pkg
TS760OBK	392	Open Base Conversion Kit
TS760SHF	421	Base Horiz Frame Pkg
TS760STC	424	Spanning Top Cap
TS760STCW	424	Spanning Top Cap
TS760TEVT	367	EOR Vertical Trim
TS760TEVTW	367	EOR Vertical Trim
TS760THF	381	Base Horiz Frame Pkg
TS760TLVT	368	L Vertical Trim
TS760TLVTW	368	L Vertical Trim
TS760TTC	383	Spanning Top Cap
TS760TTCR	389	Top Cap & Aligner Packages – Painted
TS760TTCW	383	Spanning Top Cap
TS760TTCWR	389	Top Cap & Aligner Packages – Wood
TS760TTVT	368	T Vertical Trim
TS760TTVTW	368	T Vertical Trim
TS760TVVT	369	V Vertical Trim
TS760TVVTW	369	V Vertical Trim
TS7624HS	459	Steel Tech Skin, No Co
TS7624TFGR	384	Frameless Glass
TS7624TSS	459	Steel Tech Skin
TS7630HS	459	Steel Tech Skin, No Co
TS7630LTSS	459	Steel Tech Skin, LH Co
TS7630RTSS	459	Steel Tech Skin, RH Co
TS7630TFGR	384	Frameless Glass
TS7630TSS	459	Steel Tech Skin
TS7633TCYJ	358	Y Chng-of-Hgt Jct
TS7633TCYJW	358	Y Chng-of-Hgt Jct
TS7636HS	459	Steel Tech Skin, No Co
TS7636LTSS	459	Steel Tech Skin, LH Co
TS7636RTSS	459	Steel Tech Skin, RH Co
TS7636TCTJ	352	T Chng-of-Hgt Jct
TS7636TCTJW	352	T Chng-of-Hgt Jct
TS7636TFGR	384	Frameless Glass
TS7636TSS	459	Steel Tech Skin
TS7642HS	459	Steel Tech Skin, No Co
TS7642LTSS	459	Steel Tech Skin, LH Co
TS7642RTSS	459	Steel Tech Skin, RH Co

Style Number	Page	Description
TS7642TFGR	384	Frameless Glass
TS7642TSS	459	Steel Tech Skin
TS7644TCYJ	358	Y Chng-of-Hgt Jct
TS7644TCYJW	358	Y Chng-of-Hgt Jct
TS7646TCTJ	352	T Chng-of-Hgt Jct
TS7646TCTJW	352	T Chng-of-Hgt Jct
TS7648HS	459	Steel Tech Skin, No Co
TS7648LTSS	459	Steel Tech Skin, LH Co
TS7648RTSS	459	Steel Tech Skin, RH Co
TS7648TFGR	384	Frameless Glass
TS7648TSS	459	Steel Tech Skin
TS7654TFGR	384	Frameless Glass
TS7655TCYJ	358	Y Chng-of-Hgt Jct
TS7655TCYJW	358	Y Chng-of-Hgt Jct
TS7656TCTJ	352	T Chng-of-Hgt Jct
TS7656TCTJW	352	T Chng-of-Hgt Jct
TS7660HS	459	Steel Tech Skin, No Co
TS7660LTSS	459	Steel Tech Skin, LH Co
TS7660RTSS	459	Steel Tech Skin, RH Co
TS7660TFGR	384	Frameless Glass
TS7660TSS	459	Steel Tech Skin
TS76618PF	431	Perf Tack Acst Pnl Pkg
TS76618SPF	429	Perf Tack Acst Pnl Pkg
TS76618STF	429	Tack Acst Pnl Pkg
TS76618TF	431	Tack Acst Pnl Pkg
TS76618TPF	391	Perf Tack Acst Pnl Pkg
TS76618TTF	391	Tack Acst Pnl Pkg
TS76624AWSF	455	Wood To The Flr Skin Set
TS76624AWSS	451	Wood Skin Set
TS76624BWSF	456	Wood To The Flr Skin Set
TS76624BWSS	452	Wood Skin Set
TS76624CWSF	456	Wood To The Flr Skin Set
TS76624CWSS	452	Wood Skin Set
TS76624PF	431	Perf Tack Acst Pnl Pkg
TS76624SPF	429	Perf Tack Acst Pnl Pkg
TS76624STF	429	Tack Acst Pnl Pkg
TS76624TF	431	Tack Acst Pnl Pkg
TS76624TPF	391	Perf Tack Acst Pnl Pkg
TS76624TTF	391	Tack Acst Pnl Pkg
TS76630AWSF	455	Wood To The Flr Skin Set
TS76630AWSS	451	Wood Skin Set
TS76630BWSF	456	Wood To The Flr Skin Set
TS76630BWSS	452	Wood Skin Set
TS76630CWSF	456	Wood To The Flr Skin Set
TS76630CWSS	452	Wood Skin Set
TS76630PF	431	Perf Tack Acst Pnl Pkg
TS76630SPF	429	Perf Tack Acst Pnl Pkg
TS76630STF	429	Tack Acst Pnl Pkg
TS76630TF	431	Tack Acst Pnl Pkg
TS76630TPF	391	Perf Tack Acst Pnl Pkg
TS76630TTF	391	Tack Acst Pnl Pkg
TS76636AWSF	455	Wood To The Flr Skin Set
TS76636AWSS	451	Wood Skin Set
TS76636BWSF	456	Wood To The Flr Skin Set
TS76636BWSS	452	Wood Skin Set

Style Number	Page	Description	Style Number	Page	Description
TS76636CWSF	456	Wood To The Flr Skin Set	TS76672PF	431	Perf Tack Acst Pnl Pkg
TS76636CWSS	452	Wood Skin Set	TS76672SPF	429	Perf Tack Acst Pnl Pkg
TS76636PF	431	Perf Tack Acst Pnl Pkg	TS76672STF	429	Tack Acst Pnl Pkg
TS76636SPF	429	Perf Tack Acst Pnl Pkg	TS76672TF	431	Tack Acst Pnl Pkg
TS76636STF	429	Tack Acst Pnl Pkg	TS76672TPF	391	Perf Tack Acst Pnl Pkg
TS76636TF	431	Tack Acst Pnl Pkg	TS76672TTF	391	Tack Acst Pnl Pkg
TS76636TPF	391	Perf Tack Acst Pnl Pkg	TS76677TCXJ	355	X Chng-of-Hgt Jct
TS76636TTF	391	Tack Acst Pnl Pkg	TS76677TCXJW	355	X Chng-of-Hgt Jct
TS7663TCTJ	353	T Chng-of-Hgt Jct	TS7667TCTJ	352	T Chng-of-Hgt Jct
TS7663TCTJW	353	T Chng-of-Hgt Jct	TS7667TCTJW	352	T Chng-of-Hgt Jct
TS76642AWSF	455	Wood To The Flr Skin Set	TS7668TCTJ	353	T Chng-of-Hgt Jct
TS76642AWSS	451	Wood Skin Set	TS7668TCTJW	353	T Chng-of-Hgt Jct
TS76642BWSF	456	Wood To The Flr Skin Set	TS766EPJ	399	EOR Base Pnl Jct
TS76642BWSS	452	Wood Skin Set	TS766EPJW	399	EOR Base Pnl Jct
TS76642CWSF	456	Wood To The Flr Skin Set	TS766ERUP	411	EOR Jct w/Util Pole
TS76642CWSS	452	Wood Skin Set	TS766ICLS	374	Inside Cnr Light Seal
TS76642PF	431	Perf Tack Acst Pnl Pkg	TS766IPJ	395	In-Line Base Pnl Jct
TS76642SPF	429	Perf Tack Acst Pnl Pkg	TS766JP	373	Jct Post
TS76642STF	429	Tack Acst Pnl Pkg	TS766LPJ	397	L Base Pnl Jct
TS76642TF	431	Tack Acst Pnl Pkg	TS766LPJW	397	L Base Pnl Jct
TS76642TPF	391	Perf Tack Acst Pnl Pkg	TS766LUP	411	L/In-Line Jct w/Util Pole
TS76642TTF	391	Tack Acst Pnl Pkg	TS766SEPJ	398	EOR Base Pnl Jct
TS76648AWSF	455	Wood To The Flr Skin Set	TS766SEPJW	398	EOR Base Pnl Jct
TS76648AWSS	451	Wood Skin Set	TS766SERUP	410	EOR Jct w/Util Pole
TS76648BWSF	456	Wood To The Flr Skin Set	TS766SIPJ	394	In-Line Base Pnl Jct
TS76648BWSS	452	Wood Skin Set	TS766SLPJ	396	L Base Pnl Jct
TS76648CWSF	456	Wood To The Flr Skin Set	TS766SLPJW	396	L Base Pnl Jct
TS76648CWSS	452	Wood Skin Set	TS766SLUP	410	L/In-Line Jct w/Util Pole
TS76648PF	431	Perf Tack Acst Pnl Pkg	TS766STPJ	396	T Base Pnl Jct
TS76648SPF	429	Perf Tack Acst Pnl Pkg	TS766STPJW	396	T Base Pnl Jct
TS76648STF	429	Tack Acst Pnl Pkg	TS766STUP	410	T Jct w/Util Pole
TS76648TF	431	Tack Acst Pnl Pkg	TS766SVPJ	400	V Base Pnl Jct
TS76648TPF	391	Perf Tack Acst Pnl Pkg	TS766SVPJW	400	V Base Pnl Jct
TS76648TTF	391	Tack Acst Pnl Pkg	TS766SXPJ	396	X Base Pnl Jct
TS7664TCTJ	353	T Chng-of-Hgt Jct	TS766SXPJW	396	X Base Pnl Jct
TS7664TCTJW	353	T Chng-of-Hgt Jct	TS766SYPJ	400	Y Base Pnl Jct
TS7665TCTJ	353	T Chng-of-Hgt Jct	TS766SYPJW	400	Y Base Pnl Jct
TS7665TCTJW	353	T Chng-of-Hgt Jct	TS766TEPJ	347	EOR Base Pnl Jct
TS76660PF	431	Perf Tack Acst Pnl Pkg	TS766TEPJW	347	EOR Base Pnl Jct
TS76660SPF	429	Perf Tack Acst Pnl Pkg	TS766TEVT	367	EOR Vertical Trim
TS76660STF	429	Tack Acst Pnl Pkg	TS766TEVTW	367	EOR Vertical Trim
TS76660TF	431	Tack Acst Pnl Pkg	TS766TIPJ	344	In-Line Base Pnl Jct
TS76660TPF	391	Perf Tack Acst Pnl Pkg	TS766TLPJ	345	L Base Pnl Jct
TS76660TTF	391	Tack Acst Pnl Pkg	TS766TLPJW	345	L Base Pnl Jct
TS76663TCXJ	356	X Chng-of-Hgt Jct	TS766TLVT	368	L Vertical Trim
TS76663TCXJW	356	X Chng-of-Hgt Jct	TS766TLVTW	368	L Vertical Trim
TS76664TCXJ	356	X Chng-of-Hgt Jct	TS766TPJ	397	T Base Pnl Jct
TS76664TCXJW	356	X Chng-of-Hgt Jct	TS766TPJW	397	T Base Pnl Jct
TS76665TCXJ	356	X Chng-of-Hgt Jct	TS766TTC	383	Spanning Top Cap
TS76665TCXJW	356	X Chng-of-Hgt Jct	TS766TTCCR	389	Top Cap & Aligner Packages – Painted
TS76667TCXJ	355	X Chng-of-Hgt Jct	TS766TTCW	383	Spanning Top Cap
TS76667TCXJW	355	X Chng-of-Hgt Jct	TS766TTCWR	389	Top Cap & Aligner Packages – Wood
TS76668TCXJ	356	X Chng-of-Hgt Jct	TS766TTPJ	345	T Base Pnl Jct
TS76668TCXJW	356	X Chng-of-Hgt Jct	TS766TTPJW	345	T Base Pnl Jct
TS7666TFGR	384	Frameless Glass	TS766TTVT	368	T Vertical Trim

Style Number Index, continued

Style Number	Page	Description
TS766TTVTW	368	T Vertical Trim
TS766TUP	411	T Jct w/Util Pole
TS766TVPJ	348	V Base Pnl Jct
TS766TVPJW	348	V Base Pnl Jct
TS766TVVT	369	V Vertical Trim
TS766TVVTW	369	V Vertical Trim
TS766TXPJ	346	X Base Pnl Jct
TS766TXPJW	346	X Base Pnl Jct
TS766TYPJ	348	Y Base Pnl Jct
TS766TYPJW	348	Y Base Pnl Jct
TS766VPJ	401	V Base Pnl Jct
TS766VPJW	401	V Base Pnl Jct
TS766WPJ	359, 402	Wall-Start Jct
TS766XPJ	397	X Base Pnl Jct
TS766XPJW	397	X Base Pnl Jct
TS766YPJ	401	Y Base Pnl Jct
TS766YPJW	401	Y Base Pnl Jct
TS7672HS	459	Steel Tech Skin, No Co
TS7672LTSS	459	Steel Tech Skin, LH Co
TS7672RTSS	459	Steel Tech Skin, RH Co
TS7672TFGR	384	Frameless Glass
TS7672TSS	459	Steel Tech Skin
TS76767TCXJ	354	X Chng-of-Hgt Jct
TS76767TCXJW	354	X Chng-of-Hgt Jct
TS7676TCTJ	351	T Chng-of-Hgt Jct
TS7676TCTJW	351	T Chng-of-Hgt Jct
TS7677TCYJ	358	Y Chng-of-Hgt Jct
TS7677TCYJW	358	Y Chng-of-Hgt Jct
TS7678TFGR	384	Frameless Glass
TS767TCIJ	349	In-Line Chng-of-Hgt Jct
TS767TCIJW	349	In-Line Chng-of-Hgt Jct
TS767TCLJ	350	L Chng-of-Hgt Jct
TS767TCLJW	350	L Chng-of-Hgt Jct
TS767TCVJ	357	V Chng-of-Hgt Jct
TS767TCVJW	357	V Chng-of-Hgt Jct
TS7684TFGR	384	Frameless Glass
TS7686TCTJ	352	T Chng-of-Hgt Jct
TS7686TCTJW	352	T Chng-of-Hgt Jct
TS7688TCYJ	358	Y Chng-of-Hgt Jct
TS7688TCYJW	358	Y Chng-of-Hgt Jct
TS7690TFGR	384	Frameless Glass
TS7696TFGR	384	Frameless Glass
TS769TCIJ	349	In-Line Chng-of-Hgt Jct
TS769TCIJW	349	In-Line Chng-of-Hgt Jct
TS76BPSFX	480	Base Power Infeed
TS76BPSFY	480	Base Power Infeed
TS76BPSFZ	480	Base Power Infeed
TS76BPX	480	Base Power Infeed
TS76BPY	480	Base Power Infeed
TS76BPZ	480	Base Power Infeed
TS76UPHX	483	Multipurpose Power Infeeds
TS76UPHXN	483	Multipurpose Power Infeeds
TS76UPHY	483	Multipurpose Power Infeeds
TS76UPHYN	483	Multipurpose Power Infeeds
TS76UPHZ	483	Multipurpose Power Infeeds

Style Number	Page	Description
TS76UPHZN	483	Multipurpose Power Infeeds
TS772BKT	361, 404	Off-Module Pnl Connector
TS772BT	392	Base Trim
TS772BTH	470	Hardwire Base Trim
TS772CT	474	Cable Tray
TS772HB	626	Horiz Brace
TS772HF	422	Base Horiz Frame Pkg
TS772HFS	382, 423	Stacking Horiz Frame Pkg
TS772OBK	392	Open Base Conversion Kit
TS772SHF	421	Base Horiz Frame Pkg
TS772STC	424	Spanning Top Cap
TS772STCW	424	Spanning Top Cap
TS772TEVT	367	EOR Vertical Trim
TS772TEVTW	367	EOR Vertical Trim
TS772THF	381	Base Horiz Frame Pkg
TS772TLVT	368	L Vertical Trim
TS772TLVTW	368	L Vertical Trim
TS772TTC	383	Spanning Top Cap
TS772TTCR	389	Top Cap & Aligner Packages – Painted
TS772TTCW	383	Spanning Top Cap
TS772TTCWR	389	Top Cap & Aligner Packages – Wood
TS772TTVT	368	T Vertical Trim
TS772TTVTW	368	T Vertical Trim
TS772TVVT	369	V Vertical Trim
TS772TVVTW	369	V Vertical Trim
TS7744TCYJ	358	Y Chng-of-Hgt Jct
TS7744TCYJW	358	Y Chng-of-Hgt Jct
TS7747TCTJ	352	T Chng-of-Hgt Jct
TS7747TCTJW	352	T Chng-of-Hgt Jct
TS7755TCYJ	358	Y Chng-of-Hgt Jct
TS7755TCYJW	358	Y Chng-of-Hgt Jct
TS7757TCTJ	352	T Chng-of-Hgt Jct
TS7757TCTJW	352	T Chng-of-Hgt Jct
TS7766TCYJ	358	Y Chng-of-Hgt Jct
TS7766TCYJW	358	Y Chng-of-Hgt Jct
TS7767TCTJ	352	T Chng-of-Hgt Jct
TS7767TCTJW	352	T Chng-of-Hgt Jct
TS7774TCTJ	353	T Chng-of-Hgt Jct
TS7774TCTJW	353	T Chng-of-Hgt Jct
TS7775TCTJ	353	T Chng-of-Hgt Jct
TS7775TCTJW	353	T Chng-of-Hgt Jct
TS7776TCTJ	353	T Chng-of-Hgt Jct
TS7776TCTJW	353	T Chng-of-Hgt Jct
TS77774TCXJ	356	X Chng-of-Hgt Jct
TS77774TCXJW	356	X Chng-of-Hgt Jct
TS77775TCXJ	356	X Chng-of-Hgt Jct
TS77775TCXJW	356	X Chng-of-Hgt Jct
TS77776TCXJ	356	X Chng-of-Hgt Jct
TS77776TCXJW	356	X Chng-of-Hgt Jct
TS77778TCXJ	356	X Chng-of-Hgt Jct
TS77778TCXJW	356	X Chng-of-Hgt Jct
TS7778TCTJ	353	T Chng-of-Hgt Jct
TS7778TCTJW	353	T Chng-of-Hgt Jct
TS7787TCTJ	352	T Chng-of-Hgt Jct
TS7787TCTJW	352	T Chng-of-Hgt Jct

Style Number	Page	Description	Style Number	Page	Description
TS7788TCYJ	358	Y Chng-of-Hgt Jct	TS778VPJ	401	V Base Pnl Jct
TS7788TCYJW	358	Y Chng-of-Hgt Jct	TS778VPJW	401	V Base Pnl Jct
TS778EPJ	399	EOR Base Pnl Jct	TS778WPJ	359, 402	Wall-Start Jct
TS778EPJW	399	EOR Base Pnl Jct	TS778XPJ	397	X Base Pnl Jct
TS778ERUP	411	EOR Jct w/Util Pole	TS778XPJW	397	X Base Pnl Jct
TS778ICLS	374	Inside Cnr Light Seal	TS778YPJ	401	Y Base Pnl Jct
TS778IPJ	395	In-Line Base Pnl Jct	TS778YPJW	401	Y Base Pnl Jct
TS778JP	373	Jct Post	TS779TCIJ	349	In-Line Chng-of-Hgt Jct
TS778LPJ	397	L Base Pnl Jct	TS779TCIJW	349	In-Line Chng-of-Hgt Jct
TS778LPJW	397	L Base Pnl Jct	TS780MHX	484	Modular Harness
TS778LUP	411	L/In-Line Jct w/Util Pole	TS780MHXN	484	Modular Harness
TS778SEPJ	398	EOR Base Pnl Jct	TS780MHY	484	Modular Harness
TS778SEPJW	398	EOR Base Pnl Jct	TS780MHYN	484	Modular Harness
TS778SERUP	410	EOR Jct w/Util Pole	TS780MHZ	484	Modular Harness
TS778SIPJ	394	In-Line Base Pnl Jct	TS780MHZN	484	Modular Harness
TS778SLPJ	396	L Base Pnl Jct	TS7828TCTJCQ	377	Answer to c:scape T Junction–Thin Trim
TS778SLPJW	396	L Base Pnl Jct	TS782TCLJCQ	376	Answer to c:scape L Junction–Thin Trim
TS778SLUP	410	L/In-Line Jct w/Util Pole	TS7832TCYJ	358	Y Chng-of-Hgt Jct
TS778STC	424	Spanning Top Cap	TS7832TCYJW	358	Y Chng-of-Hgt Jct
TS778STCW	424	Spanning Top Cap	TS7838TCTJ	352	T Chng-of-Hgt Jct
TS778STPJ	396	T Base Pnl Jct	TS7838TCTJW	352	T Chng-of-Hgt Jct
TS778STPJW	396	T Base Pnl Jct	TS784STC	424	Spanning Top Cap
TS778STUP	410	T Jct w/Util Pole	TS784STCW	424	Spanning Top Cap
TS778SVPJ	400	V Base Pnl Jct	TS784TEVT	367	EOR Vertical Trim
TS778SVPJW	400	V Base Pnl Jct	TS784TEVTW	367	EOR Vertical Trim
TS778SXPJ	396	L Base Pnl Jct	TS784TLVT	368	L Vertical Trim
TS778SXPJW	396	X Base Pnl Jct	TS784TLVTW	368	L Vertical Trim
TS778SYPJ	400	Y Base Pnl Jct	TS784TTC	383	Spanning Top Cap
TS778SYPJW	400	Y Base Pnl Jct	TS784TTCW	383	Spanning Top Cap
TS778TEPJ	347	EOR Base Pnl Jct	TS784TTVT	368	T Vertical Trim
TS778TEPJW	347	EOR Base Pnl Jct	TS784TTVTW	368	T Vertical Trim
TS778TEVT	367	EOR Vertical Trim	TS784TVVT	369	V Vertical Trim
TS778TEVTW	367	EOR Vertical Trim	TS784TVVTW	369	V Vertical Trim
TS778TIPJ	344	In-Line Base Pnl Jct	TS7866TCYJ	358	Y Chng-of-Hgt Jct
TS778TLPJ	345	L Base Pnl Jct	TS7866TCYJW	358	Y Chng-of-Hgt Jct
TS778TLPJW	345	L Base Pnl Jct	TS78686TCXJ	354	X Chng-of-Hgt Jct
TS778TLVT	368	L Vertical Trim	TS78686TCXJW	354	X Chng-of-Hgt Jct
TS778TLVTW	368	L Vertical Trim	TS7868TCTJ	351	T Chng-of-Hgt Jct
TS778TPJ	397	T Base Pnl Jct	TS7868TCTJW	351	T Chng-of-Hgt Jct
TS778TPJW	397	T Base Pnl Jct	TS786TCIJ	349	In-Line Chng-of-Hgt Jct
TS778TTC	383	Spanning Top Cap	TS786TCIJW	349	In-Line Chng-of-Hgt Jct
TS778TTCW	383	Spanning Top Cap	TS786TCLJ	350	L Chng-of-Hgt Jct
TS778TTPJ	345	T Base Pnl Jct	TS786TCLJW	350	L Chng-of-Hgt Jct
TS778TTPJW	345	T Base Pnl Jct	TS786TCVJ	357	V Chng-of-Hgt Jct
TS778TTVT	368	T Vertical Trim	TS786TCVJW	357	V Chng-of-Hgt Jct
TS778TTVTW	368	T Vertical Trim	TS7877TCYJ	358	Y Chng-of-Hgt Jct
TS778TUP	411	T Jct w/Util Pole	TS7877TCYJW	358	Y Chng-of-Hgt Jct
TS778TVPJ	348	V Base Pnl Jct	TS78787TCXJ	354	X Chng-of-Hgt Jct
TS778TVPJW	348	V Base Pnl Jct	TS78787TCXJW	354	X Chng-of-Hgt Jct
TS778TVVT	369	V Vertical Trim	TS7878TCTJ	351	T Chng-of-Hgt Jct
TS778TVVTW	369	V Vertical Trim	TS7878TCTJW	351	T Chng-of-Hgt Jct
TS778TXPJ	346	X Base Pnl Jct	TS787TCLJ	350	L Chng-of-Hgt Jct
TS778TXPJW	346	X Base Pnl Jct	TS787TCLJW	350	L Chng-of-Hgt Jct
TS778TYPJ	348	Y Base Pnl Jct	TS787TCVJ	357	V Chng-of-Hgt Jct
TS778TYPJW	348	Y Base Pnl Jct	TS787TCVJW	357	V Chng-of-Hgt Jct

Style Number Index, continued

Style Number	Page	Description
TS7883TCTJ	353	T Chng-of-Hgt Jct
TS7883TCTJW	353	T Chng-of-Hgt Jct
TS78866TCXJ	355	X Chng-of-Hgt Jct
TS78866TCXJW	355	X Chng-of-Hgt Jct
TS7886TCTJ	352	T Chng-of-Hgt Jct
TS7886TCTJW	352	T Chng-of-Hgt Jct
TS78877TCXJ	355	X Chng-of-Hgt Jct
TS78877TCXJW	355	X Chng-of-Hgt Jct
TS7887TCTJ	352	T Chng-of-Hgt Jct
TS7887TCTJW	352	T Chng-of-Hgt Jct
TS78883TCXJ	356	X Chng-of-Hgt Jct
TS78883TCXJW	356	X Chng-of-Hgt Jct
TS78886TCXJ	355	X Chng-of-Hgt Jct
TS78886TCXJW	355	X Chng-of-Hgt Jct
TS78887TCXJ	355	X Chng-of-Hgt Jct
TS78887TCXJW	355	X Chng-of-Hgt Jct
TS790COHJC	375	90° Chng-of-Hgt Jct Cap
TS790COHJCW	375	90° Chng-of-Hgt Jct Cap
TS790JB3	374	90° Jct Block, Pkg of 3
TS790JB4	374	90° Jct Block, Pkg of 4
TS790JB5	374	90° Jct Block, Pkg of 5
TS790JC	375	90° Cnr Jct Cap
TS790JCW	375	90° Cnr Jct Cap
TS790STC	424	Spanning Top Cap
TS790STCW	424	Spanning Top Cap
TS790TEVT	367	EOR Vertical Trim
TS790TEVTW	367	EOR Vertical Trim
TS790TLVT	368	L Vertical Trim
TS790TLVTW	368	L Vertical Trim
TS790TTC	383	Spanning Top Cap
TS790TTCW	383	Spanning Top Cap
TS790TTVT	368	T Vertical Trim
TS790TTVTW	368	T Vertical Trim
TS790TVVT	369	V Vertical Trim
TS790TVVTW	369	V Vertical Trim
TS796STC	424	Spanning Top Cap
TS796STCW	424	Spanning Top Cap
TS796TTC	383	Spanning Top Cap
TS796TTCW	383	Spanning Top Cap
TS7AV	628	Avenir to Answer Bracket
TS7AVH	628	Avenir to Answer Bracket
TS7BM	628	Avenir to Answer Bracket
TS7BMH	628	Avenir to Answer Bracket
TS7BPNY24X	481	Base Power Infeed - NYC
TS7BPNY24XN	481	Base Power Infeed - NYC
TS7BPNY24Y	481	Base Power Infeed - NYC
TS7BPNY24YN	481	Base Power Infeed - NYC
TS7BPNY24Z	481	Base Power Infeed - NYC
TS7BPNY24ZN	481	Base Power Infeed - NYC
TS7BPNY30X	481	Base Power Infeed - NYC
TS7BPNY30XN	481	Base Power Infeed - NYC
TS7BPNY30Y	481	Base Power Infeed - NYC
TS7BPNY30YN	481	Base Power Infeed - NYC
TS7BPNY30Z	481	Base Power Infeed - NYC
TS7BPNY30ZN	481	Base Power Infeed - NYC

Style Number	Page	Description
TS7BPNY36X	481	Base Power Infeed - NYC
TS7BPNY36XN	481	Base Power Infeed - NYC
TS7BPNY36Y	481	Base Power Infeed - NYC
TS7BPNY36YN	481	Base Power Infeed - NYC
TS7BPNY36Z	481	Base Power Infeed - NYC
TS7BPNY36ZN	481	Base Power Infeed - NYC
TS7BPNY42X	481	Base Power Infeed - NYC
TS7BPNY42XN	481	Base Power Infeed - NYC
TS7BPNY42Y	481	Base Power Infeed - NYC
TS7BPNY42YN	481	Base Power Infeed - NYC
TS7BPNY42Z	481	Base Power Infeed - NYC
TS7BPNY42ZN	481	Base Power Infeed - NYC
TS7BPNY48X	481	Base Power Infeed - NYC
TS7BPNY48XN	481	Base Power Infeed - NYC
TS7BPNY48Y	481	Base Power Infeed - NYC
TS7BPNY48YN	481	Base Power Infeed - NYC
TS7BPNY48Z	481	Base Power Infeed - NYC
TS7BPNY48ZN	481	Base Power Infeed - NYC
TS7BPNY60X	481	Base Power Infeed - NYC
TS7BPNY60XN	481	Base Power Infeed - NYC
TS7BPNY60Y	481	Base Power Infeed - NYC
TS7BPNY60YN	481	Base Power Infeed - NYC
TS7BPNY60Z	481	Base Power Infeed - NYC
TS7BPNY60ZN	481	Base Power Infeed - NYC
TS7BPNY72X	481	Base Power Infeed - NYC
TS7BPNY72XN	481	Base Power Infeed - NYC
TS7BPNY72Y	481	Base Power Infeed - NYC
TS7BPNY72YN	481	Base Power Infeed - NYC
TS7BPNY72Z	481	Base Power Infeed - NYC
TS7BPNY72ZN	481	Base Power Infeed - NYC
TS7BSWHC	626	Wall Channels
TS7CJCA10	375	Jct Cap Cnr Aligner
TS7CMB2	388	Top Cap Mount Storage – Brackets
TS7CMB2A2	388	Top Cap Mount Storage – Brackets
TS7CMB2A3	388	Top Cap Mount Storage – Brackets
TS7CNTSTKR	488	Controlled Receptacle Stickers
TS7CPCM	487	Cnsl'd Point Cable Mgr
TS7CPK	486	Cnsl'd Point Kit
TS7CPK24	482	Hardwired Pwrkit
TS7CPK30	482	Hardwired Pwrkit
TS7CPK36	482	Hardwired Pwrkit
TS7CPK42	482	Hardwired Pwrkit
TS7CPK48	482	Hardwired Pwrkit
TS7CPK60	482	Hardwired Pwrkit
TS7CPK72	482	Hardwired Pwrkit
TS7CPMB	487	Cnsl'd Point Mounting Brkt
TS7FSLVE	485	Feed-Thru Horiz Cbl Slv
TS7GGC10	373	Gripper Glide Caps
TS7HSLVE	486	Grom for Horiz Bar and Jct
TS7JSLVE	486	Grommet for Jct
TS7JTSLVE	485	Jct Tall Sleeve
TS7LSLVE	485	Lay-In Jct Cable Sleeve
TS7LTA4	375	L to T Trim Aligner
TS7PK24X	475	4-Circ, 3+1 Wrg, Pwrkit
TS7PK24XN	475	4-Circ, 3+1 Wrg, Pwrkit

Style Number	Page	Description	Style Number	Page	Description
TS7PK24Y	475	4-Circ, 2+2 Wrg, Pwrkit	TS7PT30YN	476	4-Circ, 2+2, P-T Pwrkit
TS7PK24YN	475	4-Circ, 2+2 Wrg, Pwrkit	TS7PT30Z	476	3-Circ, 3SN, P-T Pwrkit
TS7PK24Z	475	3-Circ, 3SN Wrg, Pwrkit	TS7PT30ZN	476	3-Circ, 3SN, P-T Pwrkit
TS7PK24ZN	475	3-Circ, 3SN Wrg, Pwrkit	TS7PT36X	476	4-Circ, 3+1, P-T Pwrkit
TS7PK30X	475	4-Circ, 3+1 Wrg, Pwrkit	TS7PT36XN	476	4-Circ, 3+1, P-T Pwrkit
TS7PK30XN	475	4-Circ, 3+1 Wrg, Pwrkit	TS7PT36Y	476	4-Circ, 2+2, P-T Pwrkit
TS7PK30Y	475	4-Circ, 2+2 Wrg, Pwrkit	TS7PT36YN	476	4-Circ, 2+2, P-T Pwrkit
TS7PK30YN	475	4-Circ, 2+2 Wrg, Pwrkit	TS7PT36Z	476	3-Circ, 3SN, P-T Pwrkit
TS7PK30Z	475	3-Circ, 3SN Wrg, Pwrkit	TS7PT36ZN	476	3-Circ, 3SN, P-T Pwrkit
TS7PK30ZN	475	3-Circ, 3SN Wrg, Pwrkit	TS7PT42X	476	4-Circ, 3+1, P-T Pwrkit
TS7PK36X	475	4-Circ, 3+1 Wrg, Pwrkit	TS7PT42XN	476	4-Circ, 3+1, P-T Pwrkit
TS7PK36XN	475	4-Circ, 3+1 Wrg, Pwrkit	TS7PT42Y	476	4-Circ, 2+2, P-T Pwrkit
TS7PK36Y	475	4-Circ, 2+2 Wrg, Pwrkit	TS7PT42YN	476	4-Circ, 2+2, P-T Pwrkit
TS7PK36YN	475	4-Circ, 2+2 Wrg, Pwrkit	TS7PT42Z	476	3-Circ, 3SN, P-T Pwrkit
TS7PK36Z	475	3-Circ, 3SN Wrg, Pwrkit	TS7PT42ZN	476	3-Circ, 3SN, P-T Pwrkit
TS7PK36ZN	475	3-Circ, 3SN Wrg, Pwrkit	TS7PT48X	476	4-Circ, 3+1, P-T Pwrkit
TS7PK42X	475	4-Circ, 3+1 Wrg, Pwrkit	TS7PT48XN	476	4-Circ, 3+1, P-T Pwrkit
TS7PK42XN	475	4-Circ, 3+1 Wrg, Pwrkit	TS7PT48Y	476	4-Circ, 2+2, P-T Pwrkit
TS7PK42Y	475	4-Circ, 2+2 Wiring, Pwrkit	TS7PT48YN	476	4-Circ, 2+2, P-T Pwrkit
TS7PK42YN	475	4-Circ, 2+2 Wrg, Pwrkit	TS7PT48Z	476	3-Circ, 3SN, P-T Pwrkit
TS7PK42Z	475	3-Circ, 3SN Wrg, Pwrkit	TS7PT48ZN	476	3-Circ, 3SN, P-T Pwrkit
TS7PK42ZN	475	3-Circ, 3SN Wrg, Pwrkit	TS7PT60X	476	4-Circ, 3+1, P-T Pwrkit
TS7PK48X	475	4-Circ, 3+1 Wrg, Pwrkit	TS7PT60XN	476	4-Circ, 3+1, P-T Pwrkit
TS7PK48XN	475	4-Circ, 3+1 Wrg, Pwrkit	TS7PT60Y	476	4-Circ, 2+2, P-T Pwrkit
TS7PK48Y	475	4-Circ, 2+2 Wiring, Pwrkit	TS7PT60YN	476	4-Circ, 2+2, P-T Pwrkit
TS7PK48YN	475	4-Circ, 2+2 Wiring, Pwrkit	TS7PT60Z	476	3-Circ, 3SN, P-T Pwrkit
TS7PK48Z	475	3-Circ, 3SN Wiring, Pwrkit	TS7PT60ZN	476	3-Circ, 3SN, P-T Pwrkit
TS7PK48ZN	475	3-Circ, 3SN Wiring, Pwrkit	TS7PT72X	476	4-Circ, 3+1, P-T Pwrkit
TS7PK60X	475	4-Circ, 3+1 Wiring, Pwrkit	TS7PT72XN	476	4-Circ, 3+1, P-T Pwrkit
TS7PK60XN	475	4-Circ, 3+1 Wiring, Pwrkit	TS7PT72Y	476	4-Circ, 2+2, P-T Pwrkit
TS7PK60Y	475	4-Circ, 2+2 Wiring, Pwrkit	TS7PT72YN	476	4-Circ, 2+2, P-T Pwrkit
TS7PK60YN	475	4-Circ, 2+2 Wiring, Pwrkit	TS7PT72Z	476	3-Circ, 3SN, P-T Pwrkit
TS7PK60Z	475	3-Circ, 3SN Wiring, Pwrkit	TS7PT72ZN	476	3-Circ, 3SN, P-T Pwrkit
TS7PK60ZN	475	3-Circ, 3SN Wiring, Pwrkit	TS7PVWM	699	Vertical Wire Mgr
TS7PK72X	475	4-Circ, 3+1 Wiring, Pwrkit	TS7SB	360, 403	Jct Stabilizer Bracket
TS7PK72XN	475	4-Circ, 3+1 Wiring, Pwrkit	TS7SBNJ	360, 403	Jct Stabilizer Bracket
TS7PK72Y	475	4-Circ, 2+2 Wiring, Pwrkit	TS7STDIV	624	Dividers
TS7PK72YN	475	4-Circ, 2+2 Wiring, Pwrkit	TS7STLS1	467	Top Cap Lightseal
TS7PK72Z	475	3-Circ, 3SN Wiring, Pwrkit	TS7STLS10	467	Top Cap Lightseal
TS7PK72ZN	475	3-Circ, 3SN Wiring, Pwrkit	TS7SWS	467	Spanning Win In-Line Sup
TS7PT18X	476	4-Circ, 3+1, P-T Pwrkit	TS7TFGRC	386	Frameless Glass
TS7PT18XN	476	4-Circ, 3+1, P-T Pwrkit	TS7TIEPLATE	546	Univ Tie Plates
TS7PT18Y	476	4-Circ, 2+2, P-T Pwrkit	TS7TJUP	364	L, T, or X Jct Util Pole
TS7PT18YN	476	4-Circ, 2+2, P-T Pwrkit	TS7TSCFD	462	Tech Skin Cover Filler
TS7PT18Z	476	3-Circ, 3SN, P-T Pwrkit	TS7TSCFS	462	Tech Skin Cover Filler
TS7PT18ZN	476	3-Circ, 3SN, P-T Pwrkit	TS7TSCOVER	462	Tech Skin Cover
TS7PT24X	476	4-Circ, 3+1, P-T Pwrkit	TS7UFPLATE	479	Face Plate
TS7PT24XN	476	4-Circ, 3+1, P-T Pwrkit	TS7WKSPT	546	Univ Reinforcing Chan
TS7PT24Y	476	4-Circ, 2+2, P-T Pwrkit	TS7WKSPT39	546	Univ Reinforcing Chan
TS7PT24YN	476	4-Circ, 2+2, P-T Pwrkit	TS7WKSPT72	546	Univ Reinforcing Chan
TS7PT24Z	476	3-Circ, 3SN, P-T Pwrkit	TS7WWM	560	Univ WS Wire Mgr
TS7PT24ZN	476	3-Circ, 3SN, P-T Pwrkit	TSAEGROM	504	Grommet Pkg
TS7PT30X	476	4-Circ, 3+1, P-T Pwrkit	TSAPDSA6636	469	Sliding Pnl Doors
TS7PT30XN	476	4-Circ, 3+1, P-T Pwrkit	TSAPDSA6642	469	Sliding Pnl Doors
TS7PT30Y	476	4-Circ, 2+2, P-T Pwrkit	TSAPDSA7836	469	Sliding Pnl Doors

Style Number Index, continued

Style Number	Page	Description
TSAPDSA7842	469	Sliding Pnl Doors
TSASHCL24	597	Kick Common Shelf
TSASHCL30	597	Kick Common Shelf
TSASHCL36	597	Kick Common Shelf
TSASHCL42	597	Kick Common Shelf
TSASHCL48	597	Kick Common Shelf
TSASLCL24	597	Kick Common Shelf
TSASLCL30	597	Kick Common Shelf
TSASLCL36	597	Kick Common Shelf
TSASLCL42	597	Kick Common Shelf
TSASLCL48	597	Kick Common Shelf
TSASUB24L	595	Kick Bin
TSASUB30L	595	Kick Bin
TSASUB36L	595	Kick Bin
TSASUB42L	595	Kick Bin
TSASUB48L	595	Kick Bin
TSASUB60L	595	Kick Bin
TSASUB72L	595	Kick Bin
TSASUBC24L	595	Kick Bin
TSASUBC30L	595	Kick Bin
TSASUBC36L	595	Kick Bin
TSASUBC42L	595	Kick Bin
TSASUBC48L	595	Kick Bin
TSASUBC60L	595	Kick Bin
TSASUBC72L	595	Kick Bin
TSATCANT	503	Kick Cantilever
TSATEP24	502	Kick On-Mod End Pnl
TSATEP24S	502	Kick On-Mod End Pnl
TSATEP30	502	Kick On-Mod End Pnl
TSATEP30S	502	Kick On-Mod End Pnl
TSATH2711	502	Kick H-Leg
TSATH2720	502	Kick H-Leg
TSATP27	502	Post Leg
TSATPL14	503	Support Plate
TSATPL20	503	Support Plate
TSATRC39	503	Reinforcing Channel
TSATRC48	503	Reinforcing Channel
TSATRC57	503	Reinforcing Channel
TSATRC72	503	Reinforcing Channel
TSATSIDE	503	Kick Bracket
TSATTIE	503	Tie Plates
TSAWH2727A	500	Linking Worksurface
TSAWH2733A	500	Linking Worksurface
TSAWH3327A	500	Linking Worksurface
TSAWH3333A	500	Linking Worksurface
TSAWHCC1836	493	Curved Corner Wksf
TSAWHCC1842	493	Curved Corner Wksf
TSAWHCC1848	493	Curved Corner Wksf
TSAWHCC2436	493	Curved Corner Wksf
TSAWHCC2442	493	Curved Corner Wksf
TSAWHCC2448	493	Curved Corner Wksf
TSAWHCC3048	493	Curved Corner Wksf
TSAWHCF2436	492	Straight Corner Wksf
TSAWHCF2442	492	Straight Corner Wksf
TSAWHCF2448	492	Straight Corner Wksf

Style Number	Page	Description
TSAWHCF3048	492	Straight Corner Wksf
TSAWHE2246	495	Ext Curved Corner Wksf
TSAWHE2247	495	Ext Curved Corner Wksf
TSAWHE2264	494	Ext Curved Corner Wksf
TSAWHE2274	494	Ext Curved Corner Wksf
TSAWHE2346	495	Ext Curved Corner Wksf
TSAWHE2347	495	Ext Curved Corner Wksf
TSAWHE2364	494	Ext Curved Corner Wksf
TSAWHE2374	494	Ext Curved Corner Wksf
TSAWHE3246	495	Ext Curved Corner Wksf
TSAWHE3247	495	Ext Curved Corner Wksf
TSAWHE3264	494	Ext Curved Corner Wksf
TSAWHE3274	494	Ext Curved Corner Wksf
TSAWHE3346	495	Ext Curved Corner Wksf
TSAWHE3347	495	Ext Curved Corner Wksf
TSAWHE3364	494	Ext Curved Corner Wksf
TSAWHE3374	494	Ext Curved Corner Wksf
TSAWHN51A	499	Spanner Worksurface
TSAWHN63A	499	Spanner Worksurface
TSAWHP3048	497	Peninsula Worksurface
TSAWHP3060	497	Peninsula Worksurface
TSAWHP3072	497	Peninsula Worksurface
TSAWHPA2448	498	Angled Peninsula Wksf
TSAWHPA3048	498	Angled Peninsula Wksf
TSAWHR1824	490	Straight Worksurface
TSAWHR1830	490	Straight Worksurface
TSAWHR1836	490	Straight Worksurface
TSAWHR1842	490	Straight Worksurface
TSAWHR1848	490	Straight Worksurface
TSAWHR1854	490	Straight Worksurface
TSAWHR1860	490	Straight Worksurface
TSAWHR1866	490	Straight Worksurface
TSAWHR1872	490	Straight Worksurface
TSAWHR2424	490	Straight Worksurface
TSAWHR2430	490	Straight Worksurface
TSAWHR2436	490	Straight Worksurface
TSAWHR2442	490	Straight Worksurface
TSAWHR2448	490	Straight Worksurface
TSAWHR2454	490	Straight Worksurface
TSAWHR2460	490	Straight Worksurface
TSAWHR2466	490	Straight Worksurface
TSAWHR2472	490	Straight Worksurface
TSAWHR3024	490	Straight Worksurface
TSAWHR3030	490	Straight Worksurface
TSAWHR3036	490	Straight Worksurface
TSAWHR3042	490	Straight Worksurface
TSAWHR3048	490	Straight Worksurface
TSAWHR3054	490	Straight Worksurface
TSAWHR3060	490	Straight Worksurface
TSAWHR3066	490	Straight Worksurface
TSAWHR3072	490	Straight Worksurface
TSAWHX1236	491	Transition Worksurface
TSAWHX1242	491	Transition Worksurface
TSAWHX1248	491	Transition Worksurface
TSAWHX2136	491	Transition Worksurface

Style Number	Page	Description	Style Number	Page	Description
TSAWHX2142	491	Transition Worksurface	TSAWLR2430	490	Straight Worksurface
TSAWHX2148	491	Transition Worksurface	TSAWLR2436	490	Straight Worksurface
TSAWHX2336	491	Transition Worksurface	TSAWLR2442	490	Straight Worksurface
TSAWHX2342	491	Transition Worksurface	TSAWLR2448	490	Straight Worksurface
TSAWHX2348	491	Transition Worksurface	TSAWLR2454	490	Straight Worksurface
TSAWHX3236	491	Transition Worksurface	TSAWLR2460	490	Straight Worksurface
TSAWHX3242	491	Transition Worksurface	TSAWLR2466	490	Straight Worksurface
TSAWHX3248	491	Transition Worksurface	TSAWLR2472	490	Straight Worksurface
TSAWHY2436	496	120° Corner Worksurface	TSAWLR3024	490	Straight Worksurface
TSAWHY2442	496	120° Corner Worksurface	TSAWLR3030	490	Straight Worksurface
TSAWHY2448	496	120° Corner Worksurface	TSAWLR3036	490	Straight Worksurface
TSAWLCC1836	493	Curved Corner Wksf	TSAWLR3042	490	Straight Worksurface
TSAWLCC1842	493	Curved Corner Wksf	TSAWLR3048	490	Straight Worksurface
TSAWLCC1848	493	Curved Corner Wksf	TSAWLR3054	490	Straight Worksurface
TSAWLCC2436	493	Curved Corner Wksf	TSAWLR3060	490	Straight Worksurface
TSAWLCC2442	493	Curved Corner Wksf	TSAWLR3066	490	Straight Worksurface
TSAWLCC2448	493	Curved Corner Wksf	TSAWLR3072	490	Straight Worksurface
TSAWLCC3048	493	Curved Corner Wksf	TSAWLX1236	491	Transition Worksurface
TSAWLCF2436	492	Straight Corner Wksf	TSAWLX1242	491	Transition Worksurface
TSAWLCF2442	492	Straight Corner Wksf	TSAWLX1248	491	Transition Worksurface
TSAWLCF2448	492	Straight Corner Wksf	TSAWLX2136	491	Transition Worksurface
TSAWLCF3048	492	Straight Corner Wksf	TSAWLX2142	491	Transition Worksurface
TSAWLE2246	495	Ext Curved Corner Wksf	TSAWLX2148	491	Transition Worksurface
TSAWLE2247	495	Ext Curved Corner Wksf	TSAWLX2336	491	Transition Worksurface
TSAWLE2264	494	Ext Curved Corner Wksf	TSAWLX2342	491	Transition Worksurface
TSAWLE2274	494	Ext Curved Corner Wksf	TSAWLX2348	491	Transition Worksurface
TSAWLE2346	495	Ext Curved Corner Wksf	TSAWLX3236	491	Transition Worksurface
TSAWLE2347	495	Ext Curved Corner Wksf	TSAWLX3242	491	Transition Worksurface
TSAWLE2364	494	Ext Curved Corner Wksf	TSAWLX3248	491	Transition Worksurface
TSAWLE2374	494	Ext Curved Corner Wksf	TSAWLY2436	496	120° Corner Worksurface
TSAWLE3246	495	Ext Curved Corner Wksf	TSAWLY2442	496	120° Corner Worksurface
TSAWLE3247	495	Ext Curved Corner Wksf	TSAWLY2448	496	120° Corner Worksurface
TSAWLE3264	494	Ext Curved Corner Wksf	TU720BBFL	702	Answer Fixed Pedestal
TSAWLE3274	494	Ext Curved Corner Wksf	TU720FFL	702	Answer Fixed Pedestal
TSAWLE3346	495	Ext Curved Corner Wksf	TU726BBFL	702	Answer Fixed Pedestal
TSAWLE3347	495	Ext Curved Corner Wksf	TU726FFL	702	Answer Fixed Pedestal
TSAWLE3364	494	Ext Curved Corner Wksf	TU7BBFM	705	Answer Mobile Pedestal
TSAWLE3374	494	Ext Curved Corner Wksf	TU7FFM	705	Answer Mobile Pedestal
TSAWLN51A	499	Spanner Worksurface	TU7MOBILE	705	Answer Mobile Pedestal
TSAWLN63A	499	Spanner Worksurface	UADJ	554	Univ Adj-Hgt Leg
TSAWLP3048	497	Peninsula Worksurface	UADJ4	554	Univ Adj-Hgt Leg
TSAWLP3060	497	Peninsula Worksurface	UADJ4C	554	Univ Adj-Hgt Leg
TSAWLP3072	497	Peninsula Worksurface	UADJ4M	554	Univ Adj-Hgt Leg
TSAWLPA2448	498	Angled Peninsula Wksf	UADJC	554	Univ Adj-Hgt Leg
TSAWLPA3048	498	Angled Peninsula Wksf	UADJCOL	554	Adjustable Column
TSAWLR1824	490	Straight Worksurface	UB223636	526	Univ Cnr, 120° WS—CD
TSAWLR1830	490	Straight Worksurface	UB224242	526	Univ Cnr, 120° WS—CD
TSAWLR1836	490	Straight Worksurface	UB224848	526	Univ Cnr, 120° WS—CD
TSAWLR1842	490	Straight Worksurface	UB333636	526	Univ Cnr, 120° WS—CD
TSAWLR1848	490	Straight Worksurface	UB334242	526	Univ Cnr, 120° WS—CD
TSAWLR1854	490	Straight Worksurface	UB334848	526	Univ Cnr, 120° WS—CD
TSAWLR1860	490	Straight Worksurface	UC114242	520	Univ Cor WS, Front—CD
TSAWLR1866	490	Straight Worksurface	UC124242	520	Univ Cor WS, Front—CD
TSAWLR1872	490	Straight Worksurface	UC214242	520	Univ Cor WS, Front—CD
TSAWLR2424	490	Straight Worksurface	UC223636	520	Univ Cor WS, Front—CD

Style Number Index, continued

Style Number	Page	Description
UC224242	520	Univ Cor WS, Frnt—CD
UC224848	520	Univ Cor WS, Frnt—CD
UC226060	520	Univ Cor WS, Frnt—CD
UC334242	520	Univ Cor WS, Frnt—CD
UC334848	520	Univ Cor WS, Frnt—CD
UCANT	545	Univ On-Mod CANT
UCC113636	521	Univ Cor WS, Frnt—CD
UCC114242	521	Univ Cor WS, Frnt—CD
UCC114848	521	Univ Cor WS, Frnt—CD
UCC124242	521	Univ Cor WS, Frnt—CD
UCC214242	521	Univ Cor WS, Frnt—CD
UCC223636	521	Univ Cor WS, Frnt—CD
UCC224242	521	Univ Cor WS, Frnt—CD
UCC224848	521	Univ Cor WS, Frnt—CD
UCC226060	521	Univ Cor WS, Frnt—CD
UCC334242	521	Univ Cor WS, Frnt—CD
UCC334848	521	Univ Cor WS, Frnt—CD
UCF223636	518	Univ Cnr, FT-Frnt WS—CD
UCF224242	518	Univ Cnr, FT-Frnt WS—CD
UCF224848	518	Univ Cnr, FT-Frnt WS—CD
UCF334242	518	Univ Cnr, FT-Frnt WS—CD
UCF334848	518	Univ Cnr, FT-Frnt WS—CD
UCL	553	Univ Dbl Post C-Leg
UCOL	554	Column
UCSP	547	Univ On-Mod Cen Sprt Pnl
UCSPS	547	Univ On-Mod Cen Sprt Pnl
UDC224242	519	Univ Dual Corner Wksf
UDC224848	519	Univ Dual Corner Wksf
UDC334848	519	Univ Dual Corner Wksf
UDPL	553	Univ Dbl Post Leg
UE2202L	523	Univ Ext Corner Wksf
UE2208L	523	Univ Ext Corner Wksf
UE2220R	523	Univ Ext Corner Wksf
UE2222L	523	Univ Ext Corner Wksf
UE2222R	523	Univ Ext Corner Wksf
UE2226R	523	Univ Ext Corner Wksf
UE2228L	523	Univ Ext Corner Wksf
UE2262L	523	Univ Ext Corner Wksf
UE2268L	523	Univ Ext Corner Wksf
UE2280R	523	Univ Ext Corner Wksf
UE2282R	523	Univ Ext Corner Wksf
UE2286R	523	Univ Ext Corner Wksf
UE2308L	523	Univ Ext Corner Wksf
UE2328L	523	Univ Ext Corner Wksf
UE2368L	523	Univ Ext Corner Wksf
UE2380R	523	Univ Ext Corner Wksf
UE2382R	523	Univ Ext Corner Wksf
UE2386R	523	Univ Ext Corner Wksf
UE3208L	523	Univ Ext Corner Wksf
UE3228L	523	Univ Ext Corner Wksf
UE3268L	523	Univ Ext Corner Wksf
UE3280R	523	Univ Ext Corner Wksf
UE3282R	523	Univ Ext Corner Wksf
UE3286R	523	Univ Ext Corner Wksf
UE3308L	523	Univ Ext Corner Wksf

Style Number	Page	Description
UE3328L	523	Univ Ext Corner Wksf
UE3368L	523	Univ Ext Corner Wksf
UE3380R	523	Univ Ext Corner Wksf
UE3382R	523	Univ Ext Corner Wksf
UE3386R	523	Univ Ext Corner Wksf
UEC2202L	525	Univ Ext Corner Wksf
UEC2208L	525	Univ Ext Corner Wksf
UEC2220R	525	Univ Ext Corner Wksf
UEC2222L	525	Univ Ext Corner Wksf
UEC2222R	525	Univ Ext Corner Wksf
UEC2226R	525	Univ Ext Corner Wksf
UEC2228L	525	Univ Ext Corner Wksf
UEC2262L	525	Univ Ext Corner Wksf
UEC2268L	525	Univ Ext Corner Wksf
UEC2280R	525	Univ Ext Corner Wksf
UEC2282R	525	Univ Ext Corner Wksf
UEC2286R	525	Univ Ext Corner Wksf
UEC2308L	525	Univ Ext Corner Wksf
UEC2328L	525	Univ Ext Corner Wksf
UEC2368L	525	Univ Ext Corner Wksf
UEC2380R	525	Univ Ext Corner Wksf
UEC2382R	525	Univ Ext Corner Wksf
UEC2386R	525	Univ Ext Corner Wksf
UEC3208L	525	Univ Ext Corner Wksf
UEC3228L	525	Univ Ext Corner Wksf
UEC3268L	525	Univ Ext Corner Wksf
UEC3280R	525	Univ Ext Corner Wksf
UEC3282R	525	Univ Ext Corner Wksf
UEC3286R	525	Univ Ext Corner Wksf
UEC3308L	525	Univ Ext Corner Wksf
UEC3328L	525	Univ Ext Corner Wksf
UEC3368L	525	Univ Ext Corner Wksf
UEC3380R	525	Univ Ext Corner Wksf
UEC3382R	525	Univ Ext Corner Wksf
UEC3386R	525	Univ Ext Corner Wksf
UEP24	547	Univ On-Module End Pnl
UEP24S	547	Univ On-Module End Pnl
UEP30	547	Univ On-Module End Pnl
UEP30S	547	Univ On-Module End Pnl
UFC24	549	FrameOne Closed Loop
UFC24LHANS	549	FrameOne Closed Loop
UFC24NF	550	Infill for FrameOne Legs
UFC24RHANS	549	FrameOne Closed Loop
UFC24T	549	FrameOne Closed Loop
UFC30	549	FrameOne Open Loop
UFC30LHANS	549	FrameOne Open Loop
UFC30NF	550	Infill for FrameOne Legs
UFC30RHANS	549	FrameOne Open Loop
UFC30T	549	FrameOne Closed Loop
UFH24LHANS	549	FrameOne Half Loop
UFH24RHANS	549	FrameOne Half Loop
UFH30LHANS	549	FrameOne Half Loop
UFH30RHANS	549	FrameOne Half Loop
UFP	549	FrameOne Post Loop
UFQ24	549	FrameOne Open Loop

Style Number	Page	Description	Style Number	Page	Description
UFQ24LHANS	549	FrameOne Open Loop	UNPL4	552	Univ Post Leg
UFQ24NF	550	Infill for FrameOne Legs	UNPL4C	552	Univ Post Leg
UFQ24RHANS	549	FrameOne Open Loop	UNPL4M	552	Univ Post Leg
UFQ24T	549	FrameOne Open Loop	UNPLC	552	Univ Post Leg
UFQ30	549	FrameOne Open Loop	UPA2448	529	Univ Angled Pnsl WS CD
UFQ30LHANS	549	FrameOne Open Loop	UPA2460	529	Univ Angled Pnsl WS CD
UFQ30NF	550	Infill for FrameOne Legs	UPA3048	529	Univ Angled Pnsl WS CD
UFQ30RHANS	549	FrameOne Open Loop	UPA3060	529	Univ Angled Pnsl WS CD
UFQ30T	549	FrameOne Open Loop	UPAC2748	530	Univ Ang Penin WS, CD
UFS1610H	549	FrameOne Inter Support	UPBC2448	528	Bullet Pnsl WS CD/FD
UFS1615H	549	FrameOne Inter Support	UPBC2460	528	Bullet Pnsl WS CD/FD
UFS24ANS	548	Off-Mod Wksf-to-Pnl Conn	UPBC2466	528	Bullet Pnsl WS CD/FD
UFS30ANS	548	Off-Mod Wksf-to-Pnl Conn	UPBC2472	528	Bullet Pnsl WS CD/FD
UFS36ANS	548	Off-Mod Wksf-to-Pnl Conn	UPBC3048	528	Bullet Pnsl WS CD/FD
UFS42ANS	548	Off-Mod Wksf-to-Pnl Conn	UPBC3060	528	Univ Bullet Penn WS, CD
UFS48ANS	548	Off-Mod Wksf-to-Pnl Conn	UPBC3066	528	Univ Bullet Penn WS, CD
UFS60ANS	548	Off-Mod Wksf-to-Pnl Conn	UPBC3072	528	Univ Bullet Penn WS, CD
UFS72ANS	548	Off-Mod Wksf-to-Pnl Conn	UPC	542	Personal Caddy
UFSLOWLHANS	665	Connector	UPL	552	Univ Post Leg
UFSLOWRHANS	665	Connector	UPL4	552	Univ Post Leg
UFSMEDLHANS	665	Connector	UPL4C	552	Univ Post Leg
UFSMEDRHANS	665	Connector	UPL4M	552	Univ Post Leg
UFSTALLHANS	665	Connector	UPLC	552	Univ Post Leg
UFSTALLRHANS	665	Connector	US1824	507	Univ Str WS CD
UFSTB	638	Low Storage-to-Beam Tether Brkt	US1830	507	Univ Str WS CD
UFSTOWER24	664	Connector	US1836	507	Univ Str WS CD
UFSTOWER30	664	Connector	US1842	507	Univ Str WS CD
UHDPL	553	Univ Dbl Post Leg	US1848	507	Univ Str WS CD
UHPL	552	Univ Post Leg	US1854	507	Univ Str WS CD
UJBC2430L	534	Univ Bubl Jetty WS CD	US1860	507	Univ Str WS CD
UJBC2430R	534	Univ Bubl Jetty WS CD	US1866	507	Univ Str WS CD
UJBC2436L	534	Univ Bubl Jetty WS CD	US1872	507	Univ Str WS CD
UJBC2436R	534	Univ Bubl Jetty WS CD	US1878	507	Univ Str WS CD
UJBC2442L	534	Univ Bubl Jetty WS CD	US1884	507	Univ Str WS CD
UJBC2442R	534	Univ Bubl Jetty WS CD	US1890	507	Univ Str WS CD
UJBC2448L	534	Univ Bubl Jetty WS CD	US1896	507	Univ Str WS CD
UJBC2448R	534	Univ Bubl Jetty WS CD	US2424	507	Univ Str WS CD
UJC2382R	533	Univ Jetty WS, Fr CD	US2430	507	Univ Str WS CD
UJC2386R	533	Univ Jetty WS, Fr CD	US2436	507	Univ Str WS CD
UJC2388R	533	Univ Jetty WS, Fr CD	US2442	507	Univ Str WS CD
UJC3228L	533	Univ Jetty WS, Fr CD	US2448	507	Univ Str WS CD
UJC3268L	533	Univ Jetty WS, Fr CD	US2448S	511	Strgt Wksf w/Soft Edg Prof
UJC3288L	533	Univ Jetty WS, Fr CD	US2454	507	Univ Str WS CD
UJC3328L	533	Univ Jetty WS, Fr CD	US2454S	511	Strgt Wksf w/Soft Edg Prof
UJC3368L	533	Univ Jetty WS, Fr CD	US2460	507	Univ Str WS CD
UJC3382R	533	Univ Jetty WS, Fr CD	US2460S	511	Strgt Wksf w/Soft Edg Prof
UJC3386R	533	Univ Jetty WS, Fr CD	US2466	507	Univ Str WS CD
UJC3388L	533	Univ Jetty WS, Fr CD	US2466S	511	Strgt Wksf w/Soft Edg Prof
UJC3388R	533	Univ Jetty WS, Fr CD	US2472	507	Univ Str WS CD
ULC2727	537	Univ Link WS, CRV-FR CD	US2472S	511	Strgt Wksf w/Soft Edg Prof
ULFF24F	677	Underwksf Lat File Filler	US2478	507	Univ Str WS CD
ULFF24P	677	Underwksf Lat File Filler	US2478S	511	Strgt Wksf w/Soft Edg Prof
ULFF30F	677	Underwksf Lat File Filler	US2484	507	Univ Str WS CD
ULFF30P	677	Underwksf Lat File Filler	US2484S	511	Strgt Wksf w/Soft Edg Prof
UNPL	552	Univ Post Leg	US2490	507	Univ Str WS CD

Style Number Index, continued

Style Number	Page	Description
US2490S	511	Strgt Wksf w/Soft Edg Prof
US2496	507	Univ Str WS CD
US2496S	511	Strgt Wksf w/Soft Edg Prof
US3024	508	Univ Str WS CD
US3030	508	Univ Str WS CD
US3036	508	Univ Str WS CD
US3042	508	Univ Str WS CD
US3048	508	Univ Str WS CD
US3048S	511	Strgt Wksf w/Soft Edg Prof
US3054	508	Univ Str WS CD
US3054S	511	Strgt Wksf w/Soft Edg Prof
US3060	508	Univ Str WS CD
US3060S	511	Strgt Wksf w/Soft Edg Prof
US3066	508	Univ Str WS CD
US3066S	511	Strgt Wksf w/Soft Edg Prof
US3072	508	Univ Str WS CD
US3072S	511	Strgt Wksf w/Soft Edg Prof
US3660	508	Univ Str WS CD
US3666	508	Univ Str WS CD
US3672	508	Univ Str WS CD
USPC47	527	Univ Spnr WS CD
USPC51	527	Univ Spnr WS CD/FD
USPC59	527	Univ Spnr WS CD
USPC63	527	Univ Spnr WS CD/FD
USSBR	545	Univ Side Supp Brkt
UST1260	517	Univ Sgl-Tprd WS CD
UST1272	517	Univ Sgl-Tprd WS CD
UST2160	517	Univ Sgl-Tprd WS CD
UST2172	517	Univ Sgl-Tprd WS CD
UST2360	517	Univ Sgl-Tprd WS CD
UST2372	517	Univ Sgl-Tprd WS CD
UST3260	517	Univ Sgl-Tprd WS CD
UST3272	517	Univ Sgl-Tprd WS CD
UT1236R	513	Univ Trans WS CD
UT1242R	513	Univ Trans WS CD
UT1248R	513	Univ Trans WS CD
UT1254R	513	Univ Trans WS CD
UT1260R	513	Univ Trans WS CD
UT2136L	513	Univ Trans WS CD
UT2142L	513	Univ Trans WS CD
UT2148L	513	Univ Trans WS CD
UT2154L	513	Univ Trans WS CD
UT2160L	513	Univ Trans WS CD
UT2336R	513	Univ Trans WS CD
UT2342R	513	Univ Trans WS CD
UT2348R	513	Univ Trans WS CD
UT2354R	513	Univ Trans WS CD
UT2360R	513	Univ Trans WS CD
UT3236L	513	Univ Trans WS CD
UT3242L	513	Univ Trans WS CD
UT3248L	513	Univ Trans WS CD
UT3254L	513	Univ Trans WS CD
UT3260L	513	Univ Trans WS CD
UTR1630A	539	Univ Transaction WS
UTR1630SA	539	Univ Transaction WS

Style Number	Page	Description
UTR1630TA	539	Univ Transaction WS
UTR1636A	539	Univ Transaction WS
UTR1636SA	539	Univ Transaction WS
UTR1636TA	539	Univ Transaction WS
UTR1642A	539	Univ Transaction WS
UTR1642SA	539	Univ Transaction WS
UTR1642TA	539	Univ Transaction WS
UTR1648A	539	Univ Transaction WS
UTR1648SA	539	Univ Transaction WS
UTR1648TA	539	Univ Transaction WS
UTR1660A	539	Univ Transaction WS
UTR1660SA	539	Univ Transaction WS
UTR1660TA	539	Univ Transaction WS
UTT1248	514	Univ Taprd WS CD
UTT1260	514	Univ Taprd WS CD
UTT1272	514	Univ Taprd WS CD
UTT2148	514	Univ Taprd WS CD
UTT2160	514	Univ Taprd WS CD
UTT2172	514	Univ Taprd WS CD
UTT2348	514	Univ Taprd WS CD
UTT2348S	515	Trprd Wksf w/Soft Edg Prof
UTT2360	514	Univ Taprd WS CD
UTT2360S	515	Trprd Wksf w/Soft Edg Prof
UTT2372	514	Univ Taprd WS CD
UTT2372S	515	Trprd Wksf w/Soft Edg Prof
UTT3248	514	Univ Taprd WS CD
UTT3248S	515	Trprd Wksf w/Soft Edg Prof
UTT3260	514	Univ Taprd WS CD
UTT3260S	515	Trprd Wksf w/Soft Edg Prof
UTT3272	514	Univ Taprd WS CD
UTT3272S	515	Trprd Wksf w/Soft Edg Prof
UTTF1260	516	Univ Taper-Flat WS CD
UTTF1272	516	Univ Taper-Flat WS CD
UTTF1360	516	Univ Taper-Flat WS CD
UTTF1372	516	Univ Taper-Flat WS CD
UTTF2160	516	Univ Taper-Flat WS CD
UTTF2172	516	Univ Taper-Flat WS CD
UTTF2360	516	Univ Taper-Flat WS CD
UTTF2372	516	Univ Taper-Flat WS CD
UTTF3160	516	Univ Taper-Flat WS CD
UTTF3172	516	Univ Taper-Flat WS CD
UTTF3260	516	Univ Taper-Flat WS CD
UTTF3272	516	Univ Taper-Flat WS CD
UTTRC	541	Cord and Plug
UTTRCN	541	Cord and Plug
UTTRHW	541	Hardwire Power
UTTRHWN	541	Hardwire Power
UTTRM	541	Modular Power
UTTRMN	541	Modular Power
UVC2424L	536	Univ Visitor Wksf
UVC2424R	537	Univ Visitor Wksf
UVC2430L	536	Univ Visitor Wksf
UVC2430R	537	Univ Visitor Wksf
UVC2436L	536	Univ Visitor Wksf
UVC2436R	537	Univ Visitor Wksf

Style Number	Page	Description	Style Number	Page	Description
UVC2442L	536	Univ Visitor Wksf	WEC334272	525	Univ Ext Corner Wksf
UVC2442R	537	Univ Visitor Wksf	WEC334860	525	Univ Ext Corner Wksf
UVC2448L	536	Univ Visitor Wksf	WEC334872	525	Univ Ext Corner Wksf
UVC2448R	537	Univ Visitor Wksf	WEC336042	525	Univ Ext Corner Wksf
UVC3030L	536	Univ Visitor Wksf	WEC336048	525	Univ Ext Corner Wksf
UVC3030R	537	Univ Visitor Wksf	WEC337242	525	Univ Ext Corner Wksf
UVC3036L	537	Univ Visitor Wksf	WEC337248	525	Univ Ext Corner Wksf
UVC3036R	537	Univ Visitor Wksf	WJ234866R	533	Jetty Worksurface FD
UVC3042L	537	Univ Visitor Wksf	WJ234872R	533	Jetty Worksurface FD
UVC3042R	537	Univ Visitor Wksf	WJ234878R	533	Jetty Worksurface FD
UVC3048L	537	Univ Visitor Wksf	WJ326648L	533	Jetty Worksurface FD
UVC3048R	537	Univ Visitor Wksf	WJ327248L	533	Jetty Worksurface FD
WCC113636	521	Univ Corner Wksf	WJ327848L	533	Jetty Worksurface FD
WCC114242	521	Univ Corner Wksf	WJ334866R	533	Jetty Worksurface FD
WCC114848	521	Univ Corner Wksf	WJ334872R	533	Jetty Worksurface FD
WCC124242	521	Univ Corner Wksf	WJ334878R	533	Jetty Worksurface FD
WCC214242	521	Univ Corner Wksf	WJ336648L	533	Jetty Worksurface FD
WCC223636	521	Univ Corner Wksf	WJ337248L	533	Jetty Worksurface FD
WCC224242	521	Univ Corner Wksf	WJ337848L	533	Jetty Worksurface FD
WCC224848	521	Univ Corner Wksf	WLC2727	537	Univ Linking WS FD
WCC334242	521	Univ Corner Wksf	WLC3333	537	Univ Linking WS FD
WCC334848	521	Univ Corner Wksf	WPA2448	529	Univ Angled Pnsl WS FD
WCF223636	518	Univ CNR, Flat-Fr WS FD	WPA2460	529	Univ Angled Pnsl WS FD
WCF224242	518	Univ CNR, Flat-Fr WS FD	WPA3048	529	Univ Angled Pnsl WS FD
WCF224848	518	Univ CNR, Flat-Fr WS FD	WPA3060	529	Univ Angled Pnsl WS FD
WCF334242	518	Univ CNR, Flat-Fr WS FD	WS1824	507	Univ Str WS FD
WCF334848	518	Univ CNR, Flat-Fr WS FD	WS1830	507	Univ Str WS FD
WDC224242	519	Univ Dual Corner Wksf	WS1836	507	Univ Str WS FD
WDC224848	519	Univ Dual Corner Wksf	WS1842	507	Univ Str WS FD
WDC334848	519	Univ Dual Corner Wksf	WS1848	507	Univ Str WS FD
WEC224260	525	Univ Ext Corner Wksf	WS1854	507	Univ Str WS FD
WEC224272	525	Univ Ext Corner Wksf	WS1860	507	Univ Str WS FD
WEC224860	525	Univ Ext Corner Wksf	WS1866	507	Univ Str WS FD
WEC224872	525	Univ Ext Corner Wksf	WS1872	507	Univ Str WS FD
WEC226042	525	Univ Ext Corner Wksf	WS1878	507	Univ Str WS FD
WEC226048	525	Univ Ext Corner Wksf	WS1884	507	Univ Str WS FD
WEC227242	525	Univ Ext Corner Wksf	WS1890	507	Univ Str WS FD
WEC227248	525	Univ Ext Corner Wksf	WS1896	507	Univ Str WS FD
WEC234260	525	Univ Ext Corner Wksf	WS2424	507	Univ Str WS FD
WEC234272	525	Univ Ext Corner Wksf	WS2430	507	Univ Str WS FD
WEC234860	525	Univ Ext Corner Wksf	WS2436	507	Univ Str WS FD
WEC234872	525	Univ Ext Corner Wksf	WS2442	507	Univ Str WS FD
WEC236042	525	Univ Ext Corner Wksf	WS2448	507	Univ Str WS FD
WEC236048	525	Univ Ext Corner Wksf	WS2448S	511	Strgt Wksf w/Soft Edg Prof
WEC237242	525	Univ Ext Corner Wksf	WS2454	507	Univ Str WS FD
WEC237248	525	Univ Ext Corner Wksf	WS2454S	511	Strgt Wksf w/Soft Edg Prof
WEC324260	525	Univ Ext Corner Wksf	WS2460	507	Univ Str WS FD
WEC324272	525	Univ Ext Corner Wksf	WS2460S	511	Strgt Wksf w/Soft Edg Prof
WEC324860	525	Univ Ext Corner Wksf	WS2466	507	Univ Str WS FD
WEC324872	525	Univ Ext Corner Wksf	WS2466S	511	Strgt Wksf w/Soft Edg Prof
WEC326042	525	Univ Ext Corner Wksf	WS2472	507	Univ Str WS FD
WEC326048	525	Univ Ext Corner Wksf	WS2472S	511	Strgt Wksf w/Soft Edg Prof
WEC327242	525	Univ Ext Corner Wksf	WS2478	507	Univ Str WS FD
WEC327248	525	Univ Ext Corner Wksf	WS2478S	511	Strgt Wksf w/Soft Edg Prof
WEC334260	525	Univ Ext Corner Wksf	WS2484	507	Univ Str WS FD

Style Number Index, continued

Style Number	Page	Description
WS2484S	511	Strgt Wksf w/Soft Edg Prof
WS2490	507	Univ Str WS FD
WS2490S	511	Strgt Wksf w/Soft Edg Prof
WS2496	507	Univ Str WS FD
WS2496S	511	Strgt Wksf w/Soft Edg Prof
WS3024	508	Univ Str WS FD
WS3030	508	Univ Str WS FD
WS3036	508	Univ Str WS FD
WS3042	508	Univ Str WS FD
WS3048	508	Univ Str WS FD
WS3048S	511	Strgt Wksf w/Soft Edg Prof
WS3054	508	Univ Str WS FD
WS3054S	511	Strgt Wksf w/Soft Edg Prof
WS3060	508	Univ Str WS FD
WS3060S	511	Strgt Wksf w/Soft Edg Prof
WS3066	508	Univ Str WS FD
WS3066S	511	Strgt Wksf w/Soft Edg Prof
WS3072	508	Univ Str WS FD
WS3072S	511	Strgt Wksf w/Soft Edg Prof
WSPC4824	527	Univ Spnr WS FD
WSPC5126	527	Univ Spnr WS CD/FD
WSPC6030	527	Univ Spnr WS FD
WSPC6332	527	Univ Spnr WS CD/FD
WST1260	517	Univ Sgl-Taprd WS FD
WST1272	517	Univ Sgl-Taprd WS FD
WST2160	517	Univ Sgl-Taprd WS FD
WST2172	517	Univ Sgl-Taprd WS FD
WST2360	517	Univ Sgl-Taprd WS FD
WST2372	517	Univ Sgl-Taprd WS FD
WST3260	517	Univ Sgl-Taprd WS FD
WST3272	517	Univ Sgl-Taprd WS FD
WT2336	513	Univ Trans WS FD
WT2342	513	Univ Trans WS—FD0
WT2348	513	Univ Trans WS—FD
WT2354	513	Univ Trans WS—FD
WT2360	513	Univ Trans WS—FD
WT2366	513	Univ Trans WS—FD
WT3242	513	Univ Trans WS—FD
WT3248	513	Univ Trans WS—FD
WT3254	513	Univ Trans WS—FD
WT3260	513	Univ Trans WS—FD
WTT1248	514	Univ Taprd WS—FD
WTT1260	514	Univ Taprd WS—FD
WTT1272	514	Univ Taprd WS—FD
WTT2148	514	Univ Taprd WS—FD
WTT2160	514	Univ Taprd WS—FD
WTT2172	514	Univ Taprd WS—FD
WTT2348	514	Univ Taprd WS—FD
WTT2348S	515	Tprd Wksf w/Soft Edg Prof
WTT2360	514	Univ Taprd WS—FD
WTT2360S	515	Tprd Wksf w/Soft Edg Prof
WTT2372	514	Univ Taprd WS—FD
WTT2372S	515	Tprd Wksf w/Soft Edg Prof
WTT3248	514	Univ Taprd WS—FD
WTT3248S	515	Tprd Wksf w/Soft Edg Prof

Style Number	Page	Description
WTT3260	514	Univ Taprd WS—FD
WTT3260S	515	Tprd Wksf w/Soft Edg Prof
WTT3272	514	Univ Taprd WS—FD
WTT3272S	515	Tprd Wksf w/Soft Edg Prof
WTTF1260	516	Univ Taper-Flat WS—FD
WTTF1272	516	Univ Taper-Flat WS—FD
WTTF1360	516	Univ Taper-Flat WS—FD
WTTF1372	516	Univ Taper-Flat WS—FD
WTTF2160	516	Univ Taper-Flat WS—FD
WTTF2172	516	Univ Taper-Flat WS—FD
WTTF2360	516	Univ Taper-Flat WS—FD
WTTF2372	516	Univ Taper-Flat WS—FD
WTTF3160	516	Univ Taper-Flat WS—FD
WTTF3172	516	Univ Taper-Flat WS—FD
WTTF3260	516	Univ Taper-Flat WS—FD
WTTF3272	516	Univ Taper-Flat WS—FD
WVC2424L	536	Univ Visitor Wksf
WVC2424R	537	Univ Visitor Wksf
WVC2430L	536	Univ Visitor Wksf
WVC2430R	537	Univ Visitor Wksf
WVC3030L	536	Univ Visitor Wksf
WVC3030R	537	Univ Visitor Wksf
ZB1R1IGH	477	20-Amp Duplex Rcpt
ZB1R1SGH	477	20-Amp Duplex Rcpt
ZB1R2IGH	477	20-Amp Duplex Rcpt
ZB1R2SGH	477	20-Amp Duplex Rcpt
ZB1R3IGH	477	20-Amp Duplex Rcpt
ZB1R3SGH	477	20-Amp Duplex Rcpt
ZB1R4IGH	477	20-Amp Duplex Rcpt
ZB1R4SGH	477	20-Amp Duplex Rcpt
ZB2R1IGH	477	20-Amp Duplex Rcpt
ZB2R1SGH	477	20-Amp Duplex Rcpt
ZB2R2IGH	477	20-Amp Duplex Rcpt
ZB2R2SGH	477	20-Amp Duplex Rcpt
ZB2R3IGH	477	20-Amp Duplex Rcpt
ZB2R3SGH	477	20-Amp Duplex Rcpt
ZB2R4IGH	477	20-Amp Duplex Rcpt
ZB2R4SGH	477	20-Amp Duplex Rcpt
ZB3R1IGH	477	20-Amp Duplex Rcpt
ZB3R1SGH	477	20-Amp Duplex Rcpt
ZB3R2IGH	477	20-Amp Duplex Rcpt
ZB3R2SGH	477	20-Amp Duplex Rcpt
ZB3R3IGH	477	20-Amp Duplex Rcpt
ZB3R3SGH	477	20-Amp Duplex Rcpt

Trademark List

- ® The following are registered trademarks for products of Steelcase Inc. or one of its related corporate entities: 4 o'clock, 900 Series, à la carte, Airtouch, Ally, Amia, Answer, Archipelago, Avenir, Ballet, Bix, Brayton International, Cachet, Canopy, Canto, Chancellor, Coalesse, Confidante, Context, Convene, CopyCam, Criterion, Crushed Can, Currency, dash, Designtex, Details, Detour, Drive, Elective Elements, Ellipse, Ember Chrome, Emerge, E-Table 2, FYI, Garland, Gentry, Ginkgo Biloba, Groupwork, Ideo, Jacket, Jenny, Jersey, Kart, Kick, LaCosta, Leap, Let's B, LiveBack, Max-Stacker, media:scape, Metro, Migrations, Mitra, Montage, Nurture, Oriana, Parade, Pathways, PCT, Permiso, Player, PolyVision, Portal, Power Pincher, Progeny, Protégé, R2, Rally, Relevant, Reply, Rizzi Arc, Sensor, Series 9000, Siento, Sieste, Sine, Softcare, Springboard, Steelcase, Steelcase Design Partnership, Stella, Stow Davis, Swathmore, TeamWork, Technique, Texpress, Think, Thunder, Topo, Train, Turnstone, Underline, Unison, Vecta, Viridian, Walden, Werndl, and X-Stack.
- ® The following registered trademarks are under license from AWI Licensing Company, Dover, DE: SoundScapes, DuraBrite, BioBlock, and Armstrong.
- ® The following registered trademarks are under license from Byrne Electrical, Rockford, MI: Interport, Mini-Port, Axil Z, and Ellora.
- ® The following is a registered trademark of DuPont, Wilmington, DE: Corian.
- ® The following is a registered trademark of Genlyte Thomas Company, Louisville, KY: Lightolier.
- ® The following is a registered trademark of Hilti Corporation, FL-9494 Schaan, Principality of Liechtenstein: Hilti.
- ® The following is a registered trademark of Leviton Manufacturing Company, Little Neck, NY: Decora.
- ® The following is a registered trademark of Mechanical Plastics Corp, Elmsford, NY: Toggler.
- ® The following is a registered trademark of Microsoft Corporation, Redmond, WA: Microsoft.
- ® The following is a registered trademark of Panduit Corporation, Lockport, IL: Panduit.
- ® The following is a registered trademark of Trav (Press), Cuneo, Italy: Assisa.
- ® The following is a registered trademark of Virtual Ink, Boston, MA: mimioActive.
- ® The following registered trademarks are under license from Wilkhahn Furniture Products: Avera, Senzo, Versal, and Wilkhahn FS.
- ® The following is a registered trademark of Wilsonart International, Temple, TX: Chemsurf.

- ® The following is a registered trademark of Wiremold, West Hartford, CT: Wiremold.
- ® The following is a registered trademark of EMU Group S.P.A., Perugia, Italy: Emu.
- ™ The following are trademarks for products of Steelcase Inc. or one of its related corporate entities: Access, Active/Passive Shelf, Ainsley, Akira, Alcove, Alerion, alight, Amaris, American Elect, American Tradition, ap40, Arbor, Arriva, Asana, Ascot, Aspekt, Astor, Await, Bira, Bivi, Bottomline, Brook, Buoy, Burton, c:scape, Calla, Calm, Camber, Campfire, Capa, Cappuccino, Cesar, Chester, Chord, Circa, Clarendon, Classic Rectangular, cobi, Collaboration, Community, Company, Convey, Cortex, Coupe, Crea, Crew, Cura, Cypress, Davenport, Dearborn, Deck, Déjà, Denizen, Denska, Derby, Divisio, Donovan, Dune, Duo, e³, e³ ceramicsteel, e³ environmental ceramicsteel, Echo, Edge, Elsna, Empath, Empress, Enea, ño, EnSync, Enviro, Escapade, Exchange, Exponents, Field, Flat Top, FlexFrame, Flip Top, Flute, Folio, FrameOne, FreeFlow, Frontier, Galilei, Gesture, Ginger, Ginkgo, Go Wall, Grip, Groove, Hatchback, Hawthorne, Hitch, Host Collection, Hosu, Huddleboard, i2i, Impact, Indy, InfoLink, IOS, I-Solve, Jack, Jarrah, Jetty, Juice, Kami, Kast, Kathryn, Lagunitas, Lark, L'Attitude, LearnLab, Leela, Lincoln, Linden, LiveSeat, Loria, Lyric, Malibu, Malibu Too, Mansfield, Marathon, Martini, Mason, Masque, Millbrae, Mineral, Mingle, Mystic, Mystic Metal, Mystic Wood, Montreal, Move, Nadia, Neighbor, nesso, Nickel, Nikko, Nod, Node, Norfolk, Ontrak, Oom, Opus, Orchid, Outlook Collection, Ovation, Paloma, Paperflo, Parliament, Pasio, Passerelle, Patriarch, Payback, Peek, Pile File, Pisa, Pool, PUCK, QiVi, Quba, Rave, Reed, Regard, Relay, Reunion, Ripple, Riser, Rocco, Rocky, RoomWizard, Runner, Satellite, Sawyer, ScapeSeries, Senti, Sentinel, Senza, Sequoia, Session, ShareLink, Shield, Shortcut, Sidewalk, Skylar, Slumber, Smoke, Snug, Soft Leaf, Sonata, Sorrel, SOTO, Stationkits, Stiletto, Surprise!, Switch, Symphony, Sync, TagWizard, Tava, TeamStudio, TeamTheater, Tenaro, Terrazzo, Theorem, Thread, Topaz, Touchdown, Tour, Tower Too, Trees, Trillium, Trolley, tX2, U-Free, Uno, V.I.A., Verb, Verge, Victor2, Visalia, Waldorf, Woodruff, Workspring, and X-tenz.
- ™ The following is a trademark of Microsoft Corporation, Redmond, WA: Windows.
- ™ The following is a trademark of Rodman Industries, Inc., Oconomowoc, WI: ResinCore1.
- ™ The following is a trademark of Ultrafabrics, LLC, Elmsford, NY: Ultraleather.
- ™ The following trademarks are under license from Wilkhahn Furniture products: Cana, Linus, Logon, Picto, Range, Stitz, Thema, Timetable, and Tubis.
- ™ The following is a trademark of MBDC, Charlottesville, VA: Cradle to Cradle and C2C.

- ™ The following trademarks are under license from Walter Knoll: Andoo, Bob, Lazlo, Lox, Ribbon, and Together.
 - ™ The following trademarks are under license from PP Möbler: Bar and Flag Halyard.
 - ™ The following trademarks are under license from Viccarbe: Davos, Holy Day, Last Minute, RS, and Wrapp.
 - ™ The following trademarks are under license from Carl Hansen: Elbow, Paddle, Shell, Wing, and Wishbone.
 - ™ The following trademarks are under license from Cambridge Sound Management, LLC, Cambridge, MA: QtPro Soundmasking, Qt Quiet Technology, and Sonet Qt.
 - ™ The following is a trademark of Electri-Cable Assemblies, Shelton, CT: Interact.
- Trademarks used here in are the property of Steelcase, Inc. or of their respective owners.*