



HISTORIC DISTRICT COMMISSION

December 10, 2025 | Room 267

MINUTES

MEMBERS PRESENT: Shauna Bell, Chair, Resident-Owner McCrorey Heights
Heather Wojick, Second Vice Chair, At-Large
Christopher Allred, Resident-Owner Wesley Heights
Sarah Curme, Resident-Owner Dilworth
Christa Lineberger, Planning Commission Representative
Emily Sowash, Resident-Owner Wilmore
Ann Stanley, Resident-Owner Hermitage Court
Sean Sullivan, At-Large
Brett Taylor, Business Operator of Dilworth

MEMBERS ABSENT: Nichelle Hawkins, Vice Chair, At-Large
Cameron Holtz, Resident-Owner, Fourth Ward
Scott Whitlock, At-Large
Vacant, Resident-Owner Oaklawn Park
Vacant, Resident-Owner Plaza Midwood

OTHERS PRESENT: Kristi Harpst, HDC Staff
Erin Chantry, HDC Staff
Candice Leite, HDC Staff
Jen Baehr, HDC Staff
Marilyn Drath, HDC Staff
Elizabeth Lamy, HDC Staff
JT Faucette, HDC Staff
Paige Inman, Assistant City Attorney
Candy Thomas, Court Reporter

With a quorum present, Chair Bell called the December meeting of the Historic District Commission (Commission) meeting to order at 1:10 p.m. Chair Bell began the meeting by introducing the Staff and Commissioners and explaining the meeting procedure. All interested parties planning to give testimony – FOR or AGAINST – must submit a form to speak and must be sworn in. Staff will present a description of each proposed project to the Commission. The Commissioners and the Applicants will then discuss the project. Audience members signed up to speak either FOR or AGAINST will be called to the podium for each agenda item. Presentations by the Applicants and audience members must be concise and focused on the **Charlotte Historic District Design Standards**. The Commission and Staff may question the Applicant. The Applicant may present sworn witnesses who will be subject to questioning by the Commission and Staff. The Applicant will be given an opportunity to respond to comments by interested parties. After hearing each application, the Commission will review, discuss, and consider the information that has been gathered and presented. During discussion and deliberation, only the Commission and Staff may speak. The Commission may vote to

reopen this part of the meeting for questions, comments, or clarification. Once the review is completed, a MOTION will be made to Approve, Deny, or Continue the review of the application at a future meeting. A majority vote of the Commission members present is required for a decision to be reached. All exhibits remain with the Commission. If an Applicant feels there is a conflict of interest of any Commissioner, or there is an association that would be prejudicial, that should be revealed at the beginning of the hearing of a particular case. The Commission is quasi-judicial body and can accept only sworn testimony. Staff will report any additional comments received and while the Commission will not specifically exclude hearsay evidence, it is only given limited weight. Chair Bell asked that everyone please silence any electronic devices. Commissioners are asked to announce, for the record, if one leaves or arrives during the meeting. Chair Bell requested that those in the audience remain quiet during the hearings. An audience member will be asked once to be quiet and the need for a second request will require removal from the room. Chair Bell swore in all Applicants and Staff and continued to swear in people as they arrived for the duration of the meeting. In accordance with N.C.G.S. § 160D-947(e), subsections (4) and (5), and UDO Article 14.1.M.1, an appeal of quasi-judicial decisions may be made to the Mecklenburg County Superior Court as provided in N.C.G.S. § 160D-1402 within the time specified in N.C.G.S. § 160D-1405(d).

Mr. Sullivan moved to approve the Historic District Commission’s Annual Report for 2025. Mr. Allred seconded the motion. It passed with a vote of 9/0.

Ms. Lineberger moved to recommend Sean Atkinson for the Plaza Midwood Resident/Owner seat on the Commission. Ms. Stanley seconded the motion. It passed with a vote of 9/0.

INDEX OF ADDRESSES:

CONSENT

HDCRMI-2025-00776, 1501 Thomas Av	Plaza Midwood
-----------------------------------	---------------

NOT HEARD AT THE NOVEMBER 12, 2025 MEETING

HDCRMA-2025-00652, 305 Westwood Av	Wilmore
HDCRMA-2025-00655, 400 E Worthington Av	Dilworth
HDCRMIA-2025-00692, 255 W Park Av	Wilmore

CONTINUED FROM THE OCTOBER 8, 2025 MEETING

HDCRMA-2025-00584, 1747 Merriman Av	Wilmore
-------------------------------------	---------

NEW CASES

HDCRMA-2025-00779, 1815 Madison Av	McCrorey Heights
HDCRMA-2025-00810, 1414 The Plaza	Plaza Midwood
HDCRMI-2025-00448, 2214 Sarah Marks Av	Dilworth
HDCMF-2025-00449, 224, 228, 232, & 236 W Kingston Av	Wilmore
HDCCDEMO-2025-00676, 316 Rensselaer Av	Dilworth
HDCRMIA-2025-00693, 425 Rensselaer Av	Dilworth
HDCRMIA-2025-00650, 612 S Summit Av & 614 S Summit Av	Wesley Heights

CONSENT

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, HOLTZ, WHITLOCK, WOJICK

APPLICATION:**HDCRMI-2025-00776, 1501 THOMAS AV (PID: 08118404) – ADDITION****EXISTING CONDITIONS:**

The existing building is a 1.5-story Craftsman Bungalow constructed c. 1930. Architectural details include a front and side gable, full-width front porch supported by tapered columns on brick piers, two exterior brick chimneys, lap and shingle siding, a mix of 6 lite casement and 3/1 double-hung windows, brackets, and exposed rafter tails. The lot measures approximately 50' x 183'. Adjacent structures are 1 and 1.5-story residential buildings.

PROPOSAL:

The proposed project is a new shed dormer on the rear elevation. The proposed dormer measures 4'-0" by 20'-4" and is slightly set below the main roof ridge. The shed dormer will have a 2.25/12 roof pitch, four awning windows, exposed rafter tails, and brackets. Proposed materials include individually applied wood shingle siding, Jeld-Wen Siteline double-hung wood windows, and an aluminum standing-seam metal roof. Asphalt shingle roofing is also proposed as an option for the dormer roof. Materials for the window/door trim, fascia, soffits and brackets are not provided.

STAFF RECOMMENDATIONS:

Staff has the following comments about the proposal:

1. The project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation numbers 1, 2, 9, and 10, and the City of Charlotte Design Standards for New Construction for Residential Buildings, Chapter 6.
2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. All window/door trim, fascia, soffits, and brackets will be wood.
3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS**1st: SOWASH 2nd: STANLEY**

Ms. Sowash moved to approve the application because the proposed project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation, numbers 1, 2, 9, and 10 as well as the City of Charlotte's Design Standards for residential buildings, Chapter 6. She added the following conditions outlined in Staff recommendations, that the Applicant provides permit-ready construction drawings to Staff for final review and that all window and door trim, fascia, soffits, and brackets be wood.

Ms. Stanley seconded the motion.

VOTE: 8/0**AYES: ALLRED, BELL, CURME, LINEBERGER, SOWASH,
STANLEY, SULLIVAN, TAYLOR****NAYS: NONE****DECISION: APPLICATION FOR ADDITION – APPROVED WITH CONDITIONS.**

NOT HEARD AT THE NOVEMBER 12, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, HOLTZ, WHITLOCK

RECUSED: STANLEY, WOJICK

APPLICATION:

HDCRMA-2025-00652, 305 WESTWOOD AV (PID: 11908712) – ADDITION & ACCESSORY DWELLING UNIT

EXISTING CONDITIONS:

The existing structure is a 1-story Bungalow style house constructed in 1933. Architectural features include full width front porch under a gable roof supported by square brick columns. Other features include side gable roof, wood Dutch lap siding with wood shingles in the gables, and wood brackets. All brick on the house is painted (foundation, porch columns, and chimney). A rear addition with fiber cement siding and a concrete block foundation was added in 2010 just prior to the creation of the Wilmore Local Historic District.

PROPOSAL:

The applicant is proposing a second level addition over an existing rear addition and an accessory dwelling unit (ADU).

1. **Second Level Rear Addition:**

- a. The overall footprint of the structure will not change.
- b. The existing height of the main structure, as measured from grade to ridge, is 19'-2".
- c. The proposed addition's height will be 21'-7" and will raise the ridge approximately 2'-6".
- d. Proposed materials include shake siding with mitered corners, asphalt shingle roof, and wood brackets. Bracket detail not provided. Shake material not provided.
- e. Windows are proposed to be double-hung 3/1 Simulated True Divided Lights (STD L) with trim to match existing. Material specification sheet not specified. Trim detail not provided.
- f. Pedestrian view provided.
- g. 3D model provided.

2. **Accessory Dwelling Unit:**

- a. A footprint of the new ADU measures approximately 31'-7" x 23'-0".
- b. The height, as measured from grade to ridge, is approximately 20'-2".
- c. Proposed materials include brick foundation, Dutch lap siding with cornerboards, shake siding on the upper level with mitered corners, wood brackets, column and beam, and a shingle roof. Bracket detail not provided. Shake material not provided. Column and beam detail not provided.
- d. Windows are proposed to be wood double-hung 3/1 Simulated True Divided Lights (STD L) with trim to match existing. Material specification sheet not specified. Trim detail not provided.
- e. Door material specification sheet not specified. Trim detail not provided.
- f. Tree information not provided.
- g. Post-construction, the rear-yard impermeable area will be 39%.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. **Second Level Rear Addition:**

- a. Context, Massing, Height & Width, Scale, and Roof Form:
 - i. Restudy Roof Form, per Standards 6.8, 6.9, 6.10, 6.13, number 4; and the Secretary of the Interior's Standards, numbers 2 and 10.
 - ii. Restudy Massing and Complexity of Form, per Standards 6.8; 6.20 numbers, 1, 2, 3, 5, and 6; and the Secretary of the Interior's Standards, numbers 2, 9, and 10.
 - iii. Restudy Height & Width, per Standard 6.9 and 6.20-6.24.
 - iv. Restudy Roof Massing, per Standards 6.8 and 6.20; and the Secretary of the Interior's Standards numbers, 2, 9, and 10.
 - v. Restudy coplanar dormer walls.
- b. Doors & Windows, Rhythm, Details, and Materials:

- i. Restudy Doors & Windows and Rhythm, per Standards 6.15-6.16.
 - ii. Windows look oversized for upper level.
 - iii. Confirm shake siding will be wood and individually applied.
 - iv. Provide window and door specifications.
 - v. Provide trim and details specifications.
 - vi. Provide bracket detail.
- 2. Accessory Dwelling Unit:
 - a. Massing, Height & Width, Scale, and Size:
 - i. Restudy Massing, per Standards 6.8; Height & Width, per Standard 6.9; and Scale, per Standard 6.10.
 - ii. New outbuilding must be clearly secondary (height, footprint, scale, and massing) to the principal structure on the site, per Standard 8.10, number 3.
 - iii. Restudy coplanar dormer walls.
 - b. Doors & Windows, Rhythm, Details, and Materials:
 - i. Confirm shake siding will be wood and individually applied.
 - ii. Confirm Dutch lap will be wood.
 - iii. Restudy Doors & Windows and Rhythm, per Standards 6.15-6.16.
 - iv. Windows look oversized for upper level.
 - v. Provide window and door specifications.
 - vi. Provide trim and details specifications.
 - vii. Provide bracket detail.
 - viii. Provide beam and column detail.
- 3. Site Plan:
 - a. Label site plan with tree information, including species and diameter at breast height (DBH).
 - b. Provide tree protection information.
 - c. Show location of mechanicals on site plan.
 - d. Provide driveway extension information, for Staff approval.
 - e. Confirm existing wood building and concrete patio will be removed.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION 1: APPROVE WITH CONDITIONS

1st: TAYLOR 2nd: ALLRED

Mr. Taylor moved to approve the application for the addition as drawn citing Design Standards, Chapter 6, number 5 as well as 6.20, numbers 1 through 8. He also cited the Secretary of the Interior's Standards, numbers 3, 4, 5, 9, and 10. Mr. Taylor added the condition that the Applicant work with Staff on the window and door trim details.

Mr. Allred seconded the motion.

VOTE 1: 4/3

AYES: ALLRED, SOWASH, SULLIVAN, TAYLOR

NAYS: BELL, CURME, LINEBERGER

DECISION 1: APPLICATION FOR ADDITION – APPROVED WITH CONDITIONS.

MOTION 2: CONTINUE

1st: TAYLOR 2nd: SULLIVAN

Mr. Taylor moved to continue the application for the accessory dwelling unit, citing the following Standards: for accessory buildings, 8.10, number 3; for massing, 6.8; for scale, 6.10; and for roof form, 6.13.

Mr. Sullivan seconded the motion.

VOTE 2: 6/1

AYES: BELL, CURME, LINEBERGER, SOWASH, SULLIVAN, TAYLOR

NAYS: ALLRED

DECISION 2: APPLICATION FOR ACCESSORY DWELLING UNIT – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, HOLTZ, WHITLOCK

RETURNED: STANLEY, WOJICK

APPLICATION:

HDCRMA-2025-00655, 400 E WORTHINGTON AV (PID: 12105718) – FOUNDATION REPLACEMENT

EXISTING CONDITIONS:

The existing property is a 1.5-story Craftsman bungalow constructed c. 1920. Architectural features include a front bracketed gable with a lower off-center gabled porch, 8/1 wood windows, wood shake siding, painted brick foundation, and a garage beneath an infilled rear porch. The property is a corner lot with a 10' alley in the rear. The lot size is approximately 40' x 140'. Adjacent structures are a mixture of 1 and 1.5-story single family houses.

PROPOSAL:

The applicant is proposing the removal and replacement of the existing painted brick foundation.

1. Foundation footprint will remain the same size as existing. Overall dimensions are not provided.
2. Foundation windows, and crawlspace access door will be eliminated from the new foundation; and front porch cheekwalls and front steps will be replaced to match existing.
3. Proposed materials include CMU Block with a brick veneer foundation; brick cheek walls with concrete cap; and concrete front steps. New brick is proposed to be General Shale Brick - Jefferson Wade Tudor 6035 with Light Buff mortar to match existing chimney. New brick will remain unpainted.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Provide alternatives to total replacement.
 - a. Restudy for interior solution that allows the existing brick to remain.
 - b. Repair and (spot) replace deteriorated foundation materials such as brick and mortar.
 - c. Consider adding a French drain to divert water.
2. Provide overall dimensions of building footprint.
3. Retain any decorative vents that are original to the building and keep any foundation vents open so that air flows freely, per Standard 4.4, number 4 for Foundations.
 - a. Indicate location of existing vent, windows, and doors openings on site plan with dimensions and material call-outs.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: TAYLOR 2nd: LINEBERGER

Mr. Taylor moved to approve this application, citing the Standards for foundations, 4.4, numbers 4 and 5; and as well as for masonry, 5.5, number 4. He also cited the Secretary of the Interior's Standards, number 6. He add the following conditions: that the applicant provide overall dimensions of building footprint; indicate locations of existing vents, windows, and door openings on the site plan with dimensions and material callouts; verify or communicate with Staff that it is going to be a pier and curtain foundation that will align with the existing pier and curtain plane; that the cheek

walls are built back to the same dimensions as well as the stairs, risers, and treads of the concrete steps; that all brick remain unpainted; and that the applicant work with Staff on brick selection.

Ms. Lineberger seconded the motion.

VOTE: 9/0

**AYES: ALLRED, BELL, CURME, LINEBERGER, SOWASH,
STANLEY, SULLIVAN, TAYLOR, WOJICK**

NAYS: NONE

DECISION: APPLICATION FOR FOUNDATION REPLACEMENT – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, HOLTZ, WHITLOCK

APPLICATION:

HDCRMIA-2025-00692, 255 W PARK AV (PID: 11908924) – CHANGES TO AN APPROVED COA – AFTER THE FACT

EXISTING CONDITIONS:

The existing structure is a 2-story American Four Square constructed c. 1928. Architectural features include a hipped roof, symmetrical façade, a central entry with an original front door, and original 1/1 wood windows. The full-width front porch hip roof is supported by painted brick piers and square wood columns and wraps around the right elevation to cover a side entry door. The front porch railing was added in 2016. The rear porch has been enclosed. Exterior materials include wood lap siding and a painted brick foundation. The lot size is approximately 50' x 125'. Adjacent structures are a mixture of 1 and 1.5-story residential buildings.

PROPOSAL:

A new rear addition and one-story accessory building were approved by the Commission on September 14, 2022, under application #HDCRMA-2022-00128. The applicant is proposing changes to the approved COA.

The applicant has provided two (2) options; a preferred option and an alternative.

Applicant Preferred Option 1:

- a. The applicant is proposing to install a triple kitchen window on the rear elevation and a double kitchen window on the left elevation with headers that are 6" taller than all the doors and windows on the original house and addition. Sheet A-2.6.

Applicant Alternative Option 2:

- a. Installation of a shorter triple window on the rear elevation and aligning the header with the double window to the left. Sheet A-2.5.
- b. Change the new double kitchen window on the left elevation to match the size and header height of the revised triple window on the rear elevation. The header height of the new double kitchen window will align with the header height of the side entry door on the left elevation. Sheet A-2.5

The project is considered an After-the-Fact review, with the Commission reviewing the project on its merits as if work has not yet occurred.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

Applicant Preferred Option 1:

1. The proposed misaligned window headers are incongruous with the Secretary of the Interior's Standards 2.5, number 9; Design Standards for Doors and Windows 6.15, number 1; and Standards for Additions 6.20, number 6.
2. Facts:
 - a. The rear elevation triple kitchen window header height and the left elevation double kitchen window header heights do not align and are 6" taller than any windows or doors on the original house and the addition

Applicant Alternative Option 2:

1. The dimensions of the proposed shorter window have not been provided.
2. On the rear elevation, a shorter triple kitchen window will align the headers of all the windows on second floor of the rear elevation, which is not incongruous with Standard 6.15, number 1.
3. On the left elevation, a shorter double kitchen window will align the window headers with the man door header on the left elevation, which is not incongruous with Standard 6.15, number 1.
4. The light proportion of the proposed windows is not incongruous with Standard 6.15, number 1.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE

1st: WOJICK 2nd: STANLEY

Ms. Wojick moved to approve the application. She specified that the motion was to approve the Applicant preferred option, 1(a).

Ms. Stanley seconded the motion.

VOTE: 5/4

AYES: ALLRED, STANLEY, SULLIVAN, TAYLOR, WOJICK

NAYS: BELL, CURME, LINEBERGER, SOWASH

DECISION: APPLICATION FOR CHANGES TO AN APPROVED COA – AFTER THE FACT – APPROVED.

CONTINUED FROM THE OCTOBER 8, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, HOLTZ, WHITLOCK

RECUSED: SOWASH

APPLICATION:

HDCRMA-2025-00584, 1747 MERRIMAN AV (PID: 11909528) – REAR ADDITION & WINDOW CHANGE

This application was continued from the October 8, 2025 meeting for the following items:

1. On the left elevation the existing window in the existing gable bump-out is to remain.
2. All windows and doors to have brick mould trim and an accurate brick header, per Doors and Windows, 6.15-6.16.
3. The framing of the new main level wall over brick veneer foundation needs to match the existing house, per 6.12.
4. Provide a specification for the solar lighting tube, per Roof Form and Materials, 6.13.
5. The window on the right-hand side in the bedroom being so close to the corner of the existing structure is an issue and windows located too close to building corners is also an issue on the left elevation. In addition, on

both the left and right elevations, restudy window location and rhythm per Standard 6.15.

6. All new masonry is to remain unpainted.

EXISTING CONDITIONS:

The existing structure is a 1-story American Small House constructed in 1949. Architectural details include a primary gable roof, front porch, a small bump-out on the left side, double-hung windows, painted brick foundation, and vinyl siding. The lot size measures approximately 60' x 177' x 46' x 170'. Adjacent structures are 1 and 1.5-story single family buildings.

PROPOSAL:

The proposal is a rear addition and window changes on the left and right elevations of the existing building.

Proposed Rear Addition

- The proposed addition increases the square footage of the existing building by more than 50% requiring Commission review.
- The addition's footprint is approximately 25'-0" by 36'-7".
- The addition is 2 stories tall. The height of the proposed rear addition, as measured from grade to ridge, is 25'-5-7/8" and will tie in below the original ridge.
- The addition is stepped in 6 inches on the left side and 1 foot on the right side from the rear corners of the existing building.
- Proposed materials include an unpainted brick foundation, siding (material, type, and exposure not specified), asphalt shingle roofing, double-hung windows (specifications not provided), and single entry doors on the right and rear elevations (material not provided). Trim, including window/door trim, fascia, frieze, soffit, rakeboard, and cornerboard materials are not provided.

Existing Building Window Changes

- The existing window on the left side bump-out will be removed and reused on the proposed addition. A new smaller double-hung window will be installed off-center on the existing bump-out.
- A new window is proposed on the right elevation. The new window is located close to the rear right corner.

Revised Proposal – December 10, 2025

- The existing window on the left elevation bump-out is proposed to be replaced. The size of the opening is not proposed to change. The existing window on the bump-out is not original.
- The framing of the new main level wall was updated to match the existing house.
- The solar tube product specifications were not provided.
- The new bedroom window on the right elevation of the existing house was eliminated.

The applicant made additional changes beyond the continuance request, including:

- The existing front door is proposed to be replaced with a new 6 panel door. Material is not noted.
- The front porch columns are proposed to be repaired or replaced to match the existing columns.
- Pella Lifestyle aluminum clad windows are proposed on the addition.
- Left Elevation
 - A larger double-hung window is proposed to replace a narrow double-hung window under the shed roof on the addition.
 - A smaller double-hung window is proposed to replace a large double-hung window on the basement level of the addition.
- Right Elevation
 - Single double-hung windows are proposed to replace the double windows on the right elevation on the main and basement levels of the addition.
 - A transom window is proposed to replace a double-hung window on the addition.

- Rear Elevation
 - A casement window is proposed to replace a single double-hung window on the addition.
 - Single double-hung windows are proposed to replace the double windows on the basement level on the addition

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Windows/Doors:
 - a. The existing front door is not clearly visible behind the storm door. Photos and details of existing front door are needed.
 - b. Restudy the width of all new entry doors on the addition.
 - c. Provide specifications for all new doors.
 - d. Plans should note the replacement window on the bump-out on the left elevation and that the opening size will not change.
 - e. Restudy the window styles, proportions and placement on the right and rear elevations.
 - f. The Pella Lifestyle window product has not been approved by the Commission because the sash stiles and rails are too narrow.
2. Material and Detail information is needed for the following:
 - a. Brick header and brickmould detail drawing.
 - b. Provide specification sheets for solar tube product.
 - c. Provide details on siding (material, type, and exposure).
 - d. Clarify if front porch columns will be repaired or replaced and provide dimensions and material details.
 - e. Provide details on all new trim materials.
 - f. Brick/mortar sample.
 - g. Plans should note all new masonry will be a traditional color and unpainted.
3. Will gutters/downspouts be installed on addition?
 - a. If so, then locations, details, and materials are needed

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: WOJICK 2nd: ALLRED

Ms. Wojick moved to approve the application with the following conditions: that final specifications for the solar tube be sent to Staff for approval; that all masonry remain unpainted; that the applicants work with Staff on column materials; that the existing door be confirmed not historic and new doors be made of wood, match the house style, and be approved by Staff; that the left elevation match the December submittal; that the headers be brick; and that the rear elevation match the October submittal except for the foundation and window details, which will match the October submittal. She cited the following Standards: for porches, 4.8, numbers 2 and 3; for masonry, 5.5 and 5.8; and for doors and windows, 4.10, numbers 1 and 2, 4.14, and 6.15, numbers 1 through 6. Ms. Wojick also cited the Secretary of the Interior's Standard, 2.5.

Mr. Allred seconded the motion.

VOTE: 8/0

AYES: ALLRED, BELL, CURME, LINEBERGER, STANLEY, SULLIVAN, TAYLOR, WOJICK

NAYS: NONE

DECISION: APPLICATION FOR REAR ADDITION & WINDOW CHANGE – APPROVED WITH CONDITIONS.

NEW CASES

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, HOLTZ, WHITLOCK

APPLICATION:

HDCRMA-2025-00779, 1815 MADISON AV (PID: 07839910) – NEW CONSTRUCTION – RESIDENTIAL

EXISTING CONDITIONS:

The existing parcel is a vacant lot that has always been vacant.

PROPOSAL:

The proposal is for the construction of a new single-family house in the Mid-Century split-level style. The proposed project details are as follows:

1. Elevation Drawings, Sheets A004 and A005.
 - a. Height is proposed at 23.6', as measured from grade to ridge at the tallest point.
 - b. Foundation height not provided.
 - c. Exterior Materials:
 - i. Brick proposed on first level on front, right, and left elevations.
 - ii. Second level above garage on front and left elevations proposed as Hardie fiber cement vertical siding.
 - iii. Rear elevation is proposed to be Hardie fiber cement vertical siding.
 - d. Porches proposed materials, A004, A005, and A001.2
 - i. Front porch: concrete landing with brick rowlock, brick stairs, and metal handrail.
 - ii. Rear patio: concrete.
2. Architectural Details, not provided.
3. Window detail (material, design, dimensions, trim).
 - a. Window material is not specified.
 - b. Window trim detail not provided.
 - i. Window schedule, Sheet A006
4. Floor plans and Roof Plan, A003, A003.1, and A003.2
5. Building sections, not provided.
6. Wall Section, not provided.
7. Porch Section, not provided.
8. Proposed Site Plans, Sheets A0001 and A0001.2.
 - a. Setback dimensions, proposed new construction:
 - i. Front porch, not provided.
 - ii. Front thermal wall 35'
 - iii. Left property line 7'-4 1/2"
 - iv. Right property line, 5'
 - v. Rear property line, 49'
 - b. Setback dimensions of neighboring properties, A001.
 - i. 1809 Madison:
 1. Front Thermal Wall: 35'.
 - ii. 1817 Madison:
 1. Front Thermal Wall: 35'.
9. Drives, walks, and alleys, Sheet A001.2
 - a. Concrete driveway, 16' wide.
 - b. Concrete front walk, 3'-6" connecting driveway to front porch steps.
10. Tree protection and/or tree removal and replanting, Sheet A002.

11. HVAC located in the rear yard, Sheet A001.
12. Fences/walls – 6' in rear, 5' along left and right property line.
13. Accessory buildings (garages, sheds, gazebos, etc.), none proposed.
14. Percent of Rear Yard Coverage, Sheet A001.2.
15. Zoutewelle streetscape survey composite elevations, provided at the end of the presentation

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Height:
 - a. Foundation height is needed.
2. Front Elevation:
 - a. Header height of second level windows above garage appear too high.
3. Right Elevation:
 - a. Is it possible to add a single window between the front corner and frontmost single window?
4. Left Elevation:
 - a. Header height of frontmost window is higher than the other windows.
5. Rear Elevation:
 - a. Is it possible to align the header heights of the second level windows?
6. Site Plan:
 - a. Fencing:
 - i. Height needs to step down to 4' mid-way along the left and right elevations.
 - ii. Design and material needed.
 - iii. Staff can work out the fence details with the applicant.
7. Details and Materials needed:
 - a. Brick/mortar sample.
 - b. Plans noted that brick is to remain unpainted.
 - c. Window material and specifications.
 - d. Window trim detail for brick and siding.
 - e. Front door design and material.
 - f. Garage door design, details, and material.
 - g. Roof detail (soffit, fascia), design, and material.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: WOJICK 2nd: STANLEY

Ms. Wojick moved to continue the application because it is incongruous with the following Standards: for massing, 6.8; for height and width, 6.9; and for scale, 6.10. She required that the applicant restudy those and take into consideration the heights of the homes within a 360-degree view.

Ms. Holtz seconded the motion.

VOTE: 9/0

**AYES: ALLRED, BELL, CURME, LINEBERGER, SOWASH,
STANLEY, SULLIVAN, TAYLOR, WOJICK**

NAYS: NONE

DECISION: APPLICATION FOR NEW CONSTRUCTION – RESIDENTIAL – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

APPLICATION:

HDCRMA-2025-00810, 1414 THE PLAZA (PID: 09507916) – ADDITION & ACCESSORY BUILDING

EXISTING CONDITIONS:

The existing structure is a 1.5-story Colonial Revival constructed c. 1944. Architectural features include a side gable roof with a steeply pitched front gable portico supported by square wood columns flanked by steeply pitched gable dormers. The house has a symmetrical 3-bay façade. The 6-panel colonial front door is flanked by 9-light partial height sidelights. The windows flanking the front door are 8/8 double-hung wood, and the other windows on the house are double-hung 6/6. There is a 1-story side wing on the left side that appears to be an infilled side porch. The exterior material is an unpainted dark red brick with the side gable ends, front portico, and gable dormers in lap wood siding with mitered corners. The lot size is approximately 66' x 192'. Adjacent structures are 1, 1.5, and 2-story residential buildings.

PROPOSAL:

The proposal is a multi-part project that includes a rear addition and new accessory building. A two-story rear addition was completed in 2018. The proposed project includes extending the two-story 2018 addition by 8' to the rear, constructing a new one-story connector, and a new one-story enclosed pavilion with covered porch. The proposal also includes the demolition of an existing shed and construction of a new accessory building.

1. Rear Addition
 - a. The proposed height of the new 8' addition will match the existing addition.
 - b. Materials proposed include Hardie Artisan lap siding to match existing with Hardie panel trim on projecting bay, and brick foundation to match existing.
 - c. Projecting bay proposed to have a standing seam metal roof.
 - d. Windows proposed to be double-hung, wood with 7/8" muntins by Sierra Pacific.
2. Connector
 - a. The proposed height of the one-story connector is not provided
 - b. Materials proposed to be wood lap siding and a flat roof.
 - c. Windows proposed to be double-hung, wood with 7/8" muntins by Sierra Pacific.
3. Enclosed Pavillion & Covered Porch
 - a. The proposed height of the new pavilion building is approximately 17'-7".
 - b. Foundation proposed as brick.
 - c. Windows proposed to be double-hung, wood with 7/8" muntins by Sierra Pacific.
 - d. Standing seam metal roof.
4. Accessory Building
 - a. The proposed height is 22'-1".
 - b. Proposed materials include Hardie Artisan lap siding, brick foundation, and a standing seam metal roof.
5. Site Work
 - a. Driveway – will be extended to the rear. Proposed materials are concrete pavers and gravel.
 - b. New driveway gate at rear of original house; details not provided.
 - c. Rear patio will be bluestone.
 - d. New fencing and gate proposed; details not provided.
 - e. Post-construction rear yard impermeable area will be 40%.
 - f. An ornamental tree in the rear yard will be removed.
 - g. A new backup generator will be installed adjacent to existing HVAC units, on the left elevation.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Historic House:

- a. Are the original, historic windows being proposed for replacement?
- 2. Connector:
 - a. Foundation height is needed.
 - b. Mullion trim needed between windows and between windows/doors.
 - c. Door details, dimensions, and materials needed.
- 3. Pavillion Building:
 - a. Height clarification needed.
 - i. "Overall Site Section" page lists height as 17'-7".
 - ii. Right Elevation shows height as being lower than 17'-5", which is the noted second floor ceiling height of the main house.
 - b. Foundation height is needed.
 - c. Material information needed for paneling around windows.
 - d. Door details, dimensions, and materials needed.
- 4. Accessory Building:
 - a. Dormer windows
 - i. Mullion trim needed between windows.
 - b. Garage doors should be wood; specifications needed.
- 5. Site Work:
 - a. Driveway material noted as pavers; specifications needed.
 - b. Driveway dimensions needed.
 - c. Driveway gate specifications and materials needed.
 - d. Fencing and gate details, dimensions, and materials needed.
- 6. Details and Materials needed:
 - a. Brick/mortar sample.
 - b. Plans noted that brick is to remain unpainted.
 - c. Construction elevations should accurately represent window trim and mullions.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: LINEBERGER 2nd: TAYLOR

Ms. Lineberger moved to continue the application for a restudy of the roof materials, requiring the applicant to bring historic examples to justify the use of the material, as well as a restudy of the windows, requiring proof that the historic windows need to be replaced. She cited the Standards for roof forms and materials, 6.13, and for windows, 4.14, numbers 1 and 2.

Mr. Allred suggested that the applicant be required to bring an updated analysis on rear yard permeability, citing the Standard for landscaping, 8.4, number 7.

Mr. Taylor seconded the motion.

VOTE: 7/2

AYES: ALLRED, CURME, LINEBERGER, SOWASH, STANLEY, SULLIVAN, TAYLOR

NAYS: BELL, WOJICK

DECISION: APPLICATION FOR ADDITION & ACCESSORY BUILDING – CONTINUED.

The following cases could not be heard due to time constraints and will be heard at the January 14, 2026 meeting:

- HDCRMI-2025-00448 for 2214 Sarah Marks Av

- HDCRMF-2025-00449 for 224, 228, 232, & 236 W Kingston Av
- HDCCDEMO-2025-00676 for 316 Rensselaer Av
- HDCRMIA-2025-00693 for 425 Rensselaer Av
- HDCRMIA-2025-00650 for 612 S Summit Av & 614 S Summit Av

With no further business to discuss, Chair Bell adjourned the meeting at 6:57 p.m.