



HISTORIC DISTRICT COMMISSION
November 12, 2025 | Room CH-14

MINUTES

MEMBERS PRESENT: Shauna Bell, Chair, Resident-Owner McCrorey Heights
Christopher Allred, Resident-Owner Wesley Heights
Sarah Curme, Resident-Owner Dilworth
Cameron Holtz, Resident-Owner, Fourth Ward
Christa Lineberger, Planning Commission Representative
Emily Sowash, Resident-Owner Wilmore
Ann Stanley, Resident-Owner Hermitage Court
Sean Sullivan, At-Large
Brett Taylor, Business Operator of Dilworth
Scott Whitlock, At-Large

MEMBERS ABSENT: Nichelle Hawkins, Vice Chair, At-Large
Heather Wojick, Second Vice Chair, At-Large
Vacant, Resident-Owner Oaklawn Park
Vacant, Resident-Owner Plaza Midwood

OTHERS PRESENT: Kristi Harpst, HDC Staff
Erin Chantry, HDC Staff
Candice Leite, HDC Staff
Jen Baehr, HDC Staff
Marilyn Drath, HDC Staff
Elizabeth Lamy, HDC Staff
JT Faucette, HDC Staff
Paige Inman, Assistant City Attorney
Candy Thomas, Court Reporter

With a quorum present, Chair Bell called the November meeting of the Historic District Commission (Commission) meeting to order at 1:07 p.m. Chair Bell began the meeting by introducing the Staff and Commissioners and explaining the meeting procedure. All interested parties planning to give testimony – FOR or AGAINST – must submit a form to speak and must be sworn in. Staff will present a description of each proposed project to the Commission. The Commissioners and the Applicants will then discuss the project. Audience members signed up to speak either FOR or AGAINST will be called to the podium for each agenda item. Presentations by the Applicants and audience members must be concise and focused on the **Charlotte Historic District Design Standards**. The Commission and Staff may question the Applicant. The Applicant may present sworn witnesses who will be subject to questioning by the Commission and Staff. The Applicant will be given an opportunity to respond to comments by interested parties. After hearing each application, the Commission will review, discuss, and consider the information that has been gathered and presented. During discussion and deliberation, only the Commission and Staff may speak. The Commission may vote to

reopen this part of the meeting for questions, comments, or clarification. Once the review is completed, a MOTION will be made to Approve, Deny, or Continue the review of the application at a future meeting. A majority vote of the Commission members present is required for a decision to be reached. All exhibits remain with the Commission. If an Applicant feels there is a conflict of interest of any Commissioner, or there is an association that would be prejudicial, that should be revealed at the beginning of the hearing of a particular case. The Commission is quasi-judicial body and can accept only sworn testimony. Staff will report any additional comments received and while the Commission will not specifically exclude hearsay evidence, it is only given limited weight. Chair Bell asked that everyone please silence any electronic devices. Commissioners are asked to announce, for the record, if one leaves or arrives during the meeting. Chair Bell requested that those in the audience remain quiet during the hearings. An audience member will be asked once to be quiet and the need for a second request will require removal from the room. Chair Bell swore in all Applicants and Staff and continued to swear in people as they arrived for the duration of the meeting. In accordance with N.C.G.S. § 160D-947(e), subsections (4) and (5), and UDO Article 14.1.M.1, an appeal of quasi-judicial decisions may be made to the Mecklenburg County Superior Court as provided in N.C.G.S. § 160D-1402 within the time specified in N.C.G.S. § 160D-1405(d).

Ms. Curme moved to approve the October 8, 2025 meeting minutes. Ms. Holtz seconded the motion, and it passed 10-0.

INDEX OF ADDRESSES:

CONSENT

HDCRMA-2025-00585, 1613 S Mint St	Wilmore
HDCCMI-2025-00656, 405 E Park Av/1501 Euclid Av	Dilworth
HDCRMI-2025-00713, 420 E Tremont Av	Dilworth

NOT HEARD AT THE OCTOBER 8, 2025 MEETING

HDCRMAA-2025-00648, 409 Walnut Av	Wesley Heights
HDCMFA-2025-00649, 2011, 2015, 2019, 2023, & 2027 Thurmond Pl	Plaza Midwood

CONTINUED FROM THE AUGUST 13, 2025 MEETING

HDCRMI-2025-00369, 1904 Wood Dale Tr	Wilmore
--------------------------------------	---------

CONTINUED FROM THE OCTOBER 8, 2025 MEETING

HDCMRA-2025-00326, 409 Walnut Av	Wesley Heights
HDCRMI-2025-00450, 1930 Thomas Av	Plaza Midwood
HDCRMA-2025-00578, 821 Berkeley Av	Dilworth

NEW CASES

HDCCMI-2025-00657, 405 E Park Av/1501 Euclid Av	Dilworth
HDCRMA-2025-00695, 712 Templeton Av	Dilworth
HDCRMAA-2025-00654, 1817 S Mint St	Wilmore
HDCRMA-2025-00652, 305 Westwood Av	Wilmore
HDCRMA-2025-00655, 400 E Worthington Av	Dilworth
HDCRMIA-2025-00692, 255 W Park Av	Wilmore

CONSENT

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, WOJICK

APPLICATION:

HDCRMA-2025-00585, 1613 S MINT ST (PID: 11908525) – ACCESSORY BUILDING

EXISTING CONDITIONS:

The existing structure is a 1-story Craftsman bungalow constructed c. 1931. Architectural features include gable roofs, a full-width front porch supported by tapered columns on an unpainted brick base, deep eaves with exposed rafter tails, brackets, and wood double-hung windows in a 4/1 pattern. The lot size is approximately 83' x 178' x 74' x 142'. Adjacent structures include 1 and 1.5-story residential and commercial buildings.

PROPOSAL:

The proposed project is an accessory building in the left corner of the rear yard. The proposed accessory building's footprint is approximately 25'-0" by 38'-1". The main ridge of the principal building is approximately 18'-1". The height of the proposed accessory building, as measured from grade to ridge, is approximately 17'-6" and is 7" shorter than the principal building. Proposed materials include an unpainted brick foundation, wood siding with a 6" exposure, wood shake siding in the front porch and rear gable ends, wood entry doors, 4/1 wood double-hung windows, asphalt shingle roofing, and aluminum gutters/downspouts. The window/door trim, band boards, cornerboards, porch columns, and brackets are proposed to be wood.

Typically, accessory buildings in the rear yard can be approved by Staff, however, due to the visibility and height of the proposed accessory building, this application requires Commission review.

STAFF RECOMMENDATIONS:

Staff has the following comments about the proposal:

1. The project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation numbers 1, 2, 9, and 10, and the City of Charlotte Design Standards for Accessory Buildings, 8.10.
2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. The siding will be German lap to match the principal building.
 - b. The shake siding in the gable ends will be wood and individually applied to match the shake siding on the principal building.
 - c. Provide window and door specifications that meet HDC Standards to Staff for probable approval.
 - d. All trim, including window/door trim, rakeboards, fascia, soffits, frieze, cornerboards, etc. will be wood.
 - e. Provide brick and mortar samples to Staff for probable approval.
 - f. The porch beams and columns will be properly aligned to match the principal building.
 - g. All new masonry will be unpainted.
3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st:

ALLRED

2nd:

SULLIVAN

Mr. Allred moved to approve the application because the proposed project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation, numbers 1, 2, 9, and 10 as well as the City of Charlotte's Design Standards for accessory buildings, 8.10. He added the following conditions outlined in Staff recommendations, (a) through (g).

Mr. Sullivan seconded the motion.

VOTE: 10/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SOWASH, STANLEY, SULLIVAN, TAYLOR, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR ACCESSORY BUILDING – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, WOJICK

APPLICATION:

HDCCMI-2025-00656, 405 E PARK AV/1501 EUCLID AV (PID: 12308102) – NEW OPENINGS & SITE WORK

EXISTING CONDITIONS:

The Dilworth Elementary School campus includes three buildings.

The original Dilworth Elementary School, known as the "Graded School," faces Euclid Avenue and was constructed c. 1904. The Graded School was designed by Wheeler and Runge in the Neo-Classical/Colonial Revival style. The 2-story building is brick with a cast stone water table, flat roof with brick parapet wall, and decorative tin cornice with dentils. Other architectural features include a front entry defined by Doric Columns, wood frieze, and tin dentil cornice which used to be topped with a wrought iron balcony. Windows are arranged in sets of three and five bays with a mix of 6/6 and 9/9 double-hung sashes surrounded by decorative brick and cast stone detailing.

A second building was constructed c. 1967 at the corner of the site facing East Park and Myrtle Avenues. The 1-story building is a Mid-Century design with a flat roof, oversized frieze with deep overhangs, and tall, narrow windows. The windows are slightly inset in the brick and extend from the foundation to the bottom of the frieze, with a two-light pattern with a transom above and a painted panel below. Over the years there have been various additions to both buildings.

The third distinct building was constructed in 2003 and is attached to the 1967 building by an elevated connector visible from East Park Avenue.

The lot shape is irregular, measuring approximately 187' x 745' x 473' x 240' x 245' x 270' and does not include the adjacent athletic fields. Adjacent historic structures include single-family, multi-family, and instructional buildings ranging from 1-story to 2 ½-stories.

PROPOSAL:

The proposed project has three parts:

1. **Door Additions:**

- a. Two single storefront doors are proposed on the 2003 building (labeled Building 3 in the presentation). The doors are proposed to be located on the side of the building that faces the sports fields and Berkeley Avenue.
- b. The doors are proposed to be aluminum with glass and painted to match the existing openings on the

building.

- c. Precast concrete headers are proposed above the new doors to match existing details on the building.

2. Tree Removal:

- a. A multi-stem tree labeled "Tree A" in the presentation is proposed for removal.
- b. Tree A is located in the outdoor classroom area between the original 1904 building (labeled Building 1 in the presentation) and Building 3.
- c. The applicant has indicated that Tree A is damaging a retaining wall and causing displacement of grade.

3. Trash Enclosure:

- a. A new trash enclosure is proposed in the turn-around area between the 1967 building (labeled Building 2 in the presentation) and Building 3.
- b. The footprint of the trash enclosure is proposed to be approximately 15'-4" by 22'-8".
- c. The height of the trash enclosure is proposed to be approximately 6'-8".
- d. Proposed materials include brick walls with a cast stone cap

STAFF RECOMMENDATIONS:

Staff has the following comments about the proposal:

- 1. The project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation numbers 2 and 9, and the City of Charlotte Design Standards for Rehabilitation of Building Elements: Front Doors and Entrances, 4.10; Standards for Private Sites: Landscaping and Lawns, 8.4 and Fences and Walls, 8.6-8.7.
- 2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. Provide door specifications that meet HDC Standards to Staff for probable approval.
 - b. Provide brick/mortar sample to Staff for probable approval.
 - c. All masonry will remain unpainted.
- 3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: CURME 2nd: SULLIVAN

Ms. Curme moved to approve the project because it is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation, numbers 2 and 9, as well as the following City of Charlotte Design Standards for rehabilitation of building elements: for front doors and entrances, 4.10; for private sites, landscaping, and lawns, 8.4; and for fences and walls, 8.6 and 8.7. She added the conditions provided in Staff recommendations, (a) through (c), as well as the requirement that permit-ready drawings be provided to Staff.

Ms. Holtz suggested the friendly amendment that the applicant work with Staff on an appropriate tree replanting. Ms. Curme accepted the amendment.

Mr. Sullivan seconded the motion.

VOTE: 10/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SOWASH, STANLEY, SULLIVAN, TAYLOR, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR NEW OPENINGS & SITE WORK – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, WOJICK
RECUSED: SULLIVAN, TAYLOR

APPLICATION:

HDCRMI-2025-00713, 420 E TREMONT AV (PID: 12106817) – CHANGES TO APPROVED PROJECT – WINDOWS

EXISTING CONDITIONS:

The existing building is 1-story Craftsman bungalow constructed c. 1920. Architectural details include a high, nearly pyramidal hip roof with a lower hip projection partial-width engaged front porch on shingled posts, deep eaves, wood double-hung windows in a 4/1 pattern, and an exterior unpainted brick chimney on the left elevation. The exterior is wood lap siding with corner boards and an unpainted foundation brick. The lot size is approximately 50' x 150'. Adjacent historic structures are 1 and 1.5-story residential buildings.

PROPOSAL:

The applicant is proposing changes to a previously approved project. A 1-story rear addition was approved on August 14, 2024, under COA# HDCRMA-2024-00342. All existing windows were to remain, except for a double-hung at the rear of the right elevation which was enlarged for egress purposes.

During construction an original window, rearmost on the left elevation, was damaged and is beyond repair. The applicant is proposing to swap an original wood window from the rear elevation for the damaged window. See Sheet A.21 REV. The salvaged original window is slightly shorter than the original opening. Wood siding to match existing will be toothed in where needed.

STAFF RECOMMENDATIONS:

Staff has the following comments about the proposal:

1. The project is not incongruous with the district and meets the Standards for Rehabilitation of Building Elements: Windows, 4.12-4.14.
2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. Reuse original wood siding, if possible, when patching the area below the window.
3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: SOWASH 2nd: STANLEY

Ms. Sowash moved to approve the application as it is not incongruous with the district and meets the City of Charlotte's Design Standards for windows, 4.12 to 4.14. She added the conditions that the applicant provide permit-ready drawings to Staff for review and that they reuse the original wood siding for the patching around the window, if possible.

Ms. Stanley seconded the motion.

VOTE: 8/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SOWASH, STANLEY, WHITLOCK

NAYS: NONE

NOT HEARD FROM THE OCTOBER 8, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, WOJICK

RETURNED: SULLIVAN, TAYLOR

APPLICATION:

HDCRMAA-2025-00648, 409 WALNUT AV (PID: 07101312) – CHANGES TO AN APPROVED COA – AFTER THE FACT

EXISTING CONDITIONS:

The existing structure is 1-story Craftsman constructed c. 1930. Architectural features include wrapped porch on the left-side with painted stucco columns, painted stucco siding, wood shake gable ends with 4-light window and shutters, a red brick chimney located on the front-left side, concrete front steps with stucco wingwalls at the porch, and concrete steps to the public sidewalk. Features also include wood double-hung 6/1 windows and a wood fan light front door. The lot size is approximately 55.71' x 187.50'. Adjacent structures are 1, 1.5, and 2-story residential buildings.

PROPOSAL:

On February 11, 2021, an administrative Certificate of Appropriateness #HDCRMI-2020-00789 was issued for a rear addition and covered rear porch. The applicant is proposing changes to an approved COA that Staff is unable to review due to the proposed size of the addition. The following changes are proposed:

1. Windows/Doors – Original House:
 - a. Replacement of original 6/1 wood windows with new Jeld-Wen 2500 Series 6/1 wood windows.
 - b. Replacement of non-original front door with a wood 9-lite door Colonial door.
2. Accessory Building:
 - a. Demolish the dilapidated garage located in rear of the property.
3. Rear Addition:
 - a. General:
 - i. Construction of new addition with a footprint of 23'-8.5" wide x 44'-1" long; the length is inclusive of a new rear covered porch that is approximately 10'-6" deep.
 - ii. A transition will be provided between the original house and proposed addition. At the rear corners of the original house, the addition will bump out then bump back in before continuing on the same plane as the walls of the original house (Sheets A-5.0; A-2.0, A-2.1, A 2.2).
 - b. Rear Covered Porch:
 - i. Cover the beam across the top of the covered porch with wood shake siding.
 - ii. Change the design of low wall to be continuous across the rear elevation and extend between the columns and house on the left elevation.
 - c. Right Elevation:
 - i. Change the small rear-most window to a full-size window.
4. Painted Brick:
 - a. Paint the unpainted brick chimney on the left elevation.

The following proposed changes are eligible for Staff approval and do not require Commission review:

1. Site Changes:
 - a. Install an approximately 50' x 33' concrete parking pad in the rear of the property, accessed by the public alleyway.
 - b. Install square concrete steppingstones laid in a path of gravel in the rear yard, leading from the rear covered porch to the proposed concrete parking pad.

- c. Removal of bluestone from the primary walkway and steps leading to the public sidewalk and restoring it to concrete.
 - d. Removal of paint from concrete sidewalls of front steps.
- 2. Lighting:
 - a. Install (2) new metal light fixtures alongside front entry door.
- 3. Front Porch Changes:
 - a. Removal of bluestone and paint on the front porch floor and front steps and restoring back to concrete.
- 4. Rear Elevation:
 - a. Install decorative brackets on the gable end.
 - b. Install a new rear gable-end window and wood louvered vents on either side of the window that match the original front gable-end window and vents.
 - c. Install double full-lite doors on the left of the rear elevation.

The project is considered an After-the-Fact review, with the Commission reviewing the project on its merits as if work has not yet occurred.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

- 1. Windows/Doors – Original House:
 - a. Condition study of original windows was not provided.
 - b. Replacement of original windows is incongruous with Design Standard 4.14, number 1.
 - c. The style of the replacement door does not match the Craftsman style of the house, and is incongruous with Standard 4.10, number 2.
- 2. Accessory Building:
 - a. Photos of garage are needed.
 - b. Year of construction is needed.
- 3. Rear Addition:
 - a. Lack of fenestration on both right and left elevations.
 - b. Dimensions of the bump outs at transition from original house to addition are needed.
 - c. Rear Covered Porch:
 - i. The beam detailing is incongruous with Standard 6.14, numbers 1 and 2; Standard 6.17, numbers 2 and 3; and Standard 6.18, numbers 1 and 4.
 - d. Rear Elevation:
 - i. The gable-end window and trim match the proportions of the original front gable-end window, and is not incongruous with Standard 6.14, numbers 1 and 2; Standard 6.15, number 1; and Standard 6.20, number 6.
 - e. Right Elevation:
 - i. Changing the approved window to a larger window that matches the dimensions of the other windows on the elevation is not incongruous with Standard 6.15, number 1 nor Standard 6.20, number 6.
- 4. Painted Brick:
 - a. Painting the chimney is incongruous with Standard 5.5, number 3; and Standard 5.8, number 7.
- 5. The applicant provided a list of houses that have painted concrete and/or stone front porch floors/steps/sidewalks:
 - a. 417 Walnut Avenue – concrete front porch steps and floor have been painted since at least 2007. No approval on file.
 - b. 431 Walnut Avenue – concrete front porch floor has been painted since at least 2019. No approval on file.
 - c. 445 Walnut Avenue – concrete front porch floor and steps have been painted since at least 2011. No approval on file.
 - d. 424 Walnut Avenue – front porch brick foundation wall and columns have been painted since at least 2007.

- e. 310 Walnut Avenue – stone front porch steps, cheek walls, and column bases have been in place since 2011. No approval on file.
- f. 708-710 Walnut Avenue – broken tile or painted front stoop floor in place since at least 2019. Appears historic.
- g. 416 Walnut Avenue – bluestone front porch floor has been in place since at least 2019. No approval on file.
- h. 322 Walnut Avenue – concrete front porch has been painted since at least 2007. No approval on file.
- i. 329 Walnut Avenue – concrete front porch floor and steps and stone foundation wall and column bases have been in place since at least 2011. No approval on file.
- j. 314 Walnut Avenue – concrete front porch steps have been painted since at least 2011. No approval on file.
- k. 800 Walnut Avenue – painted front stoop steps and stone cheek walls have been in place since at least 2019. Stone cheek walls appear historic.
- l. 405 Walnut Avenue – concrete front porch steps and brick cheek walls and foundation have been painted since at least 2019. No approval on file.
- m. 516 Walnut Avenue – bluestone tile front porch was installed between 2016 and 2018. No approval is on file.
- n. 612 Walnut Avenue – concrete front porch floor has been painted since at least 2008. No approval on file.
- o. 700 Walnut Avenue – concrete front porch floor and step has been painted since at least 2011. No approval is on file.
- p. 704 Walnut Avenue – stone front porch floor and steps have been in place since at least 2019. No approval on file.
- q. 808 Walnut Avenue – concrete front porch floor has been painted for an unknown period of time. No information is on file.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION 1: DENY

1st: STANLEY 2nd: HOLTZ

Ms. Stanley moved to deny the application for the replacement of the original doors and windows as well as the painting of the brick on the chimney. She explained that the applicant had failed to provide sufficient documentation to show that the windows and doors were beyond repair and that the painted masonry does not meet the City of Charlotte's Standards. She cited the Standards for windows, 4.14, number 1, and masonry, 5.5, number 3.

Ms. Holtz seconded the motion.

VOTE 1: 10/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SOWASH, STANLEY, SULLIVAN, TAYLOR, WHITLOCK

NAYS: NONE

DECISION 1: APPLICATION FOR WINDOW/DOOR REPLACEMENT & PAINTED MASONRY – DENIED.

MOTION 2: APPROVE

1st: STANLEY 2nd: HOLTZ

Ms. Stanley moved to approve the demolition of the accessory building as it is dilapidated and was built prior to 1951 per Exhibit #1 provided by the applicant. She cited the Standards for accessory buildings, 8.10, number 1.

Ms. Holtz seconded the motion.

VOTE 2: 10/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SOWASH, STANLEY, SULLIVAN, TAYLOR, WHITLOCK

NAYS: NONE

DECISION 2: APPLICATION FOR ACCESSORY BUILDING DEMOLITION – APPROVED.

MOTION 3: DENY

1st: STANLEY 2nd: HOLTZ

Ms. Stanley moved to deny the front porch and walkway changes, citing the Standard for sidewalks and parking, 8.2.

Ms. Holtz seconded the motion.

VOTE 3: 10/0

**AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SOWASH,
STANLEY, SULLIVAN, TAYLOR, WHITLOCK**

NAYS: NONE

DECISION 3: APPLICATION FOR FRONT PORCH & WALKWAY CHANGES– DENIED.

MOTION 4: CONTINUE

1st: STANLEY 2nd: HOLTZ

Ms. Stanley moved to continue the application for the rear addition, requiring a restudy of the following: the spacing and rhythm of the fenestration on the rear elevation; the wide expanses of wall; the delineation between the historic home and the addition; and a replacement of the brackets to reflect the trim on the original rear porch. She specified that the rear elevation can be approved by Staff if the applicant provides a detail for the trim. She cited the Standards for doors and windows, 6.15, 1(a) and (b), and for additions, 6.20, number 3.

Ms. Lineberger suggested the amendment that the motion require a restudy of the fenestration on all elevations of the rear addition as well as requiring that the existing opening not be enlarged. Ms. Stanley accepted the amendment.

Ms. Holtz seconded the motion.

VOTE 4: 9/1

**AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SOWASH,
STANLEY, SULLIVAN, WHITLOCK**

NAYS: TAYLOR

DECISION 4: APPLICATION FOR REAR ADDITION – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, WOJICK

LEFT: LINEBERGER

APPLICATION:

HDCMFA-2025-00649, 2011, 2015, 2019, 2023, & 2027 THURMOND PL (PID: 09506145, 09506146, 09506147, 09506148, & 09506149) – CHANGES TO AN APPROVED COA – AFTER THE FACT

EXISTING CONDITIONS:

The property at 2010 The Plaza is the VanLandingham Estate, a designated local historic landmark. The four-acre property has two accessory buildings with fairly dense landscaping.

On May 12, 2021, the Commission approved the construction of four (4) new buildings that comprise a total of 22 townhomes under application number HDCRMA-2020-00467. At the August 10, 2022 meeting, the Commission approved Design changes to Building Four. At that meeting, the Commission also approved Staff to apply the Building Four changes to Buildings Two & Three. Staff issued the COA for the design changes for Buildings Two and Three under application number HDCRMA-2023-00019 on January 23, 2023.

Building Three Approval Summary:

- The height of Building Three (the unit facing The Plaza) is 33'-6", measured from grade to ridge at the tallest point.
- The building setback is approximately 20' back from the existing hedge along Thurmond Place.
- Materials include Nichiha Savannah smooth lap siding, Miratec windowsills and soffits, corner boards that sit proud of the siding, and brick.
- The windows are Jeld-Wen 2500-series double-hung wood with traditional wide rails, 1/1 lite pattern, 3" fiber cement brickmould, and brick rowlock sill.
- The entry doors are wood, and the garage doors are the Wayne Dalton 9510 six light steel overlay garage doors in a carriage house style, with hardware added to double-doors to give the appearance of separate doors.
- Roofing material is asphalt shingle with wood fascia and decorative brackets.
- Two new walkway connections will be installed from the units, through the hedges which will remain, to the sidewalk along Thurmond Place.

PROPOSAL:

This project is in the enforcement process. Staff conducted a final inspection on Building Three on August 15, 2025 and found that the constructed project did not match the COA approved plans. The deviation from approved plans is found on all four elevations. The applicant is proposing to come into compliance by requesting the Commission's approval of design changes to Building Three, which runs along Thurmond Place. As-built drawings of the project have been provided.

The changes include:

Roof changes, South, East, & West Elevations (Pages S3, S7 – S10):

- a. Gable Roof - East Elevation (Unit 2027) & West Elevation (Unit 2011), pitch appears shallower than approved **(Page S7)**.
- b. Dormer Roofs - North Elevation, pitches have changed from 8:12 to 6:12 **(Page A1)**.
- c. Most as-built roof pitches have not been provided.
- d. Gable Ends - Rake boards are approximately 2" wider than approved **(Pages S3 - S4, S6, S8 & S10)**.
- e. Shed Roof - South Elevation (Unit 2023), wider than approved **(Page S9)**.

Window changes, North, South, & East Elevations (Pages S3 – S6, S8 – S10):

- a. Dormer B - North Elevation, a double window next to a single window has been installed in place of the triple **(Page S5)**.
- b. Front entry alcove - North Elevation (Unit 2023), there is siding under the window in the approved plans but not in the constructed project **(Page S5)**.
- c. Dormer - South Elevation (Unit 2019), the double windows have changed in style from two 1/1 double hung windows to two shorter windows with transoms **(Page S9)**.
- d. Windows - South Elevation (Unit 2015), Left-most ganged windows on second floor have changed in style to two 1/1 casement windows to look like double hung, instead of two 1/1 double hung windows with transoms **(Page S9)**.
- e. Windows – South Elevation (Unit 2023), The proportion of the windows appears to be wider than approved **(Page S8)**.
- f. Dormer – East Elevation (Unit 2027), shallow roof pitch and window placement is different than the approved. **(Page S3)**.

Door changes, all elevations (Pages S3 – S10):

- a. Front Entry Doors, Written proposal to change all front entry doors to 1/3 light wood doors has been provided **(Page A1)**.
- b. Rear Entry Doors, Written proposal to change all rear entry doors to full light wood doors has been provided **(Page A1)**.
- c. Garage Doors – North Elevation (Unit 2019), A man door and single garage door were installed in lieu of an approved double garage door **(Page S5)**.
- d. Rear Entry Door - South Elevation (Unit 2023), does not align with small second floor window above it. The approved plans showed these aligned with each other **(Page S9)**.

Foundation changes, all elevations (Pages S3 – S10):

- a. Foundation, wall heights appear to have increased along the North and West Elevations and decreased along the South Elevation **(Pages S4 – S10)**.
 - o As-built foundation wall heights have not been provided.

Cornice and Trim changes, North & South Elevations (Pages S4 – S6, S8 – S10):

- a. Trim band at the top of gable bump-out is missing on constructed project **(Pages S4 & S6)**.
- b. Wider trim band has been included at bottom of gable bump-out **(Pages S4 & S6)**.
- c. Detail drawings not provided.

Elevation detail changes:

- a. **North & South Elevations (Pages S4 – S6, S8 – S10)**
 - i. Dormer A and C on the North Elevation (Unit 2015), and Dormer E and G on the South Elevation (Unit 2023) was sided with lap siding vs approved smooth trim **(Pages S4 – S5, S8)**.
 - ii. As constructed, the amount of space between the top of the garage doors and bottom of the second story windows on the North Elevation is larger than COA plans **(Pages S4 – S5)**.
 - iii. As constructed, the amount of space between the first and second floor windows on the South Elevation (Unit 2023) is larger than approved plans **(Page S8)**.
- b. **North & East Elevations (Pages S3 – S6)**
 - i. Applicant has provided proposal to install any missing brackets via proposed elevation drawings. **(Sheets A-203 and A-204)**.
- c. **East & West Elevations (Pages S3 & S7)**
 - i. Changes in spacing and arrangement of gable vent and windows.
- d. **East Elevation (Page S3)**
 - i. Stoop extends along the width of the East Elevation and wraps around the corner.
 - Applicant is proposing to change the left portion of the extended stoop to a raised planter **(Page A2)**.
- e. **North Elevation (Pages S4 – S6)**
 - i. Addition of concrete front entry steps for Unit 2023.
- f. **South Elevation (Pages S8 – S10)**
 - i. The width of the Unit 2023 appears to be wider than approved.
 - ii. Rear patio footprint of Unit 2023 is different than approved.
 - iii. An extra brick knee wall has been constructed at Unit 2027 that was not on the approved plans.
 - Applicant is proposing to add to the knee wall to build a small retaining wall with brick-edged patio and steps. Detailed drawings not provided.
- g. **West Elevation (Page S7)**
 - a. Paneling detail has changed from 3 panels aligned with the windows to 2 panels and no longer relates to the windows.
 - i Applicant is proposing to restore this panel detail to the approved 3-panel design in the original COA.

Site Changes (Pages S11 – S12):

- a. Missing planting strip between driveway pavement/curb and foundation.
- b. The 6' wide concrete sidewalk is missing at front entry stoop of Unit 2011 towards Thurmond Place (at right-most corner of West Elevation).
 - i. Applicant is proposing to install this missing sidewalk as a pea gravel walkway.

- c. Previously existing landscape and hardscape features located in the tree-save area between Buildings Two and Three have been removed. Additional information not provided.

Staff approvable changes include:

- a. Installation of missing gable vents.
- b. Change in detail of roof over Unit 2019's front entry door (North Elevation).
- c. Change in rear patio columns on Unit 2015 (South Elevation).
- d. Installation of new retaining wall along West Elevation (front of Unit 2011).
- e. HVAC screening change.
- f. Garage door lite pattern

The project is considered an After-the-Fact review, with the Commission reviewing the project on its merits as if work has not yet occurred.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Roof changes, North, South, East, & West Elevations:
 - a. Provide as-built roof pitch dimensions.
 - b. The change in roof pitch on dormers and gables is incongruous with the Design Standard for Roofs 6.13, numbers 1 and 3.
2. Window changes, North, South, & East Elevations:
 - a. Relate window openings for new construction to historic context, per Design Standard 6.15, number 1, letters a-d.
 - b. Provide new dimensions for the as-built windows.
 - c. Provide additional information on proposed custom windows that meet HDC Standards.
3. Door changes, all elevations:
 - a. Relate door openings for new construction to historic context, per Design Standard 6.15, number 1, letters a-d.
4. Foundation changes, all elevations:
 - a. Provide as-built foundation wall heights.
 - b. Re-study the height of new foundation to the height of foundations on historic buildings, per Design Standard 6.12, number 1.
5. Cornices and Trim changes, North & South Elevations:
 - a. Re-study the proportion and scale of the trim as compared to the scale and proportion of trim on historic buildings within the context of the new building, per Design Standard 6.14, number 2.
6. Elevation detail changes:
 - a. North & South Elevations
 - i. Re-study proportions of Dormer A on the North Elevation (Unit 2015) and Dormers E, F, and G on the South Elevation (Unit 2015) per Design Standard 6.8 (Pages S4 & S8 - S9).
 - ii. Provide as-built width dimensions of all individual townhouse units and dormers.
 - b. East & West Elevations
 - i. Re-study the changes in spacing/arrangement of gable vent and windows on gable bump-outs (Pages S3 & S7) to Design Standard 6.14, numbers 1 and 2; and Standard 6.15, number 1, letters a-d.
 - c. East Elevation
 - i. Re-study planter per Design Standard 6.12, number 2; and Standard 8.4, number 4.
 - d. North Elevation
 - i. Re-study the addition of front entry concrete steps for Unit 2023 (Page S5) per Design Standard 6.17.
 - e. South Elevation
 - i. Re-study the increased width of the Unit 2023 (Page S8) per Design Standard 6.8.

- ii. Re-study the covered rear patio area of Unit 2023 and the proposed stoop for Unit 2027 per Design Standard 6.17, numbers 2 through 4.

7. Site Changes:

- a. Concrete pavement right up against the building foundation (Pages S3 - S6) is incongruous with Design Standard 8.2, number 8.
- b. Applicant to provide information regarding the missing planting strip along the building foundation.
- c. Changing the 6' wide concrete sidewalk at the front entry stoop of Unit 2011 towards Thurmond Place (at right-most corner of West Elevation) to pea gravel (Page A4) is not incongruous with Design Standard 8.2, number 2.
- d. Applicant to provide all information regarding landscape/hardscape changes and new tree locations between Buildings Two and Three.
 - i. The removal of existing landscape and hardscape features is incongruous with Design Standard 8.2, numbers 1 and 8; and Design Standard 8.4, number 1.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: WHITLOCK 2nd: ALLRED

Mr. Whitlock moved to continue the application in order for the applicant to address items 1 through 7 in the Staff Analysis, listed on pages 5 and 6, as well as to provide accurate drawings that clearly highlight all affected items.

Mr. Allred seconded the motion.

VOTE: 9/0

**AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH,
 STANLEY, SULLIVAN, TAYLOR, WHITLOCK**

NAYS: NONE

DECISION: APPLICATION FOR CHANGES TO AN APPROVED COA – AFTER THE FACT – CONTINUED.

CONTINUED FROM THE AUGUST 13, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, WOJICK

APPLICATION:

HDCRMI-2025-00369, 1904 WOOD DALE TR (PID: 11907424) – ADDITION & SITE CHANGES

This application was continued from the August 13, 2025 meeting for the following items:

The proposed project is incongruous with the Design Standards for the following items:

- 1. Front dormer addition:
 - a. Restudy the dormer size and massing per Standards 4.5, number 2; 6.5; 6.6; 6.8, 6.10, 6.13, numbers 4 and 5, and 6.20, number 2.
 - b. Restudy window proportions as it relates to the dormer and light pattern, per Standards 6.8, and 6.15 - 6.16.
- 2. Front walkway replacement:
 - a. Restudy the walkway replacement, and retaining walls should be looked at in conjunction with the walkway, per Standards 8.2, 1, 2, and 7.

EXISTING CONDITIONS:

The existing structure is a 1.5-story brick American Small House constructed c. 1940. Architectural features include a side gable with double-hung windows in the gable ends, painted brick siding, central painted brick chimney, asphalt shingles, a right-side single-story screen porch, arched wood door with three lights, and 8/8 and 6/6 double-hung windows. The existing front stoop has a non-original metal awning with thin metal columns and metal handrails. Lot size measures approximately 60' x 170.68'. Adjacent structures are 1, 1.5, and 2-story residential buildings.

PROPOSAL:

The proposal is in three parts.

1. **Front Dormer Addition:**

- a. The two new front gable dormers will be located on-center above both the left and right-side existing windows.
- b. Each dormer measures approximately 7'-3 ½" tall x 5'-6" wide and will sit below the main ridge. Dimension of the dormer offset from the main ridge not provided.
- c. Proposed materials are German lap siding with a 6" exposure, asphalt shingle roof, 8/8 aluminum-clad windows with square lights, and wood corner boards, trim, and details to match existing.

2. **Front Covered Stoop Addition:**

- a. The existing aluminum awning and metal columns will be removed. The existing painted brick steps will remain.
- b. The new stoop will measure approximately 4'-6" deep x 8'-3" wide and will be approximately 13'-3 ½" from grade to ridge.
- c. Proposed materials are German lap siding with a 6" exposure in the gable end, asphalt shingle roof, wood box columns, and wood trim and details to match existing.

3. **Front Walkway Replacement:**

- a. The existing concrete walkway will be removed.
- b. The new walkway will be Brookstone Full Range brick in a herringbone pattern with brick border.
- c. Dimensions to remain the same at 5' wide at the front porch and tapering down to 4' wide at the driveway.

Revised Proposal – November 12, 2025

1. Revised presentation provided.
2. Dormer's overall height remains the same at 7'-3 ½" tall.
3. Dormer's width has changed to 4'-4" from the previous submission of 5'-6" wide.
4. Dormer windows sizes have changed to 3'-4" x 2'-10" from the previous submission of 3'-4" x 3'-4".
5. Dormer materials remain the same as previously proposed.
6. Walkway pattern has changed to running bond with soldier course border.
7. Walkway dimensions remain the same as previously proposed

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. **Front Dormer Addition:**

a. **Doors & Windows**

- i. Restudy window proportions as it relates to the dormer and light pattern, per Standards 6.8 and 6.15-6.16.
- ii. Horizontal square lights don't match the vertical rectangular lights on the main house.

2. **Front Walkway Replacement:**

- a. Retain existing historic walkways, per Standard 8.2, numbers 1, 2, and 7.

3. **Minor changes may be approved by Staff**

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: SULLIVAN 2nd: HOLTZ

Mr. Sullivan moved to approve the application as it is not incongruous with the special character of the district as described in Chapter 3 of the Design Standards and is consistent with the Secretary of the Interior's Standards for historic rehabilitation, page 2.5. He added the following conditions: that the applicant work with Staff on a restudy of the window proportions as they relate to the front dormer and light pattern, citing standards 6.8, 6.15, and 6.16; that the applicant work with Staff to match the vertical and horizontal lights found on the first level; and that the applicant work with Staff on all trim pieces, fascia size, corner size, rakeboard, and eave returns, citing Standard 6.14.

Ms. Holtz seconded the motion.

VOTE: 9/0

**AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH,
STANLEY, SULLIVAN, TAYLOR, WHITLOCK**

NAYS: NONE

DECISION: APPLICATION FOR ADDITION & SITE CHANGES – APPROVED WITH CONDITIONS.

CONTINUED FROM THE OCTOBER 8, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, WOJICK

APPLICATION:

HDCRMA-2025-00326, 409 WALNUT AV (PID: 07101312) – ACCESSORY DWELLING UNIT

This application was continued from the October 8, 2025 meeting for the following items:

The proposed project is incongruous with the Design Standards for the following items:

1. Restudy the accessory structure for a reduction in Massing, 6.8; Height & Width, 6.9; Scale, 6.10; Size, 6.5-6.6. A review of the roof lines and style, and eave heights should also be incorporated in the restudy per Accessory Structures, 8.10.
2. The Commission appreciates the restudy of the doors and windows in rhythm in terms of number, which is going in a positive direction, but feel the consistency of header heights may also be impacting the complexity of form, per Massing and Complexity of Form, 6.8 and Roof Form and Materials, 6.13.
3. Review the following items together: roof styles, roof pitches, and number of gable roof lines, which is probably also impacting the overall massing and presentation of the structure, per Roof Form and Materials, 6.13.

EXISTING CONDITIONS:

The existing structure is 1-story Craftsman constructed c. 1930. Architectural features include a wrapped porch on the left-side with painted stucco columns, painted stucco siding, wood shake gable ends with a 4-lite window and shutters, a red brick chimney located on the front-left side, concrete front steps with stucco wingwalls at the porch, and concrete steps to the public sidewalk. Features also include wood double-hung 6/1 windows and a wood fan light front door. The lot size is approximately 55.71' x 187.50'. Adjacent structures are 1, 1.5, and 2-story residential buildings.

PROPOSAL:

1. The proposed project is a 1-story Accessory Dwelling Unit (ADU).
2. The footprint of the new garage measures approximately 39'-8" x 27'-2". See sheet A-3.0.

3. The height, as measured from grade to ridge, is approximately 16'-6". 1'-8" will be subgrade. See sheet A-3.1.
4. Proposed materials include unpainted brick foundation, stucco, wood cedar shake in the gable ends, wood trim and details, and architectural shingle roof. See sheet A-4.1.
5. Windows are proposed to be wood double-hung 1/1 and 4-light Simulated True Divided Lights (STDL) with wood trim. Material specification sheet not specified. Trim detail drawing not provided. See sheet A-4.1.
6. Doors proposed to be wood. Material specification sheet not specified. See sheet A-4.1.
7. Post-construction, the rear-yard impermeable area will be 26.69%. See sheet A-0.

Revised Proposal – October 8, 2025

1. Revised presentation provided.
2. Updated drawings provided.
3. New height as measured below grade to ridge is 16'-6".
4. ADU sits 1'-8" below grade.
5. Below grade, the ADU is 1'-0 ¾" below the main structure.
6. New proposed footprint measures approximately 39'-8" x 27'-4".
7. Roof pitches are 6.5/12 to 6/12.
8. Two material options provided.
9. 1-story ADU examples provided.

Revised Proposal – November 12, 2025

1. Revised presentation provided.
2. Footprint has not changed.
3. Height has not changed.
4. Main gable form and pitch has not changed.
5. Secondary gable roof pitch changed to 6.75/12 from 6.5/12.
6. Tertiary gable changed to shed roof.
7. Window and door header height have changed to be aligned with each other.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Materials, Height and Width, Scale, Roof Form, and Size:
 - a. Accessory buildings should be clearly secondary, especially in scale, massing, and other architectural elements, per Standards 8.10, number 3 and 6.5-6.6.
 - b. Consider breaking up the massing with a connector between garage and ADU.
 - c. Consider an ADU with an open carport instead of an enclosed garage.
 - d. Restudy roof form on rear elevation.
 - e. Restudy shed roof on left elevation.
2. Doors & Windows, and Rhythm:
 - a. Restudy fenestration on left elevation.
 - b. Provide brickmould window trim detail.
 - c. Provide window and door specifications to Staff for probable approval.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: HOLTZ 2nd: STANLEY

Ms. Holtz moved to approve the project because it is not incongruous with the district or the Secretary of the Interior's Standards. She cited the Design Standards for accessory dwellings, 8.10, and for fenestration, 6.15-6.16 and roof form, 6.13. She added the following conditions: that the window missing from the right elevation should be added, with its placement confirmed with Staff; that the applicant work with Staff to restudy the roof engagement; and that the choice between a gable or shed roof will be decided by Staff.

Ms. Stanley seconded the motion.

VOTE: 9/0

**AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH,
STANLEY, SULLIVAN, TAYLOR, WHITLOCK**

NAYS: NONE

DECISION: APPLICATION FOR ACCESSORY DWELLING UNIT – APPROVED WITH CONDITIONS.

Chair Bell moved to nominate Commissioner Stanley as the Interim Chair for the remainder of the meeting. Ms. Holtz seconded the motion, and it passed 9-0.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, WOJICK

LEFT: BELL

APPLICATION:

HDCRMI-2025-00450, 1930 THOMAS AV (PID: 08119722) – ADDITION

This application was continued from the October 8, 2025 meeting for the following items.

Per HDC Design Standards for Massing, 6.8; Height & Width, 6.9; and Additions 6.20-6.24, and the Secretary of the Interior's Standards numbers 2, 9, and 10, restudy the following:

1. Height and roof pitch of the addition dormer to align the roof line with the addition boundary and to decrease the height, if possible, and the gable end windows in relation to those changes. The windows should be smaller in size than the ones on the first floor.
2. Provide information about the foundation material.
3. Provide a bracket detail as built, confirming that the addition will match.

EXISTING CONDITIONS:

The existing structure is a 1-story Bungalow built in 1928. Architectural features include a partial-width front porch with unpainted brick (painted concrete caps) and wood columns, board and batten in the front and left-side gable ends, unpainted brick siding, wood trim and detail, 4/1 double-hung windows, an unpainted right-side brick chimney and a small right-side dormer. Lot size is approximately 50' x 150'. Adjacent structures are 1 and 1.5-story single-family structures.

PROPOSAL:

The project is a rear addition, with a sunroom, that is taller but not wider than the existing structure. The upper addition raises the main ridge approximately 3'-6". The addition bumps-in 1'-0" on the right elevation. The existing rear additions will be removed. The proposed overall first-floor footprint measurements approximately 14'-4 1/2" x 25' -8". Materials include wood lap siding with 6" exposure, foundation material not provided, 4/1 and 3/1 double-hung wood windows, wood French doors, wood trim and brackets, operable shutters (material unknown), a shingle roof on the main addition, and a standing seam metal roof on the rear dormer. The applicant is also proposing a new pervious brick paver patio with low brick retaining wall. The applicant has provided some tree information. Post-construction rear-yard impermeable area will be 29%.

Revised Proposal – November 12, 2025

1. Roof pitch changed from 12/12 to 10/12.
2. Gable end window changes are unclear.
3. Rear elevation dormer: Upper sash windows changed to full length double hung.
4. Foundation labeled as brick with 8" exposure.
5. Bracket detail provided.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Windows and Rhythm:
 - a. Window changes unclear on second level gable ends. The window schedule is not keyed to the October proposed floor plans. See Sheet HDC-7.
2. Minor changes may be approved by Staff.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: HOLTZ 2nd: SULLIVAN

Ms. Holtz moved to approve the application as it is not incongruous with the the Secretary of the Interior's Standards and the Standards of the Historic District Commission. She added the conditions that the window details on the gable end, the window schedule, and any other minor details be approved by Staff. She cited the following Standards: for roof form and materials, 6.13; for doors and windows, 6.15 and 6.16; for roof pitch, 6.13; and for additions, 6.20

Mr. Sullivan seconded the motion.

VOTE: 8/0

AYES: ALLRED, CURME, HOLTZ, SOWASH, STANLEY, SULLIVAN, TAYLOR, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR ADDITION – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: BELL, HAWKINS, WOJICK

RETURNED: LINEBERGER

APPLICATION:

HDCRMA-2025-00578, 821 BERKELEY AV (PID: 12309309) – ACCESSORY BUILDING & FRONT PORCH CHANGES

This application was continued from the October 8, 2025 meeting for the following items:

1. Restudy the front entry to identify more contextual examples for changing the design. Work with Staff to find historic examples to support the design change, per Context, 6.2, and Porches, 6.17.
2. Restudy the proposed accessory dwelling unit (ADU).
 - a. The architectural style should be revisited to be compatible with the main structure, per Accessory Buildings, 8.10, number 3.
 - b. Reduce the scale of the building and restudy the roof forms and massing, per Massing and Complexity of Form, 6.8, numbers 2 and 3, and Roof Form and Materials, 6.13.

EXISTING CONDITIONS:

The existing structure is a 2-story Colonial Revival built c. 1927. Architectural features include unpainted brick siding, a hipped roof, and a right-side interior brick chimney. The structure also features two side porches on both the right and left elevations. The windows are 6/6, and the front door is a solid 6 panel with a transom and sidelights. The front stoop has a gable pediment supported by round Tuscan columns and extends along the right side of the front elevation. The lot size measures 85.15' x 166.79'. Adjacent historic structures are 1.5 and 2-story buildings.

PROPOSAL:

Proposal – October 8, 2025

The proposal is changes to the front porch, rear porch, and the addition of a new accessory building.

Proposed Front Porch Changes

1. The existing front porch pediment and columns will be removed and replaced with a new portico and columns.
2. The height of the new portico, as measured from the existing stoop floor, is approximately 11'-7".
3. Proposed materials for the columns, entablature, and balustrade (attic), are not provided.
4. Existing front door, door surround, and engaged pilaster to remain and be restored.
5. The existing brick steps, stoop, and right-side porch will remain. No dimensional changes proposed.
6. The square tile stoop, and right-side broken tile porch will be replaced with bluestone. Existing brick rowlock edge on the stoop and porch are to remain.

Proposed Rear Porch Changes

1. The existing rear porch columns will be removed and reconfigured.
2. The existing roof and patio will remain.
3. The new decorative timber columns will have an unpainted brick base and decorative bracket. Bracket material not provided.

Proposed Accessory Building

1. The new garage accessory structure is proposed to be 2-stories. Height, as measured from grade to ridge, is 24'-5 5/8", and is approximately 5'-4 1/8" below the main ridge.
2. Existing garage to be removed.
3. The footprint of the new garage measures approximately 30'-0" x 25'-0".
4. Proposed materials are a 5" exposure wood lap siding with mitered corners, unpainted brick foundation, asphalt shingle roof, 6/6 wood or aluminum-clad windows, door material not provided, and trim and detail material is wood.
5. Post-construction rear-yard impermeable area will be 34.5%.

Revised Proposal – November 12, 2025

1. Rear porch changes approved on October 8, 2025.
2. Proposed bluestone front porch material change denied on October 8, 2025.
3. Historic examples of original front porticos on Colonial Revival buildings on Berkeley Ave provided on Sheet EX1.1.
4. Accessory building roof form changes.
5. Accessory building height lowered from 24'-5 5/8" to 23'-8 5/8".

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. The Front Porch Changes:
 - a. Proposed design appears high style and the Colonial Revival architecture of the existing historic house is simpler. Perhaps consider eliminating the balustrade.
 - b. Provide material information for the columns, entablature, balustrade (attic), and brackets.
 - c. Retain historic elements of the front porch such as the broken tile flooring.

- d. Update Sheet A4.1 note about front porch paving material.
- 2. Accessory Building (ADU):
 - a. Provide information on existing garage to be demolished.
 - b. Roof Form, Massing, and Scale
 - i. Rear dormer appears to be co-planer with first floor wall.
 - c. Doors & Windows, and Rhythm
 - i. First floor walls on right and rear elevations lack fenestration.
 - d. Cornices and Trim, and Materials.
 - i. Provide window and door specifications.
 - ii. Provide brick and mortar sample.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION: CONTINUE

1st: TAYLOR 2nd: LINEBERGER

Mr. Taylor moved to continue the application for the front porch changes as the current proposal is incongruous with the Standards for front porches, 6.17, and roof form, 6.13. He required a restudy of the balustrade. He also moved to continue the application for the accessory structure as it is incongruous with Standards 6.8, for massing and complexity of form, and 6.13, for roof form.

Ms. Lineberger seconded the motion.

VOTE: 9/0

**AYES: ALLRED, CURME, HOLTZ, LINEBERGER, SOWASH,
STANLEY, SULLIVAN, TAYLOR, WHITLOCK**
NAYS: NONE

DECISION: APPLICATION FOR ACCESSORY BUILDING & FRONT PORCH CHANGES – CONTINUED.

NEW CASES

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: BELL, HAWKINS, WOJICK

APPLICATION:

HDCCMI-2025-00657, 405 E PARK AV/1501 EUCLID AV (PID: 12308102) – REHABILITATION, WINDOWS/DOORS, & SITE WORK

EXISTING CONDITIONS:

The Dilworth Elementary School campus includes three buildings.

The original Dilworth Elementary School, known as the "Graded School," faces Euclid Avenue and was constructed c. 1904. The Graded School was designed by Wheeler and Runge in the Neo-Classical/Colonial Revival style. The 2-story building is brick with a cast stone water table, flat roof with brick parapet wall, and decorative tin cornice with dentils. Other architectural features include a front entry defined by Doric Columns, wood frieze, and tin dentil cornice which used to be topped with a wrought iron balcony. Windows are arranged in sets of three and five bays with a mix of 6/6 and 9/9 double-hung sashes surrounded by decorative brick and cast stone detailing.

A second building was constructed c. 1967 at the corner of the site facing East Park and Myrtle Avenues. The 1-story building is a Mid-Century design with a flat roof, oversized frieze with deep overhangs, and tall, narrow windows. The windows are slightly inset in the brick and extend from the foundation to the bottom of the frieze, with a two-light pattern with a transom above and a painted panel below. Over the years there have been various additions to both buildings.

The third distinct building was constructed in 2003 and is attached to the 1967 building by an elevated connector visible from East Park Avenue.

The lot shape is irregular, measuring approximately 187' x 745' x 473' x 240' x 245' x 270' and does not include the adjacent athletic fields. Adjacent historic structures include single-family, multi-family, and instructional buildings ranging from 1-story to 2 ½-stories.

PROPOSAL:

The applicant is proposing five (5) projects across two buildings on campus; project details are as follows:

Building 1, 1904 Dilworth School

Project 1: Cornice replacement.

The original tin cornice will be replaced with a new custom aluminum cornice in dimensions and details to match existing.

Building 2, 1967 Building

Project 2: Door and Window Changes.

There are 3 new entrances proposed on Building 2 and proposed replacement of all original windows.

Part A. New Storefront Entrance.

- a. A new storefront entrance will be installed on the driveway side.
- b. The overall dimension of the new opening is 18'-5".
- c. The number of existing windows and brick panels to be removed to accommodate the new opening is not noted.
- d. The new storefront material is proposed to be painted aluminum to match existing.

Part B. New Administration Wing Entrance.

- a. A new door with sidelight will be added for egress.
- b. The overall opening dimension is 7'-4" x 6'-0".
- c. Detail dimensions of the door and window are not provided.
- d. The door and window materials are proposed to be painted aluminum to match existing.

Part C. New Kitchen Delivery Entrance.

- a. A new double-door will be added. Dimensions not provided
- b. A new window will be added. Dimensions not provided.
- c. Material of the doors and windows proposed to be painted aluminum to match existing.

Part D. Total window replacement.

- a. Replace all existing windows and fiber cement panels above and below in Building 2.
- b. The proportions of the existing windows and existing panels will match existing. Original construction plans will be used.
- c. The new panel material will change from fiber cement to painted aluminum.

Project 3: Replace Fascia Freize Panel and Soffit

- a. Remove the existing asbestos cement fascia panels which are deteriorating.
- b. Install new fascia panel; proposed to be aluminum in dimensions and details to match existing
- c. Remove the existing asbestos soffit panels installed on an aluminum grid system, which are deteriorating.
- d. Install new soffit; proposed to be aluminum in dimensions and details to match existing.

- e. Remove the existing stainless-steel gravel stop embedded in the elastigum roof cement.
- f. Install new pre-finished metal gravel stop in matching color.
- g. The original construction plans will be used to match dimensions and details of the new fascia and soffit.
- h. Material specifications provided for the proposed fascia/soffit material.

Project 4: Replace HVAC Units

- a. The HVAC units are located on the roof, which is the original location. The 15 existing units will be replaced with new units in the same locations. An additional 5 units will be added, located toward the center roof.

Project 5: Tree Removal

- a. A 24" Oak tree is requested for removal due to proximity to the building's fascia, soffit, and roof.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Building 1: 1904 Dilworth School

a. *Project 1: Cornice Replacement*

- 1. Finding: Cornice Replacement is not incongruous with Standards for Roofs 4.5, numbers 3 and 4 and meets the Secretary of the Interior's Standards, number 6.
- 2. Facts:
 - a. The existing metal cornice was manufactured as one-continuous piece.
 - b. There are many holes, missing portions, and areas of rust.
 - c. The cornice cannot be patched.
 - d. The new custom replacement cornice matches the original in design, dimension, detail, and material.

2. Building 2: 1967 Building

a. *Project 2: Door & Window Changes*

1. Part A: New Storefront Entrance

- a. A detail drawing showing all dimensions and materials of the new storefront design is needed.
- b. Dimensions and materials, and better photographs of the existing storefront entrance is needed.
- c. When comparing the existing storefront photo to the proposed storefront elevation, the dimensions and details on the proposed new storefront do not appear to match existing.
- d. Provide additional information about the number of existing windows and brick panels to be removed to accommodate the new opening.

2. Part B: New Administration Wing Entrance

- a. A detail drawing with dimensions of the door and window is needed.
- b. The proportions of the proposed window next to the door does not appear to match the proportions of the existing windows on the building.

3. Part C: New Kitchen Delivery Entrance

- a. A detail drawing showing all dimensions and materials of the proposed double-door is needed.
- b. Label the dimensions of the square window. Note what kind of window it is (ex: fixed, casement, awning, etc.).
- c. The new gates are eligible for Staff review and approval, pending receipt of dimension information.

4. Part D: Total Window Replacement

- a. Not enough information has been provided for the Commission to review this request.
 - i. Information about the existing windows, including detailed photographs and an existing conditions analysis is needed.

- b. Replacing an operable transom window with an opaque, non-operable panel is incongruous with Design Standards for Windows, 4.12-4.14.
- b. *Project 3: Fascia Frieze Panel and Soffit Replacement*
 - 1. Provide a material sample, painted and finished like it would be on the building, of the new fascia and soffit.
 - 2. Changing material from a fiber cement to a coated aluminum may result in a different visual quality of the fascia/soffit.
- c. *Project 4: HVAC Unit Replacement*
 - 1. Finding: The new HVAC units are not incongruous with the Design Standards for Private Sites: Site Appurtenances, 8.9.
 - 2. Facts: The new units are located close to the middle of the roof to be as inconspicuous as possible.
- d. *Project 5: Tree Removal*
 - 1. Per Standard 8.5, number 2, provide a Certified Arborist's report.
 - 2. Provide information about where a new maturing canopy tree will be planted as a replacement.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: ALLRED 2nd: HOLTZ

Mr. Allred moved to approve the application as it is not incongruous with the special character of the district as described in Chapter 3 of the Design Standards and because it is consistent with the Secretary of the Interior's Standards for Rehabilitation. He specified that the approval would encompass the entire project except for Part D of Building 2, the total window replacement. He added the condition that the applicant work with Staff on additional details and materials. He referred to the facts stated in the Staff analysis, numbers 1 through 4. He cited the Standard for roofs, 4.5, numbers 3 and 4, as well as the Secretary of the Interior's Standards, number 6.

Ms. Harpst suggested that the motion cite the Standards for Site Appurtenances, 8.9, as well as the Standards for tree removal, 8.5, number 2. She also suggested that Mr. Allred require the applicant to provide a certified arborist's letter suggesting the tree's removal to Staff. Mr. Allred agreed, stating those facts and the condition suggested by Ms. Harpst. s He also added the fact that the site is heavily wooded and that the Commission has requested a replacement tree.

Ms. Holtz seconded the motion.

VOTE: 9/0

AYES: ALLRED, CURME, HOLTZ, LINEBERGER, SOWASH, STANLEY, SULLIVAN, TAYLOR, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR REHABILITATION, WINDOWS/DOORS, & SITE WORK – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: BELL, HAWKINS, WOJICK

LEFT: CURME

APPLICATION:

HDCRMA-2025-00695, 712 TEMPLETON AV (PID: 12305616) – NEW CONSTRUCTION – RESIDENTIAL

EXISTING CONDITIONS:

The existing structure is a 1.5-story Colonial Cottage constructed c. 1941. Architectural features include side gable roof with two front gables, partial width front porch with square columns, 6/6 replacement windows, Tudor-style arched front gable window, right-side chimney, decorative eave detail, and painted brick. The lot measures approximately 50' x 150'. Adjacent buildings are 1 and 1.5-story residential structures.

The HDC approved COA application #HDCRDEMO-2025-00006 for full demolition with a 365-day stay of demolition on June 11, 2025.

PROPOSAL:

The proposal is for the construction of a new single-family house in the Tudor style. The proposed project details are as follows:

1. Elevation Drawings, Sheets 8 and 9.
 - a. Height, shown as first floor to ridge, at 28'-8".
 - b. Foundation height not provided.
 - c. Exterior Materials: Brick on front portion of the building with stucco in gables with wood battens. Side elevations have a brick foundation with wood lap siding or Nichiha Savannah smooth on first level, and smooth wood panels with wood battens on second level.
 - d. Porches proposed materials, Sheet 10.
 - i Front porch, concrete with brick rowlock edge
 - ii Rear porch, bluestone with brick rowlock edge
 - iii Wood screen system for rear porch.
 - iv Metal handrail.
2. Architectural Details, Sheet 10.
 - a. Bracket detail – wood.
 - b. Bay window detail – wood.
 - c. Front door – two wood designs proposed.
 - d. Roof detail (soffit, fascia), shown on porch and wall section, Sheet 15.
3. Window detail (material, design, dimensions, trim).
 - a. Window material is not specified.
 - b. Window trim detail for siding and brick, Sheet 10.
 - c. There are four (4) different window configuration options provided:
 - i 6/1 double-hung windows, Sheet OPT A.
 - ii 6 and 8 light casements, Sheet OPT B.
 - iii 3/1 double-hung windows, Sheet OPT C.
 - iv 9/1 double-hung windows, Sheet OPT.
4. Floor plans and Roof Plan, Sheets 12 and 13.
5. Building sections, Sheet 14
6. Wall Section, Sheet 15
7. Porch Section, Sheet 15
8. Site Plans:
 - a. Existing, Sheet 1.
 - b. Proposed, Sheet 7.
 - c. Setback dimensions, existing historic house:
 - i Front porch 24.8'.
 - ii Front thermal wall 32.10'.
 - iii Left property line 5.1'.
 - iv Right property line, 10.1'.
 - v Rear property line, 71.2'.
 - d. Setback dimensions, proposed new construction:
 - i Front porch: 22'-11".

- ii Front thermal wall: 30'-1 ½".
 - iii Left property line, 6'.
 - iv Right property line, 12'-8".
 - v Rear property line, 35'-11".
- e. Setback dimensions of neighboring properties, Sheet 7.
 - i 708 Templeton Av:
 - 1. Front Porch: 25'-1".
 - 2. Front Thermal Wall: 33'-1".
 - ii 716 Templeton Av:
 - 1. Front Porch: 22'-8".
 - 2. Front Thermal Wall: 30'-10".
 - iii Entire block, see Sheet A2.1
- 9. Drives, walks, and alleys, Sheet 7.
 - a. Carriage track drive proposed to be concrete with grass between, 8" wide.
 - b. Existing concrete walk to remain.
 - c. Secondary front walk between front porch and driveway way proposed. Concrete with brick border, width dimension not noted.
- 10. Tree protection and/or tree removal and replanting, Sheet 7.
- 11. HVAC located on right elevation toward rear, Sheet 7.
- 12. Fences/walls – none proposed.
- 13. Accessory buildings (garages, sheds, gazebos, etc.), Sheet 7.
 - a. None proposed.
 - b. Existing non-historic shed to be removed.
- 14. Percent of Rear Yard Coverage not provided.
- 15. Zoutewelle streetscape survey composite elevations, see Sheet 4.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

- 1. Height:
 - a. Grade to ridge height is needed.
 - b. Foundation height is needed.
 - c. Proposed height shown as first floor to ridge.
 - d. Zoutewelle survey comparison heights of historic houses shown as grade to ridge.
 - e. On Sheet 4, streetscape survey comparison, applicant calls out the height of 715 Templeton Av as 29.8'; however, the Zoutewelle shows the height as 26.2' at the tallest point.
- 2. Site Plan:
 - a. Sheet 2A is referenced on Sheets 1 and 7, but Sheet 2A appears to be missing.
 - b. Rear yard open space calculations are needed.
- 3. Details and Materials needed:
 - a. Brick/mortar sample.
 - b. Plans noted that brick is to remain unpainted.
 - c. Window specifications.
 - d. Wall section, Sheet 15, needs updating to reflect lap siding.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: WHITLOCK 2nd: LINEBERGER

Mr. Whitlock moved to approve the application as it satisfies the City of Charlotte's Design Standards for new construction, Chapter 6, the Secretary of the Interior's Standards, page 2.5, and that the proposed design meets all the design elements of a Tudor construction. He specified that the motion would be approving the 9 over 1 double hung

windows based on the contextual references from Dilworth provided by the applicant, the diamond pattern front entrance door, and the wood screens on the front porch.

Ms. Lineberger seconded the motion.

VOTE: 8/0

**AYES: ALLRED, HOLTZ, LINEBERGER, SOWASH,
STANLEY, SULLIVAN, TAYLOR, WHITLOCK**

NAYS: NONE

DECISION: APPLICATION FOR NEW CONSTRUCTION – RESIDENTIAL – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: BELL, CURME, HAWKINS, WOJICK

LEFT: LINEBERGER

APPLICATION:

HDCRMAA-2025-00654, 1817 S MINT ST (PID: 11907703) – NEW CONSTRUCTION – RESIDENTIAL, PRINCIPAL & ACCESSORY BUILDINGS

EXISTING CONDITIONS:

The existing site is a vacant lot. The lot measures approximately 50' x 200'. Adjacent historic structures are 1 and 1.5-single-family structures. The Wilmore Community Center Garden is diagonally across the street.

On August 12, 2022, the Commission approved the construction of a new single-family house under application number COA# HDCRMA-2022-00333. The approved structure is a 2-story Bungalow built c. 2024. The applicant submitted an application for design changes to the approved COA under case number HDCRMAA-2025-00249. That application was denied by the HDC on July 9, 2025.

PROPOSAL:

The proposal is new construction of a single-family structure.

1. Height as measured from grade to ridge is 25.7' at the front elevation.
2. Setback to front porch is 42.2'
3. Right side yard setback is not provided.
4. Left side yard setback is 5.5'
5. Proposed footprint measures approximately 32.4' wide x 50.5' deep, inclusive of the 8' partial width covered front porch and 21.8' wide x 12' deep covered rear patio.
6. Proposed materials include 6/1 aluminum clad windows, 6-lite wood Craftsman-style front entry door, unpainted brick foundation, and smooth finish fiber cement lap siding, Miratec fascia boards, wood tongue and groove beadboard front porch ceiling, wood tongue and groove soffit at the front porch, smooth wood soffit at the rear covered patio, and wood trim bands.
7. Proposed architectural features include a partial width engaged front porch with brick column bases and square Miratec front porch columns, cross gable main roof, gable bump out on the left front of the house, and shed dormers on the rear half of the structure.
8. Two different site plans have been provided – one survey is dated 7/29/2021 and one is dated 4/1/2025 (labeled as "Final Survey").

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Context and Height:
 - a. The proposed new single-family house is 2.8' taller than the tallest historic house in a 360-degree view.
 - i. The new single-family house is proposed to be 25.7' in height, as measured from grade to ridge.
 - ii. The tallest historic house (West Bv) within a 360-degree view is 22.9' in height, as measured from grade to ridge.
 - b. Per the Design Standards for Context, 6.1-6.4 and Height 6.9, number 2, multi-family and institutional buildings are not applicable points of comparison for a proposed new single-family building.
 - i. The applicant provided 501 West Bv, 516-518 Worthington Av, and 520-522 Worthington Av as comparison buildings, but these are institutional and multi-family buildings.
 - c. The Design Standards, Context 6.1-6.4, states that for "proposed new single-family structures, the context is defined as a 360-degree view from the sidewalk in front of the subject parcel."
 - i. 1954 Woodcrest Av is not visible from the subject property.
 - d. Context 6.3, number 5: "Aligning foundations, eave lines, window header heights, and porch heights with adjacent historic buildings is essential with fitting new construction in the historic context."
 - i. The foundation information alleged by the applicant appears to be inaccurate.
 1. 1813 S Mint St
 - a. Applicant Noted: 19"
 - b. Zoutewelle Survey Recorded: 3.2'
 2. 1817 S Mint St – Subject Property
 - a. Applicant Noted: 18"
 - b. Zoutewelle Survey Recorded: 1.7'
 3. 1821 S Mint St
 - a. Applicant Noted: 12"
 - b. Zoutewelle Survey Recorded: 2.2'
 4. 1829 S Mint St
 - a. Applicant Noted: 9"
 - b. Zoutewelle Survey Recorded: 1.7'
 - e. Context 6.4 "The vacant site slated for new construction must relate to the surrounding historic buildings visible from the site. The larger newer (less than 50 years) buildings do not relate to historic dwellings and even though they may be located in the historic district, they are not considered a part of the context for new construction."
 - i. 1912 S Mint St is new construction (less than 50 years old).
 2. Setback/Context/Spacing:
 - a. Setback of proposed house compared to other houses on the street has not been provided.
 3. Roofs:
 - a. All roof slopes need to be labeled, especially dormers.
 - b. The steep slope of roofs extending across the entire front and rear elevations does not match the Bungalow style of architecture, which is incongruous with the Standards for Roof Form 6.13, number 3.
 4. Front Elevation:
 - a. Proportion of front porch beam is wider than typically found on historic buildings.
 - b. Knee wall behind front porch roof adds too much height to the main gable and is inconsistent with the Bungalow style of architecture.
 - c. Lack of adequate fenestration in front gable is incongruous with the Standards for Windows 6.15, number 1.
 - d. Brick detailing along left foundation wall does not match rowlock detail along top of front porch, which is incongruous with the Standards for Trim 6.14, number 1.
 - e. The front porch columns appear disproportionately slender as compared to their brick bases.
 5. Right Elevation, Sheet A4:
 - a. Height and massing of knee wall above at base of gable does not match the Bungalow style of architecture, which is incongruous with Standards for Roofs 6.13, number 3; and the Standards for

Massing 6.8, numbers 1 and 2.

- b. Truncated gable roof is incongruous with Standards for Roofs 6.13, number 3; and the Standards for Massing 6.8, numbers 1 and 2.
- c. Trim bands and eave lines do not align with each other, which is incongruous with Standards for Roofs 6.13, number 5, and Standards for Trim 6.14, numbers 1 and 2.
- d. The amount trim above the triple window bay is disproportionately tall and does not relate to the dimension of other trim on the building.
- e. Blank wall on right gable end is incongruous with Standards for Roofs 6.13, number 5, and Standards for Trim 6.14, numbers 1 and 2.

6. Left Elevation:

- a. Inconsistent trim band sizing, locations, and alignment across the entire elevation is incongruous with the Standards for Trim 6.14, numbers 1 and 2.
- b. The beam/trim above side entry door is too tall, which is incongruous with the Standards for Massing 6.8, number 2, and Standards for Trim 6.14, numbers 1 and 2.
- c. Window placement is too close to roof trim, and rhythm of fenestration in gable is incongruous with the Standards for Windows 6.15, number 1.

7. Rear Elevation:

- a. Lack of adequate fenestration in rear gable.
- b. Proportion of rear covered patio beam is too tall and appears oversized in relation to proposed rear patio columns.

8. Site Plan:

- a. Updated site plan is needed with the following:
 - i. HVAC screening.
 - ii. Front walkway location, dimensions, and materials.
 - iii. Driveway location and material.
 - iv. Dimensions and materials of any areas of hardscape (ex: outdoor fireplace, patio, parking pad, walkways, steps from left side entry).
 - v. Location/size/species of all trees.
 - vi. Identify which trees are remaining, which are to be removed, and which will be protected during construction.
 - vii. Tree protection plan for trees to remain.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION: CONTINUE

1st: SULLIVAN 2nd: HOLTZ

Mr. Sullivan moved to continue the application as the proposed project is incongruous with the following items: context and height since the proposed home is taller than historic houses within a 360 degree view, that multifamily family and institutional buildings are not applicable comparisons, that new construction is not appropriate for comparison, and that 1954 Woodcrest Av is not an appropriate comparison; that foundations, eave lines, window header heights, and porch heights are incongruous with adjacent historic buildings; and the foundation information appears to be inaccurate based on the Zoutewelle streetscape survey. Mr. Sullivan requested the following: that the applicant return with information on setbacks as compared to other houses on the street and that the roof forms be labeled, including the dormers.

He also asked for a restudy of the following: the roof slope as it does not match the Bungalow style of architecture; the front porch since the beam is wider than what is typical on historic buildings; that the main gable is inconsistent with the Bungalow style of architecture; that there is a lack of adequate fenestration; the brick detailing on the left foundation does not match the rowlock detail on the front porch; that the front porch columns appear disproportionately slender for their bases; the truncated gable on the right elevation; the misaligned trim bands and eave lines on the right elevation; that the trim above the triple bay window is disproportionately tall and does not relate to the other trim dimensions on the proposed building; the blank wall on the right gable; the trim band sizing, location, and alignment on

the left elevation is inconsistent and is too tall over the side entry door; the window placements are too close to the roof trim on the left elevation; that the fenestration rhythm on the left elevation; lack of adequate fenestration on the rear gable; the proportion of the patio beam being too tall and oversized in relation to the patio columns; missing information on the site plan including HVAC location and screening, and information, dimensions, and materials for the front walkway, driveway, rear yard hardscapes, fireplace, patio, parking pad, walkway, and steps; a tree protection plan; and information on which trees are to remain and which are to be removed.

He cited Standards 6.13, number 3 for roofs; 6.17 for porches; 6.15-6.16 for windows; 6.8, numbers 1-2 for massing; 6.14, numbers 1-2 for trim; 8.2-8.3 for sidewalks and parking; and 8.5 for trees.

Ms. Holtz seconded the motion.

VOTE: 7/0

**AYES: ALLRED, HOLTZ, SOWASH, STANLEY, SULLIVAN,
TAYLOR, WHITLOCK**

NAYS: NONE

**DECISION: APPLICATION FOR NEW CONSTRUCTION – RESIDENTIAL, PRINCIPAL & ACCESSORY BUILDINGS –
CONTINUED.**

The following cases could not be heard due to time constraints and will be heard at the December 10, 2025 meeting:

- HDCRMA-2025-00652 for 305 Westwood Av
- HDCRMA-2025-00655 for 400 E Worthington Av
- HDCRMIA-2025-00692 for 255 W Park Av

With no further business to discuss, Chair Stanley adjourned the meeting at 7:24 p.m.