



HISTORIC DISTRICT COMMISSION

October 8, 2025 | Room 267

MINUTES

MEMBERS PRESENT: Shauna Bell, Chair, Resident-Owner McCrorey Heights
Nichelle Hawkins, Vice Chair, At-Large
Heather Wojick, Second Vice Chair, At-Large
Christopher Allred, Resident-Owner Wesley Heights
Cameron Holtz, Resident-Owner, Fourth Ward
Christa Lineberger, Planning Commission Representative
Emily Sowash, Resident-Owner Wilmore
Ann Stanley, Resident-Owner Hermitage Court

MEMBERS ABSENT: Sarah Curme, Resident-Owner Dilworth
Sean Sullivan, At-Large
Brett Taylor, Business Operator Of Dilworth
Scott Whitlock, At-Large
Vacant, Resident-Owner Oaklawn Park
Vacant, Resident-Owner Plaza Midwood

OTHERS PRESENT: Kristi Harpst, HDC Staff
Candice Leite, HDC Staff
Jen Baehr, HDC Staff
Marilyn Drath, HDC Staff
Elizabeth Lamy, HDC Staff
JT Faucette, HDC Staff
Paige Inman, Assistant City Attorney
Candy Thomas, Court Reporter

With a quorum present, Chair Bell called the October meeting of the Historic District Commission (Commission) meeting to order at 1:06 p.m. Chair Bell began the meeting by introducing the Staff and Commissioners and explaining the meeting procedure. All interested parties planning to give testimony – FOR or AGAINST – must submit a form to speak and must be sworn in. Staff will present a description of each proposed project to the Commission. The Commissioners and the Applicants will then discuss the project. Audience members signed up to speak either FOR or AGAINST will be called to the podium for each agenda item. Presentations by the Applicants and audience members must be concise and focused on the **Charlotte Historic District Design Standards**. The Commission and Staff may question the Applicant. The Applicant may present sworn witnesses who will be subject to questioning by the Commission and Staff. The Applicant will be given an opportunity to respond to comments by interested parties. After hearing each application, the Commission will review, discuss, and consider the information that has been gathered and presented. During discussion and deliberation, only the Commission and Staff may speak. The Commission may vote to reopen this part of the meeting for questions, comments, or clarification. Once the review is completed, a MOTION will be made to Approve,

Deny, or Continue the review of the application at a future meeting. A majority vote of the Commission members present is required for a decision to be reached. All exhibits remain with the Commission. If an Applicant feels there is a conflict of interest of any Commissioner, or there is an association that would be prejudicial, that should be revealed at the beginning of the hearing of a particular case. The Commission is quasi-judicial body and can accept only sworn testimony. Staff will report any additional comments received and while the Commission will not specifically exclude hearsay evidence, it is only given limited weight. Chair Bell asked that everyone please silence any electronic devices. Commissioners are asked to announce, for the record, if one leaves or arrives during the meeting. Chair Bell requested that those in the audience remain quiet during the hearings. An audience member will be asked once to be quiet and the need for a second request will require removal from the room. Chair Bell swore in all Applicants and Staff and continued to swear in people as they arrived for the duration of the meeting. In accordance with N.C.G.S. § 160D-947(e), subsections (4) and (5), and UDO Article 14.1.M.1, an appeal of quasi-judicial decisions may be made to the Mecklenburg County Superior Court as provided in N.C.G.S. § 160D-1402 within the time specified in N.C.G.S. § 160D-1405(d).

Ms. Holtz moved to approve the September 10, 2025 meeting minutes. Ms. Hawkins seconded the motion, and it passed 7-0.

INDEX OF ADDRESSES:

CONSENT

HDCRMI-2025-00647, 424 E Tremont Av	Dilworth
HDCRMI-2025-00327, 301 W Park Av	Wilmore
HDCRMI-2025-00582, 1957 Wilmore Dr	Wilmore
HDCRMA-2025-00373, 1740 Merriman Av	Wilmore

CONTINUED FROM AUGUST 13, 2025 MEETING

HDCRMA-2025-00325, 1624 Dilworth Rd E	Dilworth
---------------------------------------	----------

CONTINUED FROM THE SEPTEMBER 10, 2025 MEETING

HDCRMA-2024-00336, 3105, 3109, 3113, 3117, & 3121 Colyer Pl	Plaza Midwood
HDCRMA-2025-00247, 1724 Wilmore Dr	Wilmore
HDCRMA-2025-00326, 409 Walnut Av	Wesley Heights
HDCRMAA-2025-00109, 700 Templeton Av	Dilworth

NEW CASES

HDCRMI-2025-00450, 1930 Thomas Av	Plaza Midwood
HDCRMA-2025-00584, 1747 Merriman Av	Wilmore
HDCCMI-2025-00371, 215 E Worthington Av	Dilworth
HDCRMA-2025-00578, 821 Berkeley Av	Dilworth
HDCRDEMO-2025-00651, 2213 Wilmore Dr	Wilmore
HDCRMAA-2025-00648, 409 Walnut Av	Wesley Heights
HDCMFA-2025-00649, 2011, 2015, 2019, 2023, & 2027 Thurmond Pl	Plaza Midwood

CONSENT

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

APPLICATION:**HDCRMI-2025-00647, 424 E TREMONT AV (PID: 12106816) – FRONT STEPS & CHEEK WALLS****EXISTING CONDITIONS:**

The existing building is a 1.5-story Craftsman constructed in 1920. Architectural features include a front gable, full-width front porch supported by columns with brick piers and square columns, an exterior brick chimney, and exposed rafter tails. The lot size measures approximately 50' x 120'. Adjacent buildings are 1 and 1.5-story residential structures.

PROPOSAL:

The proposed project is the expansion of the non-original front steps and the addition of cheek walls. The existing brick steps were built in 2016 during a renovation of the building. The applicant is proposing to expand the front steps from 6 feet wide to 8.5 feet wide. New cheek walls are proposed on each side of the expanded steps. The cheek walls are proposed to be 18 inches wide and 4 feet long. The proposed cheek walls will align with the existing porch column piers. The steps and cheek walls are proposed to be unpainted brick and concrete caps are proposed on top of the cheek walls. The existing concrete front walkway is not proposed to change.

STAFF RECOMMENDATIONS:

Staff has the following comments about the proposal:

1. The project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation numbers 1, 2, 9, and 10, and the City of Charlotte Design Standards for Porches, 4.8.
2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. The new steps and cheek walls will not damage original architectural features.
 - b. The width of the walkway will be tapered to align with the width of the new steps.
 - c. Provide brick and mortar samples to Staff for probable approval.
 - d. All new masonry will be unpainted.
3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS**1st: SOWASH 2nd: HAWKINS**

Ms. Sowash moved to approve the application because the proposed project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation, numbers 1, 2, 9, and 10 as well as the City of Charlotte's Design Standards for porches, 4.8. She added the following conditions outlined in Staff recommendations Item 2, letters a through d.

Ms. Hawkins seconded the motion.

VOTE: 8/0**AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER,
SOWASH, STANLEY, WOJICK****NAYS: NONE****DECISION: APPLICATION FOR FRONT STEPS & CHEEK WALLS – APPROVED WITH CONDITIONS.**

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

APPLICATION:

HDCRMI-2025-00327, 301 W PARK AV (PID: 11908611) – REAR PORCH CHANGES

EXISTING CONDITIONS:

The existing building is a 1.5-story Craftsman constructed in 1931. Architectural features include a side gable roof, full-width front porch supported by columns with brick piers and square columns, a front gable dormer and exposed rafter tails. The lot size measures approximately 50' x 195'. Adjacent buildings are 1, 1.5, and 2-story residential structures.

PROPOSAL:

The proposed project is changes to an existing screen porch on the rear of the building. The applicant is proposing to enclose the screen porch by replacing the screens with casement windows. Material and manufacturer details for the new windows are not provided. It is unclear if the existing porch door on the rear elevation will remain or be replaced. The existing wood siding on the porch is proposed to be replaced with fiber-cement lap siding. Pilasters are proposed at the corners of the porch and flanking the door. The pilasters, trim, and band boards are proposed to be a fiber-cement material. The existing painted brick foundation, roof shape/pitch, fascia, eave/soffits, and exposed rafter tails on the porch will not change. The existing porch steps on the rear will be removed. A new landing and steps from the rear porch and a new deck in the rear yard are also proposed. Materials for the new landing, steps, and deck are not provided.

STAFF RECOMMENDATIONS:

Staff has the following comments about the proposal:

1. The project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation numbers 1, 2, 9, and 10, and the City of Charlotte Design Standards for Porches, 4.8.
2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. The porch changes will be reversible and will not damage original architectural features.
 - b. The original porch fascia, eave/soffits, and exposed rafter tails will remain.
 - c. If the existing non-historic porch door is to be replaced, provide door specifications that meet HDC Standards for Staff approval.
 - d. Provide window specifications that meet HDC Standards for Staff approval.
 - e. Provide detail drawings with dimensions and materials for ganged window trim, door trim, siding, pilasters, band board, landing/steps, and handrails.
 - f. All siding, trim, pilasters, band boards, landing, steps, handrails, and deck will be wood.
3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: HOLTZ 2nd: WOJICK

Ms. Holtz moved to approve the application as it is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation, numbers 1, 2, 9, and 10, as well as the City of Charlotte Design Standards for porches, 4.8. She added the following conditions: that the porch changes be reversible and not damage any architectural features; that the original porch fascia, eave/soffits, and exposed rafter tails remain in place; that if the non-historic porch door is replaced, any new door will meet HDC Standards for approval; that the applicant provide window specifications to Staff for approval; that they provide detailed drawings with dimensions and materials for the ganged window trim, door trim, siding, pilasters, band board, landing, steps, and handrails; and that all siding, trim, pilasters, band boards, landing, steps, handrails, and deck be wood.

Ms. Wojick seconded the motion.

VOTE: 8/0

**AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER,
SOWASH, STANLEY, WOJICK**

NAYS: NONE

DECISION: APPLICATION FOR REAR PORCH CHANGES – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

APPLICATION:

HDCRMI-2025-00582, 1957 WILMORE DR (PID: 11907430) – ACCESSORY BUILDING

EXISTING CONDITIONS:

The existing structure is a 1.5-story Craftsman style single family residence constructed in 2019. Architectural features include a symmetrical façade, a front porch supported by tapered wood columns on brick piers, a front shed dormer, and 3/1 double-hung windows. The lot shape is irregular, and measures approximately 127 feet along the street frontage and 150 feet deep. Adjacent structures are 1 and 1.5-story residential buildings.

PROPOSAL:

The proposed project is a shed in the rear yard and firepit.

Typically, sheds in the rear yard can be approved by Staff. However, due to the visibility of the rear yard from the street, the shed requires review by the Commission. The proposed shed footprint measures approximately 10'-0" x 12'-0" and is approximately 11'-0" tall, as measured from grade to ridge. The shed includes a covered porch on the street facing side that measures approximately 7'-0" x 12'-0". A single-entry door and a slider window are proposed on the left elevation, which faces towards the principal building. The shed is proposed to have vertical siding and an asphalt shingle roof.

A firepit, firepit patio, and an expansion of the parking area in the rear yard are also proposed and can be approved by Staff. Post-construction, the rear yard impermeable area will be approximately 41%.

STAFF RECOMMENDATIONS:

Staff has the following comments about the proposal:

1. The project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation numbers 9 and 10, and the City of Charlotte Design Standards for Accessory Buildings, 8.10 and Standards for Private Sites, Landscaping and Lawns, 8.4.
2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. Trim will be added to the shed porch columns to reflect more traditional dimensions.
 - b. A single window (at minimum) will be added to the blank wall under the porch on the street facing side or the shed will be rotated so that the door and window face the street.
 - c. Wood battens will be added over any visible grooves in the vertical siding.
 - d. Minor changes may be approved by Staff.
3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: STANLEY 2nd: LINEBERGER

Ms. Stanley moved to approve the application as the project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation, numbers 9 and 10, as well as the City of Charlotte Design Standards for accessory buildings, 8.10, and for private sites, landscaping and lawns, 8.4. She added the following conditions: that trim be added to the shed porch columns to reflect more traditional dimensions; that a single window, at minimum, be added to the blank wall under the porch on the street-facing side, or that the shed be rotated so that the door and window face the street; that wood battens be added over any visible grooves in the vertical siding; and that minor changes may be approved by Staff.

Ms. Lineberger seconded the motion.

VOTE: 8/0

**AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER,
SOWASH, STANLEY, WOJICK**

NAYS: NONE

DECISION: APPLICATION FOR ACCESSORY BUILDING – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

RECUSED: SOWASH

APPLICATION:

HDCRMA-2025-00373, 1740 MERRIMAN AV (PID: 11909408) – ACCESSORY BUILDING

EXISTING CONDITIONS:

The existing structure is a 1-story American Small House constructed c. 1948. Architectural features include a symmetrical façade with a projecting front gable supported by replacement metal columns, exterior brick chimney, and 1/1 replacement windows. The entire house is wrapped in vinyl and aluminum. The lot size is approximately 50' x 141'. Adjacent structures 1-story American Small Houses.

On January 11, 2023 the Commission approved the new construction of a single family residence under application number HDCRMA-2022-00524, and the COA has been issued. The demolition of the principal building was approved by the Commission on July 9, 2025 under application HDCRDEMO-2025-00252, and the COA has been issued.

PROPOSAL:

The proposed project is an accessory building in the rear yard. Typically, accessory buildings in the rear yard can be approved by Staff, however, due to the visibility of the proposed accessory building from the driveway, this application requires Commission review. The proposed accessory building's footprint is approximately 21'-8" by 23'-0". The height of the proposed accessory building, as measured from grade to ridge, is approximately 18'-9 ¼". Proposed materials include an unpainted brick foundation, siding (type, material, and exposure not provided), 6/6 windows (specifications not provided), and asphalt shingle roofing. The garage door, entry door, window/door trim, and soffits will be wood.

STAFF RECOMMENDATIONS:

Staff has the following comments about the proposal:

1. The project is not incongruous with the district and meets the Secretary of the Interior's Standards for

Rehabilitation numbers 1, 2, 9, and 10, and the City of Charlotte Design Standards for Accessory Buildings, 8.10.

2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. A single window (at minimum) that matches the other windows on the accessory building will be added to the rear elevation to break up the solid wall.
 - b. Provide information on the siding (type, material, and exposure) to Staff for probable approval.
 - c. Provide window and door specifications that meet HDC Standards to Staff for probable approval.
 - d. Provide detail drawings with dimensions and materials for window and door trim to Staff for probable approval.
 - e. All trim, including window/door trim, rakeboards, fascia, soffits, frieze, cornerboards, etc. will be wood.
 - f. Provide brick and mortar samples to Staff for probable approval.
 - g. All new masonry will be unpainted.
3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: ALLRED 2nd: HOLTZ

Mr. Allred moved to approve the project as it is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation, numbers 1, 2, 9, and 10, as well as the City of Charlotte Design Standards for accessory buildings, 8.10. He added the following conditions for the permit-ready plans that shall be submitted to Staff: that a single window that matches the other windows on the accessory building be added to the rear elevation; that the applicant provide information on the siding type, material, and exposure to Staff for approval; that the applicant provide window and door specifications that meet HDC Standards to Staff for approval; that detail drawings with dimensions and materials for window and door trim be provided to Staff for approval; that all trim, including window and door trim, rake boards, fascia, soffits, frieze, and corner boards, are made of wood; that brick and mortar samples be provided to Staff for approval; and that all new masonry remain unpainted.

Ms. Holtz seconded the motion.

VOTE: 7/0

AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER, STANLEY, WOJICK

NAYS: NONE

DECISION: APPLICATION FOR ACCESSORY BUILDING – APPROVED WITH CONDITIONS.

CONTINUED FROM THE AUGUST 13, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

RETURNED: SOWASH

APPLICATION:

HDCRMA-2025-00325, 1624 DILWORTH RD E (PID: 12311214) – ADDITION & ACCESSORY BUILDING

This application was continued from the August 13, 2025 meeting for the following items:

The proposed project is incongruous with the Design Standards for the following items:

1. Provide some examples on cantilevered roofs on principal structures and accessory structures, per Standards for Context, 6.1-6.4.
2. Restudy on the cantilevered roof on the addition and accessory structure per Standards for Massing, 6.8; Roof Form and Materials, 6.13; and Cornices and Trim, 6.14.
3. Review the scale and massing of the accessory building, per Standard 8.10. Review the scale and massing in not just the style of the ADU compared to the existing house but also as it relates to how the ADU is scaled and the impact on the massing and appearance of bulk.
4. The Commission has only reviewed this application for high-level items and has not commented on any details, construction details, or material selections.

EXISTING CONDITIONS:

The existing structure is a 2-story Colonial Revival built c. 1938. Architectural features include a side gable with a large intersecting second story pediment gable portico, with a lunette in the center of the pediment. The portico spans most of the front elevation and features dentils, a decorative frieze board, and undersized square columns with trim. The structure, right-side chimney, and left-side one-story bump-out are all unpainted brick with wood trim and details. The windows are 6/6 and the front door is a solid wood 6 panel door with sidelights and an arched transom. Lot size measures approximately 60' x 155.64'. Adjacent structures are 1, 1.5, and 2-story residential buildings.

PROPOSAL:

The proposal is a rear addition to the principal building, new accessory building, and site work.

Proposed Rear Addition

- The existing rear porch and patio will be removed and replaced with a new 2-story addition, with a wraparound cantilevered roof over the right-side first floor.
- Height of the addition, as measured from grade to ridge, is not provided. Height, as measured from finished floor to ridge is 25'- 11 ½". The ridge of the new addition will tie-in 3'-0" - 2 ¾" beneath the original ridge of the historic house. See Sheets HDC-5 and HDC-7.
- The addition will step-in from the rear corner of the original house on the left-side and will wrap around the rear corner on the right-side. Left-side step-in dimension not provided. Right-side extension, from thermal wall to thermal wall, dimension is 4'-4". Right-side cantilevered roof dimension is not provided.
- The footprint of the new, 2-story addition measures approximately 33'-7 ½" x 10'-5". See Sheet HDC-3.
- The addition is proposed to have a first-floor cantilevered roof. The cantilevered roof dimensions not provided. Materials include Craftsman style wood structural outriggers and a standing seam metal roof. See Sheets HDC-3, HDC-6, and HDC-7.
- Proposed materials are a 7" exposure Hardie Artisan lap siding with metal corners, unpainted brick siding to match existing with rowlock cap flashed in copper, unpainted brick foundation, 5/4 x 10 lap siding base around first floor (material unknown), asphalt shingles, 6/6 aluminum-clad windows, aluminum-clad French doors, trim and detail material unknown, and steel railing on Juliette balcony.

Proposed Accessory Building

- The new garage accessory structure is proposed to be 2-stories. Height, as measured from grade to ridge, is 21'-5 ½", and is approximately 6'-8 ½" below the main ridge. See Sheets HDC-5 and HDC-7.
- The footprint of the new garage measures approximately 32'-5 ½" x 26'-8". See Sheet HDC-3.
- The garage is proposed to have a first-floor cantilevered roof to match the roof on the new addition of the main house. The cantilevered roof dimensions not provided. Materials include Craftsman-style wood structural outriggers and an asphalt shingle roof. See Sheet HDC-3, HDC-6, and HDC-7.
- Proposed materials are a 7" exposure Hardie Artisan lap siding with metal corners, unpainted brick foundation, base and trim band (material unknown), asphalt shingle roof, 6/6 aluminum-clad windows, aluminum-clad French doors, and trim and detail material unknown.
- Post-construction the rear-yard impermeable area will be 39.53%.

Site Work – Can be Staff approved.

- Adding a wood trash enclosure to the right-side of the main structure. Dimensions not provided.
- Lower an existing brick wall in the rear yard. Dimensions not provided.
- Add brick and pea gravel walkways and a patio. Dimensions not provided.
- Add a chicken coop, if permitted per Zoning. Material and dimensions not provided.

Revised Proposal – October 8, 2025

- Revised presentation provided.
- ADU and site work has been eliminated from proposed project.
- Height of the addition, as measured from grade to ridge, is 26' - 6".
- The ridge of the new addition will tie-in 3' - 0 ¼" beneath the original ridge of the historic house.
- Cantilevered roof over rear patio has been eliminated.
- New rear covered porch has been added with wood columns to match existing.
- Rear covered porch flooring material not provided.
- Driveway to be replaced. Dimensions not provided.
- New post-construction rear-yard impermeable area will be 16.4%.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Doors & Windows, and Rhythm:
 - a. Match single window sizes on addition to single window sizes on the main house.
 - i. Single window sizes on the rear and left seem narrow.
 - b. Center window on first floor right elevation.
2. Materials and Details:
 - a. Provide brick/mortar sample to Staff for probable approval.
 - b. Confirm all trim and details will be wood.
 - c. Provide window and door specifications to Staff for probable approval
 - d. Provide covered porch material and dimensions.
3. Site Work:
 - a. Provide driveway dimensions to Staff for probable approval.
4. Minor details may be approved by Staff.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: LINEBERGER 2nd: WOJICK

Ms. Lineberger moved to approve the application because it is not incongruous with the district and meets the Secretary of the Interior's Standards, 2.5, and the Design Standards for new construction, Chapter 6, and for additions, 6.20 to 6.24. She added the following conditions: that the applicant gets Staff approval for all trim and wood details; that all trim and details be wood; that the applicant provide a brick and mortar sample to Staff for approval; that the applicant provide window and door specifications to Staff; that the applicant provide covered porch materials and dimensions; and that they provide driveway dimensions to Staff for approval.

Ms. Wojick seconded the motion.

VOTE: 7/1

AYES: BELL, HAWKINS, HOLTZ, LINEBERGER, SOWASH, STANLEY, WOJICK

NAYS: ALLRED

CONTINUED FROM THE SEPTEMBER 10, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

APPLICATION:

HDCRMA-2024-00336, 3105, 3109, 3113, 3117, & 3121 COLYER PL (PID: 09506133, 09506134, 09506135, 09506136, & 09506137) – CHANGES TO AN APPROVED CERTIFICATE OF APPROPRIATENESS – AFTER THE FACT

This application was continued from the September 10, 2025 meeting for the following items:

The following items were continued for additional review and rework based on the fact that the details do not meet the current Design Standards and are lacking information that was previously approved.

1. Doors and Window Changes, per Design Standard 6.15.
 - a. Requesting a restudy of the second and third-floor windows anywhere that was changed from the approved design for the window type and/or glass size, so that the lower window presents itself as being equal or bigger than the top window, because the proportions of the light as existing is inconsistent with our standards. [Slide 4 of the supplement]
 - b. Resubmit an alternative door configuration that meets our Design Standards. [Slide 5 of the supplement]
2. Boxing Details and Gutter Changes per Design Standard 6.14.
 - a. The boxing details for the roof rakes and soffits are still inconsistent with each other. They typically don't match what was presented, but they also don't match each other in solution. There needs to be some consistency in the boxing detail. We approved an angled soffit, and we have been presented with a square boxed soffit and an angled soffit in different locations. [Slide 6 of the supplement]
 - b. We do want the gutters to be reflected appropriately, as well, but that boxing information and the gutter information needs to be addressed as presented on that page. [Slide 6 of the supplement]
3. Column and Header and Bracket integration, per Design Standards for Masonry 5.5 and Cornices and Trim 6.14
 - a. The overall project needs to be reviewed for bracket size and scaling. The column and header and bracket integration as approved on the drawings have a minimal offset between the header and the column. Reevaluate the dimensional offset between the column and the header and how the bracket size and integration worked with those design details, how the bracket worked with the column and the header and how they connect to each other, but also the bracket size specifically. [Slide 7 of the supplement]
 - b. We do want the three panel. Restudy the diagonal design as it is inconsistent with our Design Standards. Provide more information about the waterproofing and technical applications of installing siding vertically versus horizontally versus diagonally and how those are impacted from a performance standpoint. Provide technical documentation to support your proposed changes. [Slide 9 of the supplement]
 - c. Provide technical information to support the through-wall flashing and why that is required for this application. [Slide 10 of the supplement]

EXISTING CONDITIONS:

The property at 2010 The Plaza is the VanLandingham Estate, a designated local historic landmark. The four-acre property has two accessory buildings with fairly dense landscaping.

On May 12, 2021, the Commission approved the construction of four new buildings that comprise a total of 22 townhomes under application number COA# HDCRMA-2020-00467. Design changes to Building One, which faces The Plaza, were approved by the Commission on April 13, 2022 under COA# HDCRMA-2022-00236. The construction of the other three buildings each have their own individual COA.

Building One Approval Summary:

- The height of Building One is 33'-6", measured from grade to ridge at the tallest point (the unit facing The Plaza).
- The building setback is approximately 55'-2" from back of curb to front thermal wall.
- Materials include Nichiha Savannah smooth lap siding, Miratec windowsills and soffits, corner boards that sit proud of the siding, and brick.
- The windows are Jeld-Wen 2500-series double-hung wood with traditional wide rails, 1/1 lite pattern, 3" fiber cement brickmould, and brick rowlock sill.
- The entry doors are wood, and the garage doors are the Wayne Dalton 9510 six light steel overlay garage doors in a carriage house style, with hardware added to the double-doors to give the appearance of separate doors.
- Roofing material is asphalt shingle with wood fascia and decorative brackets.
- On the front unit facing The Plaza, the front walkway connecting to The Plaza is pea gravel, approximately 5' wide.

PROPOSAL:

This project is in the enforcement process. Staff conducted a final inspection on Building One on March 27, 2024, and found that the constructed project did not match the COA approved plans. The deviation from approved plans is found on all 4 elevations. Staff is unable to approve many of the design changes. The applicant is proposing to come into compliance by requesting the Commission's approval of design changes to Building One, which faces The Plaza and Colyer Place. The applicant is also requesting that if these changes are permitted, that Staff be able to approve the same changes to Building 4, as applicable.

The changes include:

Overall height changes, all elevations (Page A.1 – A.4; S.1 – S.6)

- a. North, South, and West elevation approved height is 33'-6"; as-built height is 31.28'.
- b. East elevation approved height is 28'-2"; as-built height is 23.56'.

Roof changes – North, South, & West Elevations (Page A.1 – A.2, A.4; S.2 - S.6)

- a. Shallower roof pitches than approved on certain dormers.

Window changes, all elevations (Page A.1 – A.4; S.1 – S.6)

- a. Style
 - i. Type (i.e. casement in place of double-hung)
 - ii. Quantity (single window used where double window was indicated)
- b. Lite pattern.
- c. Window size opening.
- d. Proportion of window (vertical orientation vs horizontal orientation).

Door changes, South Elevation (facing Colyer Pl), North Elevation (facing VanLandingham Estate), & East Elevation (facing driveway) (Page A.1 – A.4; S.1– S.6)

- a. Front entry door style and lite pattern.
- b. Back door style and lite pattern.

Foundation changes, all elevations (Page A.1 – A.4; S.1 – S.6)

- a. Foundation heights changed from approved plans due field changes in grade.
- b. Handrails and guardrails for porches, patios, and stoops were eliminated.

Cornices and Trim changes, all elevations (Page A.1 – A.4; S.1 – S.6)

- a. Cornice and trim details do not match the COA and are proportionally incorrect and/or are missing.

Elevation detail changes:

- a. South, East, & West Elevations (Page A.1 & A.3; S.1, S.4 – S.5)
 - i. Paneling details (with diagonally oriented lap siding) on window bay bump-outs.
 - ii. Size of panels differs in various locations.
 - iii. Some areas where three panels were indicated were built as two larger panels.
- b. North Elevation (Page A.4; S.2 - S.3)
 - i. Misalignment of certain windows to defining eave/trim details.
 - ii. Misalignment of certain windows from third to second floor.
 - iii. Lighting location moved from approved location next to door to above the doors.
- c. South & West Elevations (Page A.1-A.2; S.4 - S.6)
 - i. Cornice, fascia, and brick sill detail changes.
- d. North & South Elevations (Page A.2 and A.4; S.2 - S.3, S.5 - S.6)
 - i. Smooth panel siding installed on dormers instead of lap siding.
- e. South Elevation (Page A.2; S.5 - S.6)
 - i. Proportion of brick between top of garage door and bottom of second story window is taller than approved elevation.

Staff approvable changes include:

- a. Omission of some decorative brackets.
- b. HVAC screening change.
- c. Handrails to one set of entry stairs as required by Building Code.
- d. Garage door lite pattern.
- e. Rear patio door style and lite pattern.

The project is considered an After-the-Fact review, with the Commission reviewing the project on its merits as if work has not yet occurred.

Revised Proposal – September 10, 2025

1. Windows and Doors Changes:

Items provided by Applicant:

- a. As-built window schedule, with specific windows notated as not meeting egress requirements.
- b. Additional notes explaining the window changes for the South and North Elevation of Unit 3105.

Items not provided by Applicant:

- a. A restudy of the windows on the North elevation regarding misalignment of windows from third floor to second floor.
- b. A restudy for the windows on the South Elevation of Unit 3105 regarding modifications to the second floor and third-floor windows.
- c. Restudy of the door designs.

2. Cornice and Trim Changes:

Items provided by Applicant:

- a. Proposals for trimming gutters at eave intersections.

Items not provided by Applicant:

- a. Revised cornice information for the entire building.
- b. Further review of bracket locations, size, and scaling for the entire building.

3. Column Details:

Items provided by Applicant:

- a. Additional photos of front porch column caps of Unit 3105.

Items not provided by Applicant:

- a. No new information or proposal regarding column caps.

4. Elevation Changes:

Items provided by Applicant:

- a. Mass reduction techniques are proposed on the South Elevation above the garage doors.
- b. Restudy of the three-panel detail below triple windows.
- c. Requested lighting restudy partly provided, with an alternate exterior light fixture selection on the South Elevation.
- d. Additional information regarding masonry flashing.

Items not provided by Applicant:

- a. New lighting locations as shown are above the garage doors.
- b. No revisions to the brick sills and flashing engagement.

Revised Proposal – October 8, 2025

1. Doors and Window Changes

Items provided by Applicant:

- a. A written proposal to source custom wood window sashes to bring certain second and third-floor windows into compliance with the Design Standards.
- b. A response providing written door style information for primary public street facing doors, secondary public street facing doors, and private street and alley facing doors.
- c. A small detail drawing of the proposed primary public street facing door has been provided.

Items not provided by Applicant:

- a. Any drawing or visual of the windows on the North Elevation regarding misalignment of windows from third floor to second floor.
- b. Any drawing or visual of the windows on the South Elevation of Unit 3105 regarding modifications to the second floor and third-floor windows.
- c. Shop drawings for proposed custom window sashes.
- d. Any other drawings, photos or product information for the requested door restudy.

2. Boxing Details and Gutter Changes

Items provided by Applicant:

- a. A written proposal to rebuild all boxing details and a request to work with Staff to provide details for each condition when selective demolition begins.

Items not provided by Applicant:

- a. Revised drawings/photos of boxing detail solutions.
- b. Revision of appropriate gutter placement.

3. Column and Header and Bracket Integration

Items provided by Applicant:

- a. Dimensioned bracket detail drawings for (2) different sized roof brackets.
- b. Detailed as-built section drawing of front porch column and bracket integration.
- c. Written narrative discussing changes in the three-panel design with diagonal siding from original COA to current conditions.
- d. Written request to change the center bay of the three-panel element from vertically oriented siding to horizontal, or to return the three-panel element to approved detailing in original COA.
- e. Detail drawing of through-wall flashing for standing seam roof head abutment at brick.
- f. The 2018 NRCA (National Roofing Contractors Association) Roofing Manual: Architectural Metal Flashing and Condensation and Air Leakage Control. Project specific information is indicated by the Applicant with blue boxes.
- g. Written proposal to cut flashing down to terminate under brick rowlock detail above front porch roof.

Items not provided by Applicant:

- a. Specific information regarding what size of bracket is located where on the entire building.

- b. Waterproofing information and technical information about siding application in various orientations (vertically vs horizontally vs diagonally).

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Doors and Window Changes

- a. Door style proposal is for primary public street facing doors to return to the 3-light Craftsman-style wood door from the original COA, the secondary public street facing doors will return to 6-light doors from the original COA, and private street and alley facing doors will remain full light doors.
- b. The full light private street and alley facing doors are incongruous with Design Standard 6.15, number 3.
- c. Relate door openings for new construction to historic context, per Design Standard 6.15, number 1, letters a-d.

Applicant to provide:

- a. Revised drawing or visual of the windows on the North Elevation of Unit 3105 proposed changes to the second and third floor windows.
- b. Revised drawing or visual of the windows on the South Elevation of Unit 3105 showing proposed modifications to the second floor and third-floor windows.
- c. Shop drawings for proposed custom window sashes.
- d. Revised drawings or visual for the requested door restudy showing how the proposed doors will look when installed.

2. Boxing Details and Gutter Changes

Applicant to provide:

- a. Revised drawings/photos of boxing detail solutions – what the solutions will look like, and where each solution will occur on each elevation.
- b. Revised drawing or visual of appropriate gutter placement and those revisions incorporated on each elevation.

3. Column and Header and Bracket Integration

Applicant to provide:

- a. Revised elevation drawings indicating where each size of bracket is currently located and where any missing brackets will be installed.
- b. More guidance or an outline to indicate how to refer to the information provided in the NRCA Roofing Manual.
- c. Product specification/installation instructions, as well as waterproofing technical information about siding application in various orientations (vertically vs horizontally vs diagonally).

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: WOJICK 2nd: ALLRED

Ms. Wojick moved to approve the application as it is not incongruous with the Design Standards for new construction, Chapter 6. She added the following conditions: that the entry door be a wood Craftsman-style door with one third of it being glass; that any entry door be a Craftsman-style door; that any changes to the soffit, rake, gutter, and column header details beyond what is presented in the Agenda Supplement on page 16 be sent to Staff for approval; that the brackets are tall enough to engage with the vertical elements of the trim behind the face of the fascia board and that the angle of the kickers remain consistent with the kicker location varying on the depth of the horizontal top plate as shown on page 15 of the Supplement; that the final bracket design be submitted to Staff for review; that the brick rowlock sill of the windows be exposed and the flashing be adjusted as needed to meet construction requirements; and that the siding on the center bay be vertical lap siding. She added the Standards for doors and window, 6.15; for cornices and trim, 6.14; for materials, 6.18; and masonry, 5.5.

Mr. Allred seconded the motion.

VOTE: 8/0

**AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER,
SOWASH, STANLEY, WOJICK**

NAYS: NONE

**DECISION: APPLICATION FOR CHANGES TO AN APPROVED CERTIFICATE OF APPROPRIATENESS – AFTER THE FACT –
APPROVED WITH CONDITIONS.**

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

RECUSED: WOJICK

APPLICATION:

HDCRMA-2025-00247, 1724 WILMORE DR (PID: 11909510) – ADDITION

This application was continued from the September 10, 2025 meeting for the following items:

The proposed project is incongruous with the Design Standards for the following items:

1. Massing, 6.8; Height & Width, 6.9; Scale, 6.10; and Roof Form, 6.13:
 - a. Applicant to restudy the coplanar dormers, possibly looking at a four to six-inch reduction in width offset.
 - b. Applicant to explore raising the header heights on the addition's windows and doors to be consistent with the existing structure.
2. Foundation, 6.12, number 1:
 - a. Relate the height of the new foundation to the height of foundations on historic buildings found within the context of the new building when lowering grade to achieve greater overall height to the new building.
3. Doors & Windows, 6.15-6.16:
 - a. Request the applicant to explore moving the two windows in the gable ends down and away from the brackets.
4. Porches, 4.8:
 - a. Applicant to restudy the rear porch column and beam, specifically engaging the column that is closest to the side of the house.
5. Sidewalks and Parking, 8.2, number 8:
 - a. Applicant to confirm there is a driveway strip and allow 12 to 24 inches of planting strip between the driveway and the side of the house.
6. Chimneys 4.7, number 4:
 - a. Removal of the secondary chimney congruent with our Standards and that the applicant reuse those bricks as indicated in their application.

EXISTING CONDITIONS:

The existing structure is a 1-story Bungalow built in 1933. Architectural features include a full-width front porch with painted brick and wood columns, a front gable roof with wood shake siding, a painted brick foundation, German lap and vinyl siding, 3/1 and 1/1 double-hung windows, a central unpainted brick chimney, and a right-side brick chimney with painted brick below the roofline. Lot size is approximately 50' x 227.50'. Adjacent structures are 1 and 1.5-story single-family structures.

PROPOSAL:

The project is a rear addition, with covered deck, that is taller and wider than the existing structure. The upper addition raises the main ridge approximately 3'-10". The existing rear shed, and deck will be removed. The proposed overall first-floor footprint measurements approximately 36'-0" x 32'-8". Materials include an unpainted parged block foundation, 5/16" thick lap siding (material and reveal not provided), 3/1 double-hung wood windows with trim to match existing, wood handrails on the side entry, and a shingle roof to match existing. Materials for trim and details not provided. Driveway dimensions not provided. Rear yard permeability not provided. Tree information not provided.

Revised Proposal – September 10, 2025

- Revised presentation provided.
- Massing, height & width, and roof restudy provided.
- Revised footprint measures approximately 38'-0" x 28'-8", with bump-in.
 - Bump-in happens at the 22'-0" mark moving back from the start of the addition.
 - Bump-in dimension not provided.
- Two height increase options.
 - Option 1: Height Increase 3'-6"
 - Option 2: Height Increase 4'-6"
- Revised site plan provides driveway and tree information.
- Siding is proposed to be Hardie Artisan and wood shake. Main structure is all wood.
- Windows are proposed to be Sierra Pacific wood double-hung.
- Brackets are proposed to be wood. No other trim detail material provided.
- Column and beam detail provided.
- Replace existing concrete front porch steps with unpainted brick steps.
- Replacement of the front porch handrails with new wood handrails.
- Removal of a secondary chimney proposed.
- The addition of a Hardie Artisan 12'-0"x 10'-0" shed proposed.
- Rear yard post-construction impervious is 17%

Revised Proposal – October 8, 2025

- Revised presentation provided.
- Coplanar dormer walls eliminated. Dormers moved in 0'-6".
- Window and door header height fixed to match existing.
- Foundation fixed to be in-line and match existing.
- Gable end windows have been moved down as requested.
- Column locations updated.
- Existing driveway planting strip to remain.
- Applicant intends on reusing chimney brick for steps.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Materials
 - a. Confirm all trim and details will be wood.
 - b. Confirm Hardie Artisan lap siding will match existing wood siding exposure.
 - c. Provide window and door specifications to Staff for probable approval.
2. Accessory Building
 - a. The Commission will determine if the accessory building meets the Standards.
3. Minor details may be approved by Staff.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS**1st: HOLTZ****2nd: HAWKINS**

Ms. Holtz moved to approve the project because it is not incongruous with the district or the Secretary of the Interior's Standards. She cited the Design Standards for massing, 6.8, for doors and windows, 6.15, and for additions, 6.21. She added the following conditions: that all trim and details be wood; that the Hardie Artisan lap siding match the existing wood siding exposure; that the window and door specifications be delivered to Staff; that the applicant provide a repositioning of the windows on the accessory building to Staff in order to make them consistent with the Bungalow style; and that any other minor details be submitted for Staff approval.

Ms. Hawkins seconded the motion.

VOTE: 6/1**AYES: BELL, HAWKINS, HOLTZ, LINEBERGER, SOWASH, STANLEY****NAYS: ALLRED****DECISION: APPLICATION FOR ADDITION – APPROVED WITH CONDITIONS.**

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

RETURNED: WOJICK

APPLICATION:**HDCRMA-2025-00326, 409 WALNUT AV (PID: 07101312) – ACCESSORY DWELLING UNIT (ADU)**

This application was continued from the September 10, 2025 meeting for the following items.

The proposed project is incongruous with the Design Standards for the following items:

1. Massing, 6.8; Height & Width, 6.9; Scale, 6.10; Size, 6.5-6.6; and Accessory Structures, 8.10:
 - a. Applicant to restudy massing, height and width, scale, and size.
 - b. Eliminate the overall height and potential footprint of the structure, special attention to be made to the elevation, height of the walls and how they're impacting the overall height of the structure itself.
2. Doors & Windows and Rhythm, 6.15-6.16:
 - a. Restudy window and door fenestration and rhythms.
3. Accessory Buildings, 8.10, number 3:
 - a. Provide accurate drawings. Depict the actual existing conditions of the main structure for review in comparison to the new ADU design.

EXISTING CONDITIONS:

The existing structure is 1-story Craftsman constructed c. 1930. Architectural features include a wrapped porch on the left-side with painted stucco columns, painted stucco siding, wood shake gable ends with 4-lite window and shutters, a red brick chimney located on the front-left side, concrete front steps with stucco wingwalls at the porch, and concrete steps to the public sidewalk. Features also include wood double-hung 6/1 windows and a wood fan light front door. The lot size is approximately 55.71' x 187.50'. Adjacent structures are 1, 1.5, and 2-story residential buildings.

PROPOSAL:

- The proposed project is a one-story Accessory Dwelling Unit (ADU).
- The footprint of the new garage measures approximately 39'-8" x 27'-2". See sheet A-3.0.
- The height, as measured from grade to ridge, is approximately 16'-6". 1'-8" will be subgrade. See sheet A-3.1.
- Proposed materials include unpainted brick foundation, stucco, wood cedar shake in the gable ends, wood trim and details, and architectural shingle roof. See sheet A-4.1.

- Windows are proposed to be wood double-hung 1/1 and 4-light Simulated True Divided Lights (STDL) with wood trim. Material specification sheet not specified. Trim detail drawing not provided. See sheet A-4.1.
- Doors proposed to be wood. Material specification sheet not specified. See sheet A-4.1.
- Post-construction, the rear-yard impermeable area will be 26.69%. See sheet A-0.

Revised Proposal – October 8, 2025

- Revised presentation provided.
- Updated drawings provided.
- New height as measured below grade to ridge is 16'-0".
- ADU sits 1'-8" below grade.
- Below grade, the ADU is 1'-0 ¾" below the main structure.
- New proposed footprint measures approximately 39'-8" x 27'-4".
- Roof pitch changed from 6.5/12 to 6/12.
- Two material options provided.
- 1-story ADU examples provided.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. **Massing, Height and Width, Scale, and Size:**
 - a. Accessory buildings should be clearly secondary, especially in scale, massing, and other architectural elements, per Standards 8.10, number 3 and 6.5-6.6.
 - b. Provide 3D perspective drawings.
2. **Doors & Windows, and Rhythm:**
 - a. Restudy fenestration on left elevation.
 - b. Provide brickmold window trim detail.
 - c. Restudy ganged window mullion trim.
 - d. Provide window and door specifications to Staff for probable approval.
3. **Materials and Details:**
 - a. Design Option 1 is preferred.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: WOJICK 2nd: HAWKINS

Ms. Wojick moved to continue the application for a restudy of the following items: reduction of massing, height, width, scale, and size for the accessory structure; review of the roof lines, style, and eave heights; consistency of header heights and how that impacts the complexity of form; the door and window rhythm; and the roof pitches and number of gable roof lines and that impact on the overall massing and presentation of the structure.

She cited the following Standards: for accessory buildings, 8.10; for setbacks, 6.5; for spacing, 6.6; for massing and complexity of form, 6.8; for height, 6.9; for scale, 6.10; and for roof forms and materials, 6.13.

Ms. Hawkins seconded the motion.

VOTE: 8/0

AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER, SOWASH, STANLEY, WOJICK

NAYS: NONE

DECISION: APPLICATION FOR ACCESSORY DWELLING UNIT – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

APPLICATION:

HDCRMAA-2025-00109, 700 TEMPLETON AV (PID: 12305619) – MATERIAL CHANGES – AFTER THE FACT

This application was continued from the September 10, 2025 meeting for the following items:

Applicant to provide at least one brick stain example, four-foot-by-three-foot minimum, with the brick that is currently on the building. Treated with various levels of stain and dilution. The applicant can use for guidance on stain colors the information that they've provided to us in the agenda supplement, pages eight, nine, and ten, as a guide for potential colors. Once it has been stained have qualities of more like a glaze versus a paint and that the stain has more of a traditional-looking appearance and color and texture, per Standard 5.5 for Masonry.

EXISTING CONDITIONS:

The original structure was a 1-story brick house constructed in 1936. The lot size is approximately 50' x 148'. Adjacent residential structures are a mix of 1 ½ and 2-story structures. A multi-family development is located behind the house.

A 365-day stay of demolition was placed on the property on July 13, 2016 (Case# HDC 2016-123).

The HDC approved an addition and accessory building on this site under application number HDC 2016-274 at the March 8, 2017 meeting. Under the approval, COA# HDC 2016-274, the original brick exterior was to remain, with new brick added to match existing.

The original brick was completely removed and new brick/mortar that does not match the original historic brick was installed. Neither the removal of the brick nor the new brick was approved by either the Commission or Staff.

At the April 12, 2023 meeting, a proposal to stain the new brick a more traditional brick color was denied by the HDC (under application number HDCRMAA-2023-00061).

PROPOSAL:

Proposal – July 9, 2025

The applicant's proposal includes two options:

Option 1: Keep brick exterior as constructed on the principal structure. Brick is Evelyn Bay Grey. Applicant's Presentation indicates they will bring a physical sample to the meeting.

Option 2: Bring the color of the new brick into compliance with the originally approved project (COA# HDC 2016-274), by staining the new brick a traditional red color using a Beek stain, color C-142. Applicant's presentation indicates they will bring a physical sample of the Evelyn Bay Grey brick stained with the proposed Beek stain to the meeting.

The project is considered an After-the-Fact review, with the Commission reviewing the project on its merits according to the Design standards as if work has not yet occurred.

Revised Proposal – September 10, 2025

- Via email dated 8/25/2025, Applicant to provide physical sample of stained brick on September 10, 2025, HDC meeting day.
- Stain manufacturer is KEIM, color unknown.

Revised Proposal – October 8, 2025

- Via email dated 9/19/2025, Applicant to provide physical sample of stained brick on October 8, 2025, HDC meeting day.
- Stain manufacturer is KEIM, color to match a traditional red brick color typical of other historic houses on Templeton Place.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. The Commission is to decide if staining the existing brick a more traditional red meets the Design Standards.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: ALLRED 2nd: STANLEY

Mr. Allred moved to approve the application as the project is not incongruous with the special character of the district as described in Chapter 3 of the Design Standards and is consistent with the Secretary of the Interior's Standards for Historic Rehabilitation. He cited the Standards for masonry, 5.5, and materials, 6.18. He added the condition that the adjacent grade area be protected until landscaping is installed to maintain the condition of the brick to match Applicant's Exhibit Number 1.

Ms. Stanley seconded the motion.

VOTE: 8/0

**AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER,
SOWASH, STANLEY, WOJICK**

NAYS: NONE

DECISION: APPLICATION FOR MATERIAL CHANGES – AFTER THE FACT – APPROVED WITH CONDITIONS.

NEW CASES

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

APPLICATION:

HDCRMI-2025-00450, 1930 THOMAS AV (PID: 08119722) – ADDITION

EXISTING CONDITIONS:

The existing structure is a 1-story Bungalow built in 1928. Architectural features include a partial-width front porch with unpainted brick (painted concrete caps) and wood columns, board and batten in the front and left-side gable ends, unpainted brick siding, wood trim and detail, 4/1 double-hung windows, an unpainted right-side brick chimney and a right-side small dormer. Lot size is approximately 50' x 150'. Adjacent structures are 1 and 1.5-story single-family structures.

PROPOSAL:

The project is a rear addition, with a sunroom, that is taller but not wider than the existing structure. The upper addition raises the main ridge approximately 3'-6". The addition bumps-in 1'-0" on the right elevation. The existing rear additions

will be removed. The proposed overall first-floor footprint measurements approximately 14'-4 ½" x 25' -8". Materials include wood lap siding with 6" exposure, foundation material not provided, 4/1 and 3/1 double-hung wood windows, wood French doors, wood trim and brackets, operable shutters (material unknown), a shingle roof on the main addition, and a standing seam metal roof on the rear dormer. The applicant is also proposing a new pervious brick paver patio with low brick retaining wall. The applicant has provided some tree information. Post-construction rear-yard impermeable area will be 29%.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Context, Massing, Height & Width, Scale, and Roof Form:
 - a. Restudy Height, per Standards 6.9 and 6.20-6.24.
 - b. Restudy addition as a 1-story on the rear, per Standard 6.20-6.24.
 - c. Restudy Roof Massing, per Standards 6.8; 6.20, numbers 2 and 3; and Secretary of the Interior's Standards numbers 2, 9, and 10.
 - d. Restudy Roof Form, per Standards 6.8; 6.9; 6.10; 6.13, number 4; and Secretary of the Interior's Standards numbers 2 and 10.
 - i. Match roof pitch to main house.
2. Doors & Windows, and Rhythm:
 - a. Restudy windows in gable ends.
 - i. Trim is too close to soffit.
 - b. Restudy fenestration on left-side of rear dormer.
 - i. Top sash windows look oversized compared to original windows.
3. Foundation:
 - a. Provide foundation material.
4. Site Plan:
 - a. Provide tree protection information.
 - b. Provide brick sample for rear yard patio and retaining wall for probable Staff approval.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: HOLTZ 2nd: HAWKINS

Ms. Holtz moved to continue the application for a restudy of the following: the height and roof pitch on the addition dormer to have the roof line align with the addition boundary and to decrease the height citing Standards 6.8, 6.9, 6.20, and 6.24; the size of the windows to make sure they are smaller than those on the first floor; provide foundation material; and provide a detail of the brackets on the as-builts to confirm the brackets on the addition will match the existing. She also cited the Secretary of the Interior's Standards, numbers 2, 9, and 10.

Ms. Hawkins seconded the motion.

VOTE: 8/0

**AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER,
SOWASH, STANLEY, WOJICK**

NAYS: NONE

DECISION: APPLICATION FOR ADDITION – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

RECUSED: SOWASH

APPLICATION:

HDCRMA-2025-00584, 1747 MERRIMAN AV (PID: 11909528) – REAR ADDITION & WINDOW CHANGE

EXISTING CONDITIONS:

The existing structure is a 1-story American Small House constructed in 1949. Architectural details include a primary gable roof, front porch, a small bump-out on the left side, double-hung windows, painted brick foundation, and vinyl siding. The lot size measures approximately 60'x 177' x 46' x 170'. Adjacent structures are 1 and 1.5-story single family buildings.

PROPOSAL:

The proposal is a rear addition and window changes on the left and right elevations of the existing building.

Proposed Rear Addition

- The proposed addition increases the square footage of the existing building by more than 50% requiring Commission review.
- The addition's footprint is approximately 25'-0" by 36'-7".
- The addition is 2 stories tall. The height of the proposed rear addition, as measured from grade to ridge, is 25'-5-7/8" and will tie in below the original ridge.
- The addition is stepped in 6 inches on the left side and 1 foot on the right side from the rear corners of the existing building.
- Proposed materials include an unpainted brick foundation, siding (material, type, and exposure not specified), asphalt shingle roofing, double-hung windows (specifications not provided), and single-entry doors on the right and rear elevations (material not provided). Trim, including window/door trim, fascia, frieze, soffit, rakeboard, and cornerboard materials are not provided.

Existing Building Window Changes

- The existing window on the left side bump-out will be removed and reused on the proposed addition. A new smaller double-hung window will be installed off-center on the existing bump-out.
- A new window is proposed on the right elevation. The new window is located close to the rear right corner.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. **Doors and Windows:**
 - a. Restudy the placement and alignment of windows.
 - i. The new window on the existing bump-out is off-center and is located in a visible area on the existing building.
 - ii. The new window under the shed roof area on the left elevation is not centered on the wall and is close to the corner.
 - iii. The new window on the right elevation is located close to the rear corner of the existing building.
2. **Materials and Details:**
 - a. Provide details on siding (material, type, exposure).
 - i. The new bump-out window is smaller than the existing opening, how will the larger opening size be infilled? The existing siding material is vinyl and it is unclear if the original siding is underneath the existing vinyl siding.
 - ii. Provide information on siding that exists under the vinyl siding.
 - b. Provide details on trim materials.
 - c. Provide window and door specifications.
 - d. Provide details for the new skylight on the right elevation.

- i. How will the skylight be mounted? Will the skylight have a curb and be raised or flush-mounted?
- e. Will gutters/downspouts be installed on addition?
 - i. If so, then locations, details, and materials are needed.
- f. All new masonry to be unpainted.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: STANLEY 2nd: HAWKINS

Ms. Stanley moved to continue the application and required a restudy of the following: that the existing gable window on the left elevation remain; that all windows and doors have brickmold trim; provide specifications for the solar lighting tube; that the framing of the new wall be over the brick veneer; and the rhythm and location of the windows on the new elevations.

Mr. Allred added that the doors and window be required to have appropriate brick headers. Ms. Stanley accepted the amendment.

Ms. Stanley cited the following Standards: for doors and windows, 6.15 and 6.16; for foundations, 6.12; and for roof forms and materials, 6.13.

Ms. Hawkins seconded the motion.

Ms. Lineberger offered a friendly amendment that all new masonry should remain unpainted. Ms. Stanley and Ms. Hawkins both accepted the amendment.

VOTE: 7/0

**AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER,
STANLEY, WOJICK**

NAYS: NONE

DECISION: APPLICATION FOR REAR ADDITION & WINDOW CHANGES – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

RETURNED: SOWASH

APPLICATION:

HDCCMI-2025-00371, 215 E WORTHINGTON AV (PID: 12105402) – ADDITION (FRONT CANOPY)

EXISTING CONDITIONS:

The existing structure is a one-story brick commercial structure-built c. 1956. The building is a mix of concrete block with a brick façade, and all masonry is painted. The lot size is approximately 56' x 115'. The building is at the edge of the Dilworth local historic district, located just off of South Boulevard. An existing historic pole sign is to be re-used per an earlier decision by the Commission. Adjacent structures are one-and two-story commercial buildings and single-family houses.

PROPOSAL:

The project is the installation of a new pergola to cover the existing outdoor patio space. The applicant is proposing both an attached and free-standing option. The pergola will have a black powder-coated aluminum frame with a white (or black) louvered roof. Louver roof material not provided. The pergola will also have internal gutters, up lighting, and fans.

Final lighting and fans selection not provided. The pergola’s footprint is approximately 27’-0” x 24’-0” and will be approximately 12’-0” tall.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Provide height comparison between existing building and new pergola.
 - a. Add height of building and pergola to illustration.
2. Provide specification sheet for pergola to include information on the frame and roof material.
3. Provide details on how the pergola will be attached to the building.
4. If free standing, provide information on footers, or means to keep the pergola grounded.
 - a. Free standing is preferred by Staff.
5. Provide information on lighting and fans.
 - a. New lighting should be downward directed, not up lighting, per Standard 8.12, number 8.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell’s invitation to speak.

MOTION: CONTINUE

1st: HAWKINS 2nd: HOLTZ

Ms. Hawkins moved to continue the application, requiring the applicant to provide the following: a site plan; height comparisons between the existing structure and the new pergola and adding the height dimensions to the illustrations; a specification sheet for the pergola that includes information on the frame and roof materials; details for how the pergola will be constructed, and whether it will be attached or detached; details on the footers and how the pergola will be grounded; details on the lighting and fans, ensuring that the lights are downward directed; tree protection plan; and designs for construction showing the least number of columns possible with engineered proof that no additional columns will be needed once approved. She cited the following Standards: for new construction, Chapter 7; for lighting, 8.12, number 8; and for trees, 8.5

Ms. Holtz seconded the motion.

VOTE: 8/0

**AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER,
SOWASH, STANLEY, WOJICK**

NAYS: NONE

DECISION: APPLICATION FOR ADDITION (FRONT CANOPY) – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: CURME, SULLIVAN, TAYLOR, WHITLOCK

APPLICATION:

HDCRMA-2025-00578, 821 BERKELEY AV (PID: 12309309) – ACCESSORY BUILDINGS & FRONT PORCH CHANGES

EXISTING CONDITIONS:

The existing structure is a 2-story Colonial Revival built c. 1927. Architectural features include unpainted brick siding, a hipped roof, and a right-side interior brick chimney. The structure also features two side porches on both the right and left elevations. The windows are 6/6, and the front door is a solid 6 panel with a transom and sidelights. The front stoop has a gable pediment supported by round Tuscan columns and extends along the right side of the front elevation. The lot size measures 85.15’ x 166.79’. Adjacent historic structures are 1.5 and 2-story buildings.

PROPOSAL:

The proposal is changes to the front porch, rear porch, and the addition of a new accessory building.

Proposed Front Porch Changes

- The existing front porch pediment and columns will be removed and replaced with a new portico and columns.
- The height of the new portico, as measured from the existing stoop floor, is approximately 11'-7".
- Proposed materials for the columns, entablature, and balustrade (attic), are not provided.
- Existing front door, door surround, and engaged pilaster to remain and be restored.
- The existing brick steps, stoop, and right-side porch will remain. No dimensional changes proposed.
- The square tile stoop, and right-side broken tile porch will be replaced with bluestone. Existing brick rowlock edge on the stoop and porch are to remain.

Proposed Rear Porch Changes

- The existing rear porch columns will be removed and reconfigured.
- The existing roof and patio will remain.
- The new decorative timber columns will have an unpainted brick base and decorative bracket. Bracket material not provided.

Proposed Accessory Building

- The new garage accessory structure is proposed to be 2-stories. Height, as measured from grade to ridge, is 24'-5 5/8", and is approximately 5'-4 1/8" below the main ridge.
- Existing garage to be removed.
- The footprint of the new garage measures approximately 30'-0" x 25'-0".
- Proposed materials are a 5" exposure wood lap siding with mitered corners, unpainted brick foundation, asphalt shingle roof, 6/6 wood or aluminum-clad windows, door material not provided, and trim and detail material is wood.
- Post-construction rear-yard impermeable area will be 34.5%.

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Proposed Front and Rear Porch Changes:
 - a. Provide materials for the columns, entablature, balustrade (attic), and brackets.
 - b. Retain historic elements of the front porch such as the broken tile flooring.
 - c. Bluestone is typically not approved on front elevations.
 - d. Provide rear porch bracket material.
 - e. Typically, rear porch columns match existing columns or are simple in form.
2. Accessory Building (ADU):
 - a. Provide information on existing garage to be demolished.
 - b. Roof Form, Massing, and Scale
 - i. Restudy Roof Massing, per Standards 6.8; 6.20, numbers 2 and 3; and Secretary of the Interior's Standards numbers 2, 9, and 10.
 - ii. Restudy Roof Form, per Standards 6.8, 6.9; 6.10; 6.13, number 4; and Secretary of the Interior's Standards numbers 2 and 10.
 - iii. Explore other scale reducing techniques.
 - c. Doors & Windows, and Rhythm
 - i. Restudy Doors & Windows and Rhythm, per Standards 6.15-6.16.
 - d. Cornices and Trim, and Materials.
 - i. Relate the style of ADU back to main structure.
 - ii. Provide window and door specifications.
 - iii. Provide brick and mortar sample.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION 1: CONTINUE

1st: HAWKINS 2nd: WOJICK

Ms. Hawkins moved to continue the application for the front entry covering and the accessory dwelling unit for a restudy. She required that the applicant provide contextual examples of the change in design of the front porch and work with Staff to find historic examples to support the design change. She also asked for the restudy of the accessory dwelling unit to include a reduction in scale and roof form and that the architectural style be revisited to be compatible with the main structure. She cited the following Standards: for porches, 6.17; for context, 6.2; for accessory buildings, 8.10, number 3; for roof massing, 6.8, numbers 2 and 3; and for roof form, 6.13.

Ms. Wojick seconded the motion.

VOTE 1: 8/0

AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER, SOWASH, STANLEY, WOJICK

NAYS: NONE

DECISION 1: APPLICATION FOR ACCESSORY BUILDING & FRONT PORCH CHANGES – CONTINUED.

MOTION 2: DENY

1st: HAWKINS 2nd: STANLEY

Ms. Hawkins moved to deny the portion of the application proposing the use of the bluestone tile as a front porch flooring material as it is incongruous with the Standard for porches, 6.17, number 3.

Ms. Stanley seconded the motion.

VOTE 2: 8/0

AYES: ALLRED, BELL, HAWKINS, HOLTZ, LINEBERGER, SOWASH, STANLEY, WOJICK

NAYS: NONE

DECISION 2: APPLICATION FOR FRONT PORCH MATERIAL – DENIED.

MOTION 3: APPROVE

1st: HAWKINS 2nd: WOJICK

Ms. Hawkins moved to approve the application for the rear porch addition as designed. She cited the Standards for porches, 6.17, and rear additions, 6.20.

Ms. Wojick seconded the motion.

VOTE 3: 7/1

AYES: BELL, HAWKINS, HOLTZ, LINEBERGER, SOWASH, STANLEY, WOJICK

NAYS: ALLRED

DECISION 3: APPLICATION FOR REAR PORCH CHANGES – APPROVED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, HOLTZ, WOJICK

LEFT: HAWKINS

APPLICATION:**HDCRDEMO-2025-00651, 2213 WILMORE DR (PID: 11907527) – DEMOLITION - RESIDENTIAL****EXISTING CONDITIONS:**

The existing structure is 1 story American Small House constructed c. 1946. Architectural features include front and side gable roofs, a painted brick foundation, exterior painted brick chimney, double-hung vinyl replacement windows, aluminum shutters, and decorative metal columns at the front entrance. The entire house is wrapped in vinyl and aluminum. The lot size is approximately 75' x 150'. Adjacent structures are 1 and 1.5-story residential buildings.

PROPOSAL:

The proposal is full demolition of the building. The following information is presented for the Commission's review and consideration:

- Zoutewelle survey
- Property survey
- Digital photos of all sides of building
- Digital photos of significant architectural details
- Elevation drawings

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. The Commission will determine if the application is complete.
2. The Commission will determine whether or not the building has special significance to the Wilmore Local Historic District. With affirmative determination, the Commission can apply up to a 365-Day Stay of Demolition.
3. If the Commission determines that this property does not have any special significance to the district, then demolition may take place without a delay or upon the approval of new construction plans.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION 1: APPLICATION COMPLETE**1st: LINEBERGER 2nd: HOLTZ**

Ms. Lineberger moved to determine the application is complete with all the required documentation provided by the applicant, which includes clear digital photos of all sides of the building; clear digital photos of significant architectural details and site features, including, but not limited to, windows, front doors, brackets, columns, trim, etcetera; a stamped and sealed property survey with setbacks and building dimensions with width and length clearly labeled; and a Zoutewelle survey to document height. Ms. Lineberger also moved to determine that the building has special significance and value towards maintaining the character of the Wilmore Historic District.

Ms. Holtz seconded the motion.

VOTE 1: 7/0**AYES: ALLRED, BELL, HOLTZ, LINEBERGER, SOWASH, STANLEY, WOJICK****NAYS: NONE****DECISION 1: APPLICATION FOR DEMOLITION – COMPLETE.****MOTION 2: APPROVE DEMOLITION****1st: LINEBERGER 2nd: ALLRED**

Ms. Lineberger moved to approve the project with a 365-day stay of demolition on the building due to its special significance and value towards maintaining the character of the Wilmore Historic District. She stated that receipt of accurate measured drawings of the building to be demolished is required for HDC records before plans for new construction will be considered by this Commission.

Mr. Allred seconded the motion.

VOTE 2: 7/0

**AYES: ALLRED, BELL, HOLTZ, LINEBERGER, SOWASH,
STANLEY, WOJICK**

NAYS: NONE

DECISION 2: APPLICATION FOR DEMOLITION – APPROVED WITH 365 DAY STAY OF DEMOLITION.

The following cases could not be heard due to time constraints and will be heard at the November 12, 2025 meeting:

- HDCRMAA-2025-00648 for 409 Walnut Av
- HDCMFA-2025-00649 for 2011, 2015, 2019, 2023, & 2027 Thurmond Pl

With no further business to discuss, Chair Bell adjourned the meeting at 7:06 p.m.