



HISTORIC DISTRICT COMMISSION

February 11, 2026 | Room 280

MINUTES

MEMBERS PRESENT: Shauna Bell, Chair, Resident-Owner McCrorey Heights
Christopher Allred, Resident-Owner Wesley Heights
Sarah Curme, Resident-Owner Dilworth
Cameron Holtz, Resident-Owner, Fourth Ward
Christa Lineberger, Planning Commission Representative
Sean Sullivan, At-Large
Scott Whitlock, At-Large

MEMBERS ABSENT: Nichelle Hawkins, Vice Chair, At-Large
Heather Wojick, Second Vice Chair, At-Large
Emily Sowash, Resident-Owner, Wilmore
Ann Stanley, Resident-Owner, Hermitage Court
Brett Taylor, Business Operator of Dilworth
Vacant, Resident-Owner Oaklawn Park
Vacant, Resident-Owner Plaza Midwood

OTHERS PRESENT: Kristi Harpst, HDC Staff
Candice Leite, HDC Staff
Jen Baehr, HDC Staff
Marilyn Drath, HDC Staff
Elizabeth Lamy, HDC Staff
Claire Lyte-Graham, HDC Staff
JT Faucette, HDC Staff
Paige Inman, Assistant City Attorney
Candy Thomas, Court Reporter

With a quorum present, Chair Bell called the February meeting of the Historic District Commission (Commission) meeting to order at 1:07 p.m. Chair Bell began the meeting by introducing the Staff and Commissioners and explaining the meeting procedure. All interested parties planning to give testimony – FOR or AGAINST – must submit a form to speak and must be sworn in. Staff will present a description of each proposed project to the Commission. The Commissioners and the Applicants will then discuss the project. Audience members signed up to speak either FOR or AGAINST will be called to the podium for each agenda item. Presentations by the Applicants and audience members must be concise and focused on the **Charlotte Historic District Design Standards**. The Commission and Staff may question the Applicant. The Applicant may present sworn witnesses who will be subject to questioning by the Commission and Staff. The Applicant will be given an opportunity to respond to comments by interested parties. After hearing each application, the Commission will review, discuss, and consider the information that has been gathered and presented. During discussion and deliberation, only the Commission and Staff may speak. The Commission may vote to

reopen this part of the meeting for questions, comments, or clarification. Once the review is completed, a MOTION will be made to Approve, Deny, or Continue the review of the application at a future meeting. A majority vote of the Commission members present is required for a decision to be reached. All exhibits remain with the Commission. If an Applicant feels there is a conflict of interest of any Commissioner, or there is an association that would be prejudicial, that should be revealed at the beginning of the hearing of a particular case. The Commission is quasi-judicial body and can accept only sworn testimony. Staff will report any additional comments received and while the Commission will not specifically exclude hearsay evidence, it is only given limited weight. Chair Bell asked that everyone please silence any electronic devices. Commissioners are asked to announce, for the record, if one leaves or arrives during the meeting. Chair Bell requested that those in the audience remain quiet during the hearings. An audience member will be asked once to be quiet and the need for a second request will require removal from the room. Chair Bell swore in all Applicants and Staff and continued to swear in people as they arrived for the duration of the meeting. In accordance with N.C.G.S. § 160D-947(e), subsections (4) and (5), and UDO Article 14.1.M.1, an appeal of quasi-judicial decisions may be made to the Mecklenburg County Superior Court as provided in N.C.G.S. § 160D-1402 within the time specified in N.C.G.S. § 160D-1405(d).

INDEX OF ADDRESSES:

CONSENT

HDCRMI-2025-00871, 716 Lexington Av	Dilworth
HDCMA-2025-00876, 1921 Charlotte Dr	Dilworth
HDCRMI-2025-00694, 600 E Worthington Av	Dilworth

NOT HEARD AT THE JANUARY 14, 2025 MEETING

HDCRMAA-2025-00654, 1817 S Mint St	Wilmore
HDCMA-2025-00874, 300, 304, & 308 E Worthington Av	Dilworth
HDCRMAA-2025-00872, 416 Hermitage Ct	Hermitage Ct
HDCRMA-2025-00865, 300 Westwood Av	Wilmore
HDCRMA-2025-00777, 916 Mt Vernon Av	Dilworth
HDCRMI-2025-00323, 429 W Park Av	Wilmore

CONTINUED FROM THE DECEMBER 10, 2025 MEETING

HDCRMA-2025-00652, 305 Westwood Av	Wilmore
HDCRMA-2025-00779, 1815 Madison Av	McCrorey Heights
HDCRMA-2025-00810, 1414 The Plaza	Plaza Midwood

CONTINUED FROM THE JANUARY 14, 2025 MEETING

HDCMF-2025-00449, 224, 228, 232, & 236 W Kingston Av	Wilmore
HDCRMIA-2025-00693, 425 Rensselaer Av	Dilworth
HDCMFA-2025-00649, 409 Walnut Av	Wesley Heights

NEW CASES

HDCRMI-2025-00870, 1238 E Worthington Av	Dilworth
--	----------

CONSENT

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCRMI-2025-00871, 716 LEXINGTON AV (PID: 12305513) – FRONT PORCH CHANGES

EXISTING CONDITIONS:

The existing structure is 2-story new construction, built c. 1996. Architectural features include unpainted brick foundation, steeply pitched gable roofs, wood lap siding with shake on the front gable ends, and a covered front porch supported by thin decorative spindle columns. The lot size measures 50' x 150'. Adjacent structures are 1.5 and 2-story single-family, multi-family and commercial buildings.

PROPOSAL:

The applicant is proposing changes to non-original elements of the front porch. The proposed details are as follows:

1. Front Porch Changes
 - a. The existing front porch steps, columns, railings, gutters and downspouts will be removed and replaced with new steps, columns, railings, gutters and downspouts.
 - b. New unpainted brick porch steps are proposed and will include an additional riser to comply with building code riser height requirements. The width of the porch steps is 3'-10 ½" and will not change.
 - c. New 6" by 6" wood square columns are proposed to replace the existing columns on each side of the porch steps and at the right corner of the porch. The engaged columns attached to the house are proposed to be removed and not replaced to expose the cornerboards.
 - d. New simple wood railings are proposed with straight square pickets centered on the top and bottom rails. The height of the new railings will be 32" tall to match existing.
 - e. New aluminum gutters and downspouts are proposed to replace the existing aluminum gutters and downspouts on the porch.
 - f. New unpainted brick cheek walls with concrete caps are proposed on each side of the porch steps. The cheek walls are proposed to be 18" wide and 2' tall.
 - g. The existing front concrete walkway will remain with no changes.

STAFF RECOMMENDATIONS:

Staff has the following comments about the proposal:

1. The project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation numbers 9 and 10, and the City of Charlotte Design Standards for Porches, 4.8.
2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. Provide column/beam alignment detail drawing.
 - b. Provide brick and mortar samples to Staff for probable approval.
 - c. All new masonry will be unpainted.
 - d. All columns, railings and trim will be wood.
 - e. Any repairs needed to the cornerboards after removal of the engaged columns will use wood and match the dimensions and detailing of the existing cornerboards.
3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: HOLTZ 2nd: SULLIVAN

After deliberation and with a quorum present, the Commission voted 7-0 to Approve this application as it is not incongruous with the Secretary of the Interior's Standards for Rehabilitation, numbers 9 and 10; and with the Design Standards for Rehabilitation of Building Elements: Porches, 4.8 with the following Condition(s):

- a. Provide column/beam alignment detail drawing to Staff for approval.
- b. Provide brick and mortar samples to Staff for probable approval.
- c. All new masonry will be unpainted.
- d. All columns, railings and trim will be wood.
- e. Any repairs needed to the cornerboards after removal of the engaged columns will use wood and match the dimensions and detailing of the existing cornerboards.

VOTE: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR FRONT PORCH CHANGES – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCCMA-2025-00876, 1921 CHARLOTTE DR (PID: 12111901) – NEW CONSTRUCTION – COMMERCIAL

EXISTING CONDITIONS:

The property is a 2-story office/multi-family building constructed in 1992. Architectural features include a complex roof form, a recessed off-center entry on Charlotte Drive, and two centrally located arched metal vents on the roof. Lot size measures approximately 128.55' x 164.46' x 144.09' x 180'. Adjacent structures are 1, 1.5, and 2-story single family houses and 2-story multi-family and office buildings. A replacement retaining wall on the Ideal Way side and rear patio expansion were approved administratively under COA# HDCADMRM-2018-00518; and parking, landscaping, and site work were approved administratively under COA# HDCADMRM-2020-00416. The HDC approved the replacement of vinyl siding with cementitious board and batten siding, and entry door changes on the front and left elevations in June 2021 under COA# HDCRMI-2021-00149.

PROPOSAL AND STAFF COMMENTS:

On November 13, 2024, the Commission approved the construction of a new building adjacent to an existing building on the parcel, the Kasa Edison House, under application #HDCCMA-2023-01193. The decision letter and presentation from the November 13, 2024 meeting are attached. The applicant is requesting minor modifications to the approved plans.

Proposed Project Summary

1. Buildings Plan
 - a. Entry driveway original width 28'-0."
 - b. Expanded per Land Development regulations. New width not provided.
2. Courtyard Elevation
 - a. Roof below triple window on left side, raised by 3" to accommodate for structure of overlapping roof. Roof slope revised from 11/12 to 12/12 to tie into lower roof. Roof intersections at the eaves are lowered slightly due to the slope change.
 - b. Window box locations modified in two areas due to compliance with building code requirements for

head clearance and conflicts with accessible path.

3. Ideal Way Elevation
 - a. Main roof slope changed from 11/12 to 12/12.
 - b. Modified louver design in gable peak.
 - c. Second level eave details changed.
 - d. Second level roof pitches are shallower. New pitch not provided.
4. Parking Lot Elevation
 - a. Main roof slope changed from 11/12 to 12/2 to tie into the lower roof and modified eave termination.
 - b. Modified louver design in gable peak.
 - c. Frieze board added below soffit to match elevation approved on Ideal Way. Frieze board was inadvertently left off approved HDC approved drawing.
 - d. Brick continued at the back of the stair wall beyond; this was inadvertently left off the HDC approved drawings.
 - e. Frieze board added below the lower hip roof eave that separates first and second levels for consistency.
5. Kenilworth Elevation – covered entry addition
 - a. Roof slope revised from 11/12 to 12/12 to tie into lower roof. Roof intersections at the eaves are lowered slightly due to the slope change.
 - b. Entry canopy added to comply with PED requirement for “prominent entry” and to qualify as 1 building, avoiding the need for a prominent entry into each building. Canopy is designed to match detail of lower eave at right side of building.
 - c. Stairs, entry lighting, and seating added to comply with PED requirement from Zoning.
 - d. Roof raised by 3" to accommodate for structure of overlapping roof.
 - e. Downspouts inadvertently not illustrated on HDC approved elevations.
 - f. Added frieze board under lower eave at right side for consistency.

STAFF RECOMMENDATIONS

1. The project is not incongruous with the district and meets the Secretary of the Interior’s Standards for Rehabilitation numbers 9 and 10, and the City of Charlotte Design Standards for New Construction for Non-Residential Buildings, Chapter 7.
2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. Eave design on second level roofs should be open to match first level.
 - b. Provide dimensions for new driveway width.
 - c. Provide pitches of second level roofs.
 - d. Add note to the plans that all new masonry will be unpainted.
3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell’s invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: WHITLOCK 2nd: HOLTZ

After deliberation and with a quorum present, the Commission voted 7-0 to Approve this application as it is not incongruous with the Secretary of the Interior’s Standards for Rehabilitation, numbers 9 and 10; and with Design Standards for New Construction for Non-Residential Buildings: Context, 7.2 with the following Condition(s):

- a. Eave design on second level roofs should be open to match first level.
- b. Provide dimensions for new driveway width.
- c. Provide pitches of second floor roofs.
- d. Add note to the plans that all new masonry will be unpainted.

VOTE: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR NEW CONSTRUCTION – COMMERCIAL – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCRMI-2025-00694, 600 E WORTHINGTON AV (PID: 12108518) – REAR PORCH CHANGES

EXISTING CONDITIONS:

The existing property is a 1.5-story Bungalow constructed c. 1915. Architectural features include a low hip roof with hip roof dormers, a full-width engaged front porch with simple square columns, wood lap siding and painted brick foundation. Windows are original and include casement, double-hung and fixed styles with 12/1, 15/1, 9/9 and 9 lite muntin patterns. The two-story portion and rear porch are later additions that were approved by the Commission in September 2014 under application 2014-199. The lot size is approximately 50' x 140'. Adjacent structures are a mixture of 1, 1.5 and 2-story single family houses.

PROPOSAL:

The applicant is proposing front porch changes, a new rear addition, and a new side entry addition. The proposed project details are as follows:

1. Rear Porch Changes
 - a. Enclose the existing open porch by adding knee walls and windows. No changes to the size or height of the porch are proposed.
 - b. The existing porch roof, columns, and beams are proposed to remain.
 - c. The exterior doors and windows on the rear elevation facing the porch and porch railings are proposed to be removed.
 - d. The new windows are proposed to be Kolbe accordion style, aluminum clad-wood windows with recessed tracks and wood trim.
 - e. The new windows are proposed to have 9 vertically oriented lites to be proportional to the original windows on the building.
 - f. The new knee walls below the windows are proposed to have a Hardie band board along the top and wood shake below to match the shake on the existing building.
 - g. The existing porch knee wall on the right elevation is proposed to be made a full-height wall with a new 9-lite double casement window.
 - h. A wood column matching the existing porch columns will be added at the right end of new full-height wall to anchor the porch windows.

STAFF RECOMMENDATIONS

1. The project is not incongruous with the district and meets the Secretary of the Interior's Standards for Rehabilitation numbers 9 and 10, and the City of Charlotte Design Standards for Porches, 4.8.
2. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. The porch changes will be reversible.

- b. Provide wall section showing the alignment of the porch column, beam, knee wall, and window.
 - c. Provide detail drawing with dimensions and materials for ganged windows.
 - d. Provide window specifications that meet HDC Standards for Staff approval.
 - e. All shake siding will be wood and individually applied in a pattern to match the existing building.
 - f. All trim will be wood.
3. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: CURME 2nd: HOLTZ

After deliberation and with a quorum present, the Commission voted 7-0 to Approve this application as it is not incongruous with the Secretary of Interior's Standards for Historic Rehabilitation, numbers 9 and 10; and Design Standards for Building Elements: Porches, 4.8 with the following Condition(s):

- a. The porch changes will be reversible.
- b. Provide wall section showing the alignment of the porch column, beam, knee wall, and window.
- c. Provide detail drawing with dimensions and materials for ganged windows.
- d. Provide window specifications that meet HDC Standards for Staff approval.
- e. All shake siding will be wood and individually applied in a pattern to match the existing building.
- f. All trim will be wood.

Ms. Holtz seconded the motion.

VOTE: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR REAR PORCH CHANGES – APPROVED WITH CONDITIONS.

NOT HEARD AT THE JANUARY 14, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCRMAA-2025-00654, 1817 S MINT ST (11907703) – NEW CONSTRUCTION – RESIDENTIAL, PRINCIPAL & ACCESSORY BUILDINGS

This application was continued from the November 12, 2025 meeting for the following items:

- 1. Context and Height.
 - a. The proposed single-family home is taller than the historic houses in a 360-degree view, Standards 6.1-6.4, and Scale, 6.10, noting the proposed new single-family house is proposed to be 25.7' in height, as measured from grade to ridge.
 - b. Multi-family and institutional buildings are not applicable.
 - c. 1954 Woodcrest Avenue is not visible from the subject property; thus, it should not be considered as a 360-degree structure.
 - d. 1912 South Mint Street, included by the applicant, is not something that can be considered as

comparison because it is new construction, less than 50 years old.

- e. Foundations, eave lines, window header heights, and porch heights with adjacent historic buildings are essential with fitting new construction to the historic context. The foundation information appears to be inaccurate based on the Zoutewelle survey misunderstanding, let's say; for the comparisons included in the applicant's submission at 1813 South Mint Street, 1817 South Mint Street, 1821 South Mint Street, and 1829 South Mint Street.
2. Setback.
 - a. Provide the setback for the proposed house compared to the other houses on the street which have not been provided.
3. Roof Forms.
 - a. Label the roof slopes, including dormers.
 - b. Steep slope of roofs extending across the front and rear elevations do not match the Bungalow style of architecture, citing Standard 6.13 for Roofs, number 3.
4. Front Elevation.
 - a. Porch beam is wider than we typically see on historic buildings as included in the Standards, 6.17. That's 4(a).
 - b. The knee wall adds too much height to the main gable and is inconsistent with Bungalow architecture.
 - c. The lack of adequate fenestration. The front gable is incongruous with Standards for Windows, 6.15, number 1.
 - d. Brick detailing along the left foundation does not match the rowlock detail along the top of the front porch. That's incongruous with Standards 6.14, number 1.
 - e. The front porch columns appear disproportionately slender compared to their bases. Again, Standard 6.17, Porches.
5. Right elevation.
 - a. Right elevation is incongruous with the Bungalow style, 6.13, number 3; Massing, 6.8.
 - b. The truncated gable is incongruous with the Standards for Roofs, 6.13, number 3; for massing, 6.8, numbers 1 and 2.
 - c. Trim bands and eave lines don't align and are incongruous with Standards 6.13, number 5, and Standards for Trim, 6.14, 1 and 2.
 - d. Trim above triple window bay is disproportionately tall, doesn't relate to the dimensions of other trim seen on the proposed building, 6.14, number 1.
 - e. The blank wall on right gable end is incongruous with Standards for Roofs, 6.13, number 5, and Trim, 6.14, 1 and 2.
6. Left Elevation.
 - a. Trim band sizing, locations, and alignments for the left elevation are inconsistent, incongruous with Standards 6.14, 1 and 2.
 - b. Beam and trim above the side entry door is too tall, also incongruous with Standards for Massing, 6.8, number 2; Trim, 6.14, 1 and 2.
 - c. Window placements are too close to roof trim, and rhythm of fenestration is incongruous with the Standards for Windows, 6.15, number 1.
7. Rear Elevation.
 - a. There's a lack of adequate fenestration in the rear gable, 6.15, Standards for Windows. And the proportion of the patio beam is too tall -- this is at the rear again -- and appears oversized in relation to patio columns, 6.17.
8. Site Plan, update to include:
 - a. HVAC screening.
 - b. Front walkway locations, dimensions, and materials, Sidewalks and Parking, 8.2. Driveway location and material, also 8.2.
 - c. Hardscape dimensions and materials for the outdoor fireplace and patio, parking pad, walkways, and steps, we would like to see dimensions from the applicant for those.
 - d. Identify which trees are to remain, which are to be removed, if any, and which would be protected

during the proposed construction and to include a tree protection plan for the trees that will remain.

9. Tree protection plan. Include a tree protection plan for the trees that will remain.

EXISTING CONDITIONS:

The existing site is a vacant lot. The lot measures approximately 50' x 200'. Adjacent historic structures are 1 and 1.5-single-family structures. The Wilmore Community Center Garden is diagonally across the street.

On August 12, 2022, the Commission approved the construction of a new single-family house under application number COA# HDCRMA-2022-00333. The approved structure is a 2-story Bungalow built c. 2024. The applicant submitted an application for design changes to the approved COA under case number HDCRMAA-2025-00249. That application was denied by the HDC on July 9, 2025.

PROPOSAL & STAFF COMMENTS:

Proposal Project Summary – November 12, 2025

The proposal is new construction of a single family structure.

1. Height as measured from grade to ridge is 25.7' at the front elevation.
2. Setback to front porch is 42.2'
3. Right side yard setback is not provided.
4. Left side yard setback is 5.5'
5. Proposed footprint measures approximately 32.4' wide x 50.5' deep, inclusive of the 8' partial width covered front porch and 21.8' wide x 12' deep covered rear patio.
6. Proposed materials include 6/1 aluminum clad windows, 6-lite wood Craftsman-style front entry door, unpainted brick foundation, and smooth finish fiber cement lap siding, Miratec fascia boards, wood tongue and groove beadboard front porch ceiling, wood tongue and groove soffit at the front porch, smooth wood soffit at the rear covered patio, and wood trim bands.
7. Proposed architectural features include a partial width engaged front porch with brick column bases and square Miratec front porch columns, cross gable main roof, gable bump out on the left front of the house, and shed dormers on the rear half of the structure.
8. Two different site plans have been provided – one survey is dated 7/29/2021 and one is dated 4/1/2025 (labeled as "Final Survey").

Revised Proposed Project Summary – February 11, 2026

1. Context and Height
 - a. Revised Project Summary
 - i. Additional 360-degree street view photos have been provided.
 - ii. Zoutewelle surveys have been updated to label which homes on the South Mint Streetscape are historic.
 - iii. The applicant has provided additional examples of Bungalow designs from historic pattern books (c. mid Twentieth Century).
 - iv. The applicant has provided a photo of 1608 Wilmore Drive to provide an example of gable height and window configuration.
 - v. Revised 3D renderings of all four elevations have been provided to correct previously discovered drafting errors by the applicant.
 - b. *Staff Comments*
 - i. None.
2. Setback
 - a. Revised Project Summary

- i. The front thermal wall of the house will be setback 42.2' from the front property line.
 - b. *Staff Comments*
 - i. 1821 S Mint St, front thermal wall setback from property line is 37'-3.5".
 - ii. 1829 S Mint St, front thermal wall setback from the property line is 48'-9".
 - iii. 1813 S Mint St, front thermal wall setback from property line is 29'-6.5".
- 3. Roof Forms
 - a. Revised Project Summary
 - i. Roof slopes have been provided for entire building.
 - ii. The front porch roof slope has changed from 5:12 to 4:12.
 - iii. An 8.5:12 hip roof has been proposed across the first floor of the entire rear elevation.
 - iv. Pent eave returns have been added to the knee wall at the main gable and truncated gable on the Front and Right Elevations.
 - b. *Staff Comments*
 - i. The roof slopes for main gables and dormers are characteristic of Bungalow architecture and are not incongruous with Design Standard for Roof Form 6.13, number 3.
 - ii. Addition of pent eave returns as a mass reduction technique is not incongruous with Standard for Roofs 6.13, number 3; and the Standard for Massing 6.8, numbers 1, 2 and 5.
 - iii. Pent eave returns are details commonly featured in Bungalow architecture.
- 4. Front Elevation
 - a. Revised Project Summary
 - i. Dimension of front porch columns has been increased to 12".
 - b. *Staff Comments*
 - i. The increased thickness of the front porch columns is not incongruous with the Standard for Porches 6.17, numbers 2 and 3.
 - ii. The revised column proportions are more aligned with Bungalow architecture.
- 5. Right Elevation
 - a. Revised Project Summary
 - i. Additional trim has been added above triple bay window.
 - b. *Staff Comments*
 - i. The additional trim above triple bay window reduces the mass and is proportional to other trim on the house, which is not incongruous with Standard for Trim 6.14, numbers 1 and 2; and Standard for Massing 6.8, number 2.
- 6. Left Elevation
 - a. Revised Project Summary
 - i. An additional window has been added to the right of the main gable.
 - b. *Staff Comments*
 - i. The additional window to the right of the main gable makes the window rhythm symmetrical and is not incongruous with the Standards for Windows 6.15, number 1.
- 7. Right and Left Elevations
 - a. Revised Project Summary
 - i. Trim bands and eaves have been reconfigured to align, and trim band sizing has also been revised.
 - b. *Staff Comments*
 - i. The new alignment of trim bands and eaves is not incongruous with Standard for Roofs 6.13, number 5, and Standard for Trim 6.14, numbers 1 and 2.
 - ii. The alignment of trim and eave lines is characteristic of Bungalow architecture.
- 8. Front, Left and Rear Elevation
 - a. Revised Project Summary
 - i. A wood shake detail with trim band has been added to the top portion of the gable end.
 - ii. Additional trim has been added along the top and bottom of the front porch beam, rear patio beam, and left side entry beam.

b. Staff Comments

- i. The wood shake detail with trim band in the top of the gable end corresponds with detailing characteristic of Bungalow architecture.
- ii. Addition of trim along top and bottom of front porch, rear patio, and left side entry beams as a massing reduction technique is not incongruous with Standard for Trim 6.14, numbers 1 and 2; and Standard for Massing 6.8, number 2.
- iii. The revised trim detailing also corresponds with Bungalow architecture.

9. Site Plan + Tree Protection Plan

a. Revised Project Summary

- i. An updated site plan has been provided.
- ii. Tree protection information is provided on the updated site plan.

b. Staff Comments

- i. Elevation dimensions for outdoor fireplace, as well as material information for the fireplace are needed.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: SULLIVAN 2nd: HOLTZ

After deliberation and with a quorum present the Commission voted to Continue the review of your project. The motion to Continue is as follows: Per Design Standards for New Construction for Residential Buildings Context, 6.3; and Height, 6.9, the applicant is encouraged to consider the question-and-answer portion of the meeting in regard to the height of the proposed project.

VOTE: 6/1

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN,

NAYS: WHITLOCK

DECISION: APPLICATION FOR NEW CONSTRUCTION – RESIDENTIAL – PRINCIPAL & ACCESSORY BUILDINGS - CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCCMA-2025-00874, 300, 304, & 308 E WORTHINGTON AV (PID: 12105618, 12105617, 12105616) – NEW CONSTRUCTION – NON RESIDENTIAL

EXISTING CONDITIONS:

300 E Worthington Av: The site is at the edge of the Dilworth Local Historic District and is a vacant lot. The site slopes from front to rear approximately 8-10 feet. The lot size is approximately 45' x 140'. Adjacent properties are 1, 1.5, and 2-story residential buildings as well as 1 and 2-story commercial buildings.

304 E Worthington Av: The existing structure is a 1-story, Cottage constructed c. 1920. Architectural features include a side and front intersecting gable roof with asphalt shingles, 3/1 replacement windows, both a cinderblock and brick pier foundation, and various sidings including wood lap, aluminum lap, vinyl lap, and asbestos tile. This building also includes an addition to the side and two additions to the rear. Lot size measures approximately 55' x 140', with a 10' alley running along the rear of the lot. Adjacent properties are 1, 1.5, and 2-story residential buildings as well as 1 and 2-story commercial buildings. The Commission approved demolition with a 365-day stay at the October 9, 2024 HDC meeting under case number HDCCDEMO-2024-00090.

308 E Worthington Av: The existing structure is a 1.5-story, Pyramid-roofed Bungalow constructed c. 1940. Architectural features include a front gable over a hipped front porch, 2/2 windows, Dutch lap siding, and a stucco foundation. Lot size measures approximately 50' x 140', with a 10' alley running along the rear of the lot. Adjacent properties are 1, 1.5, and 2-story residential buildings as well as 1 and 2-story commercial buildings. The Commission approved demolition with a 365-day stay at the October 9, 2024 HDC meeting under case number HDCCDEMO-2024-00091.

PROPOSAL & STAFF COMMENTS:

The applicant proposes to construct a new commercial structure to include retail and office space with basement level parking. The structure is composed of three sections:

1. Corner Lot Section:

a. *Proposed Project Summary:*

- i. A 2.5-story structure with basement level parking, proposed to be 34'-4" in height from grade to parapet.
- ii. Proposed overall footprint measures approximately 33'-0" x 106'-7".
- iii. Proposed setback is approximately 20'-0" to front thermal wall from back of curb and 6'-7" from front thermal wall to property line.

b. *Staff Comments:*

- i. Latitude is typically given to corner lots anchoring the gateway to the district.
- ii. Provide additional examples of historic commercial buildings with arches on front elevations.

2. Middle Lot Section:

a. *Proposed Project Summary:*

- i. A 2.5-story structure, proposed to be 32'-8" in height from grade to the top point of the barrel vault. Height from grade to barrel vault parapet not provided.
- ii. Proposed overall footprint measures approximately 33'-0" x 106'-7".
- iii. Proposed setback is approximately 20'-0" to front thermal wall from back of curb and 6'-7" to front thermal wall to property line.

b. *Staff Comments:*

- i. Provide examples of historic commercial buildings with a barrel vault roof.
- ii. Provide height from grade to parapet of barrel vault.

3. Interior Lot Section:

a. *Proposed Project Summary:*

- i. A 1-story structure, proposed to be 17'-8" in height from grade to parapet.
- ii. Proposed overall footprint measures approximately 35'-6" x 39'-10".
- iii. Proposed setback from front thermal wall to back of curb not provided. Setback front thermal wall to property line is 11'-5".

b. *Staff Comments:*

- i. Provide setback from front thermal wall to back of curb.
- ii. Provide examples of historic commercial buildings directly next to residential housing.

4. All Buildings and Materials:

a. *Proposed Project Summary:*

- i. Overall footprint of combined structure measures approximately 101'-3" x 106'-7".
- ii. Overall height of combined structure ranges between 17'-8" and 34'-4".
- iii. Overall setbacks, thermal wall to property line, of combined structure ranges between 11'-5" and 20'-0".
- iv. Proposed materials include unpainted Williamsburg Red brick by Triangle Brick; metal (color to match storefront windows) and clay tile parapet coping; standing seam metal roof system (color to match storefront windows); dark bronze aluminum storefront window system; painted cementitious trim; painted steel plate arch work (color unknown); pre-cast concrete pilasters and base foundation (color unknown); and horizontal steel handrails.

b. *Staff Comments:*

- i. The height, width, and massing should be compatible with historic buildings in a 360-degree range of visibility from the center of the lot.
- ii. Confirm all setback dimensions.
- iii. Materials:
 1. Provide material specifications/samples, to include preferred color, for the following:
 2. Brick-and-mortar sample.
 3. Metal parapet.
 4. Aluminum storefront window.
 5. Standing seam metal roof specifications.
 6. Steel plate column and arches.

5. Site Work:

a. *Proposed Project Summary:*

- i. Tree and Landscaping plan, including hardscapes, has been provided.
- ii. HVAC will be located on the roof behind the proposed parapet.
- iii. Trash enclosure screening material have not been provided.
- iv. Information on Staff approvable items such as fence style have not been provided.

b. *Staff Comments:*

- i. Provide tree removal information.
- ii. Provide information about dumpsters, fencing, and any other site appurtenances, to include location, dimensions, and materials.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: HOLTZ 2nd: SULLIVAN

After deliberation and with a quorum present the Commission voted to Continue the review of your project. The motion to Continue is as follows:

Per the Design Standards for New Construction for Non-Residential Buildings, Chapter 7: Context, 7.2-7.3; Massing and Complexity of Form, 7.7; Scale, 7.9; Roof Form and Materials, 7.12; Cornices and Trim, 7.13; Materials, 7.16, and Guidelines for Private Sites: Site Appurtenances, 8.9:

1. Provide a restudy of the materials used on the one-story portion of the building,
2. Provide a restudy of finishing elements across the two-story building and the tower,
3. Provide a restudy of placement of the dumpster enclosure, and
4. Provide any other material details or samples that Staff indicated were missing.

VOTE: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR NEW CONSTRUCTION – NON RESIDENTIAL – CONTINUED.

Case number HDCRMAA-2025-00872 for 416 Hermitage Ct was not heard due to quorum.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

EXISTING CONDITIONS:

The existing structure is 1-story, American Small House with English Cottage elements constructed c. 1932. Architectural features include an entry gable that is attached to a large front gable, unpainted brick exterior, and a partial width front terrace. The front terrace was extended to wrap around the right elevation to create a covered screen porch c. 2010 (prior to district). Windows are replacement 1/1. Front door is a replacement. Cedar shake siding in the front gable is not original and is not typical of the English Cottage style. The lot size measures approximately 54' x 150', not including the rear alleyway. Adjacent structures are 1, 1.5, and 2-story residential and commercial buildings.

PROPOSAL & STAFF COMMENTS:

1. Proposed Project Summary
 - a. The applicant is proposing to remove the existing carport (c. 2006) and shed (c. 2000) and construct a new Accessory Dwelling Unit (ADU).
 - b. The height, as measured from grade to ridge, is approximately 18'-0 ¾".
 - c. The footprint of the new ADU measures approximately 22'-4" x 37'-0". See Sheet C-1.
 - d. Proposed materials:
 - i. Hardie Artisan lap siding with 7" exposure.
 - ii. 10" columns, painted wood.
 - iii. 5/4" x 4" cornerboards.
 - iv. Asphalt shingle roof.
 - v. Windows are proposed to be 6/6.
 - e. Post-construction, the rear-yard impermeable area will be 36%. See Sheet C-1.
2. Staff Comments
 - a. Property section detail that compares the height of principal structure with the height of the proposed ADU is needed.
 - b. The 2'-0" x 3'-0" windowpanes are horizontally oriented and should be vertically oriented.
 - c. Window trim appears to be too narrow for a field of siding.
 - d. Confirm windows will be double-hung.
 - e. Eave design should match the original eaves on the principal structure. See front entry gable on principal structure.
 - f. Material and detail information needed:
 - i. Column/beam detail.
 - ii. Eave detail.
 - iii. Window trim detail for single and paired windows.
 - iv. Corner board material should be wood.
 - v. Window and door material specifications. Doors should be wood.
 - vi. Foundation material.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: SULLIVAN 2nd: HOLTZ

After deliberation and with a quorum present, the Commission voted 7-0 to Approve this application as it is not incongruous with the Secretary of Interior's Standards for Historic Rehabilitation, 2.5., and Design Standards for Private Sites: Accessory Buildings, 8.10 with the following Condition(s):

- a. Property section detail that shows the ADU is shorter in height than the primary structure.
- b. The 2'-0" x 3'-0" windowpanes are horizontally oriented and should be vertically oriented.
- c. Window trim appears to be too narrow for a field of siding.
- d. Confirm window will be double-hung.
- e. Eave design should match the original eaves on the principal structure. See front entry gable on principal

structure.

- f. Material and detail information needed:
 - i. Column/beam detail.
 - ii. Eave detail.
 - iii. Window trim detail for single and paired windows.
 - iv. Corner board material should be wood.
 - v. Window and door material specifications. Doors should be wood.
 - vi. Foundation materials.

VOTE: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR ACCESSORY DWELLING UNIT – APPROVED WITH CONDITIONS.

Case number HDCRMA-2025-00777 for 916 Mt Vernon Av was not heard due to quorum.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCRMI-2025-00323, 429 W Park Av (PID: 11908520) – SITE CHANGES

EXISTING CONDITIONS:

The existing structure is a 1.5-story Craftsman constructed c. 1931, located at the corner of West Park Avenue and South Mint Street. Architectural features include a full-width front porch that wraps around the left elevation, decorative shingles in the gables ends, brackets, and 8/1 windows. Lot size is approximately 85' x 217'. Adjacent structures are 1 and 2-story single-family houses.

PROPOSAL & STAFF COMMENTS:

1. Pool and Patio:

a. Proposed Project Summary:

- i. The proposed infinity pool's footprint measures approximately 36'-0" x 24'-0" overall. Within the overall footprint, there is a pool shelf located towards the rear of the principal structure that measures approximately 16'-0" x 8'-0"; and a spa located towards the Accessory Dwelling Unit (ADU) that measures approximately 11'-0" x 9'-0".
- ii. The new patio footprint measurements have not been provided.
- iii. The above grade pool and patio will have supporting retaining walls with integrated planters that will sit approximately 2'-8" above grade at the rear of the principal structure and approximately 4'-6" above grade towards South Mint Street.
- iv. Proposed materials include travertine for the patio, pool coping, and the retaining walls with integrated planters. Specifications on the travertine have not been provided.

b. Staff Comments:

- i. Provide side-by-side of existing and proposed site plans labeled with site features, including trees, and materials.
- ii. Provide a restudy of an in-ground pool to visually limit the size of the addition, per Standard 6.20, number 1.

- iii. Retaining walls are not decorative features and should be no taller than necessary, per Standard 8.6, number 11.
 - iv. Provide material specifications for the travertine.
 - v. Provide rear yard calculations.
2. Cornhole Court, Paver Pathway, Firepit and Patio, Fence, & Trees:
- a. *Proposed Project Summary:*
 - i. Removable cornhole boards, spaced 27'-0" apart, are proposed in the location of existing bocce ball court. A pervious mat to match the dimensions of the bocce court, 39'-0" x 10'-5", is proposed over the existing sand for the game of cornhole. Specifications of the pervious cornhole mat are not provided.
 - ii. The pervious paver walkway is to lead from the existing front sidewalk to the right-side of the principal structure and end at the new firepit patio. Material specifications and dimensions not provided.
 - iii. The existing firepit will be removed and a new firepit that measures approximately 6'-0" in diameter x 1'-6" tall is proposed. The firepit is proposed with a travertine coping and stacked travertine base. The firepit will sit on a brick paver patio that will include concrete benches. Dimensions of the firepit patio and concrete benches are not provided.
 - iv. A new black metal picket style fence will be added along the right-side of the front elevation, down South Mint Street, and along the rear property line. The height measures 3'-0" tall along the front elevation and 5'-0" tall along the side and rear. A 3'-0" fence of the same style is also proposed on the left-side rear yard.
 - v. A new tree will be added, one tree will be protected, and two trees are outside the work zone.
 - b. *Staff Comments:*
 - i. Provide pervious cornhole mat specifications and material sample.
 - ii. Provide pervious paver walkway specification and dimensions. New walkways should follow historic design patterns of the street, per Standard 8.2 number 2.
 - iii. Provide firepit patio brick sample and dimensions.
 - iv. Provide concrete bench dimensions.
 - v. The proposed thin stacked travertine stone is incongruous with the Bungalow architecture of the historic house and does not reflect historic stacked stone, per Standard 8.6, number 12, letter c.
 - vi. Restudy fence step downs. The fence should step down to 4'-0" at the middle of the principal structure to the front thermal wall.
 - vii. Provide tree protection information to Staff for probable approval.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: HOLTZ 2nd: ALLRED

After deliberation and with a quorum present the Commission voted to Continue the review of your project. The motion to Continue is as follows:

Per Design Standards for New Construction for Residential Buildings, Chapter 6: Context, 6.2; and Guidelines for Private Sites: Chapter 8 in its entirety, including Fences and Walls, 8.6:

- 1. Respond to the Staff comments on pages one and two of the presentation about the pool and patio, cornhole court, paver pathway, and the rest of the site plan.
- 2. Provide more information about materials, detail drawings, and calculations regarding the rear yard as noted

VOTE: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR SITE CHANGES – CONTINUED.

CONTINUED FROM THE DECEMBER 10, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCRMA-2025-00652, 305 WESTWOOD AV (PID: 11908712) – ADDITION & ACCESSORY DWELLING UNIT

This application was continued from the December 10, 2025 meeting for the following items:

Restudy the accessory dwelling unit (ADU) based on Design Standards for Accessory Buildings 8.10, number 3, and New Construction for Residential Buildings: Massing, 6.8; Scale, 6.10; and Roof Form and Materials, 6.13.

EXISTING CONDITIONS:

The existing structure is a 1-story Bungalow style house constructed in 1933. Architectural features include full width front porch under a gable roof supported by square brick columns. Other features include side gable roof, wood Dutch lap siding with wood shingles in the gables, and wood brackets. All brick on the house is painted (foundation, porch columns, and chimney). A rear addition with fiber cement siding and a concrete block foundation was added in 2010 just prior to the creation of the Wilmore Local Historic District.

PROPOSAL & STAFF COMMENTS:

The applicant is proposing a second level addition over an existing rear addition and an accessory dwelling unit (ADU).

1. Second Level Rear Addition:

- a. The overall footprint of the structure will not change.
- b. The existing height of the main structure, as measured from grade to ridge, is 19'-2".
- c. The proposed addition's height will be 21'-7" and will raise the ridge approximately 2'-6".
- d. Proposed materials include shake siding with mitered corners, asphalt shingle roof, and wood brackets. Bracket detail not provided. Shake material not provided.
- e. Windows are proposed to be double-hung 3/1 Simulated True Divided Lights (STD L) with trim to match existing. Material specification sheet not specified. Trim detail not provided.
- f. Pedestrian view provided.
- g. 3D model provided.

2. Accessory Dwelling Unit:

- a. The footprint of the new ADU measures approximately 31'-7" x 23'-0".
- b. The height, as measured from grade to ridge, is approximately 20'-2".
- c. Proposed materials include brick foundation, Dutch lap siding with cornerboards, shake siding on the upper level with mitered corners, wood brackets, column and beam, and a shingle roof. Bracket detail not provided. Shake material not provided. Column and beam detail not provided.
- d. Windows are proposed to be wood double-hung 3/1 Simulated True Divided Lights (STD L) with trim to match existing. Material specification sheet not specified. Trim detail not provided.
- e. Door material specification sheet not specified. Trim detail not provided.
- f. Tree information not provided.
- g. Post-construction, the rear-yard impermeable area will be 39%.

Revised Proposal Project Summary & Staff Comments – February 11, 2026

1. Revised Project Summary - Accessory Dwelling Unit (ADU)

- a. Height has increased.
 - i. December 2026 Height: 20'-2"
 - ii. February 2026 Height: 20'-7"
- b. Footprint has increased.
 - i. December 2026: Garage Footprint is 24'-0"; Overall Footprint is 31'-7"
 - ii. February 2026: Garage Footprint is 24'-6"; Overall Footprint is 32'-1"
- c. Roof form changed from a gable to clipped gable.
- d. Brackets removed.
- e. Dormers are 3/12 pitch with a 0-9" overhang.
- f. Roof overhangs changed from 1-6" to 1'-0" on first level.
- g. Window sizes changed.
- h. Second level siding changed from shake shingles to wood lap.

2. *Staff Comments*

- a. Provide side-by-side elevations and site plan, comparing the previous month to the new proposed.
- b. Massing, Height & Width, Scale, Size and Roof Form:
 - i. Restudy Massing, per Standards 6.8; Height & Width, per Standard 6.9; and Scale, per Standard 6.10.
 - ii. New outbuilding must be clearly secondary (height, footprint, scale, and massing) to the principal structure on the site, per Standard 8.10, number 3.
 - iii. Rear and Front Elevations, restudy the relationship between the shed dormers and the clipped gable roof.
- c. Doors & Windows, Details, and Materials:
 - i. Left elevation upper-level window appears oversized compared to the first level windows.
 - ii. Provide window and door specifications.
 - iii. Confirm Dutch lap will be wood.
 - iv. Provide trim and details specifications.
 - v. Provide beam and column detail.
- d. Site Plan:
 - i. Label site plan with tree information, including species and diameter at breast height (DBH).
 - ii. Provide tree protection information.
 - iii. Show location of mechanicals on site plan.
 - iv. Provide driveway extension information, for Staff approval.
 - v. Confirm existing wood building, carport, and concrete patio will be removed.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: SULLIVAN 2nd: HOLTZ

After deliberation and with a quorum present the Commission voted to Continue the review of your project. The motion to Continue is as follows:

Restudy the Accessory Dwelling Unit (ADU) based on Design Standards for Accessory Buildings 8.10, number 3, and New Construction for Residential Buildings: Massing and Complexity of Form, 6.8; Heights and Width, 6.9; and Roof Form and Materials, 6.13.

VOTE: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR ADDITION & ACCESSORY DWELLING UNIT – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCRMA-2025-00779, 1815 MADISON AV (PID: 07839910) – NEW CONSTRUCTION – RESIDENTIAL

This application was continued from the December 10, 2025 meeting for the following items:

- 1. Restudy the proposed project's Massing, 6.8; Height and Width, 6.9; and Scale, 6.10.*
- 2. The applicant should take into consideration the heights of the existing homes within the 360-degree view, which also means the heights of the walls, the heights of the soffits, the heights of the ridges, so that those items are compatible with the neighboring historic buildings.*
- 3. The Commission has not evaluated the details of this project.*

EXISTING CONDITIONS:

The existing parcel is a vacant lot that has always been vacant.

PROPOSAL & STAFF COMMENTS:

The proposal is for the construction of a new single-family house in the Mid-Century split-level style. The proposed project details are as follows:

1. Elevation Drawings, Sheets A004 and A005.
 - a. Height is proposed at 23.6', as measured from grade to ridge at the tallest point.
 - b. Foundation height not provided.
 - c. Exterior Materials:
 - i. Brick proposed on first level on front, right, and left elevations.
 - ii. Second level above garage on front and left elevations proposed as Hardie fiber cement vertical siding.
 - iii. Rear elevation is proposed to be Hardie fiber cement vertical siding.
 - d. Porches proposed materials, Sheets A004, A005, and A001.2
 - i. Front porch: concrete landing with brick rowlock, brick stairs, and metal handrail.
 - ii. Rear patio: concrete.
2. Architectural Details, not provided.
3. Window detail (material, design, dimensions, trim).
 - a. Window material is not specified.
 - b. Window trim detail not provided.
 - i. Window schedule, Sheet A006
4. Floor plans and Roof Plan, Sheets A003, A003.1, and A003.2
5. Building sections, not provided.
6. Wall Section, not provided.
7. Porch Section, not provided.
8. Proposed Site Plans, Sheets A0001 and A0001.2.
 - a. Setback dimensions, proposed new construction:
 - i. Front porch, not provided.
 - ii. Front thermal wall 35'.
 - iii. Left property line 7'-4 1/2".
 - iv. Right property line, 5'.
 - v. Rear property line, 49'.
 - b. Setback dimensions of neighboring properties, Sheet A001.
 - i. 1809 Madison:
 1. Front Thermal Wall: 35'.

- ii. 1817 Madison:
 - 1. Front Thermal Wall: 35'.
- 9. Drives, walks, and alleys, Sheet A001.2
 - a. Concrete driveway, 16' wide.
 - b. Concrete front walk, 3'-6" connecting driveway to front porch steps.
- 10. Tree protection and/or tree removal and replanting, Sheet A002.
- 11. HVAC located in the rear yard, Sheet A001.
- 12. Fences/walls – 6' in rear, 5' along left and right property line.
- 13. Accessory buildings (garages, sheds, gazebos, etc.), none proposed.
- 14. Percent of Rear Yard Coverage, Sheet A001.2.
- 15. Zoutewelle streetscape survey composite elevations, provided at the end of the presentation.

Revised Proposal Project Summary & Staff Comments – February 11, 2026

- 1. Revised Project Summary
 - a. Height, as measured from grade to ridge, has been reduced.
 - i. December 2025: Front elevation, Left side = 23.6' and Right side = 17.9'
 - ii. February 2026: Front elevation, Left side = 22.1' and Right side = 14.6'.
 - b. Front Setback has increased.
 - i. December 2025: proposed new building and neighboring buildings setbacks all shown at 35'.
 - ii. February 2026: proposed new building and neighboring buildings setbacks all shown at 40'.
 - iii. February 2026, front setback of both proposed new building and neighboring buildings are shown at 40' Restudy the proposed project's Massing, 6.8; Height and Width, 6.9; and Scale, 6.10.
 - c. Roof form design and slopes changed.
 - d. Fenestration changes on right, left and rear elevations.
 - e. Exterior materials:
 - i. Areas previously proposed to be vertical siding changed to Nichiha Savannah smooth lap siding with corner boards,
 - ii. Additional areas of brick added to the rear elevation.
- 2. Staff Comments
 - a. Provide side by side elevations and site plan, comparing the previous month to the new proposed.
 - b. Height:
 - i. Foundation height is needed.
 - c. Front Setback. There are discrepancies between December 2025 presentation and February 2026 presentation.
 - i. The front setback dimensions of the neighboring properties have increased from 35' to 40'.
 - ii. What is the accurate setback of the existing neighboring properties?
 - iii. What is the accurate setback of the new proposed building to the front thermal wall?
 - iv. What is the setback of the new proposed building to the front porch?
 - d. Topography + Grading:
 - i. Will the site be graded to accommodate the proposed new building?
 - ii. The front elevation is shown at grade on elevation drawings, Sheets A004 and A005.
 - iii. Zoutewelle survey shows front elevation as being below grade.
 - e. Right Elevation:
 - i. Window header heights appear set too high on the wall.
 - f. Site Plan:
 - i. Fencing:
 - 1. Height needs to step down to 4' mid-way along the left and right elevations.
 - 2. Design and material needed.
 - 3. Staff can work out the fence details with the applicant.
 - g. Details and Materials needed:

- i. Brick/mortar sample.
- ii. Plans noted that brick is to remain unpainted.
- iii. Window material and specifications.
- iv. Window trim detail, dimensions and material for both fields of brick and siding.
- v. All trim should be wood (windows, doors, cornerboards).
- vi. Front door design and material.
- vii. Garage door design, details, and material.
- viii. Roof detail (soffit, fascia), design, and material.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: WHITLOCK 2nd: HOLTZ

After deliberation and with a quorum present the Commission voted to Continue the review of your project. The motion to Continue is as follows:

- 1. Address all items in the Staff comments in the meeting memo using Design Standards for New Construction for Residential Buildings, Chapter 6.
- 2. Provide a site section from the street to the rear property line, that accurately shows the building location and site topography.

VOTE: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR NEW CONSTRUCTION – RESIDENTIAL – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCRMA-2025-00810, 1414 THE PLAZA (PID: 09507916) – ADDITION & ACCESSORY BUILDING

This application was continued from the December 10, 2025 meeting for the following items:

- 1. *Per Standards for Roofs, 4.5, and Roof Form and Materials, 6.13:*
 - a. *Restudy of the roof material on the pavilion and the garage accessory dwelling unit (ADU).*
 - b. *Provide historic examples to justify the use of this material in this application.*
- 2. *Per Standards for Windows, 4.14:*
 - a. *Number 1, "Retain and preserve windows that contribute to the overall historic character of a building."*
 - b. *Number 2, "Repair original windows by patching, splicing, consolidating, or otherwise reinforcing."*
 - c. *For replacement window requests, the following information must be provided: photos and analysis of each window to be replaced, and proof that the existing windows are not able to be repaired.*
- 3. *Per Landscaping and Lawns, 8.4, number 7, provide an updated analysis on the impervious area of the rear yard.*

EXISTING CONDITIONS:

The existing structure is a 1.5-story Colonial Revival constructed c. 1944. Architectural features include a side gable roof with a steeply pitched front gable portico supported by square wood columns flanked by steeply pitched gable dormers. The house has a symmetrical 3-bay façade. The 6-panel colonial front door is flanked by 9-light partial height sidelights. The windows flanking the front door are 8/8 double-hung wood, and the other windows on the house are double-hung 6/6. There is a 1-story side wing on the left side that appears to be an infilled side porch. The exterior material is an

unpainted dark red brick with the side gable ends, front portico, and gable dormers in lap wood siding with mitered corners. The lot size is approximately 66' x 192'. Adjacent structures are 1, 1.5, and 2-story residential buildings.

PROPOSAL & STAFF COMMENTS:

The proposal is a multi-part project that includes a rear addition and new accessory building. A two-story rear addition was completed in 2018. The proposed project includes extending the two-story 2018 addition by 8' to the rear, constructing a new one-story connector, and a new one-story enclosed pavilion with covered porch. The proposal also includes the demolition of an existing shed and construction of a new accessory building.

1. Rear Addition
 - a. The proposed height of the new 8' addition will match the existing addition.
 - b. Materials proposed include Hardie Artisan lap siding to match existing with Hardie panel trim on projecting bay, and brick foundation to match existing.
 - c. Projecting bay proposed to have a standing seam metal roof.
 - d. Windows proposed to be double-hung, wood with 7/8" muntins by Sierra Pacific.
2. Connector
 - a. The proposed height of the one-story connector is not provided
 - b. Materials proposed to be wood lap siding and a flat roof.
 - c. Windows proposed to be double-hung, wood with 7/8" muntins by Sierra Pacific.
3. Enclosed Pavillion & Covered Porch
 - a. The proposed height of the new pavilion building is approximately 17'-7".
 - b. Foundation proposed as brick.
 - c. Windows proposed to be double-hung, wood with 7/8" muntins by Sierra Pacific.
 - d. Standing seam metal roof.
4. Accessory Building
 - a. The proposed height is 22'-1".
 - b. Proposed materials include Hardie Artisan lap siding, brick foundation, and a standing seam metal roof.
5. Site Work
 - a. Driveway – will be extended to the rear. Proposed materials are concrete pavers and gravel.
 - b. New driveway gate at rear of original house; details not provided.
 - c. Rear patio will be bluestone.
 - d. New fencing and gate proposed; details not provided.
 - e. Post-construction rear yard impermeable area will be 40%.
 - f. An ornamental tree in the rear yard will be removed.
 - g. A new backup generator will be installed adjacent to existing HVAC units, on the left elevation.

Revised Proposal Project Summary & Staff Comments – February 11, 2026

1. Accessory Building
 - a. *Revised Project Summary*
 - i. Roof material changed to asphalt shingle
 - ii. Provided information about metal roofs at 1528 Thomas Avenue and 1921 Thomas Avenue.
 - b. *Staff Comments*
 - i. Provide side-by-side elevations, comparing the previous month to the new proposed.
 - ii. 1528 Thomas Avenue. This project was approved in 2013, under former Design Standards. The metal roof was approved on a secondary dormer roof with a very low slope (1.5/12 pitch) that required either a membrane or metal roof. The dormer is not visible from the street.
 - iii. 1921 Thomas Avenue. The metal roof was approved on a secondary location, a one-story rear porch, not visible from the street.
 - iv. Details and Materials needed:
 1. Brick/mortar sample.
 2. Plans noted that brick will remain unpainted.
 3. Garage door specifications.

4. Will garage siding have mitered corners or corner board trim?

2. Window Replacement

a. *Revised Project Summary*

- i. Provided photos of windows proposed for replacement.
- ii. Provided information about 1901 Thomas Avenue windows.

b. *Staff Comments*

- i. The existing historic windows appear to be in good condition, with minor repairs needed (new glazing, painting, etc.)
- ii. No analysis of the window conditions or proof that the windows cannot be repaired has been provided (such as an evaluation by a window restoration professional) to demonstrate that replacement is warranted.
- iii. The new windows at 1901 Thomas Avenue were to update non-original replacement windows COA# HDCRMI-2024-00210 was issued for new Jeld-Wen Sitrine double-hung windows to bring the property into compliance with the Design Standards.

3. Site Work

a. *Revised Project Summary*

- i. Revised site plan with rear yard permeability calculations provided. Post construction the rear yard will be approximately 43.6% impermeable surfaces.

b. *Staff Comments*

- i. Driveway material noted as pavers; specifications and material information needed.
- ii. Driveway carriage track dimensions needed.
- iii. Driveway gate specifications and materials needed.
- iv. Fencing and gate details, dimensions, and materials needed.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION 1: APPROVE WITH CONDITIONS

1st: HOLTZ 2nd: SULLIVAN

After deliberation and with a quorum present, the Commission voted 7-0 to Approve this application as it is not incongruous with the Design Standards for New Construction for Residential Buildings and Private Sites: Massing and Complexity, 6.8; Roof Form and Materials, 6.13; Site Standards, 6.5-6.6; Site Appurtenances, 8.9; Accessory Building, 8.10; Landscaping, 8.4; with the following Condition(s):

- a. The accessory building will have a roof material made of asphalt shingle.
- b. The applicant has demonstrated they meet the impermeable surface standard with the stipulation that the driveway material and specifications are shared with Staff prior to any construction for their approval.
- c. Driveway carriage track dimensions needed.
- d. Driveway gate specifications and materials needed.
- e. Fencing and gate details, dimensions, and materials must be provided to Staff for their approval prior to continuing with the project.

VOTE 1: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION 1: APPLICATION FOR ACCESSORY BUILDING & SITE CHANGES – APPROVED WITH CONDITIONS.

MOTION 2: DENY

1st: HOLTZ 2nd: SULLIVAN

After deliberation and with a quorum present, the Commission voted 7-0 to Deny this application for failure to meet Design Standards for Rehabilitation of Building Elements, Chapter 4, and New Construction for Residential Buildings, Chapter 6, and the Secretary of Interior's Standards for Historic Rehabilitation. They also determined that the

application is not consistent with the Design Standards for Rehabilitation of Building Elements, Chapter 4, and New Construction for Residential Buildings, Chapter 6, as follows:

1. The project does not conform to the standards for Windows, 4.12 – 4.14; and
2. The project does not conform to the standards for Doors and Windows, 6.15

VOTE 2: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION 2: APPLICATION FOR WINDOW REPLACEMENT – DENIED.

CONTINUED FROM THE JANUARY 14, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCMF-2025-00449, 224, 228, 232, & 236 W KINGSTON AV (PID: 11908904, 11908905, 11908906, & 11908907) – NEW CONSTRUCTION – MULTI-FAMILY

This application was continued from the January 14, 2026 meeting for the following items.

1. Building A-1:
 - a. Reduce the second-floor windows by 6 inches and align header heights, per Design Standards for Doors and Windows, 6.15, number 2.
2. Building B-1:
 - a. Reduce the second-floor windows by 6 inches and align header heights, per Design Standards for Doors and Windows, 6.15, number 2.
 - b. Provide details for the bump-out, brackets, and wood panel and trim details, per Design Standards for Cornices and Trim 6.14.
3. Building C-1:
 - a. Reduce the second-floor windows by 6 inches and align header heights, per Design Standards for Doors and Windows, 6.15.
 - b. Provide bump-out details, per Design Standards for Cornices and Trim 6.14.
4. Building A-2 & A-3:
 - a. Reduce the second-floor windows by 6 inches and align header all heights, per Design Standards for Doors and Windows, 6.15, number 2.
 - b. Restudy the front gable siding and vent proportions per Design Standards for Roof forms and Materials 6.13; and Standards for Cornices and Trim, 6.14.
5. Building B-2:
 - a. Restudy front gable siding and vent proportions.
 - b. Restudy elevations to ensure there are no-coplanar walls.
6. Building C-2:
 - a. Provide details on the bump-outs, brackets and siding, per Design Standards for Doors and Windows, 6.15; and Cornices and Trim, 6.14.
7. Building C1.1
 - a. Restudy Building C1.1 per Design Standards for Spacing 6.6; Massing and Complexity of Form 6.8; and Height and Width, 6.9.
8. Site Work:

- a. Provide information about location of HVAC units, dumpsters, and any other site appurtenances, per Design Standards for Site Appurtenances, 8.9.
- b. Provide detail, dimensions, and materials for walkways, trash enclosure, and fencing, per Design Standards for Fences and Walls 8.6, 8.7, and 8.8.
- c. Provide all material samples for review, per Design Standards for Materials, 6.18.
- d. Provide 3D images of buildings and overall site.

EXISTING CONDITIONS:

The four parcels are currently vacant. A 365-Day Stay of Demolition was approved by the HDC on September 13, 2017, and the COA for demolition was issued September 14, 2018.

Background

Originally, each of the four parcels contained a 1-story residential structure. The buildings were connected with heated space. 236 W Kingston Av was constructed c. 1923 and connected to 232 W Kingston Av.

228 and 224 were also connected to make one building and were constructed c. 1936 and 1940, respectively. Adjacent structures are commercial, multi-family, and 1, 1.5, and 2-story single-family homes. Across the street are single and multi-family buildings. The historic multi-family building at 241 W Kingston Av was constructed in 1949, the height is approximately 32' measured from grade. The adjacent single-family house, 245 W Kingston Av, was constructed in 1954 and its approximate height is 33'. The single-family house at 251 W Kingston Av was constructed in 1936, with a pre-Historic District rear addition height of approximately 40'.

The applicant submitted an application for the new construction of multi-family structures under case number HDCCMA-2023-00992. That application was denied by the HDC on February 12, 2025.

PROPOSAL & STAFF COMMENTS:

The applicant is proposing to construct seven (7) new multi-family structures. The site is composed of:

1. Buildings A1-A3:
 - a. Proposed Project Summary:
 - i. Building A1: a 1.5-story duplex, proposed to be 24'-10" in height from grade to ridge. Overall heated footprint measures 35'-4" x 36'-0". Proposed setback is 74' to front thermal wall from back of curb and 66' to front porch from back of curb.
 - ii. Building A2-A3: a 1.5-story duplex, proposed to be 24'-10" tall from grade to ridge. Overall heated footprint measures 37'-0" x 36'-0".
 - b. Staff Comments:
 - i. Restudy all gables for beam size and roof eave return proportions.
 - ii. Front gable siding to vent proportions.
 - iii. Lower rear gable at least 0'-6" from main ridge.
 - iv. Restudy window/door trim and eave relationship on rear elevation. Trim seems very close to eaves.
2. Buildings B1-B2:
 - a. Proposed Project Summary:
 - i. Building B1: a 2-story quadruplex, proposed to be 28'-6" tall from grade to ridge. Overall heated footprint measures 35'-4" x 37'-0". Proposed setback is 74' to front thermal wall from back of curb and 66' to front porch from back of curb.
 - ii. Buildings B2: a 2-story quadruplex, proposed to be 28'-6" tall from grade to ridge. Overall heated footprint measures 37'-0" x 34'-0".
 - b. Staff Comments:
 - i. Restudy right and left bump-out for accurate detailing.
 - ii. Restudy the rear elevation of Building B2 for coplanar walls.
3. Buildings C1-C2:

- a. Proposed Project Summary:
 - i. Building C1 and C1.1: a 2-story quadruplex with a 1.5-story unit connected with a glassy corridor, proposed to be 29'-10" and 22'-6" tall from grade to ridge, respectively. Overall heated footprint measures is 35'-4" x 37'-0" for Building C1 and 20'-0" x 20'-0" for Building C1.1. Buildings C1 and C1.1 have varied setbacks. Building C1 has a setback of 74' to front thermal wall from back of curb and 66' to front porch from back of curb. Building C1.1 has a setback of 90'-2" to front thermal wall from back of curb.
 - ii. Building C2: 2-story quadruplex, proposed to be 28'-6" tall from grade to ridge. Overall heated footprint measures 37'-0" x 34'-0".
 - b. Staff Comments:
 - i. Latitude is typically given to corner lots anchoring the gateway to the district.
 - ii. Restudy roof form.
 1. 241 W Kingston Av has a similar roof line, but the gable does not sit as far back from the front thermal wall, thereby reducing the complex form. Consider providing a 3D perspective.
 - iii. Restudy right and left bump-out for accurate detailing.
 - iv. Restudy the rear elevation of Building C2 for coplanar walls.
4. All Buildings and Materials:
- a. Proposed Project Summary:
 - i. Proposed materials include unpainted brick foundation, Hardie Artisan Smooth lap siding with 0'-6" exposure, wood cedar shake, and asphalt shingle roof.
 - ii. Windows are proposed to be 6/1 aluminum-clad double-hung Jeld-Wen Sitrine, with a rectangular light pattern. All windows are proposed with ½"-1" muntins and traditional trim.
 - iii. Doors are proposed to be Jeld-Wen wood doors with glass.
 - iv. All trim, columns, and railings are proposed to be wood.
 - b. Staff Comments:
 - i. All Buildings:
 1. Make building details consistent for the architectural style.
 2. Restudy door sizes and header heights.
 3. Restudy window sizes on upper levels.
 - a. Typically, windows on upper levels are smaller than the lower levels.
 4. Review drawings for consistency. For example, the height for Building A1 is 24'-6" on Sheet A6 versus 24'-10" on Sheet A21. Also, the windows are called out as aluminum-clad in material page but are labeled wood on the details page. This is not an exhaustive list of inconsistencies.
 5. Considered providing a 3D perspective of the buildings and site as a whole.
 - ii. Materials:
 1. Provide the beam detail in the column detail (pg. 27).
 2. Provide the beam material in the column and beam section (pg. A-31).
 3. Provide bracket detail.
 4. Provide a brick-and-mortar sample.
 5. Provide specifications for windows and doors. Jeld-Wen Sitrine with 3.5" bottom rail required.
5. Site Work:
- a. Proposed Project Summary:
 - i. Tree and Landscaping plan has been provided.
 - ii. HVAC locations have not been provided.
 - iii. Information on Staff approvable items such as, walkways, trash enclosure, and fence style have not been provided.
 - b. Staff Comments:
 - i. Provide information about location of HVAC units, dumpsters, and any other site

- appurtenances.
- ii. Provide detail, dimensions, and materials for walkways, trash enclosure, and fencing.

Revised Proposed Project Summary– February 11, 2026

1. Building A-1:
 - a. Second-floor window design updated, see Sheet A-21.
 - b. Staff Comments
 - i. Window changes are not incongruous with Design Standards for Doors and Windows, 6.15, number 2.
2. Building B-1:
 - a. Second-floor window design and bump-out details updated, see Sheet A-23.
 - b. Staff Comments
 - i. Window changes are not incongruous with Design Standards for Doors and Windows, 6.15, number 2.
 - ii. Add bump-out details to architectural details page.
3. Building C-1:
 - a. Second-floor window design and bump-out details updated, see Sheet A-25.
 - b. Staff Comments
 - i. Window changes are not incongruous with Design Standards for Doors and Windows, 6.15, number 2.
 - ii. Add bump-out details to architectural details page.
4. Building A-2 & A-3:
 - a. Second-floor window design and vent details updated, see Sheet A-22.
 - b. Staff Comments
 - i. Window changes are not incongruous with Design Standards for Doors and Windows, 6.15, number 2.
5. Building B-2:
 - a. Vent and rear coplanar wall details updated, see Sheet A-24.
 - b. Staff Comments
 - i. Applicant provided requested updated information.
6. Building C-2:
 - a. Bump-out details updated, see Sheet A-27.
 - b. Staff Comments
 - i. Add bump-out details to architectural details page.
7. Building C1.1
 - a. Building C1.1 restudy updated, see Sheet A-26.
 - b. Staff Comments
 - i. Add bump-out or widen the structure to read more horizontal, not vertical, to match the other proposed structures.
8. Site Work:
 - a. HVAC, dumpsters, and other site appurtenances details, see Sheet A-10.
 - b. Walkways, trash enclosure, and fencing details, see Sheet A-10 and A-29.
 - c. Material samples, see Sheet A-1.
 - d. 3D images of buildings and overall site not provided.
 - e. Staff Comments
 - i. Add dimensions of dumpster enclosure to site plan.
 - ii. Add dimensions and material-call outs of front walkways to site plan.
 - iii. Add fencing details to architectural details page.
 1. Consider moving the 6'-0" fence along the left property line to right property line.
 2. Fencing along the left property line should follow the approved HDC stepdown

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION 1: APPROVE WITH CONDITIONS

1st: HOLTZ 2nd: SULLIVAN

Ms. Holtz moved to approve the application for the site plans, site work, HVAC, dumpster, and other site appurtenances. She added the conditions that the materials be approved by Staff and that the fence must not protrude past the thermal wall on the front elevation. Finally, she added that the fence must step down, citing the Standards for landscaping and fences, 8.6, 8.7, and 8.9.

Mr. Sullivan seconded the motion.

VOTE 1: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION 1: APPLICATION FOR SITE WORK – APPROVED WITH CONDITIONS.

MOTION 2: CONTINUE

1st: SULLIVAN 2nd: WHITLOCK

After deliberation and with a quorum present the Commission voted to Continue the review of your project. The motion to Continue is as follows:

Per Design Standards for New Construction for Non-Residential Buildings, Chapter 7: Massing and Complexity of Form, 7.7; Height and Width, 7.8; and Scale, 7.9:

1. Provide a restudy and additional supporting documentation for the design of the building C1.1

VOTE 2: 4/3

AYES: CURME, HOLTZ, SULLIVAN, WHITLOCK

NAYS: ALLRED, BELL, LINEBERGER

DECISION 2: APPLICATION FOR NEW CONSTRUCTION – MULTI FAMILY – CONTINUED.

MOTION 3: APPROVE WITH CONDITIONS

1st: SULLIVAN 2nd: HOLTZ

After deliberation and with a quorum present, the Commission voted 7-0 to Approve this application as it is not incongruous with the Secretary of Interior's Standards for Historic Rehabilitation, 2.5; and Design Standards for New Construction: Doors and Windows, 6.15, number 2 with the following Condition(s):

1. The approval does not include Building C1.1.
2. The window changes are not incongruous with Design Standards for doors and windows. The approval of this project is acceptable because it is an exception to the rules on massing because it is a property adjacent to commercial development, and is on the edge of the district. Those conditions are unique and should not be precedent setting for other properties, as these conditions are just unique to this site with respect to its location, context, and as a gateway project.
3. Add bump-out details to the architectural details page for Building B1.
4. Add bump-out details to the architectural details page for Building C1.
5. Add bump-out details to the architectural details page for Building C2.
6. Provide 3D images to staff.
7. That exact materials must be submitted to Staff for review regarding their durability as high use, with the stipulation that it be masonry.
8. Fencing along the left property line must not protrude beyond the thermal wall toward the front of the project, and it must step down in accordance with HDC Standards

VOTE 3: 4/3

AYES: BELL, HOLTZ, SULLIVAN, WHITLOCK

NAYS: ALLRED, CURME, LINEBERGER

DECISION 3: APPLICATION FOR NEW CONSTRUCTION – MULTI FAMILY – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCRMIA-2025-00693, 425 RENSSELAER AV (PID: 12302907) – GARAGE DORMER ADDITION – AFTER THE FACT

This application was continued from the January 14, 2026 meeting for the following items:

1. Coplanar walls (dormer wall being coplanar with main level wall) are incongruous with the Design Standards for Massing, 6.8, numbers 1, 2, and 6.
2. Restudy windows and the spacing of the windows, per Design Standards for Doors and Windows, 6.15 – 6.16, specifically 1(a) the ratio of solid wall and void, 1(b) the rhythm, and 1(c) the placement of windows because the two windows but need to be in proportion and scaled to the wall they are in.

EXISTING CONDITIONS:

The existing structure is a 1-story Colonial Revival constructed c. 1930. Architectural features include a side gable roof with covered front gable porch, square front porch columns, painted Dutch lap siding, original 6/1 wood windows, and a replacement Craftsman-style 6-lite front door. The property also has a 1.5-story detached garage located to the right of the principal structure that matches the architectural style of the house and has wood carriage style doors. The house and garage are connected by a wood deck. The lot size is approximately 83' x 88'. Adjacent structures are 1 to 2-story single-family homes and duplexes.

PROPOSAL & STAFF COMMENTS:

Proposed Project Summary – January 14, 2025

The applicant is proposing a dormer addition on the right side of an existing garage. The garage was constructed in 2014 under COA# HDC-2014-168. The application is an After-The-Fact review, with the Commission reviewing the project on its merits as if the work has not yet occurred. The proposed project details are as follows:

The dormer addition will have a low slope shed roof with 6" overhang and coplanar framing to make the dormer flush with the first-floor wall. The dormer will tie in below the primary ridge of the building.

The applicant has provided a preferred roof pitch option of 1:12, and an additional 2:12 option.

Proposed materials include wood German lap siding with 6" exposure, 4" wood corner boards proud of the siding, 8" wood fascia, and 6/1 double-hung wood windows to match the existing 6/1 window on the front elevation.

Revised Proposal Summary – February 11, 2026

1. Proposed Revisions
 - a. Context photos from Dilworth depicting coplanar dormers at other properties have been provided.
 - b. Reference images from "Sears Modern Homes – 1913" pattern book with examples of coplanar walls in various designs have been provided.
 - c. Restudy of the dormer by widening the dormer approximately 14" on either side of each window has been provided.
2. Staff Comments
 - a. The ratio of solid and void with the widening of the dormer wall is not incongruous with the Design

- Standard for Rhythm 6.15, number 1 a-c.
- b. The applicant provided the following list of addresses from the neighborhood of coplanar dormers. Staff researched HDC files for each address. Application information is included below:
- i. 705 Templeton Avenue – second story coplanar addition was approved by the HDC on February 14, 2001. COA# 2001.56.D.46 issued on October 8, 2001.
 - ii. 609 Berkeley Avenue (listed as 605 Berkeley on applicant’s presentation) – coplanar dormers on garage were approved by the HDC on May 8, 2019. COA# HDCRMI 2019-00175 issued on June 25, 2019.
 - iii. 601 Mount Vernon Avenue (listed as 701 Mt Vernon on applicant’s presentation) – new garage with coplanar dormers was approved by the HDC on September 10, 2014. COA# 2013-168 issued on October 21, 2014.
 - iv. 717 Mount Vernon Avenue – Staff approved COA issued for garage’s coplanar shed dormers on February 10, 2006.
 - v. 701 Mount Vernon Avenue (listed at 701 Myrtle on applicant’s presentation) – two story addition to the historic house features coplanar dormers that have been in place since at least December 2009 per Mecklenburg County GIS. No case file available.
 - vi. 1113 Euclid Avenue – two story coplanar gable dormers were approved by the HDC on May 9, 2001. COA# 2001.47.D.37 issued August 24, 2001.
 - vii. 325 Rensselaer Avenue - second story coplanar addition was approved by the HDC on December 11, 2013. COA# 2013-192 issued December 13, 2013.
- c. The applicant provided the following list of addresses from the neighborhood of ADUs with dormers. Staff researched HDC files for each address. Application information is included below:
- i. 729 Templeton Avenue – COA for new one-story garage issued September 10, 2007. No approval on file for dormers. Dormers have been installed on garage since it was first constructed per Mecklenburg County GIS.
 - ii. 1510 Euclid Avenue – garage with cross gable upper storage level approved by the HDC on April 11, 2001. COA# 2001.27.D.21.SA issued April 27, 2001.
 - iii. 1418 Euclid Avenue – garage with coplanar dormers was approved by the HDC In September 1994. COA# 94.102.D.85 issued September 15, 1994.
 - iv. 601 Berkeley Avenue – this photo provides another view of the ADU at 609 Berkeley Avenue (#2 listed above).

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley’s invitation to speak.

MOTION: DENY

1st: SULLIVAN 2nd: HOLTZ

After deliberation and with a quorum present, the Commission voted 6-1 to Deny this application for failure to meet Design Standards for New Construction for Residential Buildings, Chapter 6, and the Secretary of Interior's Standards for Historic Rehabilitation. They also specified the proposed project is incongruous with the special character of the District as described in Chapter 3 of the Design Standards in that:

1. The application is not consistent with the Design Standards for New Construction for Residential Buildings, Chapter 6, as follows:
 - a. The project does not conform to the standards for Roof and Materials, 6.13.
 - b. The project does not conform to the standards for Massing, 6.8, numbers 1, 2, and 6.

This is because the dormer wall being coplanar with the main level wall can’t be mediated.

VOTE: 6/1

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN

NAYS: WHITLOCK

DECISION: APPLICATION FOR GARAGE DORMER ADDITION – AFTER THE FACT – DENIED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCRMAA-2025-00648, 409 WALNUT AV (PID: 07101312) – CHANGES TO AN APPROVED COA – AFTER THE FACT

This application was continued from the January 14, 2025 meeting for the following items:

1. Restudy the fenestration on the left elevation to add a window. The addition of a planter and trellis to the left elevation is not a replacement for fenestration and is incongruous with the Design Standards for Rhythm 6.15, number 1, (a) and (b), and Context 6.2-6.4.

EXISTING CONDITIONS:

The existing structure is 1-story, Craftsman constructed c. 1930. Architectural features include wrapped porch on the left-side with painted stucco columns, painted stucco siding, wood shake gable ends with 4-light window and shutters, a red brick chimney located on the front-left side, concrete front steps with stucco wingwalls at the porch, and concrete steps to the public sidewalk. Features also include wood double-hung 6/1 windows and a wood fan light front door. The lot size is approximately 55.71' x 187.50'. Adjacent structures are 1, 1.5, and 2-story residential buildings.

PROPOSAL & STAFF COMMENTS:

On February 11, 2021, an administrative Certificate of Appropriateness #HDCRMI-2020-00789 was issued for a rear addition and covered rear porch. The applicant is proposing changes to an approved COA that Staff is unable to review due to the proposed size of the addition. The following changes are proposed:

1. Windows /Doors – Original House:
 - a. Replacement of original 6/1 wood windows with new Jeld-Wen 2500 Series 6/1 wood windows.
 - b. Replacement of non-original front door with a wood 9-lite door Colonial door.
2. Accessory Building:
 - a. Demolish the dilapidated garage located in rear of the property.
3. Rear Addition:
 - a. General:
 - i. Construction of new addition with a footprint of 23'-8.5" wide x 44'-1" long; the length is inclusive of a new rear covered porch that is approximately 10'-6" deep.
 - ii. A transition will be provided between the original house and proposed addition. At the rear corners of the original house, the addition will bump out then bump back in before continuing on the same plane as the walls of the original house (Sheets A-5.0; A-2.0, A-2.1, A 2.2).
 - b. Rear Covered Porch:
 - i. Cover the beam across the top of the covered porch with wood shake siding.
 - ii. Change the design of low wall to be continuous across the rear elevation and extend between the columns and house on the left elevation.
 - c. Right Elevation:
 - i. Change the small rear-most window to a full-size window.
4. Painted Brick:
 - a. Paint the unpainted brick chimney on the left elevation.

The following proposed changes are eligible for Staff approval and do not require Commission review:

1. Site Changes:
 - a. Install an approximately 50' x 33' concrete parking pad in the rear of the property, accessed by the public alleyway.
 - b. Install square concrete steppingstones laid in a path of gravel in the rear yard, leading from the rear

- covered porch to the proposed concrete parking pad.
- c. Removal of bluestone from the primary walkway and steps leading to the public sidewalk and restoring it to concrete.
- d. Removal of paint from concrete sidewalls of front steps.
- 2. Lighting:
 - a. Install (2) new metal light fixtures alongside front entry door.
- 3. Front Porch Changes:
 - a. Removal of bluestone and paint on the front porch floor and front steps and restoring back to concrete.
- 4. Rear Elevation:
 - a. Install decorative brackets on the gable end.
 - b. Install a new rear gable-end window and wood louvered vents on either side of the window that match the original front gable-end window and vents.
 - c. Install double full-lite doors on the left of the rear elevation.

The project is considered an After-the-Fact review, with the Commission reviewing the project on its merits as if work has not yet occurred.

Revised Proposed Project Summary – January 14, 2026

- 1. Proposed Revisions
 - a. Additional notes/dimensions have been provided on the right elevation, including a proposal to keep the existing fenestration, as-built.
 - b. A planter box and trellis in the wide field of stucco on the left elevation of the rear addition have been proposed.
 - c. No new changes have been proposed to the fenestration on the rear elevation.
 - d. Foundation wall and stucco to be added to match existing under bump outs between the original house and addition on the right and left elevations.
 - e. Smooth wood trim band along bottom of gable and knee brackets have been added to the rear elevation, matching the front elevation of the original house.

Revised Proposed Project Summary – February 11, 2026

- 1. Proposed Revisions
 - a. A new bump-out with blacked-out window in the wide field of stucco on the left elevation of the rear addition has been proposed.
- 2. Staff Comments
 - a. The installation of a blacked-out window to the left elevation is not incongruous with the Design Standard for Rhythm 6.15, number 1, letters a, b & d.
 - b. The addition of a bump-out on the left elevation is not incongruous with the Design Standard for Massing 6.8, numbers 1, 2 & 6; however, it is easily reversible.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION 1: APPROVE WITH CONDITIONS

1st: HOLTZ 2nd: SULLIVAN

Ms. Holtz moved to approve the application as it is not incongruous with the Design Standards for Rhythm, 6.15, number 1 as well as for Massing, 6.18, numbers 1, 2 ,and 6.

Mr. Sullivan seconded the motion.

The motion failed with a vote of 3-4.

VOTE 1: 3/4

AYES: HOLTZ, SULLIVAN, WHITLOCK

NAYS: ALLRED, BELL, CURME, LINEBERGER

DECISION 1: THE MOTION FAILED

MOTION 2: CONTINUE

1st: SULLIVAN 2nd: CURME

After deliberation and with a quorum present the Commission voted to Continue the review of your project. The motion to Continue is as follows:

Per Design Standards for New Construction for Residential Buildings, Chapter 6: Doors and Windows, 6.15, number 1:

1. Restudy options for the left elevation, as discussed during the meeting.

VOTE 2: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION 2: APPLICATION FOR CHANGES TO AN APPROVED COA – AFTER THE FACT – CONTINUED.

NEW CASES

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, SOWASH, STANLEY, TAYLOR, WOJICK

APPLICATION:

HDCRMI-2025-00870, 1238 E WORTHINGTON AV (PID: 12111207) – SITE CHANGES

EXISTING CONDITIONS:

The existing structure is a 1.5-story American Small House built c. 1938. Architectural features include Colonial Revival elements, such as the original trim around the front door and paired 6/6 windows. The house has undergone a major addition with a front gable and dormer addition, second level cross-gable roof addition, and a one-story rear addition with open rear porch. Exterior materials include a painted brick exterior on the first level and wood lap siding on the second level. The lot size is slightly irregular, measuring approximately 50' x 135'. Adjacent historic structures are 1, 1.5, and 2-story single-family and multi-family buildings.

PROPOSAL & STAFF COMMENTS:

The applicant is proposing the addition of a new pool with patio surround, rear yard artificial turf with steppingstone walkways, retaining wall and perimeter fence, driveway and front walkway replacement, and tree removal.

1. Pool and Patio:

a. Proposed Project Summary:

- i. The proposed pool measures approximately 292 sf.
 1. Overall footprint dimensions are not provided.
- ii. The new patio measures approximately 237 sf.
 1. Overall footprint dimensions are not provided.
- iii. Proposed materials include bluestone in an ashlar pattern for the patio, and a bluestone pool coping.
- iv. Post-completion the rear yard impermeable space will be approximately 48.19%.

b. Staff Comments:

- i. Provide overall footprint dimensions for pool.

- ii. Provide overall footprint dimensions for patio.
- 2. Artificial Turf, Retaining Wall, Fence, and Tree:
 - a. *Proposed Project Summary:*
 - i. The permeable artificial turf will wrap around the pool along the rear and right-side property lines. A steppingstone pathway will lead from the existing right-side shed to the proposed pool patio at the rear of the main structure. Materials include SYNLawn artificial turf. Steppingstone material is not provided.
 - ii. A new retaining wall will be added along left-side and rear property lines. Portions of the rear yard will be backfilled to level out the yard for the pool. The existing block retaining wall along the left-side will be removed.
 - 1. The amount of backfill needed measures under 1'-0" up to 3'-6" depending on location.
 - 2. The linear footprint dimension of the new retaining wall is not provided.
 - 3. The height of the new retaining wall is approximately 3'-11".
 - 4. Materials include unpainted brick veneer. Sample not provided.
 - 5. A planting strip along Charlotte Drive is proposed in the right-of-way.
 - iii. A new wood perimeter fence will be installed in the rear yard.
 - 1. The fence will be wood with panels of vertical pickets butt-joined to substantial uprights and framed off along the top and bottom.
 - 2. The fence will sit on the retaining wall along the left-side and rear; and will be approximately 6'-0" tall from the new interior grade.
 - 3. The fence will step-down to 4'-0" along the right side and tie-in at the front thermal wall.
 - 4. The fence will step-down to 5'-0" along the left side and tie-in near the middle of the structure.
 - iv. A Pecan tree is proposed to be removed.
 - 1. The tree is 16.5" in diameter at breast height.
 - 2. A Red Maple is proposed as replacement in the rear yard.
 - 3. Certified arborist tree letter not provided.
 - b. *Staff Comments:*
 - i. Provide steppingstone material.
 - ii. Provide linear dimension of new retaining wall.
 - iii. Retaining walls are not decorative features and should be no taller than necessary, per Standard 8.6, number 11.
 - iv. Provide brick sample that matches the original unpainted brick on main structure.
 - v. Add at least a 1'-0" planting strip between the retaining wall and the fence on the Charlotte Drive side of fence.
 - vi. The applicant provided the following list of addresses from the neighborhood with retaining walls and fences. Staff researched HDC files for each address. Application information is included below.
 - 1. 901 E Worthington Avenue
 - a. Fence and retaining wall with double planting strips was approved in 2018.
 - 2. 831 E Worthington Avenue
 - a. Fence with planting strip approved in 2019.
 - b. Retaining wall is undocumented but has been built since 2007.
 - 3. 1900 Dilworth Road West
 - a. Fencing was originally approved in 1995. Existing fence was added in 2011.
 - b. Retaining wall was a commission item and it was built in 1994.
 - 4. 1830 Ewing Avenue
 - a. Brick fence and retaining wall was a commission item and it was approved in 2000.

- vii. Provide certified arborist tree letter.
- 3. Driveway and Front Walkway
 - a. *Proposed Project Summary:*
 - i. The existing concrete driveway is proposed to be removed and replaced to match existing.
 - 1. Overall footprint dimensions are not provided.
 - ii. The existing front concrete walkway and steps are proposed to be removed and replaced to match existing.
 - 1. Overall footprint dimensions are not provided.
 - b. *Staff Comments:*
 - i. Provide overall footprint dimensions for both the driveway and front walkway/steps.
 - ii. Provide additional documentation of the condition for both driveway and front walkway/steps.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: LINEBERGER

2nd: SULLIVAN

After deliberation and with a quorum present, the Commission voted 7-0 to Approve this application as it is not incongruous with the Secretary of the Interior's Standards, 2.5, and the Design Standards for New Construction for Residential Buildings: Materials, 6.18; and Private Sites: Sidewalks and Parking, 8.2; Lawns, 8.4; Trees, 8.5; Fences and Walls, 8.6, numbers 10, 11-12 with the following Condition(s):

- a. Approve artificial turf because it will be located on the side yard and behind the fence and in the rear yard, and will not be seen from the front or side for public view.
- b. Approve sidewalk and driveway replacement to match existing, the existing materials and dimensions.
- c. Approve the tree removal and the proposed replacement of the Red Maple.
- d. Confirm dimensions of the proposed tree.
- e. Approve the fence and retaining wall details.
- f. Provide dimensions of fence and retaining wall to Staff.
- g. Include planting strip between the fence and the wall, 18"-24".
- h. Provide steppingstone material and brick sample to match the existing primary residence to be also approved by Staff.
- i. Provide final permit-ready plans to be approved by Staff.

VOTE: 7/0

AYES: ALLRED, BELL, CURME, HOLTZ, LINEBERGER, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR SITE CHANGES – APPROVED WITH CONDITIONS

With no further business to discuss, Chair Bell adjourned the meeting at 6:58 p.m.