



HISTORIC DISTRICT COMMISSION
January 14, 2026 | Room 267

MINUTES

MEMBERS PRESENT: Shauna Bell, Chair, Resident-Owner McCrorey Heights
Heather Wojick, Second Vice Chair, At-Large
Christopher Allred, Resident-Owner Wesley Heights
Sarah Curme, Resident-Owner Dilworth
Cameron Holtz, Resident-Owner, Fourth Ward
Emily Sowash, Resident-Owner Wilmore
Ann Stanley, Resident-Owner Hermitage Court
Sean Sullivan, At-Large
Scott Whitlock, At-Large

MEMBERS ABSENT: Nichelle Hawkins, Vice Chair, At-Large
Christa Lineberger, Planning Commission Representative
Brett Taylor, Business Operator of Dilworth
Vacant, Resident-Owner Oaklawn Park
Vacant, Resident-Owner Plaza Midwood

OTHERS PRESENT: Kristi Harpst, HDC Staff
Erin Chantry, HDC Staff
Candice Leite, HDC Staff
Jen Baehr, HDC Staff
Marilyn Drath, HDC Staff
Elizabeth Lamy, HDC Staff
Claire Lyte-Graham, HDC Staff
JT Faucette, HDC Staff
Paige Inman, Assistant City Attorney
Candy Thomas, Court Reporter

With a quorum present, Chair Bell called the January meeting of the Historic District Commission (Commission) meeting to order at 1:04 p.m. Chair Bell began the meeting by introducing the Staff and Commissioners and explaining the meeting procedure. All interested parties planning to give testimony – FOR or AGAINST – must submit a form to speak and must be sworn in. Staff will present a description of each proposed project to the Commission. The Commissioners and the Applicants will then discuss the project. Audience members signed up to speak either FOR or AGAINST will be called to the podium for each agenda item. Presentations by the Applicants and audience members must be concise and focused on the ***Charlotte Historic District Design Standards***. The Commission and Staff may question the Applicant. The Applicant may present sworn witnesses who will be subject to questioning by the Commission and Staff. The Applicant will be given an opportunity to respond to comments by interested parties. After hearing each application, the

Commission will review, discuss, and consider the information that has been gathered and presented. During discussion and deliberation, only the Commission and Staff may speak. The Commission may vote to reopen this part of the meeting for questions, comments, or clarification. Once the review is completed, a MOTION will be made to Approve, Deny, or Continue the review of the application at a future meeting. A majority vote of the Commission members present is required for a decision to be reached. All exhibits remain with the Commission. If an Applicant feels there is a conflict of interest of any Commissioner, or there is an association that would be prejudicial, that should be revealed at the beginning of the hearing of a particular case. The Commission is quasi-judicial body and can accept only sworn testimony. Staff will report any additional comments received and while the Commission will not specifically exclude hearsay evidence, it is only given limited weight. Chair Bell asked that everyone please silence any electronic devices. Commissioners are asked to announce, for the record, if one leaves or arrives during the meeting. Chair Bell requested that those in the audience remain quiet during the hearings. An audience member will be asked once to be quiet and the need for a second request will require removal from the room. Chair Bell swore in all Applicants and Staff and continued to swear in people as they arrived for the duration of the meeting. In accordance with N.C.G.S. § 160D-947(e), subsections (4) and (5), and UDO Article 14.1.M.1, an appeal of quasi-judicial decisions may be made to the Mecklenburg County Superior Court as provided in N.C.G.S. § 160D-1402 within the time specified in N.C.G.S. § 160D-1405(d).

Mr. Allred moved to approve the November 12, 2025 meeting minutes. Ms. Curme seconded the motion, and it passed 9-0.

Mr. Allred moved to support the National Register nominations for McCory Heights and Oaklawn Park. Ms. Holtz seconded the motion, and it passed 9-0.

INDEX OF ADDRESSES:

CONSENT

HDCCMI-2025-00868, 312 N Graham/ 420 W 6 th St	Fourth Ward
---	-------------

NOT HEARD AT THE DECEMBER 10, 2025 MEETING

HDCMF-2025-00449, 224, 228, 232, & 236 W Kingston Av	Wilmore
HDCRMI-2025-00448, 2214 Sarah Marks Av	Dilworth
HDCCDEMO-2025-00676, 316 Rensselaer Av	Dilworth
HDCRMIA-2025-00693, 425 Rensselaer Av	Dilworth
HDCRMIA-2025-00650, 612 S Summit Av & 614 S Summit Av	Wesley Heights

CONTINUED FROM THE OCTOBER 8, 2025 MEETING

HDCCMI-2025-00371, 215 E Worthington Av	Dilworth
---	----------

CONTINUED FROM THE NOVEMBER 12, 2025 MEETING

HDCRMA-2025-00578, 821 Berkeley Av	Dilworth
HDCRMAA-2025-00648, 409 Walnut Av	Wesley Heights
HDCMFA-2025-00649, 2011, 2015, 2019, 2023, & 2027 Thurmond Pl	Plaza Midwood
HDCRMAA-2025-00654, 1817 S Mint St	Wilmore

NEW CASES

HDCCMA-2025-00874, 300, 304, & 308 E Worthington Av	Dilworth
HDCRMAA-2025-00872, 416 Hermitage Ct	Hermitage Ct
HDCRMA-2025-00865, 300 Westwood Av	Wilmore
HDCRMA-2025-00777, 916 Mt Vernon Av	Dilworth

CONSENT

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, HOLTZ, LINEBERGER, TAYLOR, WOJICK

APPLICATION:

HDCCMI-2025-00868, 312 N GRAHAM ST/420 W 6th St (PID: 07806401) – SIGNAGE

EXISTING CONDITIONS:

There are two parcels with three structures that are all connected and form a U-shape. The lot size of 306 N. Graham Street is approximately 309' x 197'. The lot size of 420 W. 6th Street is approximately 68' x 194'. Adjacent structures are commercial and multi-family buildings.

306 N Graham Street: A classic historic 2-story commercial building constructed c. 1928 with a storefront on the first level, windows on the upper façade, and decorative cornice. The storefront windows are replacements but the highly decorative brick and cast stone detailing remain intact. A 1-story brick building with a decorative stepped parapet connects the 2-story commercial building with the 1-story building located at 420 W. 6th Street.

420 W 6th Street: A single story, brick building constructed c. 1950, with an American bond brick pattern in the front section, the middle section of the building has a running bond brick pattern, and the rear section of the building is concrete block. The front elevation fronts on N. Graham Street and architectural features include a brick wing wall and large storefront windows that wrap around the right elevation.

The Commission approved demolition of the above structures with a 365-day stay on March 9, 2022 and approved new construction of a mixed-used building on March 8, 2023 under application #HDCRMA-2023-00865 and a COA was issued.

PROPOSAL:

The applicant is proposing signage on the front (north), left (east), and right (west) sides of the building. A total of seven (7) signs are proposed. Given the proposed number and sizes of the signs, Commission review is required. The proposed signage details are as follows:

1. Sign Type "LT" (page 3)

a. Proposed Sign Summary:

- i. Sign type "LT" (as labeled in the applicant's presentation) is proposed at the top center of the historic front facade of the 306 N Graham St building that was incorporated as part of the new mixed-use building.
- ii. The sign is proposed to be aluminum channel letters mounted to the brick exterior of the building.
- iii. The sign is proposed to be 1'-6" by 19'-11- $\frac{3}{4}$ ", totaling approximately 29.97 square feet.
- iv. The sign is proposed to project 2" from the exterior wall of the building.
- v. The overview on page 3 describes the sign as non-illuminated but the title block along the

bottom of the page notes reverse-lit channel letter and a note for LED lighting is included on the drawing of the sign.

2. Sign Type “F” (page 4)

a. Proposed Sign Summary:

- i. Sign type “F” (as labeled in the applicant’s presentation) is proposed at the left front corner the historic front facade of the 306 N Graham St building and on the left and right corners of the new mixed-use building.
- ii. The sign is proposed to be aluminum with applied aluminum letters and a vinyl graphic.
- iii. The sign is proposed to be a projecting “flag” style sign attached to the building with an aluminum frame.
- iv. The sign is proposed to be 2’-10 ½” by 3’-0”, totaling approximately 8.63 square feet.
- v. The sign is proposed to project 12” from the exterior wall of the building.
- vi. The sign is non-illuminated.

3. Sign Type “PL” (page 5)

a. Proposed Sign Summary:

- i. Sign type “PL” (as labeled in the applicant’s presentation) is proposed on the canopies above the parking garage entrances on the left and right elevations.
- ii. The sign is proposed to be aluminum channel letters attached to a 4” tall aluminum base.
- iii. The sign is proposed to be 1’-5-1/8” by 9’-3-1/8”, totaling approximately 13.24 square feet.
- iv. The overview on page 5 describes the sign as non-illuminated but the title block along the bottom of the page notes up-lit letters.

4. Sign Type “AL” (page 6)

a. Proposed Sign Summary:

- i. Sign type “AL” (as labeled in the applicant’s presentation) is proposed on the window above the entrance on the historic front facade of the 306 N Graham St building.
- ii. The sign will display the property address with vinyl letters applied to the window.
- iii. The sign is proposed to be 10 ½” tall and 2’-1 ½” long, totaling approximately 1.86 square feet.
- iv. The sign is non-illuminated.

STAFF RECOMMENDATIONS:

Staff has the following comments about the proposal:

1. Although the number and sizes of the signs exceed what is allowed per Appendix A – Sign Standards and Regulations, an exception can be made due to the special circumstances of 1.) the lot and building orientation having three primary street frontages on Graham, 6th, and 7th Streets; 2.) the project location at the edge of the 4th Ward District in Uptown; 3.) the project maintaining the historic façade of 306 N Graham Street; 4.) the overall building height, size, scale, and massing; and 5.) the proposed locations of the signage.
2. The project is not incongruous with the district and meets the Secretary of the Interior’s Standards for Rehabilitation numbers 9 and 10.
3. Per 10.4.1 of the Rules for Procedure, Staff recommends Approval of the project for meeting the Standards and that this item be heard as a Consent Agenda item, with permit-ready construction drawings submitted to Staff for final review, with the following Conditions:
 - a. Signs may not flash, blink, or glow from within per Appendix A – Sign Standards and Regulations.
 - b. The signage plan must specify that all signs are non-illuminated.
4. If requested by a Commission member, or if an interested party has signed up to speak in opposition, then the HDC shall open the application for a full hearing.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell’s invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st:

SOWASH

2nd:

SULLIVAN

Ms. Sowash, moved to approve the application as it is not incongruous with the District and meets the Secretary of the Interior’s Standards for Rehabilitation, number 9 and 10. She added the conditions outlined under the Staff Recommendations, number 3, items (a) and (b). She also added the following facts as part of her motion: that the lot and building have three primary street frontages on Graham Street, 6th Street, and 7th Street; that the project is located at the edge of the Fourth Ward District, that the project is maintaining the historic façade of 306 North Graham Street; the overall building height, size, scale, and massing; and the proposed locations of the signage.

Mr. Sullivan seconded the motion.

VOTE: 7/0

AYES: ALLRED, BELL, CURME, SOWASH, STANLEY, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR SIGNAGE – APPROVED WITH CONDITIONS.

NOT HEARD FROM THE DECEMBER 10, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, HOLTZ, LINEBERGER, TAYLOR, WOJICK

APPLICATION:

HDCMF-2025-00449, 224, 228, 232, & 236 W KINGSTON AV (PID: 11908904, 11908905, 11908906, & 11908907) – NEW CONSTRUCTION – MULTI-FAMILY

EXISTING CONDITIONS:

The four parcels are currently vacant. A 365-Day Stay of Demolition was approved by the HDC on September 13, 2017, and the COA for demolition was issued September 14, 2018.

Background

Originally, each of the four parcels contained a 1-story residential structure. The buildings were connected with heated space. 236 W Kingston Av was constructed c. 1923 and connected to 232 W Kingston Av.

228 and 224 were also connected to make one building and were constructed c. 1936 and 1940, respectively. Adjacent structures are commercial, multi-family, and 1, 1.5, and 2-story single-family homes. Across the street are single and multi-family buildings. The historic multi-family building at 241 W Kingston Av was constructed in 1949, the height is approximately 32’ measured from grade. The adjacent single-family house, 245 W Kingston Av, was constructed in 1954 and its approximate height is 33’. The single-family house at 251 W Kingston Av was constructed in 1936, with a pre-Historic District rear addition height of approximately 40’.

The applicant submitted an application for the new construction of multi-family structures under case number HDCCMA-2023-00992. That application was denied by the HDC on February 12, 2025.

PROPOSAL AND STAFF COMMENTS:

The proposed project has three parts:

1. Buildings A1-A3:

a. Proposed Project Summary:

- i. Building A1: a 1.5-story duplex, proposed to be 24’-10” in height from grade to ridge. Overall heated footprint measures 35’-4” x 36’-0”. Proposed setback is 74’ to front thermal wall from

- back of curb and 66' to front porch from back of curb.
- ii. Building A2-A3: a 1.5-story duplex, proposed to be 24'-10" tall from grade to ridge. Overall heated footprint measures 37'-0" x 36'-0".
- b. Staff Comments:
 - i. Restudy all gables for beam size and roof eave return proportions.
 - ii. Front gable siding to vent proportions.
 - iii. Lower rear gable at least 0'-6" from main ridge.
 - iv. Restudy window/door trim and eave relationship on rear elevation. Trim seems very close to eaves.
- 2. Buildings B1-B2:
 - a. Proposed Project Summary:
 - i. Building B1: a 2-story quadruplex, proposed to be 28'-6" tall from grade to ridge. Overall heated footprint measures 35'-4" x 37'-0". Proposed setback is 74' to front thermal wall from back of curb and 66' to front porch from back of curb.
 - ii. Buildings B2: a 2-story quadruplex, proposed to be 28'-6" tall from grade to ridge. Overall heated footprint measures 37'-0" x 34'-0".
 - b. Staff Comments:
 - i. Restudy right and left bump-out for accurate detailing.
 - ii. Restudy the rear elevation of Building B2 for coplanar walls.
- 3. Buildings C1-C2:
 - a. Proposed Project Summary:
 - i. Building C1 and C1.1: a 2-story quadruplex with a 1.5-story unit connected with a glassy corridor, proposed to be 29'-10" and 22'-6" tall from grade to ridge, respectively. Overall heated footprint measures is 35'-4" x 37'-0" for Building C1 and 20'-0" x 20'-0" for Building C1.1. Buildings C1 and C1.1 have varied setbacks. Building C1 has a setback of 74' to front thermal wall from back of curb and 66' to front porch from back of curb. Building C1.1 has a setback of 90'-2" to front thermal wall from back of curb.
 - ii. Building C2: 2-story quadruplex, proposed to be 28'-6" tall from grade to ridge. Overall heated footprint measures 37'-0" x 34'-0".
 - b. Staff Comments:
 - i. Latitude is typically given to corner lots anchoring the gateway to the district.
 - ii. Restudy roof form.
 - 1. 241 W Kingston Av has a similar roof line, but the gable does not sit as far back from the front thermal wall, thereby reducing the complex form. Consider providing a 3D perspective.
 - iii. Restudy right and left bump-out for accurate detailing.
 - iv. Restudy the rear elevation of Building C2 for coplanar walls.
- 4. All Buildings and Materials:
 - a. Proposed Project Summary:
 - i. Proposed materials include unpainted brick foundation, Hardie Artisan Smooth lap siding with 0'-6" exposure, wood cedar shake, and asphalt shingle roof.
 - ii. Windows are proposed to be 6/1 aluminum-clad double-hung Jeld-Wen Sitrine, with a rectangular light pattern. All windows are proposed with ½"-1" muntins and traditional trim.
 - iii. Doors are proposed to be Jeld-Wen wood doors with glass.
 - iv. All trim, columns, and railings are proposed to be wood.
 - b. Staff Comments:
 - i. All Buildings:
 - 1. Make building details consistent for the architectural style.
 - 2. Restudy door sizes and header heights.
 - 3. Restudy window sizes on upper levels.

- a. Typically, windows on upper levels are smaller than the lower levels.
- 4. Review drawings for consistency. For example, the height for Building A1 is 24'-6" on Sheet A6 versus 24'-10" on Sheet A21. Also, the windows are called out as aluminum-clad in material page but are labeled wood on the details page. This is not an exhaustive list of inconsistencies.
- 5. Considered providing a 3D perspective of the buildings and site as a whole.
- ii. Materials:
 - 1. Provide the beam detail in the column detail (pg. 27).
 - 2. Provide the beam material in the column and beam section (pg. A-31).
 - 3. Provide bracket detail.
 - 4. Provide a brick-and-mortar sample.
 - 5. Provide specifications for windows and doors. Jeld-Wen Sitrine with 3.5" bottom rail required.
- 5. Site Work:
 - a. Proposed Project Summary:
 - i. Tree and Landscaping plan has been provided.
 - ii. HVAC locations have not been provided.
 - iii. Information on Staff approvable items such as, walkways, trash enclosure, and fence style have not been provided.
 - b. Staff Comments:
 - i. Provide information about location of HVAC units, dumpsters, and any other site appurtenances.
 - ii. Provide detail, dimensions, and materials for walkways, trash enclosure, and fencing

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: SULLIVAN 2nd: WHITLOCK

Mr. Sullivan moved to continue the application for a restudy of the following buildings: A1, for a reduction of the second floor windows by 6 inches and alignment of the header heights; B1, for details for the bump-outs, brackets, and wood panel and trim details, as well as a reduction of the second floor windows by 6 inches and alignment of header heights; C1, for details for the bump-outs, brackets, and wood panel and trim details, as well as a reduction of the second floor windows by 6 inches and alignment of header heights; A2 and A3, for a restudy of the front gable siding and vent proportions, as well as a reduction of the second floor windows by 6 inches and alignment of header heights; B2, for a restudy of the front gable siding and vent proportions, as well as a restudy of the elevations to ensure there are no coplanar walls; C2, for details for the bump-outs, brackets, and wood panel and trim details; C1.1, for spacing, massing and complexity of form, and height and width. He also continued the application for the site work for the following: information about locations of HVAC units, dumpsters, and any other site appurtenances; details, dimensions, and materials for walkways, trash enclosures, and fencing; samples of all materials, 3d images of buildings and overall site. He cited the following Standards: for doors and windows, 6.15, number 2; for cornices and trim, 6.14; for roof form and materials, 6.13; for spacing, 6.6; for massing and complexity of form, 6.8; for height and width, 6.9; for site appurtenances, 8.9; for fences and walls, 8.6, 8.7, and 8.8; and for materials, 6.18.

Mr. Whitlock seconded the motion.

VOTE: 7/0

AYES: ALLRED, BELL, CURME, SOWASH, STANLEY, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR NEW CONSTRUCTION – MULTI-FAMILY – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, TAYLOR

APPLICATION:

HDCRMI-2025-00448, 2214 SARAH MARKS AV (PID: 12112311) – ADDITION

EXISTING CONDITIONS:

The existing structure is a 2-story Colonial Revival constructed c. 1925. Architectural features include side gable main roof and a front gable portico with round columns over the unpainted brick stoop, an uncovered stepped-down cracked tile and unpainted brick porch on either side of the front stoop, 6/1 windows, 6-panel door, both an original brick chimney (painted) and a new unpainted brick chimney on the right-side, decorative eave detail, and an unpainted brick foundation. The lot measures approximately 50' x 133.43'. Adjacent buildings are 1, 1.5, and 2-story residential structures.

PROPOSAL & STAFF COMMENTS:

The applicant is proposing front porch changes, a new rear addition, and a new side entry addition. The proposed project details are as follows:

1. Front Porch

a. Proposed Project Summary:

- i. The front porch terrace is full width, but only the central portion is covered by gable portico. The project would add shed roofs over the left and right cracked tile terraces.
- ii. No changes are proposed to the existing central portico, columns, or brick stoop.
- iii. Proposed materials for the columns, trim, and roof details are noted to match existing, but the existing materials are not noted.

b. Staff Comments:

- i. Provide a beam/column detail for front porch addition.
- ii. Provide total height from grade to ridge of new shed roofs.
- iii. Provide distance measurement between ridge of shed roofs and second floor windowsill trim.
- iv. Provide materials specifications for columns, trim, and details.

2. Window Changes:

a. Proposed Project Summary:

- i. Left elevation, first level -
 1. The rear most window on the original house is proposed to be relocated toward the original rear corner of the house.
- ii. Right elevation, second level -
 1. Install a new paired window and existing paired window.
- iii. Right elevation, first level -
 1. Install new 6/1, double-hung window between chimney and rear corner.
- iv. Rear elevation, second level -
 1. Remove the single double-hung on the left and tooth-in new siding to match existing.
- v. All new windows are proposed to be 6/1 double-hung, material not provided.

b. Staff Comments:

- i. Left elevation, first level -
 1. Retain the existing window opening, per Standards 4.12 -4.14, numbers 1 and 5.
- ii. Provide window and door specifications.

3. Proposed Side Entry Addition on Right Elevation:

- a. Proposed Project Summary:
 - i. A new side entry addition will bump-out approximately 5'-7" behind the rear corner of the original house.
 - ii. Proposed footprint measures approximately 7'-4" x 5'-7".
 - iii. Height as measured from grade to ridge, is not provided.
 - iv. The addition is proposed to have a custom wood roof support bracket that measures approximately 2'-0" x 1'-4".
 - v. Proposed materials include:
 1. Wood siding in the gable end with a 0'-6" exposure,
 2. The main body siding will match existing with a 0'-9" exposure (material not provided),
 3. Unpainted brick foundation,
 4. Asphalt shingle roof,
 5. 6/1 double-hung windows (material not provided),
 6. ½ glass two panel door (material not provided), and
 7. Trim and details to match existing (materials not provided).
- b. Staff Comments:
 - i. Provide height from grade to ridge.
 - ii. Roof is wider than actual structure and overlaps with the rear corner of the original house.
 - iii. Provide materials specifications for siding, brick and mortar, windows, trim, and details.

4. Proposed Rear Addition:

- a. Proposed Project Summary:
 - i. The existing rear elevation will remain. The rear deck and rear left-side patio will be removed.
 - ii. The new rear addition will bump-out approximately 4'-0" at the rear corner of the original house on the left-side.
 - iii. Proposed footprint measures approximately 30'-11" x 36'-5".
 - iv. Addition will tie-in below the main ridge. Height, as measured from grade to ridge, is not provided.
 - v. The addition is proposed to have a first-floor covered porch with a bluestone floor, unpainted brick chimney and new wood deck off the rear. Wood deck footprint measures approximately 10'-0" x 10'-0".
 - vi. Proposed materials include:
 1. Siding in the roofs (gable on the left elevation/shed on the right elevation) will be wood with a 0'-6" exposure,
 2. Siding in the main body of the addition is noted to match existing with a 0'-9" exposure (material not provided),
 3. Unpainted brick foundation and chimney,
 4. Asphalt shingle roof,
 5. 6/1 double-hung and casement windows (material not provided),
 6. Full-light door (material not provided), and
 7. Trim and details to match existing (material not provided).
 - vii. Post-construction, the rear yard impervious area will be 16%.
- b. Staff Comments:
 - i. Right elevation, a window is needed in the blank wall on the second level above the sunroom.
 - ii. Left elevation, align window header heights with those on the original house.
 - iii. Provide height as measured from grade to ridge.
 - iv. Provide materials specifications for siding, brick and mortar, windows, doors, trim, and details

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE**1st: STANLEY 2nd: HOLTZ**

Ms. Stanley moved to continue the application for the following: a restudy of the offsets on the front porch sides, per Standard 4.8; add dimensions from grade to ridge; a restudy of the windows for consistency of design and header heights, per 4.12 and 4.14, 1 and 5; a restudy of the side entry for roof form and brackets, per 6.1, 6.4, 6.8, and 6.14; a restudy of the rear addition's massing and width, per 6.9; a 3-D rendering to show overall massing, complexity, roof line, and fireplace rear form; simplifying the left elevation gable, per 6.13; a restudy of window rhythm on the right elevation, specifying the new construction, per 6.15 and 6.16.

Ms. Holtz seconded the motion.

VOTE: 9/0**AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH, STANLEY, SULLIVAN, WHITLOCK, WOJICK****NAYS: NONE****DECISION: APPLICATION FOR ADDITION – CONTINUED.**

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, TAYLOR

APPLICATION:

HDCCDEMO-2025-00676, 316 RENSSELAER AV (PID: 12307213) – DEMOLITION – COMMERCIAL

EXISTING CONDITIONS:

The existing structure is a 2.5-story Queen Anne Victorian constructed c. 1926. The building's height is 37.2'. Architectural features include a main hip roof with intersecting front gable featuring a Palladian window with diamond pane glass; wrap around front porch supported by round columns, and infilled turret. The front porch flooring has been replaced with decking. The front entry (replacement door) has a transom and sidelights, and there is a decorative picture window with stained glass detail flanked by 1/1 replacement windows. Most of the windows on the building are original wood 2/2 windows. There is a secondary entry on the right side where the wraparound porch ends. The secondary entry retains the original transom, but the door itself is a replacement. There is an interior chimney (unpainted brick) on the right elevation, which appears to have been shortened at some point. The exterior is thin wood lap siding with corner boards and an unpainted brick foundation. The lot measures approximately 50' x 200'. Adjacent buildings are 1, 1.5, and 2-story residential structures and 1-story commercial.

PROPOSAL & STAFF COMMENTS:

1. Proposed Project Summary:

The applicant is proposal the full demolition of the building. The following information is presented for the Commission's review and consideration:

- a. Floor plans.
- b. Property survey.
- c. Digital photographs of the building.
- d. Zoutewelle survey.

2. Staff Comments:

- a. The following items are needed:
 - i. As-built elevation drawings.
 - ii. Clear photos of the entire left and rear elevations.
 - iii. Additional detail photographs of the front door, side door, stained glass window, and Palladian

window.

- iv. Front setback dimensions.
- b. The Commission will determine if the application is complete.
- c. The Commission will determine whether the building has special significance to the Dilworth Local Historic District. With affirmative determination, the Commission can apply up to a 365-Day Stay of Demolition and require a 90-day waiting period to review new construction plans.
- d. If the Commission determines that this property does not have any special significance to the district, then demolition may take place without a delay or upon the approval of new construction plans.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: ALLRED 2nd: HOLTZ

Mr. Allred moved to continue the application for submittal of the items listed in the Staff Comments, item (a), (i) through (iv).

Ms. Holtz seconded the motion.

VOTE: 9/0

AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH, STANLEY, SULLIVAN, WHITLOCK, WOJICK

NAYS: NONE

DECISION: APPLICATION FOR DEMOLITION – COMMERCIAL – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, TAYLOR

APPLICATION:

HDCRMIA-2025-00693, 425 RENSSELAER AV (PID: 12302907) – GARAGE DORMER ADDITION – AFTER THE FACT

EXISTING CONDITIONS:

The existing structure is a 1-story Colonial Revival constructed c. 1930. Architectural features include a side gable roof with covered front gable porch, square front porch columns, painted Dutch lap siding, original 6/1 wood windows, and a replacement Craftsman-style 6-lite front door. The property also has a 1.5-story detached garage located to the right of the principal structure that matches the architectural style of the house and has wood carriage style doors. The house and garage are connected by a wood deck. The lot size is approximately 83' x 88'. Adjacent structures are 1 to 2-story single-family homes and duplexes.

PROPOSAL & STAFF COMMENTS:

This project is in the enforcement process. Staff conducted a final inspection on Building Three on August 15, 2025 and

1. Proposed Project Summary:

The applicant is proposing a dormer addition on the right side of an existing garage. The garage was constructed in 2014 under COA# HDC-2014-168. The application is an After-The-Fact review, with the Commission reviewing the project on its merits as if the work has not yet occurred. The proposed project details are as follows:

The dormer addition will have a low slope shed roof with 6" overhang and coplanar framing to make the dormer flush with the first-floor wall. The dormer will tie in below the primary ridge of the building.

The applicant has provided a preferred roof pitch option of 1:12, and an additional 2:12 option.

Proposed materials include wood German lap siding with 6" exposure, 4" wood corner boards proud of the

siding, 8" wood fascia, and 6/1 double-hung wood windows to match the existing 6/1 window on the front elevation.

2. Staff Comments:

a. Roof Form and Materials:

- i. The low slope shed roof is inconsistent with the typical steeper roof pitch of historic dormers.
- ii. The dormer shed roof does not match the slope of the roof on the principal structure, nor the slope of the main gable on the accessory structure, which is incongruous with the Design Standard for Roof Form 6.13, numbers 2 and 3.
- iii. Dormer walls are not typically co-planer with first floor walls. The dormer wall being co-planer with the first-floor wall of the accessory structure makes the dormer appear to be more massive, which is incongruous with Design Standard for Massing 6.8, numbers 1, 2, and 6.

b. Windows:

- i. Ganged windows typically have a 5.25" mull trim.
- ii. The dormer has two windows that are trimmed out separately, and have siding installed in between them, which is incongruous with the Design Standard for Windows 6.14, number 1b.
- iii. Dimension between the two windows is needed.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: CONTINUE

1st: WHITLOCK 2nd: SULLIVAN

Mr. Whitlock moved to continue the application as it is incongruous with the Standards. He requested a restudy of the coplanar walls and the windows. He cited Standards 6.8, numbers 1, 2, and 6; as well as 6.16.

Ms. Wojick suggested an amendment that specified that the applicant must restudy the ratio and rhythm of the windows. Mr. Whitlock accepted the amendment.

Mr. Sullivan seconded the motion.

VOTE: 9/0

**AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH, STANLEY,
SULLIVAN, WHITLOCK, WOJICK**

NAYS: NONE

DECISION: APPLICATION FOR GARAGE DORMER ADDITION – AFTER THE FACT – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, TAYLOR

APPLICATION:

HDCRMIA-2025-00650, 612 & 614 S SUMMIT AV (PID: 07102331) – MATERIAL CHANGES – AFTER THE FACT

EXISTING CONDITIONS:

Known as the Gantt House, the main building (612 S Summit Av) is a 1-story bungalow with Colonial Revival elements, constructed c. 1926. A portico and porch combination shields two of the three facade bays of this small frame dwelling. One story high, it has a hipped roof crossed by clipped gables on the sides. The slightly off-center front entry has sidelights which coordinate with the 4/1 sash windows on the facade. The porch has a front gable pediment roof with eave returns supported by thin, paired Tuscan columns, with the left side of the porch covered by a shallow, nearly flat

shed roof. The chimney is not painted above the roofline and a portion of the front porch foundation remains unpainted. The lot size is approximately 50' x 197'. Adjacent structures are 1, 1.5, and 2-story single family homes.

Also located on the property, behind the principal structure, is a 2-story accessory building (614 S Summit Av), with garage and apartment above, constructed in the 1940s and accessed via a shared driveway along the left side of the lot. The existing accessory structure features a roll-up garage door; double plywood doors on the front elevation; gable vents; and 4/4 double-hung wood windows. The entire accessory building is wrapped in vinyl lap siding with vinyl and aluminum fascia, soffit, and trim. The front and rear elevations feature decorative wood brackets supporting the eaves. The right elevation has second floor access with a wood staircase.

Both the principal and accessory structures are listed as contributing buildings in the Wesley Heights National Register of Historic Places Nomination form.

On June 23, 2021, an administrative Certificate of Appropriateness #HDCADMRM-2021-00303 was issued for true repair and maintenance of the principal and accessory structures. The principal structure was later excluded from the scope of work. The application for the accessory structure included, the restoration of existing wood windows; new shingle and eave and soffit repair and repainting; and the removal of vinyl siding and the repair and repainting of existing wood siding with the caveat, Contact HDC Staff if the total siding repair/replace exceeds 30%.

After the completion of the project in July 2023, it was brought to Staff's attention that wood lap siding was not the accessory structure's original siding material. Once the vinyl siding was removed, painted concrete block was discovered on the first floor (garage) and deteriorated faux brick asphalt siding installed over diagonal wood sheathing on the second floor (apartment).

PROPOSAL & STAFF COMMENTS:

The applicant is proposing to install wood lap siding over the concrete block on the first floor and remove the faux brick asphalt siding and install wood lap siding on the second floor.

The application is an After-The-Fact review, with the Commission reviewing the project on its merits as if the work has not yet occurred.

Staff Comments

1. The Commission needs to make two decisions about the project:
 - a. Decision 1: Review the installation of wood lap siding on the second floor of the accessory building.
 - b. Decision 2: Review the installation of wood lap siding on the first floor of the accessory building.
2. For Decision 1: Installation of wood lap siding on the second floor of the accessory building:
 - a. Recommended Motion: Approval with Conditions.
 - i. The use of painted wood lap siding on the second floor of the accessory building is not incongruous with the Design Standard for Materials 6.18, number 1.
 - ii. No wood trim band is installed between the first and second floors, which is incongruous with Design Standard for Wood 5.2, numbers 1 and 6; and the Design Standard for Cornices and Trim 6.14, numbers 1 and 2.
 - b. Recommended Facts:
 - i. Painted wood lap siding installed on the second floor of the accessory building matches the original siding on the principal house.
 - ii. Painted wood lap siding on the second floor of the accessory building is installed over-top of diagonal wood sheathing following the removal of faux brick asphalt siding.
3. For Decision 2: Installation of wood lap siding on the first floor of the accessory building:
 - a. Recommended Motion: Denial.
 - i. The installation of wood lap siding over concrete block on the first floor of the accessory

building is incongruous with the Design Standard for Masonry 5.5, numbers 2 and 4 and Secretary of the Interior's Standards, numbers 5 and 9.

b. Recommended Facts:

- i. Painted wood lap siding is installed over painted concrete block on the first floor of the building.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION 1: APPROVE WITH CONDITIONS

1st: SULLIVAN 2nd: HOLTZ

Mr. Sullivan moved to approve the application for the lap siding on the second floor of the accessory building, adding the condition that no wood trim band be installed between the first and second floors. He cited the following Standards: for materials, 6.18, number 1; for wood, 5.2, numbers 1 and 6; and for cornices and trim, 6.14, numbers 1 and 2. He added the facts that Painted wood lap siding installed on the second floor of the accessory building matches the original siding on the principal structure, the house, and that painted wood lap siding on the second floor of the accessory building is installed over the top of a diagonal wood sheathing which followed the removal of the faux brick asphalt siding, also historically known as InselBric.

Ms. Holtz seconded the motion.

VOTE 1: 9/0

AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH, STANLEY, SULLIVAN, WHITLOCK, WOJICK

NAYS: NONE

DECISION 1: APPLICATION FOR SECOND FLOOR SIDING – APPROVED WITH CONDITIONS.

MOTION 2: DENY

1st: SULLIVAN 2nd: HOLTZ

Mr. Sullivan moved to deny the application to install lap siding on the first floor of the structure because it is incongruous with the Standards for masonry, 5.5, numbers 2 and 4; and, the Secretary of the Interior's Standards, numbers 5 and 9. He added the supporting fact that the siding would be installed over a painted concrete block on the first floor. He also added that the Commission heard the applicant's testimony regarding the language in the COA and confirmed that there was no room for interpretation.

Ms. Holtz seconded the motion.

VOTE 2: 6/3

AYES: ALLRED, BELL, HOLTZ, SOWASH, SULLIVAN, WOJICK

NAYS: CURME, STANLEY, WHITLOCK

DECISION 2: APPLICATION FOR FIRST FLOOR SIDING – DENIED.

CONTINUED FROM THE OCTOBER 8, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, TAYLOR

RECUSED: WOJICK

APPLICATION:

HDCCMI-2025-00371, 215 E WORTHINGTON AV (PID: 12105402) – ADDITION

This application was continued from the October 8, 2025 meeting for the following items:

Per HDC Design Standards for New Construction, Chapter 7, provide the following information:

1. A site plan.
2. A height comparison between the existing building a new pergola.
3. Add the height the building and the pergola to the illustration images.
4. A specification sheet for the pergola to include information on the frame and roof material.
5. Details for how the pergola will be constructed, whether it be attached, detached and any of those details on how it will be constructed. Make sure to provide details on footers or means to keep the pergola grounded.
6. Details on lighting and fans. New lighting should be downward directed, not up-lighting, per Standard 8.12, number 8.
7. A tree protection plan, per Standard 8.5.
8. Engineering documentation for the least number of columns such that no additional columns will be added later.
9. Details for all the design options being proposed, such as cantilever, detached and attached.

EXISTING CONDITIONS:

The existing structure is a one-story brick commercial structure-built c. 1956. The building is a mix of concrete block with a brick façade, and all masonry is painted. The lot size is approximately 56' x 115'. The building is at the edge of the Dilworth local historic district, located just off of South Boulevard. An existing historic pole sign is to be re-used per an earlier decision by the Commission. Adjacent structures are one-and two-story commercial buildings and single-family houses.

PROPOSAL & STAFF COMMENTS:

The project is the installation of a new pergola to cover the existing outdoor patio space. The applicant is proposing both an attached and free-standing option. The pergola will have a black powder-coated aluminum frame with a white (or black) louvered roof. Louver roof material not provided. The pergola will also have internal gutters, up lighting, and fans. Final lighting and fans selection not provided. The pergola's footprint is approximately 27'-0" x 24'-0" and will be approximately 12'-0" tall.

Revised Proposed Project Summary – January 14, 2025

1. A site plan with the dimensions of the pergola and location of street trees is provided.
2. A height comparison between the existing building a new pergola is provided.
3. The height the building and the height of the pergola are added to an illustration image.
4. A specification sheet with materials information for the pergola is provided.
5. Details for how the pergola will be constructed are provided.
6. New lighting information is provided.
7. A tree protection plan is provided.
8. Engineering documentation is provided.
9. Details for design options are provided.

Staff Comments:

1. Site plan needs to include setback information.
2. Minor changes may be approved by Staff.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Bell's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: WHITLOCK 2nd: HOLTZ

Mr. Whitlock moved to approve the application as it meets the Standards for additions, 7.17, and the Secretary of the Interior's Standards. He also specified that the project is reversible. He added the conditions that the Commission needs a site plan with setback information and that minor changes will need to be approved by Staff.

Ms. Holtz seconded the motion.

VOTE: 8/0

AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH, STANLEY, SULLIVAN, WHITLOCK

NAYS: NONE

DECISION: APPLICATION FOR ADDITION – APPROVED WITH CONDITIONS.

CONTINUED FROM THE NOVEMBER 12, 2025 MEETING

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, TAYLOR

RETURNED: WOJICK

APPLICATION:

HDCRMA-2025-00578, 821 BERKELEY AV (PID: 12309309) – ACCESSORY BUILDING & FRONT PORCH CHANGES

This application was continued from the November 12, 2025 meeting for the following items.

1. Front Porch. Restudy the balustrade design, per Porches, 6.17.
2. Accessory Building. Restudy the proposed accessory dwelling unit (ADU), per Massing and Complexity of Form, 6.8, number 3, and Roof Form and Materials, 6.13.

EXISTING CONDITIONS:

The existing structure is a 2-story Colonial Revival built c. 1927. Architectural features include unpainted brick siding, a hipped roof, and a right-side interior brick chimney. The structure also features two side porches on both the right and left elevations. The windows are 6/6, and the front door is a solid 6 panel with a transom and sidelights. The front stoop has a gable pediment supported by round Tuscan columns and extends along the right side of the front elevation. The lot size measures 85.15' x 166.79'. Adjacent historic structures are 1.5 and 2-story buildings.

PROPOSAL:

The proposal is changes to the front porch, rear porch, and the addition of a new accessory building.

Proposed Front Porch Changes:

1. The existing front porch pediment and columns will be removed and replaced with a new portico and columns.
2. The height of the new portico, as measured from the existing stoop floor, is approximately 11'-7".
3. Proposed materials for the columns, entablature, and balustrade (attic), are not provided.
4. Existing front door, door surround, and engaged pilaster to remain and be restored.
5. The existing brick steps, stoop, and right-side porch will remain. No dimensional changes proposed.
6. The square tile stoop, and right-side broken tile porch will be replaced with bluestone. Existing brick rowlock edge on the stoop and porch are to remain.

Proposed Rear Porch Changes:

1. The existing rear porch columns will be removed and reconfigured.
2. The existing roof and patio will remain.
3. The new decorative timber columns will have an unpainted brick base and decorative bracket. Bracket material not provided.

Proposed Accessory Building:

1. The new garage accessory structure is proposed to be 2-stories. Height, as measured from grade to ridge, is 24'-5 5/8", and is approximately 5'-4 1/8" below the main ridge.
2. Existing garage to be removed.
3. The footprint of the new garage measures approximately 30'-0" x 25'-0".
4. Proposed materials are a 5" exposure wood lap siding with mitered corners, unpainted brick foundation, asphalt shingle roof, 6/6 wood or aluminum-clad windows, door material not provided, and trim and detail material is wood.
5. Post-construction rear-yard impermeable area will be 34.5%.

Revised Proposed Project Summary – November 12, 2025

1. Rear porch changes approved on October 8, 2025.
2. Proposed bluestone front porch material change denied on October 8, 2025.
3. Historic examples of original front porticos on Colonial Revival buildings on Berkeley Ave provided on Sheet EX1.1.
4. Accessory building roof form changes.
5. Accessory building height lowered from 24'-5 5/8" to 23'-8 5/8".

Revised Proposed Project Summary– January 14, 2026

1. **Front Porch:**
 - a. Proposed Revisions
 - i Front portico design changed, see Sheet A1.1.
 - b. Staff Comments
 - i Provide material and detail information for the columns, pediment, and trim.
 - ii Retain historic elements of the front porch such as the broken tile flooring.
2. **Accessory Building (ADU):**
 - a. Proposed Revisions
 - i Height reduced to 22'4".
 - ii Main roof pitch changed to 9/12 (from 10/12), see Sheets G2.1 and G2.2.
 - iii Gable end windows changed from a triple to paired, see Sheets G2.1 and G2.2.
 - b. Staff Comments
 - i Provide material and detail information for all materials, trim, windows/doors, and a brick/mortar sample

STAFF ANALYSIS:

Staff has the following comments about the proposal:

1. Windows and Rhythm:
 - a. Window changes unclear on second level gable ends. The window schedule is not keyed to the October proposed floor plans. See Sheet HDC-7.
2. Minor changes may be approved by Staff.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION: APPROVE WITH CONDITIONS

1st: HOLTZ 2nd: SULLIVAN

Ms. Holtz moved to approve the application as it is not incongruous with the Secretary of the Interior's Standards and the Standards of the Historic District Commission. She added the conditions that the window details on the gable end, the window schedule, and any other minor details be approved by Staff. She cited the following Standards: for roof form and materials, 6.13; for doors and windows, 6.15 and 6.16; for roof pitch, 6.13; and for additions, 6.20

Mr. Sullivan seconded the motion.

VOTE: 9/0

AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH, STANLEY, SULLIVAN, WHITLOCK, WOJICK

NAYS: NONE

DECISION: APPLICATION FOR ADDITION – APPROVED WITH CONDITIONS.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, TAYLOR

APPLICATION:

HDCRMAA-2025-00648, 409 WALNUT AV (PID: 07101312) – CHANGES TO AN APPROVED CERTIFICATE OF APPROPRIATENESS – AFTER THE FACT

This application was continued from the November 12, 2025 meeting for the following items:

1. On the left, right and rear elevation of the new addition, restudy the rear addition fenestration per Standards for Windows and Doors, 6.15, 1(a) and (b), the wide expanses of wall and the rhythm. The original openings should be respected and not enlarged.
2. Restudy the delineation between the new and historic home based on Standards for Additions, 6.20, number 3.
3. Provide a revised rear elevation showing the brackets to be replaced to reflect the original rear elevation of the historic house and trim board around the porch. The rear elevation may be Staff approved, providing the applicant gives a detail for the raking at the rear porch beam with wood trim as well as adding the knee brackets.

EXISTING CONDITIONS:

The existing structure is 1-story, Craftsman constructed c. 1930. Architectural features include wrapped porch on the left-side with painted stucco columns, painted stucco siding, wood shake gable ends with 4-light window and shutters, a red brick chimney located on the front-left side, concrete front steps with stucco wingwalls at the porch, and concrete steps to the public sidewalk. Features also include wood double-hung 6/1 windows and a wood fan light front door. The lot size is approximately 55.71' x 187.50'. Adjacent structures are 1, 1.5, and 2-story residential buildings.

PROPOSAL & STAFF COMMENTS:

Proposed Project Summary – November 12, 2025

On February 11, 2021, an administrative Certificate of Appropriateness #HDCRMI-2020-00789 was issued for a rear addition and covered rear porch. The applicant is proposing changes to an approved COA that Staff is unable to review due to the proposed size of the addition. The following changes are proposed:

1. Windows/Doors – Original House:
 - a. Replacement of original 6/1 wood windows with new Jeld-Wen 2500 Series 6/1 wood windows.
 - b. Replacement of non-original front door with a wood 9-lite door Colonial door.

2. Accessory Building:
 - a. Demolish the dilapidated garage located in rear of the property.
3. Rear Addition:
 - a. General:
 - i Construction of new addition with a footprint of 23'-8.5" wide x 44'-1" long; the length is inclusive of a new rear covered porch that is approximately 10'-6" deep.
 - ii A transition will be provided between the original house and proposed addition. At the rear corners of the original house, the addition will bump out then bump back in before continuing on the same plane as the walls of the original house (Sheets A-5.0; A-2.0, A-2.1, A 2.2).
 - b. Rear Covered Porch:
 - i Cover the beam across the top of the covered porch with wood shake siding.
 - ii Change the design of low wall to be continuous across the rear elevation and extend between the columns and house on the left elevation.
 - c. Right Elevation:
 - i Change the small rear-most window to a full-size window.
4. Painted Brick:
 - a. Paint the unpainted brick chimney on the left elevation.

The following proposed changes are eligible for Staff approval and do not require Commission review:

1. Site Changes:
 - a. Install an approximately 50' x 33' concrete parking pad in the rear of the property, accessed by the public alleyway.
 - b. Install square concrete steppingstones laid in a path of gravel in the rear yard, leading from the rear covered porch to the proposed concrete parking pad.
 - c. Removal of bluestone from the primary walkway and steps leading to the public sidewalk and restoring it to concrete.
 - d. Removal of paint from concrete sidewalls of front steps.
2. Lighting:
 - a. Install (2) new metal light fixtures alongside front entry door.
3. Front Porch Changes:
 - a. Removal of bluestone and paint on the front porch floor and front steps and restoring back to concrete.
4. Rear Elevation:
 - a. Install decorative brackets on the gable end.
 - b. Install a new rear gable-end window and wood louvered vents on either side of the window that match the original front gable-end window and vents.
 - c. Install double full-lite doors on the left of the rear elevation.

The project is considered an After-the-Fact review, with the Commission reviewing the project on its merits as if work has not yet occurred.

Revised Proposed Project Summary – January 14, 2026

1. Proposed Revisions
 - a. Additional notes/dimensions have been provided on the right elevation, including a proposal to keep the existing fenestration, as-built.
 - b. A planter box and trellis in the wide field of stucco on the left elevation of the rear addition has been proposed.
 - c. No new changes have been proposed to the fenestration on the rear elevation.
 - d. Foundation wall and stucco to be added to match existing under bump outs between the original house and addition on the right and left elevations.
 - e. Smooth wood trim band along bottom of gable and knee brackets have been added to the rear

elevation, matching the front elevation of the original house.

2. Staff Comments

- a. The rhythm of the fenestration on the right elevation of the addition does not match that of the original house and is incongruous with the Design Standard for Rhythm 6.15, number 1, letters a – d.
- b. The addition of a planter and trellis to the left elevation is not a replacement for fenestration and is incongruous with the Design Standard for Rhythm 6.15, number 1, letters a & b; and Context 6.12.
- c. Window to door change on the rear of an addition is not incongruous with the Design Standard for Doors and Windows 6.15, number 1, as it maintains the same ratio of solids (walls) and voids (windows and doors).
- d. The additional foundation and stucco on the left and right bump-outs between the new and historic home adds a base to the bump-out and is not incongruous with the Design Standard for Foundations 6.12, numbers 1 & 2; and the Standard for Additions 6.20, number 6.
- e. The addition of rear trim band at the bottom of gable and addition of knee brackets matches the detailing of the original house and is not incongruous with the Design Standard for Trim 6.14, numbers 1 & 2; and the Standard for Porches 6.17, number 2

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION 1: APPROVE

1st: STANLEY 2nd: HOLTZ

Ms. Stanley moved to approve the fenestration on the right and rear elevations of the addition as it meets the Design Standards for windows and doors, 6.15, number 1, letters (a) through (d). She specified that the fenestration maintains the ratio of walls to windows and doors. She also specified that the motion was to approve the bump-outs with the addition of a foundation as they are not incongruous with the Design Standards for foundations, 6.12, numbers 1 and 2, as well as for additions, 6.20, number 6. Finally, the motion approved the addition of the rear trim band at the bottom of the gable in addition to the knee bracket that matches the detailing of the original house, as it is not incongruous with the Design Standards for trim, 6.14, numbers 1 and 2, and for porches, 6.17, number 2.

Ms. Holtz seconded the motion.

VOTE 1: 9/0

AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH, STANLEY, SULLIVAN, WHITLOCK, WOJICK

NAYS: NONE

DECISION 1: APPLICATION FOR ADDITION & FENESTRATION CHANGES – AFTER THE FACT – APPROVED.

MOTION 2: CONTINUE

1st: STANLEY 2nd: ALLRED

Ms. Stanley moved to continue the application for the addition of the planter and trellis to the left elevation as it is not a replacement for fenestration and does not meet the Standard for rhythm, 6.15, number 1, letters (a) and (b), and the Standard for Context, 6.12. She required that the applicant return after adding a window to the wall.

Ms. Allred seconded the motion.

VOTE 2: 9/0

AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH, STANLEY, SULLIVAN, WHITLOCK, WOJICK

NAYS: NONE

DECISION 2: APPLICATION FOR PLANTER & TRELLIS – AFTER THE FACT – CONTINUED.

ABSENT | RECUSE | LEFT MEETING | RETURNED:

ABSENT: HAWKINS, LINEBERGER, TAYLOR

APPLICATION:

HDCMFA-2025-00649, 2011, 2015, 2019, 2023, & 2027 THURMOND PL (PID: 09506145, 09506146, 09506147, 09506148, & 09506149) – CHANGES TO AN APPROVED COA – AFTER THE FACT

This application was continued from the November 12, 2025 meeting for the following items:

- A. Provide accurate drawings that clearly highlight all affected items.
- B. Address items from the Staff analysis on page five and six, including:
 - 1. Roof changes, North, South, East, & West Elevations:
 - a. Provide as-built roof pitch dimensions.
 - b. The change in roof pitch on dormers and gables is incongruous with the Design Standard for Roofs 6.13, numbers 1 and 3.
 - 2. Window changes, North, South, & East Elevations:
 - a. Relate window openings for new construction to historic context, per Design Standard 6.15, number 1, letters a-d.
 - b. Provide new dimensions for the as-built windows.
 - c. Provide additional information on proposed custom windows that meet HDC Standards.
 - 3. Door changes, all elevations:
 - a. Relate door openings for new construction to historic context, per Design Standard 6.15, number 1, letters a-d.
 - 4. Foundation changes, all elevations:
 - a. Provide as-built foundation wall heights.
 - b. Re-study the height of new foundation to the height of foundations on historic buildings, per Design Standard 6.12, number 1.
 - 5. Cornices and Trim changes, North & South Elevations:
 - a. Re-study the proportion and scale of the trim as compared to the scale and proportion of trim on historic buildings within the context of the new building, per Design Standard 6.14, number 2.
 - 6. Elevation detail changes:
 - a. North & South Elevations
 - i. Re-study proportions of Dormer A on the North Elevation (Unit 2015) and Dormers E, F, and G on the South Elevation (Unit 2015) per Design Standard 6.8 (Pages S4 & S8 - S9).
 - ii. Provide as-built width dimensions of all individual townhouse units and dormers.
 - b. East & West Elevations
 - i. Re-study the changes in spacing/arrangement of gable vent and windows on gable bump-outs (Pages S3 & S7) to Design Standard 6.14, numbers 1 and 2; and Standard 6.15, number 1, letters a-d.
 - c. East Elevation
 - i. Re-study planter per Design Standard 6.12, number 2; and Standard 8.4, number 4.
 - d. North Elevation
 - i. Re-study the addition of front entry concrete steps for Unit 2023 (Page S5) per Design Standard 6.17.
 - e. South Elevation
 - i. Re-study the increased width of the Unit 2023 (Page S8) per Design Standard 6.8.
 - ii. Re-study the covered rear patio area of Unit 2023 and the proposed stoop for Unit 2027 per Design Standard 6.17, numbers 2 through 4.
 - 7. Site Changes:
 - a. Concrete pavement right up against the building foundation (Pages S3 - S6) is incongruous with

- Design Standard 8.2, number 8.
- b. Applicant to provide information regarding the missing planting strip along the building foundation.
- c. Changing the 6' wide concrete sidewalk at the front entry stoop of Unit 2011 towards Thurmond Place (at right-most corner of West Elevation) to pea gravel (Page A4) is not incongruous with Design Standard 8.2, number 2.
- d. Applicant to provide all information regarding landscape/hardscape changes and new tree locations between Buildings Two and Three.
 - i. The removal of existing landscape and hardscape features is incongruous with Design Standard 8.2, numbers 1 and 8; and Design Standard 8.4, number 1

EXISTING CONDITIONS:

The property at 2010 The Plaza is the VanLandingham Estate, a designated local historic landmark. The four-acre property has two accessory buildings with fairly dense landscaping.

On May 12, 2021, the Commission approved the construction of four (4) new buildings that comprise a total of 22 townhomes under application number HDCRMA-2020-00467. At the August 10, 2022 meeting, the Commission approved Design changes to Building Four. At that meeting, the Commission also approved Staff to apply the Building Four changes to Buildings Two & Three. Staff issued the COA for the design changes for Buildings Two and Three under application number HDCRMA-2023-00019 on January 23, 2023.

Building Three Approval Summary:

- The height of Building Three (the unit facing The Plaza) is 33'-6", measured from grade to ridge at the tallest point.
- The building setback is approximately 20' back from the existing hedge along Thurmond Place.
- Materials include Nichiha Savannah smooth lap siding, Miratec windowsills and soffits, corner boards that sit proud of the siding, and brick.
- The windows are Jeld-Wen 2500-series double-hung wood with traditional wide rails, 1/1 lite pattern, 3" fiber cement brickmould, and brick rowlock sill.
- The entry doors are wood, and the garage doors are the Wayne Dalton 9510 six light steel overlay garage doors in a carriage house style, with hardware added to double-doors to give the appearance of separate doors.
- Roofing material is asphalt shingle with wood fascia and decorative brackets.
- Two new walkway connections will be installed from the units, through the hedges which will remain, to the sidewalk along Thurmond Place.

PROPOSAL:

This project is in the enforcement process. Staff conducted a final inspection on Building Three on August 15, 2025 and found that the constructed project did not match the COA approved plans. The deviation from approved plans is found on all four elevations. The applicant is proposing to come into compliance by requesting the Commission's approval of design changes to Building Three, which runs along Thurmond Place. As-built drawings of the project have been provided.

The changes include:

Roof changes, South, East, & West Elevations (Pages S3, S7 – S10):

- a. Gable Roof - East Elevation (Unit 2027) & West Elevation (Unit 2011), pitch appears shallower than approved (Page S7).
- b. Dormer Roofs - North Elevation, pitches have changed from 8:12 to 6:12 (Page A1).
- c. Most as-built roof pitches have not been provided.
- d. Gable Ends - Rake boards are approximately 2" wider than approved (Pages S3 - S4, S6, S8 & S10).

- e. Shed Roof - South Elevation (Unit 2023), wider than approved **(Page S9)**.

Window changes, North, South, & East Elevations **(Pages S3 – S6, S8 – S10)**:

- a. Dormer B - North Elevation, a double window next to a single window has been installed in place of the triple **(Page S5)**.
- b. Front entry alcove - North Elevation (Unit 2023), there is siding under the window in the approved plans but not in the constructed project **(Page S5)**.
- c. Dormer - South Elevation (Unit 2019), the double windows have changed in style from two 1/1 double hung windows to two shorter windows with transoms **(Page S9)**.
- d. Windows - South Elevation (Unit 2015), Left-most ganged windows on second floor have changed in style to two 1/1 casement windows to look like double hung, instead of two 1/1 double hung windows with transoms **(Page S9)**.
- e. Windows – South Elevation (Unit 2023), The proportion of the windows appears to be wider than approved **(Page S8)**.
- f. Dormer – East Elevation (Unit 2027), shallow roof pitch and window placement is different than the approved. **(Page S3)**.

Door changes, all elevations **(Pages S3 – S10)**:

- a. Front Entry Doors, Written proposal to change all front entry doors to 1/3 light wood doors has been provided **(Page A1)**.
- b. Rear Entry Doors, Written proposal to change all rear entry doors to full light wood doors has been provided **(Page A1)**.
- c. Garage Doors – North Elevation (Unit 2019), A man door and single garage door were installed in lieu of an approved double garage door **(Page S5)**.
- d. Rear Entry Door - South Elevation (Unit 2023), does not align with small second floor window above it. The approved plans showed these aligned with each other **(Page S9)**.

Foundation changes, all elevations **(Pages S3 – S10)**:

- a. Foundation, wall heights appear to have increased along the North and West Elevations and decreased along the South Elevation **(Pages S4 – S10)**.
 - o As-built foundation wall heights have not been provided.

Cornice and Trim changes, North & South Elevations **(Pages S4 – S6, S8 – S10)**:

- a. Trim band at the top of gable bump-out is missing on constructed project **(Pages S4 & S6)**.
- b. Wider trim band has been included at bottom of gable bump-out **(Pages S4 & S6)**.
- c. Detail drawings not provided.

Elevation detail changes:

- a. North & South Elevations **(Pages S4 – S6, S8 – S10)**
 - i. Dormer A and C on the North Elevation (Unit 2015), and Dormer E and G on the South Elevation (Unit 2023) was sided with lap siding vs approved smooth trim **(Pages S4 – S5, S8)**.
 - ii. As constructed, the amount of space between the top of the garage doors and bottom of the second story windows on the North Elevation is larger than COA plans **(Pages S4 – S5)**.
 - iii. As constructed, the amount of space between the first and second floor windows on the South Elevation (Unit 2023) is larger than approved plans **(Page S8)**.
- b. North & East Elevations **(Pages S3 – S6)**
 - i. Applicant has provided proposal to install any missing brackets via proposed elevation drawings. **(Sheets A-203 and A-204)**.
- c. East & West Elevations **(Pages S3 & S7)**
 - i. Changes in spacing and arrangement of gable vent and windows.
- d. East Elevation **(Page S3)**
 - i. Stoop extends along the width of the East Elevation and wraps around the corner.
 - Applicant is proposing to change the left portion of the extended stoop to a raised planter **(Page A2)**.
- e. North Elevation **(Pages S4 – S6)**

- i. Addition of concrete front entry steps for Unit 2023.
- f. South Elevation (Pages S8 – S10)
 - i. The width of the Unit 2023 appears to be wider than approved.
 - ii. Rear patio footprint of Unit 2023 is different than approved.
 - iii. An extra brick knee wall has been constructed at Unit 2027 that was not on the approved plans.
 - Applicant is proposing to add to the knee wall to build a small retaining wall with brick-edged patio and steps. Detailed drawings not provided.
- g. West Elevation (Page S7)
 - i. Paneling detail has changed from 3 panels aligned with the windows to 2 panels and no longer relates to the windows.
 - Applicant is proposing to restore this panel detail to the approved 3-panel design in the original COA.

Site Changes (Pages S11 – S12):

- a. Missing planting strip between driveway pavement/curb and foundation.
- b. The 6' wide concrete sidewalk is missing at front entry stoop of Unit 2011 towards Thurmond Place (at right-most corner of West Elevation).
 - i. Applicant is proposing to install this missing sidewalk as a pea gravel walkway.
- c. Previously existing landscape and hardscape features located in the tree-save area between Buildings Two and Three have been removed. Additional information not provided.

Staff approvable changes include:

- a. Installation of missing gable vents.
- b. Change in detail of roof over Unit 2019's front entry door (North Elevation).
- c. Change in rear patio columns on Unit 2015 (South Elevation).
- d. Installation of new retaining wall along West Elevation (front of Unit 2011).
- e. HVAC screening change.
- f. Garage door lite pattern.

The project is considered an After-the-Fact review, with the Commission reviewing the project on its merits as if work has not yet occurred.

Revised Proposal – January 14, 2026

- A. Comparison slides with original COA elevations, as-built elevations, and proposed elevations have been provided, with changes highlighted on **pages B1 – B3**.
- B. Items addressed by the Applicant from the November HDC meeting Staff Analysis on pages five and six are listed as follows:
 - 1. Roof changes, North, South, East, & West Elevations:
 - a. Provide as-built roof pitch dimensions have been provided on **pages B6 & B7**.
 - 2. Window changes, North, South, & East Elevations:
 - a. Revised window schedule distinguishing changes made in window style and dimension has been provided on **page B4**.
 - b. Window size re-study drawings have been provided on **page B5**.
 - 3. Door changes, all elevations:
 - a. Revised elevation drawings with proposed doors are provided on **pages B1 – B3**.
 - b. Written proposal for rear entry doors to remain full lite wood doors is provided on **page B10**.
 - c. Photo of proposed front entry door is provided on **page B10**.
 - 4. Foundation changes, all elevations:
 - a. No new information provided.
 - 5. Cornices and Trim changes, North & South Elevations:
 - a. Revised elevation drawings featuring wider trim band at gable details are provided on **pages**

B14, B18, & B22.

- b. Additional information pertaining to the scale of decorative brackets has been provided on **page B12.**
- 6. Elevation detail changes:
 - a. North & South Elevations
 - i. Written explanation regarding width of Unit 2023 is provided on **page B22.**
 - b. East & West Elevations
 - i. No new information provided.
 - c. East Elevation
 - i. A plan drawing of the proposed planter has been provided on **page B12.**
 - d. North Elevation
 - i. No new information provided.
 - e. South Elevation
 - i. Written explanation for the changes of the covered rear patio area of Unit 2023 and the proposed stoop for Unit 2027 has been provided on **page B22.**
- 7. Site Changes:
 - a. Information regarding the installation of a missing sidewalk on the South Elevation/right-most corner of West Elevation has been provided on **pages B29 & B30.**
 - b. Written information provided regarding landscape/hardscape changes and new tree locations between Buildings Two and Three on **page B28.**

STAFF ANALYSIS:

Staff has the following comments about the proposal:

- 1. Roof changes, North, South, East, & West Elevations:
 - a. The shallow roof pitch on the dormers and gables is incongruous with the Design Standard for Roofs 6.13, numbers 1 and 3.
- 2. Window changes, North, South, & East Elevations:
 - a. Additional information on proposed custom windows that meet HDC Standards is needed.
- 3. Door changes, all elevations:
 - a. Relate door openings for new construction to historic context, per Design Standard 6.15, number 1, letters a-d.
- 4. Foundation changes, all elevations:
 - a. As-built foundation wall heights are needed.
 - b. Re-study of the height of the new foundation to the height of foundations on historic buildings is needed, per Design Standard 6.12, number 1.
- 5. Cornices and Trim changes, North & South Elevations:
 - a. The wider trim band on the gables are proportionally correct and not incongruous with the Design Standard for Trim 6.14, numbers 1 and 2.
 - b. Detail drawing with dimensions of "Bracket A" is needed.
- 6. Elevation detail changes:
 - a. North & South Elevations
 - i. Re-study proportions of Dormer A on the North Elevation (Unit 2015) and Dormers E, F, and G on the South Elevation (Unit 2015) per Design Standard 6.8 is needed.
 - ii. As-built width dimensions of all individual townhouse units and dormers is needed.

SPEAKERS [FOR | AGAINST]:

No one accepted Chair Stanley's invitation to speak.

MOTION 1: APPROVE WITH CONDITIONS

1st: WHITLOCK

2nd: WOJICK

Mr. Whitlock moved to approve item A and item B, numbers 1 through 6 (a), (b), (d), and (e). He added the condition that the steps in item B, number 6(d) be made of brick.

Ms. Wojick seconded the motion.

VOTE 1: 5/4

AYES: SOWASH, STANLEY, SULLIVAN, WHITLOCK, WOJICK

NAYS: ALLRED, BELL, CURME, HOLTZ

DECISION 1: APPLICATION FOR REHABILITATION, WINDOWS/DOORS, & SITE WORK – APPROVED WITH CONDITIONS.

MOTION 2: CONTINUE

1st: WOJICK 2nd: SULLIVAN

Ms. Wojick moved to continue section number 6, (c) and (i) of this application for a restudy of the planter as well as number 7 (a), (b), (c), and (d) for the a restudy of the materials and site changes. She cited the following Standards: 6.12, number 2; 8.2, numbers 1 and 8; and 8.4, numbers 1 and 2.

Ms. Holtz seconded the motion.

VOTE 2: 9/0

AYES: ALLRED, BELL, CURME, HOLTZ, SOWASH, STANLEY, SULLIVAN, WHITLOCK, WOJICK

NAYS: NONE

DECISION 2: APPLICATION FOR SITE CHANGES – CONTINUED.

The following cases could not be heard due to time constraints and will be heard at the February 11, 2026 meeting:

- HDCRMAA-2025-00654 for 1817 S Mint St
- HDCCMA-2025-00874 for 300, 304, & 308 E Worthington Av
- HDCRMAA-2025-00872 for 416 Hermitage Ct
- HDCRMA-2025-00865 for 300 Westwood Av
- HDCRMA-2025-00777 for 916 Mt Vernon Av
- HDCRMI-2025-00323 for 429 W Park Av

With no further business to discuss, Chair Bell adjourned the meeting at 7:53 p.m.