
title: Guest Documentation
subtitle: Westminster Presbyterian Church - Mackey Hall Technology
date: Version 2026.05a

\newpage

Guest Documentation | Westminster Presbyterian Church - Mackey Hall Technology

\newpage

Guest Documentation | Westminster Presbyterian Church - Mackey Hall Technology

The Westminster Presbyterian Church Guest Technology Documentation is a reference guide for guests using the technology in Mackey Hall.

Notes

This document is a work in progress. Please ignore any grammatical mistakes and let us know so that we can correct them accordingly.

For any questions or comments, please email me.

Licenses

Westminster Presbyterian Church Guest Technology Documentation

[View License](#)

Docusaurus

Docusaurus is used under the MIT license.

[View License](#)

\newpage

Changelog

2026.05a

- Migrated the documentation site from MkDocs Material to Docusaurus.
- Published the documentation as Docusaurus version 2026.05a.
- Added an automated Pandoc-based PDF manual workflow.

\newpage

WPC Guest Technology Documentation

Welcome to the guest documentation for Mackey Hall AV systems. This guide is designed to provide clear, step-by-step instructions for operating the projector, rear TV, sound system, and audio input devices.

Start Here

Before your event:

- Power on the required systems before connecting devices.
- Confirm the correct input source is selected.
- Test audio and video output before your event begins.
- Follow shutdown steps after use to protect equipment life.

Video Guides

Use these guides to manage screen control, display power, and source selection.

1. Lowering Projector Screen: Proper procedure for lowering the projector screen for viewing.
2. Retracting Projector Screen: Safe retraction steps to prevent wear or damage.
3. Turning Projector / Rear TV On: Startup process for the display systems.
4. Turning Projector / Rear TV Off: Correct shutdown process for long-term reliability.
5. Input Methods: How to choose and use available video input options.

Audio Guides

Use these guides to power, connect, and optimize room audio.

1. Turning Sound System On: Startup process for the sound system.
2. Using Wall Audio Controls: Use the wall touchscreen to select audio presets, unmute channels, and adjust levels.
3. Using Computer Audio: How to route and use audio from a computer.
4. Bluetooth Pairing: Pair a phone, tablet, or computer to the room Bluetooth receiver.
5. Connecting and Using Microphones: Setup and usage basics for microphones.

Need More Help?

If something is not working as expected, check the Troubleshooting section in the Documentation navigation.

\newpage

Lowering Projector Screen

This guide explains how to lower the projector screen in Mackey Hall.

If you need the reverse process, see Retracting Projector Screen.

Locate the Screen Control

The projector screen control switch is on the south wall, to the right of the windows.

Image: Windows on South Wall

Lower the Screen

1. Press the lower half of the screen control switch fully in.
2. The switch is a maintained toggle, so it will stay in the selected position.
3. Wait while the screen lowers.
4. The screen will stop automatically at its lowest position.
5. Toggle the switch back to the neutral (center) position after the screen is fully lowered.

Image: Projector Switch in Down Position

\newpage

Retracting Projector Screen

This guide explains how to retract the projector screen in Mackey Hall.

If you need the reverse process, see Lowering Projector Screen.

Locate the Screen Control

The projector screen control switch is on the south wall, to the right of the windows.

Image: Windows on South Wall

Retract the Screen

1. Press the upper half of the screen control switch fully in.
2. The switch is a maintained toggle, so it will stay in the selected position.
3. Wait while the screen retracts.
4. The screen will stop automatically at its fully retracted position.

5. Toggle the switch back to the neutral (center) position after the screen is fully retracted.

Image: Projector Switch in Up Position

\newpage

Turning Projector / Rear TV On

This guide explains how to power on the projector and rear TV in Mackey Hall using the wall touchscreen.

If you need the reverse process, see Turning Projector / Rear TV Off.

Power On Projector

1. Go to the wall touchscreen in Mackey Hall.
2. If you are not on the Homepage or the Power page, press the Home icon in the top-left corner.
3. If you are on the Homepage, press Power to open the power controls. If you are already on the Power page, continue to the next step.

Image: Control Screen Homepage

Press the Power button on the homepage.

4. On the Power page, press Projector On to power on the projector.

Image: Power Menu Screen

Press Projector On to power on the projector.

5. Allow about 30 seconds for the projector to fully start.

Power On Rear TV

1. Go to the wall touchscreen in Mackey Hall.
2. If you are not on the Homepage or the Power page, press the Home icon in the top-left corner.
3. If you are on the Homepage, press Power to open the power controls. If you are already on the Power page, continue to the next step.

Image: Control Screen Homepage

Press the Power button on the homepage.

4. On the Power page, press Rear TV to power on the rear TV.

Image: Power Menu Screen

Press Rear TV to power on the rear TV.

5. Allow a few seconds for the rear TV to fully power on.

\newpage

Turning Projector / Rear TV Off

This guide explains how to power off the projector and rear TV in Mackey Hall using the wall touchscreen.

If you need the reverse process, see Turning Projector / Rear TV On.

Power Off Projector

1. Go to the wall touchscreen in Mackey Hall.
2. If you are not on the Homepage or the Power page, press the Home icon in the top-left corner.
3. If you are on the Homepage, press Power to open the power controls. If you are already on the Power page, continue to the next step.

Image: Control Screen Homepage

Press the Power button on the homepage.

4. On the Power page, press Projector Off to power off the projector.

Image: Power Menu Screen

Press Projector Off to power off the projector.

5. Allow about 30 seconds for the projector to fully shut down.

Power Off Rear TV

1. Go to the wall touchscreen in Mackey Hall.
2. If you are not on the Homepage or the Power page, press the Home icon in the top-left corner.
3. If you are on the Homepage, press Power to open the power controls. If you are already on the Power page, continue to the next step.

Image: Control Screen Homepage

Press the Power button on the homepage.

4. On the Power page, press and hold Rear TV for a few seconds to power off the rear TV.

Image: Power Menu Screen

Press and hold Rear TV for a few seconds to power off the rear TV.

5. Wait a few seconds for the rear TV to fully power off.

\newpage

Computer Input Methods

This guide explains how to connect devices in Mackey Hall and switch video sources from the wall touchscreen.

Connecting Devices

1. Locate the input ports on the wall outside the Scout Closet, under the projector screen, and by the sound system/chair closet wall.
2. Connect your device to the matching labeled port.
3. On the touchscreen, select the input that matches the port label you used.

Switching Inputs on the Touchscreen

1. Go to the wall touchscreen in Mackey Hall.

2. If you are not on the Homepage or the Video page, press the Home icon in the top-left corner.
3. If you are on the Homepage, press Video to open input controls. If you are already on the Video page, continue to the next step.

Image: Control Screen Homepage

Press Video on the homepage to open input controls.

4. On the first Video page, press the input button that matches your connected port.
 5. The selected source will light up blue when it is active.
- Image: Video Controls Page 1
- Select the input that matches your connected port label.
6. Use the left/right arrows at the bottom to move between Video pages.
 7. On the second Video page, use Freeze to pause the current image or Blank to black out the screens.

Image: Video Controls Page 2

Use the bottom arrows to switch pages. Freeze and Blank are on the second Video page.

Input Methods

HDMI Inputs

Mackey Hall has three HDMI inputs:

- Church PC HDMI: Located with the VGA and RCA ports under the input selector panel. Reserved for the Church PC.
- HDMI 1: Located near the control touchscreen for personal devices.
- HDMI 2: Located on the wall outside the Scout Closet, under the projector screen, for personal devices.

HDMI carries both video and audio over one cable.

Church PC HDMI Input

Image: Church PC HDMI Input

HDMI 1 Input

Image: HDMI 1 Input

HDMI 2 Input

Image: HDMI 2 Input

VGA Inputs

There are two VGA input locations in Mackey Hall:

1. Laptop 1 (VGA): Under the input selector panel with its matching 3.5mm audio port.
2. Laptop 2 (VGA): On the wall outside the Scout Closet, under the projector screen, with its matching 3.5mm audio port.

VGA requires two cables for full A/V: VGA (video) plus 3.5mm (audio).

Laptop 1 Input

Image: VGA 1 Input

Laptop 2 Input

Image: VGA 2 Input

RCA Input

There is one RCA input under the input selector panel.

- Yellow: video
- White/Red: left/right audio

Image: RCA Input

\newpage

Turning the Sound System On

This guide explains how to verify and turn on the Mackey Hall sound system.

If the system is already on, no changes are needed.

Check Rack Power

1. Go to the sound system rack.
2. Find the red Power switch on the rack.
3. If the switch is not lit red, turn it on.

Image: Rack Power Switch

Check Amplifier Power

1. Locate the amplifier in the rack (third unit from the bottom).
2. Press the amplifier power button at the bottom-right.
3. Confirm the button lights blue, which means the amplifier is on.

Image: Amplifier Power Button

Sound System Ready

When the rack power is on and the amplifier power button is blue, the sound system is ready for microphones, computer audio, and Bluetooth audio.

\newpage

Using Wall Audio Controls

This guide explains how to use the wall touchscreen audio controls in Mackey Hall.

If the sound system is not on, see Turning the Sound System On.

Open Audio Levels

1. On the wall touchscreen Homepage, press Audio.

Image: Control Screen Homepage

2. On the Audio page, press Audio Levels.

Image: Audio Page

Select a Preset

1. On the Select a Preset screen, choose the preset you need:

- Pulpit Wired Mics
- Wireless Mics
- Computer + Bluetooth Inputs

Image: Audio Preset Selection

Adjust Channel Levels

1. Find the channel card you want to adjust.
2. If a channel shows Muted in red, that channel is muted and no audio will pass.
3. Press Muted once to unmute the channel.
4. Use +1%, -1%, or the slider to set the channel level.
5. Use the Speakers card on the right (Master Output) for overall room output level.

Image: Pulpit Preset Controls

Image: Wireless Preset Controls

Image: Computer Preset Controls

Helpful On-Screen References

- Press About Inputs for source and connection reference details.
- Press Help for quick control tips (+1%, -1%, hold to ramp, Mute/Unmute, and Default level behavior).
- On Help, a red Muted button means that channel is muted.

Image: About Inputs Screen

Image: Help Screen

\newpage

Using Computer Audio

This guide explains how to play audio from a computer in Mackey Hall using the wall touchscreen audio controls.

If the sound system is not on, see Turning the Sound System On.

Connect Your Computer

1. Connect your computer using one of these methods:

- HDMI (carries video and audio together)
- 3.5mm audio cable (audio only)

2. If you are also using video, choose the cable type that matches your selected video input.

3. For port locations, see Input Methods.

Open Audio Levels

1. On the wall touchscreen Homepage, press Audio.

Image: Control Screen Homepage

2. On the Audio page, press Audio Levels.

Image: Audio Page

3. On the Select a Preset screen, press Computer + Bluetooth Inputs.

Image: Audio Preset Selection

Use the Computer Input Channel

1. In Computer + Bluetooth Inputs, find the Computer channel card.

2. If the channel shows Muted in red, press it once to unmute.

3. Start playback on your computer.

4. Adjust the Computer level using +1%, -1%, or the slider.

Image: Computer and Bluetooth Controls

Helpful On-Screen References

- Press About Inputs for source and connection reference details.

- Press Help for quick control tips (+1%, -1%, hold to ramp, Mute/Unmute, and Default level behavior).

Image: About Inputs Screen

Image: Help Screen

\newpage

Bluetooth Pairing

This guide explains how to pair a Bluetooth playback device in Mackey Hall using the wall touchscreen.

If the sound system is not on, see Turning the Sound System On.

Start Pairing Mode (Two Ways)

Method 1: From the Audio Page

1. On the wall touchscreen Homepage, press Audio.

Image: Control Screen Homepage

2. On the Audio page, press Bluetooth Pair.

Image: Audio Page

3. Wait a few seconds for pairing mode to activate.
4. If room speakers are unmuted, you should hear a beep when pairing mode starts.

Method 2: From Audio Levels -> Computer + Bluetooth Inputs

1. On the Audio page, press Audio Levels.
2. On Select a Preset, choose Computer + Bluetooth Inputs.
3. On that page, press Bluetooth Pairing.
4. Wait a few seconds for pairing mode to activate.
5. If room speakers are unmuted, you should hear a beep when pairing mode starts.

Connect Your Device

1. On your phone, tablet, or computer, open Bluetooth settings.
2. Select DN-200BR from available devices.
3. Confirm the device shows as connected.

Route Bluetooth Audio to Speakers

1. On the wall touchscreen Audio page, press Audio Levels.
2. On Select a Preset, choose Computer + Bluetooth Inputs.
3. In that preset, find the Bluetooth channel card.
4. If Muted is red, press it once to unmute.
5. Start playback and adjust Bluetooth level with +1%, -1%, or the slider.
6. Use the Speakers card on the right (Master Output) for overall room output level.

Image: Computer and Bluetooth Controls

Notes

- Pairing is for playback devices only.
- If pairing fails, press Bluetooth Pair again and retry from Bluetooth settings.

\newpage

Connecting and Using Microphones

This guide explains how to set up and use microphones in Mackey Hall with the wall touchscreen audio controls.

Before You Start

1. Make sure the sound system is on. If needed, see Turning the Sound System On.
2. Open the wall touchscreen audio controls and select the correct preset. If needed, see Using Wall Audio Controls.
3. Use Pulpit Wired Mics for pulpit channels Pulpit 1 and Pulpit 2.
4. Use Wireless Mics for Wireless 1, Wireless 2, and Lapel.

Pulpit Microphone

1. Locate the pulpit microphone and cable, if not already plugged in.
2. Plug the microphone into Pulpit 1 or Pulpit 2.

3. On the wall controls, open Pulpit Wired Mics.
4. If the selected pulpit channel shows Muted in red, press it once to unmute.
5. Set level with +1%, -1%, or the slider.

Image: Pulpit Microphone

Image: Pulpit Input Plugs

Lapel Microphone (Wireless)

1. Locate the lapel bodypack and lapel mic (kept in the pulpit when not in use).
2. Power: move the top power switch to on.
3. Clip the lapel mic and begin speaking.
4. On the wall controls, open Wireless Mics and use channel Lapel.
5. If channel Lapel shows Muted in red, press it once to unmute.
6. Set level with +1%, -1%, or the slider.

Lapel Reference Images

Lapel Microphone Bodypack

Image: Lapel Microphone Bodypack

Lapel Power On/Off Switch

Image: Lapel Power On/Off Switch

Handheld Wireless Microphones

Wireless 1 (Handheld 1)

1. Locate Handheld 1 (kept in the pulpit when not in use).
2. Power: short-press ON/OFF to turn on; press and hold ON/OFF to turn off.
3. Mute: use the handheld mute switch to mute or unmute the mic.
4. On the wall controls, open Wireless Mics and use channel Wireless 1.
5. If channel Wireless 1 shows Muted in red, press it once to unmute.
6. Set level with +1%, -1%, or the slider.

Wireless 1 Reference Images

Wireless 1 Microphone Body

Image: Wireless 1 Microphone Body

Wireless 1 Power Indicator

Image: Wireless 1 Power Indicator

Wireless 1 Mute/Unmute Switch

Image: Wireless 1 Mute/Unmute Switch

Wireless 2 (Handheld 2)

1. Locate Handheld 2 (kept in the pulpit when not in use).
2. Power: slide the switch to turn the microphone on or off.
3. On the wall controls, open Wireless Mics and use channel Wireless 2.
4. If channel Wireless 2 shows Muted in red, press it once to unmute.
5. Set level with +1%, -1%, or the slider.

Wireless 2 Reference Images

Wireless 2 Microphone Body

Image: Wireless 2 Microphone Body

Wireless 2 ON/OFF Switch

Image: Wireless 2 ON/OFF Switch

Mute and Level Notes

- A red Muted button on the wall controls means that channel is muted.
- Press Muted once to unmute.
- Use Default to return a channel to its normal level.
- You can press and hold +1% or -1% for faster continuous changes.
- Start with lower levels, speak into the microphone, then raise gradually.
- If a wireless mic has no audio, check battery level and power switch position.

\newpage

Coming Soon