### Cellular Automata

Weston Dransfield

April 1, 2016

### Outline

Spatial Structure

- ► Spatial Structure
- ► Local Interactions

- ► Spatial Structure
- ► Local Interactions
- ► Cell State

- ► Spatial Structure
- Local Interactions
- ► Cell State
- Cell Transitions


# Spatial Structure

► Grid - Like a city

### Spatial Structure

- ► Grid Like a city
- Agents Like a home in the city

# Spatial Structure



Agents may only interact with a set number of agents around them. This region is called a neighborhood.

Von Neumann neighborhood (most local).

Agents may only interact with a set number of agents around them. This region is called a neighborhood.

- Von Neumann neighborhood (most local).
- Moore neighborhood (less local).


Agents may only interact with a set number of agents around them. This region is called a neighborhood.

- ▶ Von Neumann neighborhood (most local).
- Moore neighborhood (less local).
- ▶ n \* n Moore neighborhood for n > 3 (least local).

Agents may only interact with a set number of agents around them. This region is called a neighborhood.

- Von Neumann neighborhood (most local).
- Moore neighborhood (less local).
- ▶ n \* n Moore neighborhood for n > 3 (least local).

Locality indicates how many agents a single agent interacts with. High locality indicates more interactions (Think of how a rumor spreads).



papergraph.com @ 3.0 by-nc-sa Pere Millán

### Cell State

Cells have a state

Binary

### Cell State

#### Cells have a state

- Binary
- ► Any number of states

CA have discrete chunks of time called rounds. Each round produces the next "generation" of cells.

The next state of a cell is a function of:

▶ It's current state

The next state of a cell is a function of:

- ▶ It's current state
- The state of cells in its neighborhood

The next state of a cell is a function of:

- It's current state
- ▶ The state of cells in its neighborhood

Think of your opinion on a topic changing by being surrounded by people with a different view.

What is the simplest...

► Grid of cells?

What is the simplest...

- ► Grid of cells?
- Useful number of states?

What is the simplest...

- ► Grid of cells?
- Useful number of states?
- ► Neighborhood?

#### What is the simplest...

- Grid of cells an array
- Useful number of states binary
- ▶ Neighborhood 2 adjacent cells of the agent

How do we describe the state of cell  $c_t$  as a function of the neighbors of  $c_t$  at time t-1?

How do we describe the state of cell  $c_t$  as a function of the neighbors of  $c_t$  at time t-1?

► There are  $2^3 = 8$  neighborhood combinations for any given neighborhood.

How do we describe the state of cell  $c_t$  as a function of the neighbors of  $c_t$  at time t-1?

- ► There are  $2^3 = 8$  neighborhood combinations for any given neighborhood.
- Simply create an assignment for each combination!

How do we describe the state of cell  $c_t$  as a function of the neighbors of  $c_t$  at time t-1?

- ► There are  $2^3 = 8$  neighborhood combinations for any given neighborhood.
- Simply create an assignment for each combination!
- ➤ This assignment is called a rule set (how many possible rule sets?)

### Example Program

- http://mathworld.wolfram.com/ ElementaryCellularAutomaton.html
- https:
  //github.com/westonkd/Completeness/tree/CA


### Interesting Tidbits

 Rule 30 - Random number generator for Wolfram language

### Interesting Tidbits

- Rule 30 Random number generator for Wolfram language
- ▶ Rule 22 Sierpinski triangle

# 2D CA Example - Conway's Game of Life



1. Rules

- 1. Rules
- 2. Entities

- 1. Rules
- 2. Entities
- 3. Results

- 1. Rules
- 2. Entities
- 3. Results
- 4. Computational tidbits

▶ 2 states - dead or alive

- 2 states dead or alive
- 3x3 Moore neighborhood


- 2 states dead or alive
- 3x3 Moore neighborhood
- 1. Any live cell with fewer than two live neighbors dies (under population).

- 2 states dead or alive
- 3x3 Moore neighborhood
- 1. Any live cell with fewer than two live neighbors dies (under population).
- 2. Any cell with 2 or 3 live neighbors lives on to the next generation.

- 2 states dead or alive
- 3x3 Moore neighborhood
- 1. Any live cell with fewer than two live neighbors dies (under population).
- 2. Any cell with 2 or 3 live neighbors lives on to the next generation.
- 3. A cell with more than 3 live neighbors dies (over crowding).

- 2 states dead or alive
- 3x3 Moore neighborhood
- 1. Any live cell with fewer than two live neighbors dies (under population).
- 2. Any cell with 2 or 3 live neighbors lives on to the next generation.
- 3. A cell with more than 3 live neighbors dies (over crowding).
- 4. A dead cell with exactly 3 live neighbors becomes alive (reproduction).

### Practice



# Conway's Game of Life Entities

1. Still lives - entity stays the same through generations

```
https:
```

//en.wikipedia.org/wiki/Conway%27s\_Game\_of\_Life

### Conway's Game of Life Entities

- 1. Still lives entity stays the same through generations
- 2. Oscillators entity changes shape and returns to original position (periods)

#### https:

```
//en.wikipedia.org/wiki/Conway%27s_Game_of_Life
```

### Conway's Game of Life Entities

- 1. Still lives entity stays the same through generations
- 2. Oscillators entity changes shape and returns to original position (periods)
- 3. Spaceships Moving oscillators

#### https:

//en.wikipedia.org/wiki/Conway%27s\_Game\_of\_Life

1. Fade away completely

- 1. Fade away completely
- 2. Stable configuration

- 1. Fade away completely
- 2. Stable configuration
- 3. Oscillating phase

- 1. Fade away completely
- 2. Stable configuration
- 3. Oscillating phase
- 4. ...Gosper glider gun

#### Demo

http://www.bitstorm.org/gameoflife/

# Conway's Game of Life Turing Completeness

- ► Conway's Game of Life is Turing Complete
- ▶ http://rendell-attic.org/gol/tm.htm
- ▶ https://www.youtube.com/watch?v=My8AsV7bA94

# Conway's Game of Life Decidability

The question - "Given a starting pattern and an ending pattern, will the starting pattern ever reach the ending pattern?"

# Conway's Game of Life Decidability

The question - "Given a starting pattern and an ending pattern, will the starting pattern ever reach the ending pattern?"

Undecidable - halting problem

# Conway's Game of Life Decidability

The question - "Given a starting pattern and an ending pattern, will the starting pattern ever reach the ending pattern?"

- Undecidable halting problem
- "Indeed, since the game of life includes a pattern that is equivalent to a UTM (universal Turing machine), this "deciding" algorithm, if existed, could have been used to solve the halting problem, by taking the initial pattern as the one corresponding to a UTM+input and the later pattern as the one corresponding to a halting state of the machine with an empty tape (as one can modify the Turing machine to always erase the tape before halting). However the halting problem is provably undecidable and so such an algorithm does not exist" (Wikipedia).

Image processing (pixels)

- ► Image processing (pixels)
- Nature

- Image processing (pixels)
- Nature
- Migration patterns



990

### Extra: 3D CAs

http://cubes.io/

# Going Further

► Crazy grids

# Going Further

- Crazy grids
- ► Probability

# Going Further

- Crazy grids
- ► Probability
- ► History

#### Sources

- https://en.wikipedia.org/wiki/Conway%27s\_ Game\_of\_Life
- https://www.youtube.com/watch?v=W1zKu3fDQR8
- https://www.youtube.com/watch?v=EyrwOf239M4
- ▶ https://www3.nd.edu/~mtns/papers/17761\_4.pdf
- http://www.sciencedirect.com/science/article/ pii/S089571771000333X