ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

CLICK ABH LOGO TO GO TO PAGE 1

ABH PHASE 1 - FLAT GOODS PRODUCTS

No.	PRODUCTS	P/N	DESCRIPTION	IMAGES	DRAW LINKS
1	AB-70B	ABH-12083	AB-70B PUSH PLATES 3-1/2" x 15"		PDF DRW\ABH-12083.pdf
2	AB-70C	ABH-12084	AB-70C PUSH PLATES 4"x16"		PDF DRW\ABH-12084.pdf
3	AB-70E	ABH-12085	AB-70E PUSH PLATES 6"x16"		PDF DRW\ABH-12085.pdf
4	AB-70F	ABH-12086	AB-70F PUSH PLATES 8"x16"		PDF DRW\ABH-12086.pdf
5	AB-94	ABH-12150	AB-94 FLUSH PULL 3-1/2"x5"		PDF DRW\ABH-12150.pdf
6	AB-94BTB	ABH-12151	AB-94BTB FLUSH PULL 3-1/2"x5"(TYPE10)		PDF DRW\ABH-12151.pdf
7	AB-94C	ABH-12152	AB-94C FLUSH PULLS 3-1/2"x5"		PDF DRW\ABH-12152.pdf
8	AB-95A	ABH-12158	AB-95A FLUSH PULL 2-3/16"x 3-1/4"		PDF DRW\ABH-12158.pdf
9	AB-95B	ABH-12159	AB-95B FLUSH PULLS 2-11/16"x 4-3/16"		PDF DRW\ABH-12159.pdf
10	AB-122	ABH-12207	AB-122 DOOR PULL 2"x6-3/8"(TYPE-1HD)		PDF DRW\ABH-12207.pdf
11	AB-125	ABH-12209	AB-125 DOOR PULL 2"x6-1/2"(TYPE-1HD)		PDF DRW\ABH-12209.pdf
12	AB-126	ABH-12210	AB-126 DOOR PULL 2"x8-1/2"(TYPE-1HD)		PDF DRW\ABH-12210.pdf
13	AB-430-RKW	ABH-12415	AB-430-RKW SOLID CAST WALL STOP		PDF DRW\ABH-12415.pdf
14	AB-440	ABH-12418	AB-440 LOW DOME STOPS		PDF DRW\ABH-12418.pdf
15	AB-441	ABH-12419	AB-441 LOW DOME STOPS		PDF DRW\ABH-12419.pdf

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

16	AB-441CU	ABH-12420	AB-441CU DOME STOP COMBINATION UNIT		PDF DRW\ABH-12420.pdf
17	AB-441H	ABH-12422	AB-441H CAST UNIVERSAL DOME STOP		PDF DRW\ABH-12422.pdf
18	AB-442	ABH-12423	AB-442 HIGHT DOME STOPS		PDF DRW\ABH-12423.pdf
19	AB-443	ABH-12424	AB-443 HIGHT DOME STOPS		PDF DRW\ABH-12424.pdf
20	AB-445	ABH-12425	AB-445 HEAVY DUTY DOOR STOP		PDF DRW\ABH-12425.pdf
21	AB-446	ABH-12428	AB-446 DOOR STOP		PDF DRW\ABH-12428.pdf
22	AB-456	ABH-12430	AB-456 STRAIGHT ROLLER STOP		PDF DRW\ABH-12430.pdf
23	AB-456L	ABH-12431	AB-456L STRAIGHT ROLLER STOP		PDF DRW\ABH-12431.pdf
24	AB-462	ABH-12437	AB-462 HEAVY DUTY DOOR STOP		PDF DRW\ABH-12437.pdf
25	AB-463	ABH-12438	AB-463 HEAVY DUTY DOOR STOP		PDF DRW\ABH-12438.pdf
26	AB-465	ABH-12440	AB-465 HEAVY DUTY DOOR STOP		PDF DRW\ABH-12440.pdf
27	AB-466	ABH-12441	AB-466 HEAVY DUTY DOOR STOP		PDF DRW\ABH-12441.pdf
28	AB-467	ABH-12442	AB-467 HEAVY DUTY DOOR STOP		PDF DRW\ABH-12442.pdf
29	AB-470	ABH-12444	AB-470 DOOR STOP		PDF DRW\ABH-12444.pdf
30	AB-471	ABH-12445	AB-471 DOOR STOP		PDF DRW\ABH-12445.pdf
31	AB-472	ABH-12446	AB-472 DOOR STOP WITH KEEPER		PDF DRW\ABH-12446.pdf

32	AB-473	ABH-12447	AB-473 DOOR STOP WITH KEEPER		PDF DRW\ABH-12447.pdf
33	AB-474	ABH-12448	AB-474 DOOR STOP		PDF DRW\ABH-12448.pdf
34	AB-476	ABH-12450	AB-476 DOOR STOP WITH KEEPER		PDF DRW\ABH-12450.pdf
35	AB-102	ABH-12514	AB-102 DOOR PULLS 2-1/8"x5-1/2"(TYPE 1HD)		PDF DRW\ABH-12514.pdf
36	AB-102	ABH-14452	AB-102 DOOR PULLS 2-1/8"x5-1/2"(TYPE 5HD)		PDF DRW\ABH-14452.pdf
37	AB-102	ABH-14453	AB-102 DOOR PULLS 2-1/8"x5-1/2"(TYPE 6HD)		PDF DRW\ABH-14453.pdf
38	AB-102	ABH-14454	AB-102 DOOR PULLS 2-1/8"x5-1/2"(TYPE 8HD)		PDF DRW\ABH-14454.pdf
39	AB-102	ABH-14455	AB-102 DOOR PULLS 2-1/8"x5-1/2"(TYPE 13HD BTB)		PDF DRW\ABH-14455.pdf
40	AB-102	ABH-14456	AB-102 DOOR PULLS 2-1/8"x5-1/2"(TYPE 15HD)		PDF DRW\ABH-14456.pdf
41	AB-105	ABH-12515	AB-105 DOOR PULLS 2-5/8"x5-1/2"(TYPE-1HD)		PDF DRW\ABH-12515.pdf
42	AB-105	ABH-14459	AB-105 DOOR PULLS 2-5/8"x5-1/2"(TYPE 5HD BTB)		PDF DRW\ABH-14459.pdf
43	AB-105	ABH-14460	AB-105 DOOR PULLS 2-5/8"x5-1/2"(TYPE 6HD)		PDF DRW\ABH-14460.pdf
44	AB-105	ABH-14461	AB-105 DOOR PULLS 2-5/8"x5-1/2"(TYPE 8HD)		PDF DRW\ABH-14461.pdf
45	AB-105	ABH-14462	AB-105 DOOR PULLS 2-5/8"x5-1/2"(TYPE 13HD BTB)		PDF DRW\ABH-14462.pdf
46	AB-105	ABH-14463	AB-105 DOOR PULLS 2-5/8"x5-1/2"(TYPE 15HD)		PDF DRW\ABH-14463.pdf
47	AB-106	ABH-12516	AB-106 DOOR PULLS 2-3/8"x6"(TYPE-1HD)		PDF DRW\ABH-12516.pdf

48	AB-106	ABH-14529	AB-106 DOOR PULLS 2-3/8"x6"(TYPE-5HD BTB)		PDF DRW\ABH-14529.pdf
49	AB-106	ABH-14530	AB-106 DOOR PULLS 2-3/8"x6"(TYPE-6HD)		PDF DRW\ABH-14530.pdf
50	AB-106	ABH-14531	AB-106 DOOR PULLS 2-3/8"x6"(TYPE-8HD)		PDF DRW\ABH-14531.pdf
51	AB-106	ABH-14532	AB-106 DOOR PULLS 2-3/8"x6"(TYPE-13HD)		PDF DRW\ABH-14532.pdf
52	AB-106	ABH-14533	AB-106 DOOR PULLS 2-3/8"x6"(TYPE-15HD)		PDF DRW\ABH-14533.pdf
53	AB-107	ABH-12517	AB-107 DOOR PULLS 2-5/8"x8"(TYPE-1HD)		PDF DRW\ABH-12517.pdf
54	AB-107	ABH-14535	AB-107 DOOR PULLS 2-5/8"x8"(TYPE-5HD BTB)		PDF DRW\ABH-14535.pdf
55	AB-107	ABH-14536	AB-107 DOOR PULLS 2-5/8"x8"(TYPE-6HD)		PDF DRW\ABH-14536.pdf
56	AB-107	ABH-14537	AB-107 DOOR PULLS 2-5/8"x8"(TYPE-8HD)		PDF DRW\ABH-14537.pdf
57	AB-107	ABH-14538	AB-107 DOOR PULLS 2-5/8"x8"(TYPE-13HD)		PDF DRW\ABH-14538.pdf
58	AB-107	ABH-14539	AB-107 DOOR PULLS 2-5/8"x8"(TYPE-15HD)		PDF DRW\ABH-14539.pdf
59	AB-110	ABH-12520	AB-110 DOOR PULLS 3-1/2"x8"(TYPE-1HD)		PDF DRW\ABH-12520.pdf
60	AB-110	ABH-14541	AB-110 DOOR PULLS 3-1/2"x8"(TYPE-5HD BTB)		PDF DRW\ABH-14541.PDF
61	AB-110	ABH-14542	AB-110 DOOR PULLS 3-1/2"x8"(TYPE-6HD)		PDF DRW\ABH-14542.pdf
62	AB-110	ABH-14543	AB-110 DOOR PULLS 3-1/2"x8"(TYPE-8HD)		PDF DRW\ABH-14543.pdf
63	AB-110	ABH-14544	AB-110 DOOR PULLS 3-1/2"x8"(TYPE-13HD)		PDF DRW\ABH-14544.pdf

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

64	AB-110	ABH-14545	AB-110 DOOR PULLS 3-1/2"x8"(TYPE-15HD)		PDF DRW\ABH-14545.pdf
65	AB-111	ABH-12522	AB-111 DOOR PULLS 3-1/2"x10"(TYPE-1HD)		PDF DRW\ABH-12522.pdf
66	AB-111	ABH-14547	AB-111 DOOR PULLS 3-1/2"x10"(TYPE-5HD BTB)		PDF DRW\ABH-14547.pdf
67	AB-111	ABH-14548	AB-111 DOOR PULLS 3-1/2"x10"(TYPE-6HD)		PDF DRW\ABH-14548.pdf
68	AB-111	ABH-14549	AB-111 DOOR PULLS 3-1/2"x10"(TYPE-8HD)		PDF DRW\ABH-14549.pdf
69	AB-111	ABH-14550	AB-111 DOOR PULLS 3-1/2"x10"(TYPE-13HD)		PDF DRW\ABH-14550.pdf
70	AB-111	ABH-14551	AB-111 DOOR PULLS 3-1/2"x10"(TYPE-15HD)		PDF DRW\ABH-14551.pdf
71	AB-BF15747	ABH-12556	AB-BF15747 OFFSET SINGLE BAR SETS (TYPE T1)		PDF DRW\ABH-12556.pdf
72	AB-BF15747	ABH-14916	AB-BF15747 OFFSET SINGLE BAR SETS(TYPE T1 HD)		PDF DRW\ABH-14916.pdf
73	AB-BF15747	ABH-14917	AB-BF15747 OFFSET SINGLE BAR SETS(TYPE T2 HD)		PDF DRW\ABH-14917.pdf
74	AB-BF15747	ABH-14918	AB-BF15747 OFFSET SINGLE BAR SETS(TYPE T2)		PDF DRW\ABH-14918.pdf
75	AB-BF15747	ABH-14919	AB-BF15747 OFFSET SINGLE BAR SETS(TYPE T3)		PDF DRW\ABH-14919.pdf
76	AB-BF15747	ABH-14920	AB-BF15747 OFFSET SINGLE BAR SETS(TYPE T3 HD)		PDF DRW\ABH-14920.pdf
77	AB-BF15747	ABH-14921	AB-BF15747 OFFSET SINGLE BAR SETS(TYPE T4)		PDF DRW\ABH-14921.pdf
78	AB-BF15747	ABH-14922	AB-BF15747 OFFSET SINGLE BAR SETS(TYPE T4 HD)		PDF DRW\ABH-14922.pdf
79	AB-BF15747	ABH-14923	AB-BF15747 OFFSET SINGLE BAR SETS(TYPE T5)		PDF DRW\ABH-14923.pdf

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

80	AB-132	ABH-12663	AB-132 CAST DOOR PULL 1-7/8" x 5-1/2"		PDF DRW\ABH-12663.pdf
81	AB-102x70B	ABH-12674	AB-102x70B PULL PLATES 3-1/2"x 15"		PDF DRW\ABH-12674.pdf
82	AB-102x70C	ABH-12675	AB-102x70C PULL PLATES 4"x 16"		PDF DRW\ABH-12675.pdf
83	AB-105x70B	ABH-12676	AB-105X70B PULL PLATES 3-1/2"X 15"		PDF DRW\ABH-12676.pdf
84	AB-105x70C	ABH-12677	AB-105X70C PULL PLATES 4"X 16"		PDF DRW\ABH-12677.pdf
85	AB-106x70B	ABH-12678	AB-106X70B PULL PLATES 3-1/2"X 15"		PDF DRW\ABH-12678.pdf
86	AB-106x70C	ABH-12679	AB-106X70C PULL PLATES 4"X 16"		PDF DRW\ABH-12679.pdf
87	AB-107x70B	ABH-12680	AB-107X70B PULL PLATES 3-1/2"X 15"		PDF DRW\ABH-12680.pdf
88	AB-107x70C	ABH-12681	AB-107X70C PULL PLATES 4"X 16"		PDF DRW\ABH-12681.pdf
89	AB-110x70C	ABH-12683	AB-110X70C PULL PLATES 4"X 16"		PDF DRW\ABH-12683.pdf
90	AB-111x70C	ABH-12685	AB-111X70C PULL PLATES 4"X 16"		PDF DRW\ABH-12685.pdf
91	AB-122x70C	ABH-12687	AB-122X70C PULL PLATES 4"X 16"		PDF DRW\ABH-12687.pdf
92	AB-125X70C	ABH-12691	AB-125X70C PULL PLATES 4"X 16"		PDF DRW\ABH-12691.pdf
93	AB-126X70C	ABH-12693	AB-126X70C PULL PLATES 4"X 16"		PDF DRW\ABH-12693.pdf
94	AB-132X70B	ABH-12694	AB-132X70B PULL PLATES 3-1/2"X 15"		PDF DRW\ABH-12694.pdf
95	AB-132X70C	ABH-12695	AB-132X70C PULL PLATES 4"X 16"		PDF DRW\ABH-12695.pdf

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

96	AB-BF157	ABH-12711	AB-BF157 90 DEG OFFSET DOOR PULLS (TYPE 1HD)		PDF DRW\ABH-12711.pdf
97	AB-BF157	ABH-14902	AB-BF157 90 DEG OFFSET DOOR PULLS (TYPE T12 HD)		PDF DRW\ABH-14902.pdf
98	AB-BF157	ABH-14903	AB-BF157 90 DEG OFFSET DOOR PULLS (TYPE T15 HD)		PDF DRW\ABH-14903.pdf
99	AB-BF157	ABH-14904	AB-BF157 90 DEG OFFSET DOOR PULLS (TYPE T16 HD BTB)		PDF DRW\ABH-14904.pdf
100	AB-BF157	ABH-14905	AB-BF157 90 DEG OFFSET DOOR PULLS (TYPE T17 HD)		PDF DRW\ABH-14905.pdf
101	AB-BF157	ABH-14906	AB-BF157 90 DEG OFFSET DOOR PULLS (TYPE T18 HD BTB)		PDF DRW\ABH-14906.pdf
102	AB-BF158	ABH-12712	AB-BF158 90 DEG OFFSET DOOR PULLS (TYPE 1HD)		PDF DRW\ABH-12712.pdf
103	AB-BF158	ABH-14910	AB-BF158 90 DEG OFFSET DOOR PULLS(TYPE T12 HD)		PDF DRW\ABH-14910.pdf
104	AB-BF158	ABH-14911	AB-BF158 90 DEG OFFSET DOOR PULLS(TYPE T15 HD)		PDF DRW\ABH-14911.pdf
105	AB-BF158	ABH-14912	AB-BF158 90 DEG OFFSET DOOR PULLS(TYPE T16 HD BTB)		PDF DRW\ABH-14912.pdf
106	AB-BF158	ABH-14913	AB-BF158 90 DEG OFFSET DOOR PULLS(TYPE T17 HD)		PDF DRW\ABH-14913.PDF
107	AB-BF158	ABH-14914	AB-BF158 90 DEG OFFSET DOOR PULLS(TYPE T18 HD BTB)		PDF DRW\ABH-14914.pdf
108	AB-AP1007	ABH-12742	AB-AP1007 HANDS-FREE PULLS NOTCHED ARM PULL WITH PLATE		PDF DRW\ABH-12742.pdf
109	AB-AP1101	ABH-12743	AB-AP1140 HANDS-FREE PULLS 1.5" WIDE ARM PULL		PDF DRW\ABH-12743.pdf
110	AB-AP1141	ABH-12744	AB-AP1141 0.75" HANDS-FREE PULLS 0.75" SLOPE ARM PULL		PDF DRW\ABH-12744.pdf
111	AB-FP1230	ABH-12746	AB-FP1230 HANDS-FREE PULLS FOOT PULL WITH GRIP		PDF DRW\ABH-12746.pdf

112	AB-K1050	ABH-12760	AB-K1050 PROTECTION PLATES 4"x35"BE		PDF DRW\ABH-12760.pdf
113	AB-K1050	ABH-15006	AB-K1050 PROTECTION PLATES 6"x34"BE		PDF DRW\ABH-15006.pdf
114	AB-K1050	ABH-15007	AB-K1050 PROTECTION PLATES 8"x34"BE		PDF DRW\ABH-15007.pdf
115	AB-K1050	ABH-15008	AB-K1050 PROTECTION PLATES 8"x35"BE		PDF DRW\ABH-15008.pdf
116	AB-K1050	ABH-15009	AB-K1050 PROTECTION PLATES 10"x34-1/2"BE		PDF DRW\ABH-15009.pdf
117	AB-K1050	ABH-15010	AB-K1050 PROTECTION PLATES 10"x34"BE		PDF DRW\ABH-15010.pdf
118	AB-K1050	ABH-15011	AB-K1050 PROTECTION PLATES 10"x35"BE		PDF DRW\ABH-15011.pdf
119	AB-K1050	ABH-15012	AB-K1050 PROTECTION PLATES 10"x40"BE		PDF DRW\ABH-15012.pdf
120	AB-K1050	ABH-15013	AB-K1050 PROTECTION PLATES 10"x46"BE		PDF DRW\ABH-15013.pdf
121	AB-K1050	ABH-15014	AB-K1050 PROTECTION PLATES 12"x34"BE		PDF DRW\ABH-15014.pdf
122	AB-K1050	ABH-15015	AB-K1050 PROTECTION PLATES 16"x34"BE		PDF DRW\ABH-15015.pdf
123	AB-K1050	ABH-15016	AB-K1050 PROTECTION PLATES 34"x34"BE		PDF DRW\ABH-15016.pdf
124	AB-R111LPB	ABH-12818	AB-R111LPB TRIM PROTECTION BARS LEVER HANDLE		PDF DRW\ABH-12818.pdf
125	AB-320	ABH-12845	AB-320 LATCH PROTECTORS CYLINDRICAL OR MORTISE		PDF DRW\ABH-12845.pdf
126	AB-320CL	ABH-12847	AB-320CL LATCH PROTECTORS CYLINDRICAL		PDF DRW\ABH-12847.pdf
127	AB-321	ABH-12849	AB-321 LATCH PROTECTORS MORTISE		PDF DRW\ABH-12849.pdf

128	AB-400	ABH-12853	AB-400 CONVEX SOLID CAST WALL STOPS		PDF DRW\ABH-12853.pdf
129	AB-403	ABH-12856	AB-403 CONCAVE SOLID CAST WALL STOPS (INSTALL)		PDF DRW\ABH-12856.pdf
130	AB-406	ABH-12859	AB-406 CONVEX WROUGHT WALL STOP		PDF DRW\ABH-12859.pdf
131	AB-409	ABH-12860	AB-409 CONCAVE WROUGHT WALL STOP		PDF DRW\ABH-12860.pdf
132	AB-415	ABH-12862	AB-415 Solid Cast Wall Stop		PDF DRW\ABH-12862.pdf
133	AB-481	ABH-12904	AB-481 DOOR STOP		PDF DRW\ABH-12904.pdf
134	AB-481H	ABH-12905	AB-481H DOOR STOP		PDF DRW\ABH-12905.pdf
135	AB-482	ABH-12907	AB-482 DOOR STOP		PDF DRW\ABH-12907.pdf
136	AB-483	ABH-12908	AB-483 DOOR STOP		PDF DRW\ABH-12908.pdf
137	AB-485	ABH-12909	AB-485 DOOR STOP WITH KEEPER		PDF DRW\ABH-12909.pdf
138	AB-486	ABH-12910	AB-486 ANGLE DOOR STOP		PDF DRW\ABH-12910.pdf
139	AB-487	ABH-12911	AB-487 HEAVY DUTY WALL STOP		PDF DRW\ABH-12911.pdf
140	AB-491	ABH-12915	AB-491 AUTOMATIC DOOR HOLDER WITH STOP		PDF DRW\ABH-12915.pdf
141	AB-494	ABH-12916	AB-494 AUTOMATIC DOOR HOLDER WITH STOP		PDF DRW\ABH-12916.pdf
142	AB-518	ABH-12921	AB-518 DOOR STOP		PDF DRW\ABH-12921.pdf
143	AB-519	ABH-12922	AB-519 DOOR STOP		PDF DRW\ABH-12922.pdf

144	AB-526	ABH-12925	AB-526 SPRING BASE DOOR STOP		PDF DRW\ABH-12925.pdf
145	AB-580-8	ABH-12968	AB-580-8 SURFACE BOLTS 8" BOILT LENGTH		PDF DRW\ABH-12968.pdf
146	AB-602	ABH-12982	AB-602 MISC.GATE LATCH SECRET GATE LATCH		PDF DRW\ABH-12982.pdf
147	AB-603-DOOR	ABH-12983	AB-603-DOOR GUARDS CAST STAINLESS STEEL		PDF DRW\ABH-12983.pdf
148	AB-604	ABH-12985	AB-604 DOOR GUARDS SOLID CAST STAINLESS STEE		PDF DRW\ABH-12985.pdf
149	AB-605	ABH-12987	AB-605 DOOR GUARDS BRASS PROTECTION PLATES		PDF DRW\ABH-12987.pdf
150	AB-605SMS	ABH-12988	AB-605SMS DOOR GUARD PROTECTION PLATE		PDF DRW\ABH-12988.pdf
151	AB-606-RKW	ABH-12989	AB-606-RKW DOOR GUARDS CLEAR RUBBER WALL GUARD		PDF DRW\ABH-12989.pdf
152	AB-608CA	ABH-12991	AB-608CA DOOR SILIENCER		PDF DRW\ABH-12991.pdf
153	AB-608	ABH-12992	AB-608 DOOR SILENCERS		PDF DRW\ABH-12992.pdf
154	AB-609	ABH-12993	AB-609 DOOR SILIENCERS		PDF DRW\ABH-12993.pdf
155	AB-2601AB	ABH-14045	AB-2601AB COORDINATORS MOUNTING BRACKET		PDF DRW\ABH-14045.pdf
156	AB-2601C	ABH-14046	AB-2601C COORDINATORS MOUNTING BRACKET		PDF DRW\ABH-14046.pdf
157	AB-614V	ABH-14072	AB-614V DOOR KNOCKERS/W 190 VIEWER		PDF DRW\ABH-14072.pdf
158	AB-620	ABH-14074	AB-620 160° DOOR VIEWER		PDF DRW\ABH-14074.pdf
159	AB-622	ABH-14078	AB-622 190° DOOR VIEWER		PDF DRW\ABH-14078.pdf

160	AB-627	ABH-14081	AB-627 190° DOOR VIEWER WITH HEAVY DUTY PRIVACY COVER		PDF DRW\ABH-14081.pdf
161	AB-BFM687	ABH-14111	AB-BFM687 BFM SERIES ADA MOLDED PLASTIC SIGNS		PDF DRW\ABH-14111.pdf
162	AB-BFM688	ABH-14112	AB-BFM688 BFM SERIES ADA MOLDED PLASTIC SIGNS		PDF DRW\ABH-14112.pdf
163	AB-BFM689	ABH-14113	AB-BFM689 BFM SERIES ADA MOLDED PLASTIC SIGNS		PDF DRW\ABH-14113.pdf
164	AB-796	ABH-14120	AB-796 COAT HOOKS SMALL DOUBLE HOOK		PDF DRW\ABH-14120.pdf
165	AB-802	ABH-14121	AB-802 COAT HOOKS MEDIUM HOOK		PDF DRW\ABH-14121.pdf
166	AB-806	ABH-14122	AB-806 COAT HOOKS MEDIUM HOOK		PDF DRW\ABH-14122.pdf
167	AB-853	ABH-14128	AB-853 MISC GATE LATCH SOLID WIRE PULL		PDF DRW\ABH-14128.pdf
168	AB-860	ABH-14130	AB-860 MISC GATE LATCH FLUSH CUP PULL		PDF DRW\ABH-14130.pdf
169	AB-872	ABH-14132	AB-872 MISC GATE LATCH CAST FLUSH		PDF DRW\ABH-14132.pdf
170	AB-900	ABH-14137	AB-900 MISC GATE LATCH CAST HD MAGNETIC CATCH		PDF DRW\ABH-14137.pdf
171	AB-901	ABH-14138	AB-901 MISC GATE LATCH CAST HD MAGNETIC CATCH		PDF DRW\ABH-14138.pdf
172	AB-DF86	ABH-14143	AB-DF86 FILLER PLATES DOOR EDGE		PDF DRW\ABH-14143.pdf
173	AB-DFF4	ABH-14144	AB-DFF4 FILLER PLATES FRAME HINGE		PDF DRW\ABH-14144.pdf
174	AB-DHF4B	ABH-14146	AB-DHF4B BEVELED DOOR HINGE FILLER PLATE		PDF DRW\ABH-14146.pdf
175	AB-HS42	ABH-14154	AB-HS42 FILLER PLATES HINGE SHIM 0.28" THICK		PDF DRW\ABH-14154.pdf

176	AB-HS44	ABH-14155	AB-HS44 FILLER PLATES HINGE SHIM 0.28" THICK		PDF DRW\ABH-14155.pdf
177	AB-LA86	ABH-14158	AB-LA86 FILLER PLATE		PDF DRW\ABH-14158.pdf
178	AB-LF161	ABH-14159	AB-LF161 FILLER PLATES DOOR EDGE		PDF DRW\ABH-14159.pdf
179	AB-SFASA	ABH-14161	AB-SFASA FILLER PLATES TRIKE		PDF DRW\ABH-14161.pdf
180	AB-SFB160	ABH-14162	AB-SFB160 FILLER PLATE		PDF DRW\ABH-14162.pdf
181	AB-RM4820xRM4810	ABH-14203	AB-RM4820xRM4810 16" CTC 1.75" DOOR THICKNESS		PDF DRW\ABH-14203.pdf
182	AB-RM4820xRM4810	ABH-14260	AB-RM4820xRM4820-BTB 16" DOOR THICKNESS		PDF DRW\ABH-14260.pdf
183	AB-RM4820xRM4810	ABH-14261	RM4820-TB 16" CTC 1.75" DOOR THICKNESS		PDF DRW\ABH-14261.pdf
184	AB-T16	ABH-14204	AB-T16 90 DEG OFFSET DOOR PULLS		PDF DRW\ABH-14204.pdf
185	AB-BF157BTB16	ABH-14205	AB-BF157BTB16 BACK TO BACK 90 DEG OFFSET DOOR PULL SET - OD 1", 10" CTC (TYPE 16HD BTB)		PDF DRW\ABH-14205.pdf







Finishes:

• US28/628	• US10B/613	• US32D/630	• US32MS	• FBPC
• US3/605	• 10BE/613E	• US32/629	• BSP	• WPC
• US4/606	• US26/625	• US32DMS	• WSP	• RPC
• US10/612	• US26D/626	• US32D316	• BPC	• STOCK POWDER COATS.

Fastener: #6 x 5/8" Oval Head Sheet Metal Screws.

Options:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security Torx screws
- SA - self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT)
- Heavy bevel available

Note: Fillet edges and remove any sharp edges for safety and quality.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	
	INTERPRET GEOMETRIC TOLERANCING PER:	
	MATERIAL: STAINLESS STEEL	
NEXT ASSY / USED ON	FINISH: SEE NOTE	
APPLICATION	DO NOT SCALE DRAWING	

	NAME	DATE
DRAWN	Danh.N	08/01/2025
CHECKED	Thuong.N	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-70B PUSH PLATES 3-1/2" x 15"

SIZE	DWG. NO.	REV
B	ABH-12083	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1







Finishes:

• US28/628	• US10B/613	• US32D/630	• US32MS	• FBPC
• US3/605	• 10BE/613E	• US32/629	• BSP	• WPC
• US4/606	• US26/625	• US32DMS	• WSP	• RPC
• US10/612	• US26D/626	• US32D316	• BPC	• STOCK POWDER COATS.

Fastener: #6 x 5/8" Oval Head Sheet Metal Screws.

Option:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security Torx screws
- SA - self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT)
- Heavy bevel available

Note: Fillet edges and remove any sharp edges for safety and quality.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION
	INTERPRET GEOMETRIC TOLERANCING PER:
	MATERIAL STAINLESS STEEL
NEXT ASSY / USED ON	FINISH SEE NOTE
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	06/01/2025
CHECKED	Thuong.N	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-70C PUSH PLATES 4"x16"

SIZE	DWG. NO.	REV
B	ABH-12084	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1







Finishes:

- US28/628
- US10B/613
- US32D/630
- US32316
- US3/605
- 10BE/613E
- US32/629
- US4/606
- US26/625
- US32DMS
- US10/612
- US26D/626
- US32D316

Fastener: #6 x 5/8" Oval Head Sheet Metal Screws.

Option:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security Torx screws
- SA - self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT)
- Heavy bevel available .

Note: Fillet edges and remove any sharp edges for safety and quality.

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.		
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION		NAME	DATE
		INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN	Danh.N	06/01/2025
		MATERIAL STAINLESS STEEL	CHECKED	Thuong.N	06/01/2025
			ENG APPR.		
NEXT ASSY	USED ON	FINISH SEE NOTE	MFG APPR.		
APPLICATION		DO NOT SCALE DRAWING	Q.A.		

TITLE: AB-70E PUSH PLATES 6"x16"

SIZE	DWG. NO.	REV
B	ABH-12085	0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







Finishes:

- US28/628
- US10B/613
- US32D/630
- US32316
- US3/605
- 10BE/613E
- US32/629
- US4/606
- US26/625
- US32DMS
- US10/612
- US26D/626
- US32D316

Fastener: #6 x 5/8" Oval Head Sheet Metal Screws.

Option:

- Custom sizes available upon request
- TEK - self-drilling screws
- TORX - security Torx screws
- SA - self-adhesive mounting: 1/16" double face foam tape (no screw holes on plate)
- Engraving on plates 4" wide or wider. Specify copy.
- Cylinder cutouts (CFC) and turn knob cutouts (CFTT)
- Heavy bevel available

Note: Fillet edges and remove any sharp edges for safety and quality.

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.			
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION		NAME	DATE	TITLE: AB-70F PUSH PLATES 8"x16"
		INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN	Danh.N	06/01/2025	
		MATERIAL Stainless Steel	CHECKED	Thuong.N	06/01/2025	SIZE B / DWG. NO. ABH-12086 / REV 0
NEXT ASSY	USED ON	FINISH SEE NOTE	ENG APPR.			
			MFG APPR.			
APPLICATION		DO NOT SCALE DRAWING	Q.A.			SCALE: 1:3 / WEIGHT: - / SHEET 1 OF 1









Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613E
- US10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316.

Size: 3-1/2"x5"
Depth: 7/8"
Fastener: #8 x 3/4" Sheet Metal Screws
Option: TORX - security Torx screws
Note: Ensure smooth and even welding around all joints
Fillet edges and remove any sharp edges for safety and quality.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14100	PLATES-FLUSH PULL 3-1/2"x5"	1
2	ABH-14101	MORTISE-FLUSH PULL 3-1/2"x5"	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	06/01/2025
CHECKED	Thuong.N	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-94 FLUSH PULL 3-1/2"x5"

SIZE	DWG. NO.	REV
B	ABH-12150	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 10









Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613E
- US10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316

Size: 3-1/2"x5".
Depth: 1-3/4".
Grip Opening: 1-3/4" x 3-1/8".
Fastener: #8-32x3/4" Oval Head Machine Screws with sleeves Type 10.
Option: TORX - security Torx screws.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14450	AB-94BTB FLUSH PULL 3-1/2"x5"	1
2	ABH-14173	#8-32 THREADED SLEEVE	4
3	ABH-14182	#8-32 x 3/4" OVAL HEAD MACHINE SCREWS	8

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	06/01/2025
CHECKED	Thuong.N	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-94BTB FLUSH PULL 3-1/2"x5" (Type-10)

SIZE: B | DWG. NO.: ABH-12151 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

SECTION A-A









Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613E
- US10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316

Size: 3-1/2"x5".
Depth: 7/8".
Fastener: #6 x 1" Truss Head Sheet Metal Screws.
Option: Fasteners concealed in cup.
Note: Ensure smooth and even welding around all joints
Fillet edges and remove any sharp edges for safety and quality.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14103	PLATES-FLUSH PULL 3-1/2"x5"	1
2	ABH-14104	MORTISE-FLUSH PULL 3-1/2"x5"	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-94C FLUSH PULLS 3-1/2"x5"

SIZE: B | DWG. NO.: ABH-12152 | REV: 0

SCALE: 2:3 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.









Finishes: US3/605, US10B/613, US26D/626, US4/606, US10BE/613E, US10/612, US26/625.
Size: 2-3/16"x3-1/4".
Depth: 3/4".
Fastener: #6 x 5/8" Sheet Metal Screws.
Note: Fillet edges and remove any sharp edges for safety and quality.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	NAME / DATE DRAWN: Danh.N 17/01/2025 CHECKED: Thuong.N 17/01/2025 ENG APPR. MFG APPR. Q.A.
	INTERPRET GEOMETRIC TOLERANCING PER:	TITLE: AB-95A FLUSH PULL 2-3/16"x 3-1/4"
	MATERIAL: CAST STAINLESS STEEL	SIZE: B — DWG. NO.: ABH-12158 — REV: 0
NEXT ASSY / USED ON	FINISH: SEE NOTE	
APPLICATION	DO NOT SCALE DRAWING	SCALE: 1:1 — WEIGHT: — SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.







Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US15/619
- US26/625
- US26D/626
- BSP
- WSP
- BPC
- WPC
- FBPC
- RPC
- Stock Powder Coats

Note: Fillet edges and remove any sharp edges for safety and quality.
Size: 2-11/16"x4-3/16"
Depth: 3/4"
Fastener: #8 x 3/4" Sheet Metal Screws

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION	
		INTERPRET GEOMETRIC TOLERANCING PER:	
		MATERIAL: CAST STAINLESS STEEL	
NEXT ASSY	USED ON	FINISH: SEE NOTE	
APPLICATION		DO NOT SCALE DRAWING	

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-95B FLUSH PULLS 2-11/16"x 4-3/16"

SIZE	DWG. NO.	REV
B	ABH-12159	0

SCALE: 2:3 | WEIGHT: | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 1HD







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14465	AB-122 DOOR PULL 2"x6-3/8"	1
2	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2
3	ABH-14041	C'SINK FINISH WASHER	2

Finishes:
- US3/605
- US4/606
- 10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32D/630
- US32DMS
- Stock PC's

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 6"
Projection: 2"
Clearance: 1-5/8"
Mouting Type: Single

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-122 Door Pull 2"x6-3/8" (TYPE-1HD)

SIZE	DWG. NO.	REV
B	ABH-12207	0

SCALE: 2:5 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD OR METAL DOORS
TYPE 1HD



Finishes:
- US3/605 • US10B/613 • US26D/626 • US32DMS
- US4/606 • 10BE/613E • US28/628
- US10/612 • US26/625 • US32D/630

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 6"
Projection: 2"
Clearance: 1-1/2"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14466	AB-125 DOOR PULL 2"x6-1/2"	1
2	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2
3	ABH-14041	C'SINK FINISH WASHER	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-125 DOOR PULL 2"x6-1/2" (TYPE-1HD)

SIZE B | DWG. NO. ABH-12209 | REV 0

SCALE: 2:5 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 1HD







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14467	AB-126 DOOR PULL 2"x8-1/2"	1
2	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2
3	ABH-14041	C'SINK FINISH WASHER	2

Finishes:
- US3/605 • US4/606 • US10/612
- US10B/613 • 10BE/613E • US26/625
- US26D/626 • US28/628 • US32D/630
- US32DMS

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 8"
Projection: 2"
Clearance: 1-1/2"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-126 DOOR PULL 2"x8-1/2"(TYPE-1HD)

SIZE	DWG. NO.	REV
B	ABH-12210	0

SCALE: 2:5 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14001	TOP CAP	1
2	ABH-14002	RUBBER BUMBER	1
3	ABH-14003	BASE	1

Finishes: US3; US4; US10B; 10BE; BPC; BSP; FBPC; US26; US26D; WPC; WSP.
Bumber Material: Rubber
Bumber: Convex
Base Diameter: 1"
Projection: 7/16"
Fastener: #6 x 3/4" OH SMS, Plastic anchor

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STAINLESS STEEL
FINISH: -
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2024
CHECKED	ThuongN	06/01/2024
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-430-RKW SOLID CAST WALL STOP

SIZE	DWG. NO.	REV
B	ABH-12415	0

SCALE: 4:1 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14004	BASE	1
2	ABH-14005	RUBBER BUMPER	1

Finishes: US3; US4; US10B; 10BE; BPC; BSP; FBPC; US15; US26; US26D; WPC; WSP.
Bumber Material: Rubber
Bumber: Convex
Size: • Base: ∅1-7/8" x1/4"
• Height**:** 1-1/8"
Fastener: #12 x 1-1/4" FH WS, Plastic anchor

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2025
CHECKED	ThuongN	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-440 LOW DOME STOPS

SIZE: B | DWG. NO.: ABH-12418 | REV: 0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14004	BASE	1
2	ABH-14005	RUBBER BUMPER	1

Finishes: US3; US4; US10B; 10BE; BPC; BSP; FBPC; US15; US26; US26D; WPC; WSP.
Bumber Material: Rubber
Bumber: Convex
Size: • Base: ∅1-7/8" x1/4"
• Height: 1-1/8"
Fastener: #12 x 1-1/2" FH WS, Plastic anchor
#12-24 x 1-1/2" FH MS, anchor

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STAINLESS STEEL
FINISH: -
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2025
CHECKED	ThuongN	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-441 LOW DOME STOPS

SIZE	DWG. NO.	REV
B	ABH-12419	0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1









Finishes: US3; US4; US10B; 10BE; BPC; BSP; FBPC; US26; US26D; WPC; WSP.
Bumber Material: Rubber
Base Diameter: 1-7/8"
Base Height: 1/4"
Fastener: #12 x 1-1/2" FH WS, Plastic anchor
#12-24 x 1-1/2" FH MS, anchor

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14004	BASE	1
2	ABH-14005	RUBBER BUMPER	1
3	ABH-14006	BASE HOUSING	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2025
CHECKED	ThuongN	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-441CU DOME STOP COMBINATION UNIT

SIZE	DWG. NO.	REV
B	ABH-12420	0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1









Finishes: US3; US4; US10B; 10BE; BPC; BSP; FBPC; US15; US26; US26D; WPC; WSP.
Bumber Material: Rubber
Size: • Base: ∅1-7/8" x7/32"
• Height: 1-11/16"
Fastener: #12 x 1-1/4" FH WS, Plastic anchor
#12-24 x 1" FH MS, anchor

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14007	BASE	1
2	ABH-14008	RUBBER BUMBER	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2025
CHECKED	ThuongN	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-441H CAST UNIVERSAL DOME STOP

SIZE: B | DWG. NO.: ABH-12422 | REV: 0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14009	BASE	1
2	ABH-14010	RUBBER BUMBER	1

Finishes: US3; US4; US10B; 10BE; BPC; BSP; FBPC; US26; US26D; WPC; WSP.
Bumber Material: Rubber
Size: • Base: ∅1-7/8" x1/2"
• Height: 1-1/2"
Fastener: #12 x 1-1/2" FH WS, Plastic anchor

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STAINLESS STEEL
FINISH: SEE NOTE
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2025
CHECKED	ThuongN	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-442 HIGHT DOME STOPS

SIZE	DWG. NO.	REV
B	ABH-12423	0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14190	BASE	1
2	ABH-14191	RUBBER BUMBER	1

Finishes: US3; US4; US10B; 10BE; BPC; BSP; FBPC; US26; US26D; WPC; WSP.
Bumber Material: Rubber
Size: • Base: ∅1-7/8" x1/2"
• Height: 1-5/16"
Fastener: #12 x 1-1/2" FH WS, Plastic anchor
#12-24 x 1" FH MS, anchor

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: ASSY
FINISH: -
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2025
CHECKED	ThuongN	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-443 HIGHT DOME STOPS

SIZE	DWG. NO.	REV
B	ABH-12424	0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14011	BASE	1
2	ABH-14012	RUBBER BUMBER	1

Finishes: US3; US4; US10B; 10BE; BPC; BSP; FBPC; US26; US26D; WPC; WSP.
Bumber Material: Rubber
Base Length: 4"
Base Height: 1-1/8"
Base Width: 2"
Fastener: 2 ea. #12 x 1-1/2" FH SMS, Plastic anchor
#12-24 x 1" FH MS, anchor

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2025
CHECKED	ThuongN	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-445 HEAVY DUTY DOOR STOP

SIZE: B | DWG. NO.: ABH-12425 | REV: 0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1







Finishes: US3; US4; 4E; US10B; 10BE; BPC; BSP; FBPC; US15; US26; US26D; US32D WPC; WSP.
Bumber Ring Material: Rubber
Base Diameter: 1-1/4"
Base Height: 1-1/2"
Fastener: #12 x 1-1/2" WS, Plastic anchor
#12-24 x 1-1/2" FH MS, anchor

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14013	BASE	1
2	ABH-14014	TOP HOLDER	1
3	ABH-14015	RUBBER BUMPER RING	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2025
CHECKED	ThuongN	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-446 DOOR STOP

SIZE: B | DWG. NO.: ABH-12428 | REV: 0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.









Finishes: US3; US4; US10B; 10BE; BSP; US15; US26; US26D; WSP.
Bumber Material: Rubber
Base Diameter: 2"
Projectione: 4-9/16"
Fastener: 3ea. #8 x 3/4" OH SMS

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14016	BASE SOLID FRAME	1
2	ABH-14018	ROLLER RUBBER BUMPER	1
3	ABH-14019	PIN	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2025
CHECKED	ThuongN	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-456 STRAIGHT ROLLER STOP

SIZE: B | DWG. NO.: ABH-12430 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14020	BASE SOLID FRAME	1
2	ABH-14018	ROLLER RUBBER BUMPER	1
3	ABH-14019	PIN	1

Finishes: US3; US4; US10B; 10BE; BSP; US15; US26; US26D; WSP.
Bumber Material: Rubber
Base Diameter: 2"
Projectione: 6-1/4"
Fastener: 3ea. #8 x 3/4" OH SMS

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	06/01/2025
CHECKED	ThuongN	06/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-456L STRAIGHT ROLLER STOP

SIZE	DWG. NO.	REV
B	ABH-12431	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1





Finishes: US2C/603
Base Diameter" 2"
Height: 1-1/2"
Bumper Material: Rubber
Bolt Length: 2-1/2"
Bolt Width: 5/8"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14033	5/8-18 x 2-1/2" MOUTING BOLT	1
2	ABH-14032	AB-462 PIN	1
3	ABH-14034	AB-462 RUBBER	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: -

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-462 HEAVY DUTY DOOR STOP

SIZE: B | DWG. NO.: ABH-12437 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







Finishes: US32D/630
Mouting: Drill ∅1" x 2-1/2" deep hole, fill with anchoring grout
Base Diameter" 2"
Height: 1-3/4"
Bumper Material: Rubber
Bolt Length: 2-1/2"
Bolt Width: 1/2"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14037	AB-463 RUBBER	1
2	ABH-14038	AB-463 WASHER	2
3	ABH-14035	1/4-20 x 2-1/2" MOUTING BOLT	1
4	ABH-14036	OD 1/2" x 2.15" BASE MOUTING BOLT	1
5	ABH-14039	PIN	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STAINLESS STEEL
FINISH: SEE NOTE
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-463 HEAVY DUTY DOOR STOP

SIZE	DWG. NO.	REV
B	ABH-12438	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14734	RUBBER	1
2	ABH-14736	HOUSING CAP	1
3	ABH-14735	OD 2" WASHER	1
4	ABH-14737	OD 1/2" x 4-1/2" HEX HEAD SCREWS FOR WOOD	1
5	ABH-14738	8-32 x 3/8" RH MS	1

Finishes: US26D/626
Base Diameter" 3-1/4"
Height: 2-5/8"
Bumper Material: Rubber
Fastener: Body: 1 ea. 1/2 x 4-1/2" lag bolt; 1 ea. shield. Cap: 1 ea. #8-32 x 3/8" RH MS

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-465 HEAVY DUTY DOOR STOP

SIZE	DWG. NO.	REV
B	ABH-12440	0

SCALE: 2:3 | WEIGHT: - | SHEET 1 OF 1







Finishes: US26D/626
Base Diameter" 3-1/4"
Height: 2-5/8"
Bumper Material: Rubber
Fastener: Body: 1 ea. 1/2 x 4-1/2" lag bolt; 1 ea. shield. Cap: 1 ea. #8-32 x 3/8" RH MS

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14739	RUBBER BUMPER	1
2	ABH-14039	PIN	1
3	ABH-14740	6-32 x 1/2" SOCKET HEAD SET SCREW	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-466 HEAVY DUTY DOOR STOP

SIZE	DWG. NO.	REV
B	ABH-12441	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







Finishes: BLK
Base Diameter: 2"
Height: 3-1/2"
Bumper Material: Rubber
Bolt Length: 2-1/2"
Bolt Width: 5/8"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14741	BUMPER RUBBER	1
2	ABH-14742	5/8-18x3-1/2" BOLT	1
3	ABH-14039	PIN	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-467 HEAVY DUTY DOOR STOP

SIZE	DWG. NO.	REV
B	ABH-12442	0

SCALE: 2:3 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14744	BASE HOUSING	1
2	ABH-14745	RUBBER BUMPER	1
3	ABH-14746	END PIN	1
4	ABH-14747	END NUT	1

Finishes: US3/605; US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US15; US26; US26D; WPC; WSP; RPC.
Base Diameter: 2-1/2"
Bumper Material: Rubber
Fastners: 3ea. #12x11/4" FH WS; 3 ea. Plastic anchors

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-470 DOOR STOP

SIZE	DWG. NO.	REV
B	ABH-12444	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14744	BASE HOUSING	1
2	ABH-14745	RUBBER BUMPER	1
3	ABH-14746	END PIN	1
4	ABH-14747	END NUT	1

Finishes: US3/605; US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US15; US26; US26D; WPC; WSP; RPC.
Base Diameter: 2-1/2"
Bumper Material: Rubber
Fastners: 1 ea. 5/16-18x1-3/4" stud, anchor
#8x 3/4" OH SMS. Plastic anchors

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-471 DOOR STOP

SIZE: B | DWG. NO.: ABH-12445 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1









Finishes: US3/605; US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US26/625; US26D/626; US26D; WPC; WSP.
Base Diameter: 2-1/2"
Bumper Material: Rubber
Fasteners: Stop: 3 ea. #12x1-1/4" FH WS;
3 ea. #12 x 1-1/4" FH WS;
2 ea. plastic anchors.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14748	BASE HOUSING	1
2	ABH-14745	RUBBER BUMPER	1
3	ABH-14746	END PIN	1
4	ABH-14747	END NUT	1
5	ABH-14749	HOOK	1
6	ABH-14750	BASE KEEPER	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG., INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG., INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-472 DOOR STOP WITH KEEPER

SIZE: B | DWG. NO.: ABH-12446 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1









Finishes: US3/605; US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US26/625; US26D/626; US26D; WPC; WSP.
Base Diameter: 2-1/2"
Bumper Material: Rubber
Fastners: Stop: 5/16-18x1-3/4" stud, anchor (Prep for Anchor - 5/8" drill hit)
#8x 3/4" OH SMS. Plastic anchors Keeper: 2 ea. #12x1-1/4" FH WS, 2 ea. plastic anchors

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14748	BASE HOUSING	1
2	ABH-14745	RUBBER BUMPER	1
3	ABH-14746	END PIN	1
4	ABH-14749	HOOK	1
5	ABH-14750	BASE KEEPER	1
6	ABH-14747	END NUT	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-473 DOOR STOP WITH KEEPER

SIZE: B | DWG. NO.: ABH-12447 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14745	RUBBER BUMPER	1
2	ABH-14751	BASE HOUSING	1
3	ABH-14747	END NUT	1
4	ABH-14752	END PIN	1

Finishes: US3/605; US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US15; US26; US26D; WPC; WSP; RPC.
Base Diameter: 2-1/4"
Bumper Material: Rubber
Projection: 3-3/4"
Fastners: 3 ea. #12 x 1-1/4 FH WS, 3ea. Plastic anchors

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-474 DOOR STOP

SIZE: B | DWG. NO.: ABH-12448 | REV: 0

SCALE: 3:4 | WEIGHT: - | SHEET 1 OF 1









Finishes: US3/605; US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US26/625; US26D/626; US26D; WPC; WSP.
Base Diameter: 2-1/4"
Bumper Material: Rubber
Projection: 3-3/4"
Keeper Height: 1-3/4"
Keeper Width: 1"
Fasteners: Stop: 3 ea. #12x1-1/4" FH WS;
3 ea. #12 x 1-1/4" FH WS;
2 ea. plastic anchors.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14745	RUBBER BUMPER	1
2	ABH-14749	HOOK	1
3	ABH-14750	BASE KEEPER	1
4	ABH-14753	BASE HOUSING	1
5	ABH-14747	END NUT	1
6	ABH-14752	END PIN	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-476 DOOR STOP WITH KEEPER

SIZE: B | DWG. NO.: ABH-12450 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 1HD



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14451	AB-102 DOOR PULLS 2-1/8"x5-1/2"	1
2	ABH-14041	C'SINK FINISH WASHER	2
3	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 5-1/2"
Projection: 2-1/8"
Clearance: 1-1/2"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102 DOOR PULLS 2-1/8"x5-1/2" (TYPE-1HD)

SIZE	DWG. NO.	REV
B	ABH-12514	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 1HD



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14458	AB-105 DOOR PULLS 2-5/8"x5-1/2"	1
2	ABH-14041	C'SINK FINISH WASHER	2
3	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 5-1/2"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-105 DOOR PULLS 2-5/8"x5-1/2" (TYPE-1HD)

SIZE: B | DWG. NO.: ABH-12515 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 1HD



Finishes:

• US28/628	• US10B/613	• US32D/630	• US32316
• US3/605	• 10BE/613E	• US32/629	• 313/710
• US4/606	• US26/625	• US32DMS	• 315/711
• US10/612	• US26D/626	• US32D316	• Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 6"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14528	AB-106 DOOR PULLS 2-3/8"x6"	1
2	ABH-14041	C'SINK FINISH WASHER	2
3	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-106 DOOR PULLS 2-3/8"x6" (TYPE-1HD)

SIZE	DWG. NO.	REV
B	ABH-12516	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 1HD



Finishes:

• US28/628	• US10B/613	• US32D/630	• US32316
• US3/605	• 10BE/613E	• US32/629	• 313/710
• US4/606	• US26/625	• US32DMS	• 315/711
• US10/612	• US26D/626	• US32D316	• Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 8"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14534	AB-107 DOOR PULLS 2-5/8"x8"	1
2	ABH-14041	C'SINK FINISH WASHER	2
3	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG., INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-107 DOOR PULLS 2-5/8"x8" (TYPE-1HD)

SIZE	DWG. NO.	REV
B	ABH-12517	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD OR METAL DOORS
TYPE 1HD

Finishes:

• US28/628	• US10B/613	• US32D/630	• US32316	• BPC	• Stock Powder Coats
• US3/605	• 10BE/613E	• US32/629	• 313/710	• FBPC	
• US4/606	• US26/625	• US32DMS	• 315/711	• WSP	
• US10/612	• US26D/626	• US32D316	• BSP	• WPC	

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 8"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14540	AB-110 DOOR PULLS 3-1/2"x8"	1
2	ABH-14041	C'SINK FINISH WASHER	2
3	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG., INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-110 DOOR PULLS 3-1/2"x8" (TYPE-1HD)

SIZE: B | DWG. NO.: ABH-12520 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 1HD



Finishes:

- US28/628 • US10B/613 • US32D/630 • US32316 • BPC • Stock Powder Coats
- US3/605 • 10BE/613E • US32/629 • 313/710 • FBPC
- US4/606 • US26/625 • US32DMS • 315/711 • WSP
- US10/612 • US26D/626 • US32D316 • BSP • WPC

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14546	AB-111 DOOR PULLS 3-1/2"x10"	1
2	ABH-14041	C'SINK FINISH WASHER	2
3	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-111 DOOR PULLS 3-1/2"x10" (TYPE-1HD)

SIZE: B | DWG. NO.: ABH-12522 | REV: 0

SCALE: 2:5 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE T1 - BTB





Finishes: US28, US3, US4, US10, US10B, 313, 10BE, 314, 315, BPC, BSP, FBPC, US26,US26D, US32, US32MS, US32316, US32D, US32DMS, US32D316, WPC, WSP.
Pull: CTC: 10"
Overall : 11"
Projection: 3-1/2"
Clearance:2-1/2"
Push: CTC: 24"
Overall : 25"
Projection: 2-3/4"
Clearance:1-3/4"
Moutings: 1/4"-20-3/8" Cup PT.Set Screws.
1/4"-20x2-3/8" Hight Strength Steel Threaded Rob.
1/4"-20x2-1/2" Conehead Screw For 1-3/4" Thick Door.
1/4"-20x1/2" Spanner 1" OD With 1/4 Set Screw.
Bolt Size: 1/4"-20, Drill Size: ∅9/32.
Option:
- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BPBF15747) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (BF15747 T3HD)

Mouting Type: Back to Back.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14049	AB-BF15747 PUSH BAR	1
2	ABH-14047	AB-BF15747 PULL BAR	1
3	ABH-8203	1/4-20x3/8" CUP PT SET SCREW	3
4	ABH-9011	1/4-20x2-3/8" HIGH-STRENGTH STEEL THREADED ROD	2
5	ABH-8741	1/4-20x2-1/2" CONE HEAD SCREW-1-3/4" DOOR	1
6	ABH-9006	1/4"-20x1/2" SPANNER FASTNER 1" OD WITH # 1/4 SET SCREW	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG., INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG., INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	06/10/2025
CHECKED	ThuongN	06/10/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF15747 OFFSET SINGLE BAR SETS (TYPE T1)

SIZE: B | DWG. NO.: ABH-12556 | REV: 0

SCALE: 1:4 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 1HD





Finishes:
- US3/605 • US10B/613 • US26D/626 • US32DMS
- US4/606 • 10BE/613E • US28/628
- US10/612 • US26/625 • US32D/630

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 5-1/2"
Projection: 1-7/8"
Clearance: 1-3/8"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14468	AB-132 CAST DOOR PULL 1-7/8" x 5-1/2"	1
2	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2
3	ABH-14041	C'SINK FINISH WASHER	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-132 CAST DOOR PULL 1-7/8" x 5-1/2" (TYPE-1HD)

SIZE	DWG. NO.	REV
B	ABH-12663	0

SCALE: 2:5 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12083	AB-70B PUSH PLATES 3-1/2" x 15"	1
2	ABH-14451	AB-102 DOOR PULLS 2-1/8"x5-1/2"	1

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US32/629
- US32D/630
- US32DMS

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102x70B PULL PLATES 3-1/2"x 15"

SIZE: B | DWG. NO.: ABH-12674 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12084	AB-70C PUSH PLATES 4"x16"	1
2	ABH-14451	AB-102 DOOR PULLS 2-1/8"x5-1/2"	1

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US32/629
- US32D/630
- US32DMS

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102x70C PULL PLATES 4"x 16"

SIZE: B | DWG. NO.: ABH-12675 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12083	AB-70B PUSH PLATES 3-1/2" x 15"	1
2	ABH-14458	AB-105 DOOR PULLS 2-5/8"x5-1/2"	1

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-105x70B Pull Plates 3-1/2"x 15"

SIZE	DWG. NO.	REV
B	ABH-12676	0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12084	AB-70C PUSH PLATES 4"x16"	1
2	ABH-14458	AB-105 DOOR PULLS 2-5/8"x5-1/2"	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-105x70C Pull Plates 4"x 16"

SIZE: B | DWG. NO.: ABH-12677 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14440	AB-70B PUSH PLATE 3-1/2" x 15" (CTC 6")	1
2	ABH-14528	3/4" DIA. X 6-3/4" OVERALL LENGTH X 6"CTC BENT BARRIER FREE PULL HANDLE-NON-LOCKING	1

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-106x70B Pull Plates 3-1/2"x 15"

SIZE	DWG. NO.	REV
B	ABH-12678	0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14442	AB-70C PUSH PLATES 4"x16" (CTC 6")	1
2	ABH-14528	3/4" DIA. X 6-3/4" OVERALL LENGTH X 6"CTC BENT BARRIER FREE PULL HANDLE-NON-LOCKING	1

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-106x70C Pull Plates 4"x 16"

SIZE: B | DWG. NO.: ABH-12679 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14441	AB-70B PUSH PLATE 3-1/2" x 15" (CTC 8")	1
2	ABH-14534	AB-107 DOOR PULLS 2-5/8"x8"	1

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-107x70B Pull Plates 3-1/2"x 15"

SIZE: B | DWG. NO.: ABH-12680 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14443	AB-70C PUSH PLATES 4"x16" (CTC 8")	1
2	ABH-14534	AB-107 DOOR PULLS 2-5/8"x8"	1

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-107x70C Pull Plates 4"x 16"

SIZE: B | DWG. NO.: ABH-12681 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14443	AB-70C PUSH PLATES 4"x16" (CTC 8")	1
2	ABH-14540	AB-110 DOOR PULLS 3-1/2"x8"	1

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS
- Stock PC's

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-111x70C Pull Plates 4"x 16"

SIZE: B | DWG. NO.: ABH-12683 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14444	AB-70C PUSH PLATES 4"x16" (CTC 10")	1
2	ABH-14546	AB-111 DOOR PULLS 3-1/2"x10"	1

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32316
- US32D/630
- US32D316
- US32DMS
- Stock PC's

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-111x70C Pull Plates 4"x 16"

SIZE: B | DWG. NO.: ABH-12685 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14442	AB-70C PUSH PLATES 4"x16" (CTC 6")	1
2	ABH-14465	AB-122 DOOR PULL 2"x6-3/8"	1

Finishes:
- US3/605
- US4/606
- 10BE/613E
- US26/625
- US26D/626
- US28/628
- US32/629
- US32D/630
- US32DMS
- Stock PC's

COMMENTS:

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-122x70C Pull Plates 4"x 16"

SIZE: B | DWG. NO.: ABH-12687 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14442	AB-70C PUSH PLATES 4"x16" (CTC 6")	1
2	ABH-14466	AB-125 DOOR PULL 2"x6-1/2"	1

Finishes:
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US28/628
- US32D/630
- US32DMS
- Stock PC's

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-125x70C Pull Plates 4"x 16"

SIZE: B | DWG. NO.: ABH-12691 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14443	AB-70C PUSH PLATES 4"x16" (CTC 8")	1
2	ABH-14467	AB-126 DOOR PULL 2"x8-1/2"	1

Finishes:
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US28/628
- US32D/630
- US32DMS
- Stock PC's

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-126x70C Pull Plates 4"x 16"

SIZE: B | DWG. NO.: ABH-12693 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12083	AB-70B PUSH PLATES 3-1/2" x 15"	1
2	ABH-14468	AB-132 CAST DOOR PULL 1-7/8" x 5-1/2"	1

Finishes:
- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32DMS
- Stock Powder Coats

Center to Center: 5-1/2"
Projection: 1-7/8"
Clearance: 1-3/8"

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION	
		INTERPRET GEOMETRIC TOLERANCING PER:	
		MATERIAL: Stainless Steel	
NEXT ASSY	USED ON	FINISH: SEE NOTE	
APPLICATION		DO NOT SCALE DRAWING	

	NAME	DATE
DRAWN	Danh.N	08/01/2025
CHECKED	Thuong.N	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-132x70B Pull Plates 3-1/2"x 15"

SIZE	DWG. NO.	REV
B	ABH-12694	0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







Finishes:
- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32DMS
- Stock Powder Coats

Size: 4"x16"
Center to Center: 5-1/2"
Projection: 1-7/8"
Clearance: 1-3/8"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12084	AB-70C PUSH PLATES 4"x16"	1
2	ABH-14468	AB-132 CAST DOOR PULL 1-7/8" x 5-1/2"	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Assembly

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	08/01/2025
CHECKED	Thuong.N	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-132x70C Pull Plates 4"x 16"

SIZE: B | DWG. NO.: ABH-12695 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 1HD





Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅11/32"
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14043	AB-BF157 PULL BAR	1
2	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2
3	ABH-14041	C'SINK FINISH WASHER	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF157 90 DEG OFFSET DOOR PULLS (TYPE 1HD)

SIZE	DWG. NO.	REV
B	ABH-12711	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 1HD





Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅11/32"
Center to Center: 12"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14044	AB-BF158 PULL BAR	1
2	ABH-14041	C'SINK FINISH WASHER	2
3	ABH-14040	5/16"-18 x 2-1/2" PH. FLAT HD. M. S.	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.***
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF158 90 DEG OFFSET DOOR PULLS (TYPE 1HD)

SIZE: B | DWG. NO.: ABH-12712 | REV: 0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1







6 x ∅ .19in[4.83mm] ↧ .94in[23.88mm]
⌵ ∅ .31in[7.87mm] X 82°

Finishes: 10BE, BPC, BSP, FBPC, US32D, US32DMS, WPC, WSP, RPC
Projection: 4"
Width: 4"
Grip Diameter: 3/4"
Pull Clearance: 2-25/32"
Height: 16"
Fasteners:
#8 x 3/4" Oval Head Sheet Metal Screws
3/8-16 x 2 1/2" Flat Head Machine Screw
3/8-16 Finish Washer.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14084	AB-AP1007 HANDS-FREE PULLS-BASE	1
2	ABH-14077	AB-AP1007 HANDS-FREE PULLS- HANDS	1
3	ABH-14097	3/8-16X2 1/2 FLAT HEAD MACHINE SCREW	1
4	ABH-14098	3/8-16 FINISH WASHER	1
5	ABH-14096	#8x3/4 OVAL HEAD SHEET METAL SCREWS	6

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STANILESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-AP1007 HANDS-FREE PULLS NOTCHED ARM PULL WITH PLATE

SIZE: B | DWG. NO.: ABH-12742 | REV: 0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1







Finishes: 10BE, BPC, BSP, FBPC, US32DMS, WPC, WSP, RPC
Base Width: 2"
Grip Width: 1-1/2"
Material Thickness: 1/8"
Projection: 4-1/2"
Width: 2"
Pull Clearance: 4-3/8"
Fastener: 4-#10x1-1/4" Flat Head Sheet Metal Screw (Standard).
Note: Ensure smooth and even welding around all joints.
Fillet edges and remove any sharp edges for safety and quality.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14080	AB-AP1140 1.5" WIDE ARM PULL-BASE	1
2	ABH-14079	AB-AP1140 1.5" WIDE ARM PULL-HANDS	1
3	ABH-14099	#10x1-1/4" Flat Head Sheet Metal Screw	4

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL
STANILESS STEEL

FINISH
SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-AP1101 HANDS-FREE PULLS 1.5" WIDE ARM PULL

SIZE	DWG. NO.	REV
B	ABH-12743	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1







Finishes: 10BE, BPC, BSP, FBPC, US32DMS, WPC, WSP, RPC
Base Width: 2"
Grip Width: 1-1/2"
Material Thickness: 1/8"
Projection: 4-1/2"
Width: 2"
Pull Clearance: 4-3/8"
Fastener: 4-#10x1-1/4" Flat Head Sheet Metal Screw (Standard).
Note: Ensure smooth and even welding around all joints.
Fillet edges and remove any sharp edges for safety and quality.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14082	AB-AP1141 0.75" SLOPE ARM PULL-BASE	1
2	ABH-14086	AB-AP1141 0.75" SLOPE ARM PULL-HANDS	1
3	ABH-14099	#10x1-1/4" Flat Head Sheet Metal Screw	4

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STANILESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-AP1141 0.75" HANDS-FREE PULLS 0.75 SLOPE ARM PULL

SIZE: B | DWG. NO.: ABH-12744 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1







DETAIL A
SCALE 2 : 1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12746	AB-FP1230 HANDS-FREE PULLS FOOT PULL WITH GRIP	1
2	ABH-14310	1/4-20-1" FLAT HEAD MACHINE SCREW	2

Finishes: 10BE, BPC, BSP, FBPC, US32D; US32DMS, WPC, WSP, RPC
Material Thickness: 3/16"
Projection: 3-1/4"
Center-To-Center: 6"
Pull Clearance: 3-1/16"
Fastener: 1/4-20x1" Flat Head Sheet Screw Bolt.

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STANILESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-FP1230 HANDS-FREE PULLS FOOT PULL WITH GRIP

SIZE: B | DWG. NO.: ABH-12746 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1







Features:

- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

Option:

- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12760	AB-K1050 PROTECTION PLATES 4x35BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 4x35BE

SIZE: B | DWG. NO.: ABH-12760 | REV: 0

SCALE: 1:8 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14300	AB-R111LPB TRIM PROTECTION BARS LEVER HANDLE-BASE	1
2	ABH-14301	AB-R111LPB TRIM PROTECTION BARS LEVER HANDLE-HANDLE	1
3	ABH-14719	1/4-20 x 2-1/2" PH. FLAT HD. M. S.	1
4	ABH-14249	1/4" COUNTERSUNK WASHER	2
6	ABH-15020	1/4-20 x 2" PH. FLAT HD. M. S.	1

Finishes: 10BE; BPC; BSP; FBPC; US32D; US32DMS; WPC; WSP; RPC
Fasteners: 1/4-20 x 2-1/2", 1/4-20 x 2" thru bolt & 1/4" finish washers.
Mounting: Bolt size: 1/4"-20, Drill Size ∅9/32.
Projection: 3-1/4".
Clearance: 2-7/8".
CTC: 12"
Note: Ensure smooth and even welding around all joints. Fillet edges and remove any sharp edges for safety and quality.

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STANILESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-R111LPB TRIM PROTECTION BARS LEVER HANDLE

SIZE	DWG. NO.	REV
B	ABH-12818	0

SCALE: 1:4 | WEIGHT: | SHEET 1 OF 1





SECTION A-A





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12845	AB-320 LATCH PROTECTORS CYLINDRICAL OR MORTISE	1
2	ABH-14312	5/16"-18 CARRIAGE HEX DRIVE SEX NUTS	2
3	ABH-14311	5/16"-18 CARRIAGE BOLTS	2

Finishes: US2C; 10BE; BSP; US32D; WSP

Fastener: 5/16"-18 carriage bolts and hex drive sex nuts.

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STANILESS STEEL
FINISH: SEE NOTE
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-320 LATCH PROTECTORS CYLINDRICAL OR MORTISE

SIZE	DWG. NO.	REV
B	ABH-12845	0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1





SECTION A-A





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12847	AB-320CL LATCH PROTECTORS CYLINDRICAL	1
2	ABH-14311	5/16"-18 CARRIAGE BOLTS	2
3	ABH-14312	5/16"-18 CARRIAGE HEX DRIVE SEX NUTS	2

Finishes: US2C, 10BE; BPC; BSP; FBPC; US32D; WSP
Material Thickness: 9/100"
Fastener: 5/16"-18 carriage bolts and hex drive sex nuts.
Features:

- Jamb pin prevents prying of door. Non-handed.
- Notched for 2 1/4" - 3 1/4" diameter rose on cylindrical lockset.

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STANILESS STEEL
FINISH: SEE NOTE
DO NOT SCALE DRAWING

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON
APPLICATION

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	09/01/2025
CHECKED	Thuong.N	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-320CL LATCH PROTECTORS CYLINDRICAL
SIZE: B | DWG. NO.: ABH-12845 | REV: 0
SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1









Finishes: US2C; 10BE; BPC; BSP; FBPC; US32D; WSP
Material Thickness: 21/200"
Fastener: 5/16"-18 carriage bolts and hex drive sex nuts.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12849	AB-321 LATCH PROTECTORS MORTISE	1
2	ABH-14312	5/16"-18 CARRIAGE HEX DRIVE SEX NUTS	2
3	ABH-14311	5/16"-18 CARRIAGE BOLTS	2

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STANILESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-321 LATCH PROTECTORS MORTISE

SIZE	DWG. NO.	REV
B	ABH-12849	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1







Base Material: Cast Stainless Steel
Bumper Material: Rubber
Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US15/619
- US26/625
- US26D/626

Size: ∅2-7/16"
Projection: 1"
Fastener: #6 x 1-1/2" FH SMS, plastic toggle
Features: 400, 401, 402 supplied with different fasteners

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14115	BASE- Convex Solid Cast Wall Stops	1
2	ABH-14116	Bumper- Convex Solid Cast Wall Stops	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Cast Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	18/01/2025
CHECKED	Thuong.N	18/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-400 Convex Solid Cast Wall Stops

SIZE: B | DWG. NO.: ABH-12853 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







Base Material: Cast stainless steel
Bumper Material: Rubber
Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US15/619
- US26/625
- US26D/626

Size: ∅2-7/16"
Projection: 1"
Fastener: #6 - 1-1/2" FH SMS, plastic toggle

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14119	Base - Concave Solid Cast Wall Stops	1
2	ABH-14140	Bumper-Concave Solid Cast Wall Stop	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Cast stainless steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	18/01/2025
CHECKED	Thuong.N	18/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-403 Concave Solid Cast Wall Stops

SIZE	DWG. NO.	REV
B	ABH-12856	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







Base Material: Stainless Steel
Bumper Material: Rubber
Finishes:

- US3/605
- US4/606
- US10/612
- US10BE/613E
- US26/625
- US26D/626
- US32D/630
- BSP

Size: ∅2-1/2"
Projection: 1"
Fastener: #8 x 1-1/4" TH SMS, plastic toggle

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14141	BASE-Convex Wrought Wall Stop	1
2	ABH-14142	Bumper- Convex Wrought Wall Stop	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	18/01/2025
CHECKED	Thuong.N	18/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-406 Convex Wrought Wall Stop

SIZE: B | DWG. NO.: ABH-12859 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1



SECTION P-P







Base Material: Stainless Steel
Bumper Material: Rubber
Finishes:

- US3/605
- US4/606
- US10/612
- US10BE/613E
- US26/625
- US26D/626
- US32D/630
- BSP

Size: ∅2-1/2"
Projection: 1"
Fastener: #8 x 1-1/4" TH SMS, plastic toggle

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14151	BASE-Concave Wrought Wall Stop	1
2	ABH-14152	Bumper-Concave Wrought Wall Stop	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

NEXT ASSY | USED ON

APPLICATION

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	18/01/2025
CHECKED	Thuong.N	18/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-409 Concave Wrought Wall Stop

SIZE: B | DWG. NO.: ABH-12860 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







Base Material: Cast Stainless Steel
Bumper Material: Rubber
Plates Material: Stainless steel

Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- BSP
- WSP

Base Diameter: 4"

Projection: 3/4"

Fastener:
- 1 - #8 - 32 x 2" RH MS and toggle bolt
- 1 - #12 - 24 x 1-1/4" RH MS and anchor
- 3 - #8 x 1-1/4" FH SMS and plastic anchors
- 3 - #8 - 32 x 1/4" FH MS

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14170	BASE-Solid Cast Wall Stop	1
2	ABH-14171	Bumper-Solid Cast Wall Stop	1
3	ABH-14172	Plates-Solid Cast Wall Stop	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Cast Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	18/01/2025
CHECKED	Thuong.N	18/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-415 Solid Cast Wall Stop

SIZE: B | DWG. NO.: ABH-12862 | REV: 0

SCALE: 2:3 | WEIGHT: - | SHEET 1 OF 1









Finishes: US3/605; US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US15/619; US26/625; US26D/626; US26D; WPC; WSP; RPC.
Bumper Material: Rubber
Projection: 1-5/8"
Base Lenght: 1-3/4"
Base Width: 2-1/2"
Fasteners: 3 ea. #12-24 x 1" FH MS;
3 ea. anchors.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14754	AB-481 BASE	1
2	ABH-14755	AB-481 RUBBER BUMPER	1
3	ABH-14756	8-32 x 1/2" RH PH. SCREW	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-481 DOOR STOP

SIZE	DWG. NO.	REV
B	ABH-12904	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1









Finishes: US3/605; US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US15/619; US26/625; US26D/626; US26D; WPC; WSP; RPC.
Bumper Material: Rubber
Projection: 2-1/4"
Base Lenght: 1-3/4"
Base Width: 2-1/2"
Fasteners: 3 ea. #12-24 x 1 FH MS;
3 ea. anchors.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14757	AB-481H BASE	1
2	ABH-14755	AB-481 RUBBER BUMPER	1
3	ABH-14756	8-32 x 1/2" RH PH. SCREW	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-481H DOOR STOP

SIZE: B | DWG. NO.: ABH-12905 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.









Finishes: US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US15/619; US26/625; US26D/626; US26D; WPC; WSP; RPC.
Bumper Material: Rubber
Projection: 2-1/8"
Base Lenght: 2-1/2"
Base Width: 1-1/2"
Fasteners: 5/16-18 x 1-3/4" stud, anchor (Prep for Anchor - 3/8" drill bit);
#12 x 1-1/4" FH WS, plastic anchor

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14756	8-32 x 1/2" RH PH. SCREW	1
2	ABH-14758	BASE	1
3	ABH-14759	RUBBER BUMBER	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-482 DOOR STOP

SIZE: B | DWG. NO.: ABH-12907 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14756	8-32 x 1/2" RH PH. SCREW	1
2	ABH-14760	AB-483 BASE	1
3	ABH-14759	RUBBER BUMBER	1

Finishes: US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US15/619; US26/625; US26D/626; US26D; WPC; WSP; RPC.
Bumper Material: Rubber
Projection: 2-3/4"
Base Lenght: 2-5/8"
Base Width: 1-5/8"
Fasteners: 5/16-18 x 1-3/4" stud, anchor (Prep for Anchor - 3/8" drill bit);
#12 x 1-1/4" FH WS, plastic anchor

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-483 DOOR STOP

SIZE: B | DWG. NO.: ABH-12908 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1













ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14756	8-32 x 1/2" RH PH. SCREW	1
2	ABH-14761	AB-485 BASE	1
3	ABH-14762	RUBBER BUMPER	1
4	ABH-14763	KEEPER LOCK	1
5	ABH-14764	KEEPER	1
6	ABH-14765	PIN	1

Finishes: US3/605; US4/606; US10/612; US10B/613; 10BE/613E; BPC; BSP; FBPC; US15/619; US26/625; US26D/626; WPC; WSP.
Bumper Material: Rubber
Projection: 3"
Base Lenght: 2-5/8"
Base Width: 1-5/8"
Base Height: 3"
Fasteners: 5/16-18 x 1-3/4" stud, anchor (Prep for Anchor - 3/8" drill bit);
#12 x 1-1/4" FH WS, plastic anchor

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-485 DOOR STOP WITH KEEPER

SIZE: B | DWG. NO.: ABH-12909 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1









Finishes: US2C
Bumper Material: Rubber
Base Lenght: 2-1/2"
Base Width: 1"
Fastener: 2 ea. #12 x 1-1/2" FH SMS,
2 ea. plastic anchor

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14766	AB-486 BASE	1
2	ABH-14767	RUBBER BUMPER	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-486 ANGLE DOOR STOP

SIZE	DWG. NO.	REV
B	ABH-12910	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1









Finishes: US2C
Bumper Material: Rubber
Projection: 3-3/4"
Base Lenght: 2-1/4"
Base Width: 3"
Fastener: 3 ea. #10 x 1" FH SMS,
3 ea. plastic anchor

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14768	AB-487 BASE	1
2	ABH-14769	RUBBER BUMPER	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-487 HEAVY DUTY WALL STOP

SIZE: B | DWG. NO.: ABH-12911 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







Finishes: US3; US4; US10B; 10BE; BPC; BSP; FBPC; US26; US26D; WPC; WSP; RPC.
Roller And Bumber Material: Rubber
Holder Base Height: 3-3/8"
Holder Base Width: 3"
Holder Projection: 2-1/8"
Strike Base Height: 2"
Strike Base Width: 4"
Strike Projection: 1-1/4"
Fastener: Strike: 3 ea. #12 x 1-1/4" FH WS,
3 ea. plastic anchor
Body: 4 ea. #10 x 1-1/4" FH WS

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14776	BASE HOLDER	1
2	ABH-14777	RUBBER	1
3	ABH-14778	RUBBER ROLLER	1
4	ABH-14780	HOOK	1
5	ABH-14782	STRIKE	1
6	ABH-14781	SPRING	1
7	ABH-14779	PIN	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STAINLESS STEEL
FINISH: SEE NOTE
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-491 AUTOMATIC DOOR HOLDER WITH STOP

SIZE	DWG. NO.	REV
B	ABH-12915	0

SCALE: 2:3 | WEIGHT: - | SHEET 1 OF 1







Finishes: US3; US4; US10B; 10BE; BPC; BSP; FBPC; US26; US26D; WPC; WSP; RPC.
Roller And Bumber Material: Rubber
Holder Base Height: 3-3/8"
Holder Base Width: 3"
Holder Projection: 2-1/8"
Strike Base Height: 3"
Strike Base Width: 2"
Strike Projection: 3-1/4"
Fastener: Strike: 3 ea. #12 x 1-1/4" FH WS,
3 ea. plastic anchor
Body: 4 ea. #10 x 1-1/4" FH WS

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14776	BASE HOLDER	1
2	ABH-14777	RUBBER	1
3	ABH-14778	RUBBER ROLLER	1
4	ABH-14780	HOOK	1
5	ABH-14783	STRIKE	1
6	ABH-14781	SPRING	1
7	ABH-14779	PIN	1

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-494 AUTOMATIC DOOR HOLDER WITH STOP

SIZE: B | DWG. NO.: ABH-12916 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.







Finishes: US3, US4, US10, US10B, 10BE, BSP, US15, US26, US26D, WSP
Bumper Material: Rubber
Projection: 3-3/4"
Base Diameter: 1-1/2"
Fastener: 2 ea. #8 x 3/4" OH SMS,

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14770	BASE HOUSING	1
2	ABH-14771	RUBBER BUMBER	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

NEXT ASSY | USED ON

APPLICATION

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-518 DOOR STOP

SIZE	DWG. NO.	REV
B	ABH-12921	0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1







Finishes: US3, US4, US10, US10B, 10BE, BPC, BSP, FBPC, US15, US26, US26D, WSP
Bumper Material: Rubber
Projection: 3-1/4"
Base Diameter: 1-1/4"
Fastener: #10-24 x 1-1/4" hanger bolt

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14772	AB-519 DOOR STOP	1
2	ABH-14773	AB-519 DOOR STOP	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-519 DOOR STOP

SIZE	DWG. NO.	REV
B	ABH-12922	0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14774	SPRING BASE	1
2	ABH-14775	RUBBER BUMBER	1

Finishes: NP
Bumper Material: Rubber
Projection: 4"
Base Diameter: 1"
Fastener: 6 x 3/4" SMS

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	16/01/2025
CHECKED	ThuongN	16/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-526 SPRING BASE DOOR STOP

SIZE: B | DWG. NO.: ABH-12925 | REV: 0

SCALE: 2:1 | WEIGHT: - | SHEET 1 OF 1





Finishes: US3, US10B, 10BE, BPC, BSP, FBPC, US26D, US32D, WPC, WSP, RPC
Fastener: 8 ea. #10 x 11/4" FH SMS, 8 ea. #10 - 24 x 1" FH MS.
Strikes: 6 ea. #10 - 32 x 11/2" FH MS; 6 ea. #10 - 32 x 11/2" FH WS.
Bolt Size: 8" l
Features:

- No. 580 Series bolts are UL listed for use on inactive leaf of a pair of 3-hour labeled fire doors
- No. 580 and No. 582 series both include a universal top strike and a mortise bottom strike
- No. 582 Series has a bracket for padlock (padlock not included)

Options: Sex bolts available for extra secure mounting

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14313	AB-580-8 SURFACE BOLTS 8" BOILT LENGTH-RECTANGULAR BAR	1
2	ABH-14316	AB-580-8 SURFACE BOLTS 8" BOILT LENGTH-BAR BOTTOM BASE	2
3	ABH-14307	AB-580-8 SURFACE BOLTS 8" BOILT LENGTH-BAR UPPER BASE	2
4	ABH-14308	AB-580-8 SURFACE BOLTS 8" BOILT LENGTH-STRIKE	1
5	ABH-14309	AB-580-8 SURFACE BOLTS 8" BOILT LENGTH-STRIKE	1
6	ABH-14314	AB-580-8 SURFACE BOLTS 8" BOILT LENGTH-HANDLE BOLT	1
7	ABH-14315	AB-580-8 SURFACE BOLTS 8" BOILT LENGTH-BLOCK	1
8	ABH-14306	AB-580-8 SURFACE BOLTS 8" BOILT LENGTH-BASE SPRING	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	18/01/2025
CHECKED	Thuong.N	18/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-580-8 SURFACE BOLTS 8" BOILT LENGTH

SIZE	DWG. NO.	REV
B	ABH-12968	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14088	AB-602 MISC.GATE LATCH- BODY BASE	1
2	ABH-14091	AB-602 MISC.GATE LATCH - LOCK PIN	1
3	ABH-14089	AB-602 MISC.GATE LATCH-BODY LID	1
4	ABH-14087	AB-602 MISC.GATE LATCH-ADJUSTING KNOB	1
5	ABH-14092	AB-602 MISC.GATE LATCH-LOCKER BODY	1
6	ABH-14090	AB-602 MISC.GATE LATCH-OPERATOR	1
7	ABH-14303	#7x1-1/4" OVAL HEAD WOOD SCREWS	5

Finishes: US4, US10, US10B, 10BE, BSP, US26D, WSP.
Latch Face Height: 2-1/16"
Latch Face Width: 2-7/16
Fasteners: 5ea. #7x1/4" Oval Head Wood Screw.
Strike Height: 2-1/16"
Strike Width: 3/4"
Features:
- Single acting, reversible. Supplied with dummy knob
- Bolt activated by pressing button concealed on bottom of latch case

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	09/01/2025
CHECKED	Thuong.N	10/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-602 MISC.GATE LATCH SECRET GATE LATCH

SIZE: B | DWG. NO.: ABH-12982 | REV: 0

SCALE: 1:1 | WEIGHT: | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14060	AB-603 DOOR GUARDS CAST STAINLESS STEEL - BODY	1
2	ABH-14061	AB-603 DOOR GUARDS CAST STAINLESS STEEL - GUIDE RAIL	1
3	ABH-14062	AB-603 DOOR GUARDS CAST STAINLESS STEEL - STRIKE	1
4	ABH-14093	AB-603 DOOR GUARDS CAST STAINLESS STEEL - RETAINING AXIS	2
5	ABH-14094	9/64" SIDE-MOUNT EXTERNAL RETAINING RINGS	2

Finishes: ANT; CRM; DCRM; BRS
Body Height: 2-1/2"
Body Width: 29/32"
Mounting: Body : #6x1-1/2" Flat Head Sheet Metal Screws.
Strike: #6x1" Flat head Sheet Metal Screws.
Strike Height: 2-1/2"
Strike Width: 31/32"
Option: 1/8" clear plastic shim - order separately as 603 SHIM

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-603-DOOR GUARDS CAST STAINLESS STEEL

SIZE	DWG. NO.	REV
B	ABH-12983	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14063	AB-604 DOOR GUARDS SOLID CAST STAINLESS STEEL - BODY	1
2	ABH-14064	AB-604 DOOR GUARDS SOLID CAST STAINLESS STEEL - GUIDE RAIL	1
3	ABH-14065	AB-604 DOOR GUARDS SOLID CAST STAINLESS STEEL - STRIKE	1
4	ABH-14095	AB-604 DOOR GUARDS CAST STAINLESS STEEL - RETAINING AXIS	2
5	ABH-14094	9/64" SIDE-MOUNT EXTERNAL RETAINING RINGS	2

Finishes: US3, US4, US10, US10B, US26, US26D, US15.
Body Height: 2-9/16"
Mounting: Body #6x1-1/2" Oval Head Sheet Metal Screws
Strick #6x3/4 Oval Head Sheet Matal Screws
Body Width: 1-1/16"
Strike Height: 1-1/16"
Strike Width: 1-5/8
Options: 1/8" clear plastic shim – order separately as 604 SHIM

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL
STAINLESS STEEL

FINISH
-

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-604 DOOR GUARDS SOLID CAST STAINLESS STEEL

SIZE	DWG. NO.	REV
B	AB-12985	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







Finishes: US3, US4, US10, US10B, US10BE, BPC, BSP, FBPC, US15, US26, US26D, WPC, WSP, RPC
Height: 1-1/8"
Fastener: Self-adhesive tape.
Width: 1"
Features: Protects corner of door from damage by door guard arm

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION
	INTERPRET GEOMETRIC TOLERANCING PER:
	MATERIAL: STAINLESS STEEL
NEXT ASSY / USED ON	FINISH: SEE NOTE
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-605 DOOR GUARDS BRASS PROTECTION PLATES

SIZE	DWG. NO.	REV
B	ABH-12987	0

SCALE: 2:1 | WEIGHT: - | SHEET 1 OF 1









Finishes:US3, US4, US5, US10, US10B, US26, US26D.

Fasteners: #6 x 5/8" Flat Head Sheet Metal Screws.

Features: Protects corner of door from damage by door guard arm

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION	
		INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN Phap.D 14/01/2025 — TITLE: AB-605SMS DOOR GUARDS BRASS PROTECTION PLATE
		MATERIAL: STAINLESS STEEL	CHECKED Thuong.N 14/01/2025 — SIZE: B — DWG. NO.: ABH-12988 — REV: 0
NEXT ASSY / USED ON		FINISH: SEE NOTE	ENG APPR. / MFG APPR.
APPLICATION		DO NOT SCALE DRAWING	Q.A. — SCALE: 2:1 — WEIGHT: — SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.







Fastener: Self-adhesive back.
Height: 1"
Width: 1"

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION	
		INTERPRET GEOMETRIC TOLERANCING PER:	
		MATERIAL CLEAR RUBBER	
NEXT ASSY	USED ON	FINISH -	
APPLICATION		DO NOT SCALE DRAWING	

	NAME	DATE
DRAWN	Phap.D	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-606-RKW DOOR GUARDS CLEAR RUBBER WALL GUARD

SIZE	DWG. NO.	REV
B	ABH-12989	0

SCALE: 3:1 | WEIGHT: - | SHEET 1 OF 1







Features: Self-adhesive mounting for Metal or Wood.
Base-Diameter: 3/8"

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.	
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	NAME / DATE	TITLE: AB-608CA DOOR SILIENCER
	INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN: Phap.D 15/01/2025	
	MATERIAL: CLEAR RUBBER	CHECKED: Thuong.N 15/01/2025	SIZE: B — DWG. NO.: ABH-12991 — REV: 0
NEXT ASSY / USED ON	FINISH: -	ENG APPR. / MFG APPR.	
APPLICATION	DO NOT SCALE DRAWING	Q.A.	SCALE: 6:1 — WEIGHT: - — SHEET 1 OF 1







SECTION A-A

Mounting: Drill size: ∅1/4"

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.* *ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION INTERPRET GEOMETRIC TOLERANCING PER:	NAME / DATE DRAWN: Phap.D 15/01/2025 CHECKED: Thuong.N 15/01/2025 ENG APPR.: MFG APPR.: Q.A.
NEXT ASSY / USED ON	MATERIAL: GRAY RUBBER FINISH: -	TITLE: AB-608DOOR SILENCERS SIZE: B DWG. NO.: ABH-12992 REV: 0
APPLICATION	DO NOT SCALE DRAWING	SCALE: 5:1 WEIGHT: - SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.







COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.* *ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	NAME / DATE DRAWN: Phap.D 15/01/2025 CHECKED: Thuong.N 15/01/2025 ENG APPR.: MFG APPR.: Q.A.
	INTERPRET GEOMETRIC TOLERANCING PER:	TITLE: AB-609 DOOR SILIENCERS
	MATERIAL: GRAY RUBBER	SIZE: B DWG. NO.: ABH-12993 REV: 0
NEXT ASSY / USED ON	FINISH: -	
APPLICATION	DO NOT SCALE DRAWING	SCALE: 3:1 WEIGHT: - SHEET 1 OF 1







Finishes: Black, US28.
Fasteners: 4 ea. 1/4"-20 x 1/2" Flat Head Machine Screws,
4 ea. #12-24 x 2" Flat Head Machine Screws.
Soffit size: 7/8" - 2-1/4"
Features: Used for stop applied hardware. Prevents the inadvertent disabling of the coordinator by fasteners passing through the housing.

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.		
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION		NAME	DATE
		INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN	Phap.D	15/01/2025
		MATERIAL STANILESS STEEL	CHECKED	Thuong.N	15/01/2025
NEXT ASSY	USED ON	FINISH SEE NOTE	ENG APPR.		
			MFG APPR.		
APPLICATION		DO NOT SCALE DRAWING	Q.A.		

TITLE: AB-2601AB COORDINATORS MOUNTING BRACKET

SIZE	DWG. NO.	REV
B	ABH-14045	0

SCALE: 3:4 WEIGHT: - SHEET 1 OF 1







Finishes: Black, US28.
Fasteners: 4 ea. 1/4"-20 x 1/2" Flat Head Machine Screws,
4 ea. #12-24 x 2" Flat Head Machine Screws.
Soffit size: Over 2-1/4"
Features: Used for stop applied hardware. Prevents the inadvertent disabling of the coordinator by fasteners passing through the housing.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	TITLE: AB-2601C COORDINATORS MOUNTING BRACKET
	INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN: Phap.D 15/01/2025
	MATERIAL: STANILESS STEEL	CHECKED: Thuong.N 15/01/2025
NEXT ASSY / USED ON	FINISH: SEE NOTE	ENG APPR. / MFG APPR.
APPLICATION	DO NOT SCALE DRAWING	Q.A.
		SIZE: B — DWG. NO.: ABH-14046 — REV: 0
		SCALE: 3:4 — WEIGHT: - — SHEET 1 OF 1







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14076	AB-614V DOOR KNOCKERS BASE	1
2	ABH-14075	AB-614V DOOR KNOCKERS/W 190 VIEWER	1
3	ABH-14085	AB-614V DOOR KNOCKERS/W 190 VIEWER PIN	2

Finishes: US3; US4; US5; US10; US10B; 10BE; BPC; BSP; FBPC; US26; US26D; WPC; WSP; RPC
Fastener: 2 ea. #8 - 32 x 2" FH MS (for standard 13/4" doors); 2 ea. #8 finish washers.
Option: Engrave up to 4 numbers or letters at an additional cost.
Height: 3"
Width: 2-1/8"
Note: Ensure smooth and even welding around all joints.
Fillet edges and remove any sharp edges for safety and quality.

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-614V DOOR KNOCKERS/W 190 VIEWER

SIZE: B | DWG. NO.: ABH-14072 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14066	AB-620 DOOR KNOCKERS/160 VIEWER-HEAD	1
2	ABH-14067	AB-620 DOOR KNOCKERS/160 VIEWER LENS	1
3	ABH-14253	AB-620 DOOR KNOCKERS/160 VIEWER-BODY	1

Finishes: ANT; CRM; BRS; STNN
Mounting: Drill Size: ∅1/2".
Features:

- For doors 1-3/8" to 2-1/4"
- Heavy duty privacy cover to prevent visual intrusion from outside of the room.

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-620 DOOR KNOCKERS/160 VIEWER

SIZE: B | DWG. NO.: ABH-14074 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1









ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14068	AB-622 DOOR KNOCKERS/160 VIEWER-HEAD	1
2	ABH-14069	AB-622 DOOR KNOCKERS/190 VIEWER LENS	1
3	ABH-14254	AB-622 DOOR KNOCKERS/160 VIEWER-BODY	1

Finishes: ANT; CRM; DCRM; BRS; STNN
Mounting: Drill Size: ∅9/16".
Features:

- For doors 1-3/8" to 2"
- Heavy duty privacy cover to prevent visual intrusion from outside of the room.

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-622 DOOR KNOCKERS/160 VIEWER

SIZE: B | DWG. NO.: ABH-14078 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1



USE DOOR THICK MAX: 2-1/4"



USE DOOR THICK MIN: 1-3/8"





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14258	AB-627 DOOR KNOCKERS HEVY DUTY PRIVACY VIEWER-HEAD	1
2	ABH-14073	AB-627 DOOR KNOCKERS HEAVY DUTY PRIVACY VIEWER-LENS	1
3	ABH-14255	AB-627 DOOR KNOCKERS HEVY DUTY PRIVACY VIEWER-BODY	1
4	ABH-14256	AB-627 DOOR KNOCKERS HEAVY DUTY PRIVACY VIEWER-PIN	1
5	ABH-14071	AB-627 DOOR KNOCKERS HEAVY DUTY PRIVACY VIEWER-COVER	1
6	ABH-14257	AB-627 DOOR KNOCKERS HEAVY DUTY PRIVACY VIEWER-PIN	1

Finishes: BLK; CRM; BSP
Mounting: Drill Size: ∅9/16".
Features:
- For doors 1-3/8" to 2-1/4"
- Heavy duty privacy cover to prevent visual intrusion from outside of the room.

Note: Ensure smooth and even welding around all joints. Fillet edges and remove any sharp edges for safety and quality.

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-627 DOOR KNOCKERS HEVY DUTY PRIVACY VIEWER

SIZE B | DWG. NO. ABH-14081 | REV 0

SCALE: 3:4 | WEIGHT: - | SHEET 1 OF 1









SCALE 3 : 1

Finishes: Black (Plastic), Blue.
Height: 9"
Fastener: Self-adhesive mounting.
Width: 6"
Colors: 5/8" white lettering on choice of blue or black background.
Features:
- Raised lettering and Grade 2 Braille translation
- Meets ADAAG Section 4.30 requirements
- Economical molded plastic

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG., INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG., INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	TITLE: AB-BFM687 BFM SERIES ADA MOLDED PLASTIC SIGNS
	INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN: Phap.D 15/01/2025
	MATERIAL: MOLDED PLASTIC	CHECKED: Thuong.N 15/01/2025
NEXT ASSY / USED ON	FINISH: SEE NOTE	ENG APPR. / MFG APPR.
APPLICATION	DO NOT SCALE DRAWING	Q.A.
		SIZE: B — DWG. NO.: ABH-14111 — REV: 0
		SCALE: 1:3 — WEIGHT: - — SHEET 1 OF 1







SCALE 5 : 1

Finishes: Black (Plastic), Blue.
Height: 9"
Fastener: Self-adhesive mounting.
Width: 6"
Colors: 5/8" white lettering on choice of blue or black background.
Features:
- Raised lettering and Grade 2 Braille translation
- Meets ADAAG Section 4.30 requirements
- Economical molded plastic

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.		
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION		NAME	DATE
		INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN	Phap.D	15/01/2025
		MATERIAL MOLDED PLASTIC	CHECKED	Thuong.N	15/01/2025
NEXT ASSY	USED ON	FINISH SEE NOTE	ENG APPR.		
			MFG APPR.		
APPLICATION		DO NOT SCALE DRAWING	Q.A.		

TITLE: AB-BFM688 BFM SERIES ADA MOLDED PLASTIC SIGNS

SIZE	DWG. NO.	REV
B	ABH-14112	0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1





SCALE 4 : 1

Finishes: Black (Plastic), Blue.
Height: 9"
Fastener: Self-adhesive mounting.
Width: 6"
Colors: 5/8" white lettering on choice of blue or black background.
Features:
- Raised lettering and Grade 2 Braille translation
- Meets ADAAG Section 4.30 requirements
- Economical molded plastic

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	TITLE: AB-BFM689 BFM SERIES ADA MOLDED PLASTIC SIGNS
	INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN Phap.D 15/01/2025
	MATERIAL MOLDED PLASTIC	CHECKED Thuong.N 15/01/2025
NEXT ASSY / USED ON	FINISH SEE NOTE	ENG APPR. / MFG APPR.
APPLICATION	DO NOT SCALE DRAWING	Q.A.

SIZE	DWG. NO.	REV
B	ABH-14113	0

SCALE: 1:3 WEIGHT: - SHEET 1 OF 1





Finishes: US3, US4, US10, US10B, 10BE, BPC, BSP, FBPC, US15, US15A, US26, US26D, WPC, WSP, RPC.
Height: 1-1/8"
Projection: 1-1/8"
Fastener: 2 ea. #6-3/4" Oval Heead Sheet Metal Screws.
Width: 1-1/8"
Features: Two hooks for holding various items.

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.			
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION		NAME	DATE	TITLE: AB-796 COAT HOOKS SMALL DOUBLE HOOK
		INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN	Phap.D	15/01/2025	
		MATERIAL STAINLESS STEEL	CHECKED	Thuong.N	15/01/2025	SIZE B / DWG. NO. ABH-14120 / REV 0
NEXT ASSY	USED ON	FINISH SEE NOTE	ENG APPR.			
			MFG APPR.			
APPLICATION		DO NOT SCALE DRAWING	Q.A.			SCALE: 3:2 / WEIGHT: / SHEET 1 OF 1









Finishes: US3, US4, US10, US10B, 10BE, BPC, BSP, FBPC, US15, US15A, US26, US26D, WPC, WSP, RPC.
Height: 1-1/2"
Projection: 3"
Fastener: 2 ea. #6-3/4" Oval Heead Sheet Metal Screws.
Width: 1-3/16"
Features: Two hooks for holding various items.

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION	
		INTERPRET GEOMETRIC TOLERANCING PER:	
		MATERIAL STAINLESS STEEL	
NEXT ASSY	USED ON	FINISH SEE NOTE	
APPLICATION		DO NOT SCALE DRAWING	

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-802 COAT HOOKS MEDIUM HOOK

SIZE	DWG. NO.	REV
B	ABH-14121	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1









Finishes: US3, US4, US10, US10B, 10BE, BPC, BSP, FBPC, US15, US15A, US26, US26D, WPC, WSP, RPC.
Height: 1-1/4"
Projection: 3-1/8"
Fastener: 2 ea. #6-3/4" Oval Heead Sheet Metal Screws.
Width: 1-1/16"
Features: Two hooks for holding various items.

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.			
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION		NAME	DATE	TITLE: AB-806 COAT HOOKS MEDIUM HOOK
		INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN	Phap.D	15/01/2025	
		MATERIAL STAINLESS STEEL	CHECKED	Thuong.N	15/01/2025	SIZE B / DWG. NO. ABH-14122 / REV 0
NEXT ASSY	USED ON	FINISH SEE NOTE	ENG APPR.			
			MFG APPR.			
APPLICATION		DO NOT SCALE DRAWING	Q.A.			SCALE: 1:1 / WEIGHT: - / SHEET 1 OF 1







Finishes: US3, US4, US10, US10B, US10BE; BPC; BSP; FBPC; US15; US26, US26D, US32; US32MS; US32D, US32DMS; WPC; WSP; RPC
Fastener: #8-32 x 1" Tapered Head Machine Screws.
Projection: 1-1/4"
Clearance: 15/16".
Overall: 4-5/16".
CTC: 4"
Option: Other CTC's available upon reques.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION INTERPRET GEOMETRIC TOLERANCING PER:
	MATERIAL STAINLESS STEEL
NEXT ASSY / USED ON	FINISH SEE NOTE
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	09/01/2025
CHECKED	Thuong.N	10/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-853 MISC GATE LATCH SOLID WIRE PULL

SIZE	DWG. NO.	REV
B	ABH-14128	0

SCALE: 3:2 | WEIGHT: - | SHEET 1 OF 1



SECTION B-B





SECTION A-A



2ea. #4-5/8 Oval head wood screw



Finishes: US10B, 10BE, BPC; BSP; FBPC; US32D; WPC; WSP; RPC.
Pull Type: Flush
Mounting: Two Holes for #4 x 5/8" oval head wood screw180° apart, countersunk on inside.
Fastener: 2ea.#4x 5/8" OH WS.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.	
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION		TITLE: AB-860 MISC GATE LATCH FLUSH CUP PULL
	INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN Phap.D 15/01/2025	
	MATERIAL STANILESS STEEL	CHECKED Thuong.N 15/01/2025	SIZE B / DWG. NO. ABH-14130 / REV 0
NEXT ASSY / USED ON	FINISH SEE NOTE	ENG APPR.	
APPLICATION	DO NOT SCALE DRAWING	MFG APPR. / Q.A.	SCALE: 1:1 / WEIGHT: / SHEET 1 OF 1





SECTION A-A





Finishes: US3, US4; US10; US10B, 10BE, BPC; BSSP; FBPC; US15; US26D; WPC; WSP; RPC
Pull Type: Flush
Mounting: Two Holes for #4 x 5/8" oval head wood screw180° apart, countersunk on inside.
Fastener: 2ea.#4x 5/8" OH WS.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	NAME / DATE DRAWN Phap.D 15/01/2025 CHECKED Thuong.N 15/01/2025 ENG APPR. MFG APPR. Q.A.
	INTERPRET GEOMETRIC TOLERANCING PER:	TITLE: AB-872 MISC GATE LATCH CAST FLUSH
	MATERIAL STANILESS STEEL	SIZE B / DWG. NO. PULL ABH-14132 / REV 0
NEXT ASSY / USED ON	FINISH SEE NOTE	
APPLICATION	DO NOT SCALE DRAWING	SCALE: 1:1 WEIGHT: - SHEET 1 OF 1





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14238	AB-900 MISC GATE LATCH CAST HD MAGNETIC CATCH CASE	1
2	ABH-14237	AB-900 MISC GATE LATCH CAST HD MAGNETIC CATCH HEAVY DUTY MAGNET	2
3	ABH-14240	AB-900 MISC GATE LATCH CAST HD MAGNETIC CATCH -STRIKE	1
4	ABH-14241	AB-900 MISC GATE LATCH CAST HD MAGNETIC CATCH -STRIKE	2
5	ABH-14242	AB-900 MISC GATE LATCH CAST HD MAGNETIC CATCH	2
6	ABH-14243	#6x1-1/4" TRUSS HEAD SHEET METAL SCREW	2
7	ABH-14239	#10-24 HEAD HEX DRIVER SCREW	2

Finishes: ALM; BRS
Fastener: #6x1-1/4" TH SMS. #6x1/2" TH SMS.
Mounting: Body: 2 ea. #6x1-1/4" TH SMS.
Strike: 2 ea. #6x1/2" TH SMS.
Features:

- Includes installation instructions
- Dual double-pole, self-aligning magnets
- Packed with two short strikes and one long strike
- Can be used on pair of doors or single door

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STANILESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	10/01/2025
CHECKED	Thuong.N	10/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-900 MISC GATE LATCH CAST HD MAGNETIC CATCH

SIZE: B | DWG. NO.: ABH-14137 | REV: 0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14243	#6x1-1/4" TRUSS HEAD SHEET METAL SCREW	2
2	ABH-14239	#10-24 HEAD HEX DRIVER SCREW	2
3	ABH-14245	AB-901 MISC GATE LATCH CAST HD MAGNETIC CATCH CASE	1
4	ABH-14244	AB-901 MISC GATE LATCH CAST HD MAGNETIC CATCH HEAVY DUTY MAGNET	2
5	ABH-14246	AB-901 MISC GATE LATCH CAST HD MAGNETIC CATCH -STRIKE	1
6	ABH-14247	AB-901 MISC GATE LATCH CAST HD MAGNETIC CATCH -STRIKE	2
7	ABH-14248	AB-901 MISC GATE LATCH CAST HD MAGNETIC CATCH	2

Finishes: ALM; BRS
Fastener: #6x1-1/4" TH SMS. #6x1/2" TH SMS.
Mounting: Body: 2 ea. #6x1-1/4" TH SMS.
Strike: 2 ea. #6x1/2" TH SMS.
Features:

- Includes installation instructions
- Dual double-pole, self-aligning magnets
- Packed with two short strikes and one long strike
- Can be used on pair of doors or single door

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STANILESS STEEL
FINISH: SEE NOTE
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-901 MISC GATE LATCH CAST HD MAGNETIC CATCH

SIZE	DWG. NO.	REV
B	ABH-14138	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







SECTION A-A

Finishes: Gray.
Fastener: 2ea. #12-24x1/2" FH MS.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	NAME / DATE
	INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN: Phap.D 15/01/2025
	MATERIAL: STANILESS STEEL	CHECKED: Thuong.N 15/01/2025
NEXT ASSY / USED ON	FINISH: SEE NOTE	ENG APPR. / MFG APPR.
APPLICATION	DO NOT SCALE DRAWING	Q.A.

TITLE: AB-DF86 FILLER PLATES DOOR EDGE

SIZE	DWG. NO.	REV
B	ABH-14143	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







SECTION A-A

Finishes: Gray.
Fastener: 2ea. #12-24x1/2" FH MS.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.* *ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	
	INTERPRET GEOMETRIC TOLERANCING PER:	
	MATERIAL: STANILESS STEEL	
NEXT ASSY / USED ON	FINISH: SEE NOTE	
APPLICATION	DO NOT SCALE DRAWING	

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-DFF4 FILLER PLATES FRAME HINGE

SIZE	DWG. NO.	REV
B	ABH-14144	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.







SECTION A-A

Finishes: Gray.
Fastener: 2 ea. #12-24x1/2" FH MS.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.* *ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	TITLE: AB-DHF4B FILLER PLATE
	INTERPRET GEOMETRIC TOLERANCING PER:	
	MATERIAL: STANILESS STEEL	
NEXT ASSY / USED ON	FINISH: SEE NOTE	SIZE: B · DWG. NO.: ABH-14146 · REV: 0
APPLICATION	DO NOT SCALE DRAWING	SCALE: 3:2 · WEIGHT: - · SHEET 1 OF 1

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.







COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STANILESS STEEL
FINISH: GALVANIZED COAT
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-HS42 FILLER PLATES HINGE SHIM 0.28" THICK

SIZE	DWG. NO.	REV
B	ABH-14154	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.







COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STANILESS STEEL
FINISH: GALVANIZED COAT
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-HS44 FILLER PLATES HINGE SHIM 0.28" THICK

SIZE	DWG. NO.	REV
B	ABH-14155	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







Fastener: 2 ea.#12-24x1/2" FH.MS.

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.* *ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION	
		INTERPRET GEOMETRIC TOLERANCING PER:	
		MATERIAL: STANILESS STEEL	
NEXT ASSY / USED ON		FINISH: GRAY	
APPLICATION		DO NOT SCALE DRAWING	

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-LA86 FILLER PLATE

SIZE	DWG. NO.	REV
B	ABH-14158	0

SCALE: 1:1 | WEIGHT: - | SHEET 1 OF 1







Fastener: 2ea. #8-32x1/2" FH MS.

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION	TITLE: AB-LF161 FILLER PLATES DOOR EDGE
		INTERPRET GEOMETRIC TOLERANCING PER:	DRAWN Phap.D 15/01/2025
		MATERIAL STANILESS STEEL	CHECKED Thuong.N 15/01/2025
NEXT ASSY	USED ON	FINISH GRAY	ENG APPR. / MFG APPR.
APPLICATION		DO NOT SCALE DRAWING	Q.A.

SIZE	DWG. NO.	REV
B	ABH-14159	0

SCALE: 2:1 WEIGHT: - SHEET 1 OF 1







Fastener: 2 ea. #12-24x 1/2" FH MS.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	NAME / DATE DRAWN: Phap.D 15/01/2025 CHECKED: Thuong.N 15/01/2025 ENG APPR.: MFG APPR.: Q.A.
	INTERPRET GEOMETRIC TOLERANCING PER:	TITLE: AB-SFASA FILLER PLATES TRIKE
	MATERIAL: STANILESS STEEL	SIZE: B · DWG. NO.: ABH-14161 · REV: 0
NEXT ASSY / USED ON	FINISH: GRAY	
APPLICATION	DO NOT SCALE DRAWING	SCALE: 1:1 · WEIGHT: - · SHEET 1 OF 1







Finishes: Gray.
Fastener: 2 ea. #8-32x1/2" FH MS.

COMMENTS:	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.*** *ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*	THIRD ANGLE PROJECTION	NAME / DATE DRAWN: Phap.D 15/01/2025 CHECKED: Thuong.N 15/01/2025 ENG APPR.: MFG APPR.: Q.A.
	INTERPRET GEOMETRIC TOLERANCING PER:	TITLE: AB-SFB160 FILLER PLATE
	MATERIAL: STANILESS STEEL	SIZE: B — DWG. NO.: ABH-14162 — REV: 0
NEXT ASSY / USED ON	FINISH: SEE NOTE	SCALE: 2:1 — WEIGHT: - — SHEET 1 OF 1
APPLICATION	DO NOT SCALE DRAWING	

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
RM4800 SERIES - BTB





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15836	AB-RM4810 ACCENTEK FORMED PULL	1
2	ABH-14057	3/8"-16 HEX DRIVER BINDING BARREL AND SCREW HEAD	2
3	ABH-14058	3/8"-16 HEX DRIVER BINDING BARREL AND SCREW	2
4	ABH-14021	AB-RM4820 ACCENTEK FORMED PULL-HANDLE	1
5	ABH-14022	AB- RM4820 ACCENTEK FORMED PULL - WASHER	2

Finish: WB, 10BE, 314E, BPC, BSP, FBPC, US32D, US32DMS, WPC, WSP.
Mounting: Bolt size: 3/8"-16. Drill size: ∅5/8.
End Shape: Flat
Grip Shape: Flat
Door Type: Glass Door, Wood, Metal
Pull Clearance: 1-3/4"
Maximum Center-To-Center: 36"
Projection: 1-15/16"
Fasteners: Socket Head Screw, Hex Head Screw, Socket Head Post, Socket Head Post, Cap Head

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: -

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	08/01/2025
CHECKED	ThuongN	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-RM4820xRM4810 16" CTC 1.75" DOOR THICKNESS

SIZE	DWG. NO.	REV
B	ABH-14203	0

SCALE: 1:20 WEIGHT: - SHEET 1 OF 1









Finishes:

- US28
- US3
- US4
- US10
- US10B
- 313
- 10BE
- 314
- 315
- BPC
- BSP
- FBPC
- US26
- US26D
- US32
- US32MS
- US32316
- US32D
- US32D316
- WPC
- WSP
- RPC

COMMENTS:		UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN **INCHES (MM)** TOLERANCES: FRACTIONAL ± .020 in (±0.5mm) ANGULAR: MACH ± 1 2 PLACE DECIMAL ±.010 in(±0.25mm) 3 PLACE DECIMAL ±.005 in(±0.13mm)	A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.
PROPRIETARY AND CONFIDENTIAL *THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*		THIRD ANGLE PROJECTION	
		INTERPRET GEOMETRIC TOLERANCING PER:	
		MATERIAL S.S.	
NEXT ASSY	USED ON	FINISH SEE NOTE	
APPLICATION		DO NOT SCALE DRAWING	

	NAME	DATE
DRAWN	H.Anh	08/01/2025
CHECKED	ThuongN	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-T16 90 DEG OFFSET DOOR PULLS

SIZE	DWG. NO.	REV
B	ABH-14204	

SCALE: 1:3 WEIGHT: - SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 16HD BTB







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14043	AB-BF157 PULL BAR	1
2	ABH-14713	T16 PULL BAR	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	4
4	ABH-14714	5/16"-18 x 2-1/4" DOUBLE CONE HEAD SCREW	2

Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅11/32
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Back to Back

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	08/01/2025
CHECKED	ThuongN	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: BF157BTB16 BACK TO BACK 90 DEG OFFSET DOOR PULL SET - OD 1", 10" CTC (TYPE 16HD BTB)

SIZE: B | DWG. NO.: ABH-14205 | REV: 0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
RM4800 SERIES - BTB





Finish: WB, 10BE, 314E, BPC, BSP, FBPC, US32D, US32DMS, WPC, WSP.
Mounting: Bolt size: 3/8"-16. Drill size: ∅5/8.
End Shape: Flat
Grip Shape: Flat
Door Type: Glass Door, Wood, Metal
Pull Clearance: 1-3/4"
Maximum Center-To-Center: 36"
Projection: 1-15/16"
Fasteners: Socket Head Screw, Hex Head Screw, Socket Head Post, Socket Head Post, Cap Head

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14057	3/8"-16 HEX DRIVER BINDING BARREL AND SCREW HEAD	2
2	ABH-14058	3/8"-16 HEX DRIVER BINDING BARREL AND SCREW	2
3	ABH-14021	AB-RM4820 ACCENTEK FORMED PULL-HANDLE	2
4	ABH-14022	AB- RM4820 ACCENTEK FORMED PULL - WASHER	4

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	08/01/2025
CHECKED	ThuongN	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-RM4820xRM4820-BTB 16" CTC 1.75" DOOR THICKNESS

SIZE	DWG. NO.	REV
B	ABH-14260	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
RM4800 SERIES - TB





Finish: WB, 10BE, 314E, BPC, BSP, FBPC, US32D, US32DMS, WPC, WSP.
Mounting: Bolt size: 3/8"-16. Drill size: ∅5/8.
End Shape: Flat
Grip Shape: Flat
Door Type: Glass Door, Wood, Metal
Pull Clearance: 1-3/4"
Maximum Center-To-Center: 36"
Projection: 1-15/16"
Fasteners: Socket Head Screw, Hex Head Screw, Socket Head Post, Socket Head Post, Cap Head

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14057	3/8"-16 HEX DRIVER BINDING BARREL AND SCREW HEAD	2
2	ABH-14058	3/8"-16 HEX DRIVER BINDING BARREL AND SCREW	2
3	ABH-14021	AB-RM4820 ACCENTEK FORMED PULL-HANDLE	1
4	ABH-14022	AB- RM4820 ACCENTEK FORMED PULL - WASHER	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL
STAINLESS STEEL

FINISH
-

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	08/01/2025
CHECKED	ThuongN	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: RM4820-TB 16" CTC 1.75" DOOR THICKNESS

SIZE	DWG. NO.	REV
B	ABH-14261	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD OR METAL DOORS
TYPE 5HD BTB



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14457	AB-102 DOOR PULLS 2-1/8"x5.5" (Concealed 1 screw)	1
2	ABH-14451	AB-102 DOOR PULLS 2-1/8"x5-1/2"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14108	5/16-18x2-1/2" CONE HEAD SCREW FOR STAND-OFF	2

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 5-1/2"
Projection: 2-1/8"
Clearance: 1-1/2"
Mouting Type: Back to Back

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102 DOOR PULLS 2-1/8"x5-1/2" (TYPE-5HD)

SIZE: B | DWG. NO.: ABH-14452 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



METAL DOORS
TYPE 6HD



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14457	AB-102 DOOR PULLS 2-1/8"x5.5" (Concealed 1 screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/16"-18 TAP
Center to Center: 5-1/2"
Projection: 2-1/8"
Clearance: 1-1/2"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102 DOOR PULLS 2-1/8"x5-1/2" (TYPE-6HD)

SIZE: B | DWG. NO.: ABH-14453 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD DOORS
TYPE 8HD



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14457	AB-102 DOOR PULLS 2-1/8"x5.5" (Concealed 1 screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2
4	ABH-14109	Zinc Alloy Tapping Inserts for Softwood	2

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅7/16"-9/16
Center to Center: 5-1/2"
Projection: 2-1/8"
Clearance: 1-1/2"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102 DOOR PULLS 2-1/8"x5-1/2" (TYPE-8HD)

SIZE B | DWG. NO. ABH-14454 | REV 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



GLASS DOORS
TYPE 13HD-BTB





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14457	AB-102 DOOR PULLS 2-1/8"x5.5" (Concealed 1 screw)	1
2	ABH-14451	AB-102 DOOR PULLS 2-1/8"x5-1/2"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14106	5/8" ∅ DOOR BUSHING, 1/2" DOOR	2
5	ABH-14107	MOUNTING POST PLASTIC WASHER	4
6	ABH-14111	5/16-18x2" CONE HEAD SCREW FOR STAND-OFF	2
7	ABH-14110	1"DIA. STAND-OFF STEEL WASHER	2

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 5-1/2"
Projection: 2-1/8"
Clearance: 1-1/2"
Mouting Type: Back to Back

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STAINLESS STEEL
FINISH: SEE NOTE
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102 DOOR PULLS 2-1/8"x5-1/2" (TYPE-13HD)

SIZE	DWG. NO.	REV
B	ABH-14455	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1



GLASS DOORS
TYPE 15HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14451	AB-102 DOOR PULLS 2-1/8"x5-1/2"	1
2	ABH-14112	5/16"-18x1"-5/8 HIGHT STRENGTH STEEL THREADED ROD	2
3	ABH-14113	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2
4	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
5	ABH-14106	5/8" ∅ DOOR BUSHING, 1/2" DOOR	2
6	ABH-14107	MOUNTING POST PLASTIC WASHER	4

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 5-1/2"
Projection: 2-1/8"
Clearance: 1-1/2"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102 DOOR PULLS 2-1/8"x5-1/2" (TYPE-15HD)

SIZE	DWG. NO.	REV
B	ABH-14456	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD OR METAL DOORS
TYPE 5HD-BTB





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14464	AB-105 DOOR PULLS 2-5/8"x5-1/2" (Concealed 1 screw)	1
2	ABH-14458	AB-105 DOOR PULLS 2-5/8"x5-1/2"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14108	5/16-18x2-1/2" CONE HEAD SCREW FOR STAND-OFF	2

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 5-1/2"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Back to Back

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-105 DOOR PULLS 2-5/8"x5-1/2" (TYPE-5HD)

SIZE	DWG. NO.	REV
B	ABH-14459	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

METAL DOORS
TYPE 6HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14464	AB-105 DOOR PULLS 2-5/8"x5-1/2" (Concealed 1 screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2

Finishes:

- US28/628
- US10B/613
- US32D/630
- US32316
- US3/605
- 10BE/613E
- US32/629
- 313/710
- US4/606
- US26/625
- US32DMS
- 315/711
- US10/612
- US26D/626
- US32D316
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/16"-18 TAP
Center to Center: 5-1/2"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-105 DOOR PULLS 2-5/8"x5-1/2" (TYPE-6HD)

SIZE	DWG. NO.	REV
B	ABH-14460	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD DOORS
TYPE 8HD





Finishes:

• US28/628	• US10B/613	• US32D/630	• US32316
• US3/605	• 10BE/613E	• US32/629	• 313/710
• US4/606	• US26/625	• US32DMS	• 315/711
• US10/612	• US26D/626	• US32D316	• Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅7/16"-9/16
Center to Center: 5-1/2"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14464	AB-105 DOOR PULLS 2-5/8"x5-1/2" (Concealed 1 screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2
4	ABH-14109	Zinc Alloy Tapping Inserts for Softwood	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-105 DOOR PULLS 2-5/8"x5-1/2" (TYPE-8HD)

SIZE B | DWG. NO. ABH-14461 | REV 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



GLASS DOORS
TYPE 13HD-BTB





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14464	AB-105 DOOR PULLS 2-5/8"x5-1/2" (Concealed 1 screw)	1
2	ABH-14458	AB-105 DOOR PULLS 2-5/8"x5-1/2"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14106	5/8" ∅ DOOR BUSHING, 1/2" DOOR	2
5	ABH-14107	MOUNTING POST PLASTIC WASHER	4
6	ABH-14111	5/16-18x2" CONE HEAD SCREW FOR STAND-OFF	2
7	ABH-14110	1"DIA. STAND-OFF STEEL WASHER	2

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 5-1/2"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Back to Back

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STAINLESS STEEL
FINISH: SEE NOTE
DO NOT SCALE DRAWING

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON
APPLICATION

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-105 DOOR PULLS 2-5/8"x5-1/2" (TYPE-13HD)

SIZE	DWG. NO.	REV
B	ABH-14462	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



GLASS DOORS
TYPE 15HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14458	AB-105 DOOR PULLS 2-5/8"x5-1/2"	1
2	ABH-14112	5/16"-18x1"-5/8 HIGHT STRENGTH STEEL THREADED ROD	2
3	ABH-14113	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2
4	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
5	ABH-14106	5/8" ∅ DOOR BUSHING, 1/2" DOOR	2
6	ABH-14107	MOUNTING POST PLASTIC WASHER	4

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 5-1/2"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-105 DOOR PULLS 2-5/8"x5-1/2" (TYPE-15HD)

SIZE: B | DWG. NO.: ABH-14463 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 5HD BTB







Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US32/629
- US32D/630
- US32DMS

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Size: 3-1/2"x15"
Center to Center: 5-1/2"
Projection: 2-1/8"
Clearance: 1-1/2"
Mouting Type: Back to Back

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12674	AB-102x70B PULL PLATES 3-1/2"x 15"	1
2	ABH-14473	AB-102x70B PULL PLATES 3-1/2"x 15"(Concealed 1 Screw)	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14108	5/16-18x2" CONE HEAD SCREW FOR STAND-OFF	2
5	ABH-14114	#6 x 5/8" OVAL HEAD SHEET METAL SCREWS	12

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102x70B PULL PLATES 3-1/2"x 15" (TYPE-5HD)

SIZE	DWG. NO.	REV
B	ABH-14470	0

SCALE: 1:4 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

METAL DOORS
TYPE 6HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14473	AB-102x70B PULL PLATES 3-1/2"x 15"(Concealed 1 Screw)	1
2	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14114	#6 x 5/8" OVAL HEAD SHEET METAL SCREWS	6

Finishes:
- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US32/629
- US32D/630
- US32DMS

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/16"-18 TAP
Size: 3-1/2"x15"
Center to Center: 5-1/2"
Projection: 2-1/8"
Clearance: 1-1/2"
Mouting Type: Single

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102x70B PULL PLATES 3-1/2"x 15" (TYPE-6HD)

SIZE	DWG. NO.	REV
B	ABH-14471	0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD DOORS
TYPE 8HD





Finishes:

- US3/605
- US4/606
- US10/612
- US10B/613
- US10BE/613E
- US26/625
- US26D/626
- US32/629
- US32D/630
- US32DMS

Mouting : Bolt Size 5/16"-18. Drill Size: ∅7/16"-9/16
Size: 3-1/2"x15"
Center to Center: 5-1/2"
Projection: 2-1/8"
Clearance: 1-1/2"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14473	AB-102x70B PULL PLATES 3-1/2"x 15"(Concealed 1 Screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2
4	ABH-14109	Zinc Alloy Tapping Inserts for Softwood	2
5	ABH-14114	#6 x 5/8" OVAL HEAD SHEET METAL SCREWS	6

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	17/01/2025
CHECKED	Thuong.N	17/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-102x70B PULL PLATES 3-1/2"x 15" (TYPE-8HD)

SIZE	DWG. NO.	REV
B	ABH-14472	0

SCALE: 1:3 | WEIGHT: - | SHEET 1 OF 1



WOOD OR METAL DOORS
TYPE 5HD BTB



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14494	3/4" DIA. X 6-3/4" OVERALL LENGTH X 6"CTC BENT BARRIER FREE PULL HANDLE-LOCKING	1
2	ABH-14528	3/4" DIA. X 6-3/4" OVERALL LENGTH X 6"CTC BENT BARRIER FREE PULL HANDLE-NON-LOCKING	1
3	ABH-9217	1/4-20x1/4" CUP POINT SET SCREW	2
4	ABH-7643	5/16-18 X 3-1/4" CONEHEAD SCREW FOR 1-3/4" THICK DOOR	2
5	ABH-7644	5/16-18 X 3-3/4" CONEHEAD SCREW FOR 2-1/4" THICK DOOR	2
6	ABH-8097	3/4"O.D. X .325 I.D., .036 THICK, PLASTIC WASHER	4
7	ABH-8100	3/4"O.D. X .344 I.D., .043 THICK, S.S. WASHER	4

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mounting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 6"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Back to Back

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-106 DOOR PULLS (TYPE-5HD)

SIZE	DWG. NO.	REV
B	ABH-14529	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



METAL DOORS
TYPE 6HD



Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/16"-18 TAP
Center to Center: 6"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14494	AB-106 DOOR PULLS 2-3/8"x6" (Concealed 1 screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-106 DOOR PULLS 2-3/8"x6" (TYPE-6HD)

SIZE	DWG. NO.	REV
B	ABH-14530	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD DOORS
TYPE 8HD





Finishes:

• US28/628	• US10B/613	• US32D/630	• US32316
• US3/605	• 10BE/613E	• US32/629	• 313/710
• US4/606	• US26/625	• US32DMS	• 315/711
• US10/612	• US26D/626	• US32D316	• Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅7/16"-9/16
Center to Center: 6"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14494	AB-106 DOOR PULLS 2-3/8"x6" (Concealed 1 screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2
4	ABH-14109	Zinc Alloy Tapping Inserts for Softwood	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-106 DOOR PULLS 2-3/8"x6" (TYPE-8HD)

SIZE: B | DWG. NO.: ABH-14531 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

GLASS DOORS
TYPE 13HD BTB







Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 6"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Back to Back

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14494	AB-106 DOOR PULLS 2-3/8"x6" (Concealed 1 screw)	1
2	ABH-12516	AB-106 DOOR PULLS 2-3/8"x6"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14106	5/8" ∅ DOOR BUSHING, 1/2" DOOR	2
5	ABH-14107	MOUNTING POST PLASTIC WASHER	4
6	ABH-14111	5/16-18x2" CONE HEAD SCREW FOR STAND-OFF	2
7	ABH-14110	1"DIA. STAND-OFF STEEL WASHER	2

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	08/01/2025
CHECKED	Thuong.N	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-106 DOOR PULLS 2-3/8"x6" (TYPE-13HD)

SIZE	DWG. NO.	REV
B	ABH-14532	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



GLASS DOORS
TYPE 15HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12516	AB-106 DOOR PULLS 2-3/8"x6"	1
2	ABH-14112	5/16"-18x1"-5/8 HIGHT STRENGTH STEEL THREADED ROD	2
3	ABH-14113	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2
4	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
5	ABH-14106	5/8" ∅ DOOR BUSHING, 1/2" DOOR	2
6	ABH-14107	MOUNTING POST PLASTIC WASHER	4

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 6"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-106 DOOR PULLS 2-3/8"x6" (TYPE-15HD)

SIZE: B | DWG. NO.: ABH-14533 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD OR METAL DOORS
TYPE 5HD BTB





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14505	AB-107 DOOR PULLS 2-5/8"x8" (Concealed 1 Screw)	1
2	ABH-12517	AB-107 DOOR PULLS 2-5/8"x8"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14108	5/16-18x2" CONE HEAD SCREW FOR STAND-OFF	2

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 8"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Back to Back

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-107 DOOR PULLS 2-5/8"x8" (TYPE-5HD)

SIZE	DWG. NO.	REV
B	ABH-14535	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

METAL DOORS
TYPE 6HD





Finishes:

• US28/628	• US10B/613	• US32D/630	• US32316
• US3/605	• 10BE/613E	• US32/629	• 313/710
• US4/606	• US26/625	• US32DMS	• 315/711
• US10/612	• US26D/626	• US32D316	• Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/16"-18 TAP
Center to Center: 8"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14505	AB-107 DOOR PULLS 2-5/8"x8" (Concealed 1 Screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

NEXT ASSY | USED ON

APPLICATION

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	13/01/2025
CHECKED	Thuong.N	13/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-107 DOOR PULLS 2-5/8"x8" (TYPE-6HD)

SIZE: B | DWG. NO.: ABH-14536 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅7/16"-9/16
Center to Center: 8"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

WOOD DOORS
TYPE 8HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14505	AB-107 DOOR PULLS 2-5/8"x8" (Concealed 1 Screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2
4	ABH-14109	Zinc Alloy Tapping Inserts for Softwood	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-107 DOOR PULLS 2-5/8"x8" (TYPE-8HD)

SIZE: B | DWG. NO.: ABH-14537 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 8"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Back to Back

GLASS DOORS
TYPE 13HD BTB





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14505	AB-107 DOOR PULLS 2-5/8"x8" (Concealed 1 Screw)	1
2	ABH-12517	AB-107 DOOR PULLS 2-5/8"x8"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14106	5/8"∅DOOR BUSHING, 1/2" DOOR	2
5	ABH-14107	MOUNTING POST PLASTIC WASHER	4
6	ABH-14111	5/16-18x2" CONE HEAD SCREW FOR STAND-OFF	2
7	ABH-14110	1"DIA. STAND-OFF STEEL WASHER	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

NEXT ASSY | USED ON

APPLICATION

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	08/01/2025
CHECKED	Thuong.N	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-107 DOOR PULLS 2-5/8"x8" (TYPE-13HD)

SIZE: B | DWG. NO.: ABH-14538 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



GLASS DOORS
TYPE 15HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12517	AB-107 DOOR PULLS 2-5/8"x8"	1
2	ABH-14112	5/16"-18x1"-5/8 HIGHT STRENGTH STEEL THREADED ROD	2
3	ABH-14113	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2
4	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
5	ABH-14106	5/8" ∅ DOOR BUSHING, 1/2" DOOR	2
6	ABH-14107	MOUNTING POST PLASTIC WASHER	4

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- Powder Coat

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 8"
Projection: 2-5/8"
Clearance: 1-7/8"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY	USED ON
APPLICATION	DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-107 DOOR PULLS 2-5/8"x8" (TYPE-15HD)

SIZE	DWG. NO.	REV
B	ABH-14539	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD OR METAL DOORS
TYPE 5HD BTB





Finishes:

- US28/628 • US10B/613 • US32D/630 • US32316 • BPC • Stock Powder Coats
- US3/605 • 10BE/613E • US32/629 • 313/710 • FBPC
- US4/606 • US26/625 • US32DMS • 315/711 • WSP
- US10/612 • US26D/626 • US32D316 • BSP • WPC

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 8"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Back to Back

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14516	AB-110 DOOR PULLS 3-1/2"x8" Concealed 1 Screw	1
2	ABH-12520	AB-110 DOOR PULLS 3-1/2"x8"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14108	5/16-18x2" CONE HEAD SCREW FOR STAND-OFF	2

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-110 DOOR PULLS 3-1/2"x8" (TYPE-5HD)

SIZE	DWG. NO.	REV
B	ABH-14541	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



METAL DOORS
TYPE 6HD



Finishes:

- US28/628 • US10B/613 • US32D/630 • US32316 • BPC • Stock Powder Coats
- US3/605 • 10BE/613E • US32/629 • 313/710 • FBPC
- US4/606 • US26/625 • US32DMS • 315/711 • WSP
- US10/612 • US26D/626 • US32D316 • BSP • WPC

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/16"-18 TAP
Center to Center: 8"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14516	AB-110 DOOR PULLS 3-1/2"x8" Concealed 1 Screw	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-110 DOOR PULLS 3-1/2"x8" (TYPE-6HD)

SIZE	DWG. NO.	REV
B	ABH-14542	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD DOORS
TYPE 8HD





Finishes:

- US28/628 • US10B/613 • US32D/630 • US32316 • BPC • Stock Powder Coats
- US3/605 • 10BE/613E • US32/629 • 313/710 • FBPC
- US4/606 • US26/625 • US32DMS • 315/711 • WSP
- US10/612 • US26D/626 • US32D316 • BSP • WPC

Mouting : Bolt Size 5/16"-18. Drill Size: ∅7/16"-9/16
Center to Center: 8"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14516	AB-110 DOOR PULLS 3-1/2"x8" Concealed 1 Screw	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2
4	ABH-14109	Zinc Alloy Tapping Inserts for Softwood	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-110 DOOR PULLS 3-1/2"x8" (TYPE-8HD)

SIZE: B | DWG. NO.: ABH-14543 | REV: 0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



GLASS DOORS
TYPE 13HD BTB





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14516	AB-110 DOOR PULLS 3-1/2"x8" Concealed 1 Screw	1
2	ABH-12520	AB-110 DOOR PULLS 3-1/2"x8"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14106	5/8"∅DOOR BUSHING, 1/2" DOOR	2
5	ABH-14107	MOUNTING POST PLASTIC WASHER	4
6	ABH-14111	5/16-18x2" CONE HEAD SCREW FOR STAND-OFF	2
7	ABH-14110	1"DIA. STAND-OFF STEEL WASHER	2

Finishes:

- US28/628 • US10B/613 • US32D/630 • US32316 • BPC • Stock Powder Coats
- US3/605 • 10BE/613E • US32/629 • 313/710 • FBPC
- US4/606 • US26/625 • US32DMS • 315/711 • WSP
- US10/612 • US26D/626 • US32D316 • BSP • WPC

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 8"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Back to Back

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-110 DOOR PULLS 3-1/2"x8" (TYPE-13HD)

SIZE	DWG. NO.	REV
B	ABH-14544	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



GLASS DOORS
TYPE 15HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12520	AB-110 DOOR PULLS 3-1/2"x8"	1
2	ABH-14112	5/16"-18x1"-5/8 HIGHT STRENGTH STEEL THREADED ROD	2
3	ABH-14113	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2
4	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
5	ABH-14106	5/8" ∅ DOOR BUSHING, 1/2" DOOR	2
6	ABH-14107	MOUNTING POST PLASTIC WASHER	4

Finishes:

- US28/628
- US10B/613
- US32D/630
- US32316
- BPC
- Stock Powder Coats
- US3/605
- 10BE/613E
- US32/629
- 313/710
- FBPC
- US4/606
- US26/625
- US32DMS
- 315/711
- WSP
- US10/612
- US26D/626
- US32D316
- BSP
- WPC

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 8"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-110 DOOR PULLS 3-1/2"x8" (TYPE-15HD)

SIZE	DWG. NO.	REV
B	ABH-14545	0

SCALE: 1:2 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD OR METAL DOORS
TYPE 5HD BTB





Finishes:

- US28/628
- US10B/613
- US32D/630
- US32316
- BPC
- Stock Powder Coats
- US3/605
- 10BE/613E
- US32/629
- 313/710
- FBPC
- US4/606
- US26/625
- US32DMS
- 315/711
- WSP
- US10/612
- US26D/626
- US32D316
- BSP
- WPC

Mouting : Bolt Size 5/16"-18. Drill Size: ∅11/32"
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Back to Back

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14522	AB-111 DOOR PULLS 3-1/2"x10"(Concealed 1 Screw)	1
2	ABH-12522	AB-111 DOOR PULLS 3-1/2"x10"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14108	5/16-18x2" CONE HEAD SCREW FOR STAND-OFF	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-111 DOOR PULLS 3-1/2"x10" (TYPE-5HD)

SIZE: B | DWG. NO.: ABH-14547 | REV: 0

SCALE: 2:5 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



METAL DOORS
TYPE 6HD



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14522	AB-111 DOOR PULLS 3-1/2"x10"(Concealed 1 Screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2

Finishes:

- US28/628 • US10B/613 • US32D/630 • US32316 • BPC • Stock Powder Coats
- US3/605 • 10BE/613E • US32/629 • 313/710 • FBPC
- US4/606 • US26/625 • US32DMS • 315/711 • WSP
- US10/612 • US26D/626 • US32D316 • BSP • WPC

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/16"-18 TAP
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Single

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-111 DOOR PULLS 3-1/2"x10" (TYPE-6HD)

SIZE: B | DWG. NO.: ABH-14548 | REV: 0

SCALE: 2:5 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



WOOD DOORS
TYPE 8HD





Finishes:

- US28/628 • US10B/613 • US32D/630 • US32316 • BPC • Stock Powder Coats
- US3/605 • 10BE/613E • US32/629 • 313/710 • FBPC
- US4/606 • US26/625 • US32DMS • 315/711 • WSP
- US10/612 • US26D/626 • US32D316 • BSP • WPC

Mouting : Bolt Size 5/16"-18. Drill Size: ∅7/16"-9/16
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14522	AB-111 DOOR PULLS 3-1/2"x10"(Concealed 1 Screw)	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14046	5/16-18"x7/8" CONE HEAD SCREW	2
4	ABH-14109	Zinc Alloy Tapping Inserts for Softwood	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-111 DOOR PULLS 3-1/2"x10" (TYPE-8HD)

SIZE	DWG. NO.	REV
B	ABH-14549	0

SCALE: 2:5 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



GLASS DOORS
TYPE 13HD BTB





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14522	AB-111 DOOR PULLS 3-1/2"x10"(Concealed 1 Screw)	1
2	ABH-12522	AB-111 DOOR PULLS 3-1/2"x10"	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
4	ABH-14106	5/8"∅DOOR BUSHING, 1/2" DOOR	2
5	ABH-14107	MOUNTING POST PLASTIC WASHER	4
6	ABH-14111	5/16-18x2" CONE HEAD SCREW FOR STAND-OFF	2
7	ABH-14110	1"DIA. STAND-OFF STEEL WASHER	2

Finishes:

- US28/628 • US10B/613 • US32D/630 • US32316 • BPC • Stock Powder Coats
- US3/605 • 10BE/613E • US32/629 • 313/710 • FBPC
- US4/606 • US26/625 • US32DMS • 315/711 • WSP
- US10/612 • US26D/626 • US32D316 • BSP • WPC

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Back to Back

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: Stainless Steel
FINISH: SEE NOTE
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	14/01/2025
CHECKED	Thuong.N	14/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-111 DOOR PULLS 3-1/2"x10"(TYPE-13HD)

SIZE	DWG. NO.	REV
B	ABH-14550	0

SCALE: 2:5 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.



GLASS DOORS
TYPE 15HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-12522	AB-111 DOOR PULLS 3-1/2"x10"	1
2	ABH-14112	5/16"-18x1"-5/8 HIGHT STRENGTH STEEL THREADED ROD	2
3	ABH-14113	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2
4	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
5	ABH-14106	5/8" ∅ DOOR BUSHING, 1/2" DOOR	2
6	ABH-14107	MOUNTING POST PLASTIC WASHER	4

Finishes:

- US28/628
- US3/605
- US4/606
- US10/612
- US10B/613
- 10BE/613E
- US26/625
- US26D/626
- US32D/630
- US32/629
- US32DMS
- US32D316
- US32316
- 313/710
- 315/711
- BSP
- BPC
- FBPC
- WSP
- WPC
- Stock Powder Coats

Mouting : Bolt Size 5/16"-18. Drill Size: ∅5/8"
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: Stainless Steel

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Danh.N	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-111 DOOR PULLS 3-1/2"x10" (TYPE-15HD)

SIZE: B | DWG. NO.: ABH-14551 | REV: 0

SCALE: 2:5 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 12HD







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14043	AB-BF157 PULL BAR	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14059	5/16"-18 x 2-7/8" H-STRENGTH THREADED ROD	2
4	ABH-14708	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2

Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅ 11/32"
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Single

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF157 90 DEG OFFSET DOOR PULL (TYPE 12HD)

SIZE	DWG. NO.	REV
B	ABH-14902	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

GLASS DOORS
TYPE 15HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14043	AB-BF157 PULL BAR	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14712	HIGH-STRENGTH STEEL THREADED ROD	2
4	ABH-14708	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2
5	ABH-14709	5/8"∅ DOOR BUSHING, 1/2" DOOR	2
6	ABH-14711	MOUNTING POST PLASTIC WASHER	4

Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅5/8"
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF157 90 DEG OFFSET DOOR PULL (TYPE 15HD)

SIZE	DWG. NO.	REV
B	ABH-14903	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 16HD BTB







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14043	AB-BF157 PULL BAR	1
2	ABH-14713	T16 PULL BAR	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	4
4	ABH-14714	5/16"-18 x 2-1/4" DOUBLE CONE HEAD SCREW	2

Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅11/32
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Back to Back

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	08/01/2025
CHECKED	ThuongN	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: BF157BTB16 BACK TO BACK 90 DEG OFFSET DOOR PULL SET - OD 1", 10" CTC (TYPE 16HD BTB)

SIZE	DWG. NO.	REV
B	ABH-14904	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

SURFACE CONCEALED METAL DOORS
TYPE 17HD







Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: 5/16"-18 Tap
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14703	AB-BF157 PULL BAR	1
2	ABH-14051	5/16"-18 x 7/8" CONE HEAD SCREW	2
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	4

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF157 90 DEG OFFSET DOOR PULLS (TYPE 17HD)

SIZE: B | DWG. NO.: ABH-14905 | REV: 0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

GLASS DOORS
TYPE 18HD BTB





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14703	AB-BF157 PULL BAR	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	4
3	ABH-14051	5/16"-18 x 7/8" CONE HEAD SCREW	2
4	ABH-14709	5/8"∅ DOOR BUSHING, 1/2" DOOR	2
5	ABH-14711	MOUNTING POST PLASTIC WASHER	4
6	ABH-14204	AB-T16 PULL BAR	1

Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅5/8"
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Back To Back

COMMENTS:

NEXT ASSY | USED ON

APPLICATION

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF157 90 DEG OFFSET DOOR PULL (TYPE 18HD BTB)

SIZE	DWG. NO.	REV
B	ABH-14906	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

GLASS DOORS
TYPE 18HD BTB





Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅5/8"
Center to Center: 10"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Back To Back

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14703	AB-BF157 PULL BAR	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	4
3	ABH-14204	AB-T16 PULL BAR	1
4	ABH-14051	5/16"-18 x 7/8" CONE HEAD SCREW	2
5	ABH-14709	5/8"∅ DOOR BUSHING, 1/2" DOOR	2
6	ABH-14711	MOUNTING POST PLASTIC WASHER	4

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF157 90 DEG OFFSET DOOR PULL (TYPE 18HD BTB)

SIZE	DWG. NO.	REV
B	ABH-14908	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 12HD







Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅11/32"
Center to Center: 12"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14044	AB-BF158 PULL BAR	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14059	5/16"-18 x 2-7/8" H-STRENGTH THREADED ROD	2
4	ABH-14708	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STAINLESS STEEL
FINISH: SEE NOTE
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF158 90 DEG OFFSET DOOR PULL (TYPE 12HD)

SIZE	DWG. NO.	REV
B	ABH-14910	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

GLASS DOORS
TYPE 15HD





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14044	AB-BF158 PULL BAR	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	2
3	ABH-14712	HIGH-STRENGTH STEEL THREADED ROD	2
4	ABH-14708	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2
5	ABH-14709	5/8"∅ DOOR BUSHING, 1/2" DOOR	2
6	ABH-14711	MOUNTING POST PLASTIC WASHER	4

Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅5/8"
Center to Center: 12"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Single

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF158 90 DEG OFFSET DOOR PULL (TYPE 15HD)

SIZE	DWG. NO.	REV
B	ABH-14911	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE 16HD BTB







ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14044	AB-BF158 PULL BAR	1
2	ABH-14715	T16790 DEG OFFSET DOOR PULLS	1
3	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	4
4	ABH-14714	5/16"-18 x 2-1/4" DOUBLE CONE HEAD SCREW	2

Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅11/32
Center to Center: 12"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Back to Back

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	08/01/2025
CHECKED	ThuongN	08/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: BF158BTB17 BACK TO BACK 90 DEG OFFSET DOOR PULL SET - OD 1", 10" CTC (TYPE 16HD BTB)

SIZE	DWG. NO.	REV
B	ABH-14912	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

SURFACE CONCEALED METAL DOORS
TYPE 17HD





Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: 5/16"-18 Tap
Center to Center: 12"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Single

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14717	AB-BF158 PULL BAR	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	4
3	ABH-14051	5/16"-18 x 7/8" CONE HEAD SCREW	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF158 90 DEG OFFSET DOOR PULLS (TYPE 17HD)

SIZE	DWG. NO.	REV
B	ABH-14913	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

GLASS DOORS
TYPE 18HD BTB





ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14717	AB-BF158 PULL BAR	1
2	ABH-14045	1/4-20x3/8" CUP PT. SET SCREW	4
3	ABH-14716	AB-BF158 PULL BAR	1
4	ABH-14051	5/16"-18 x 7/8" CONE HEAD SCREW	2
5	ABH-14709	5/8"∅ DOOR BUSHING, 1/2" DOOR	2
6	ABH-14711	MOUNTING POST PLASTIC WASHER	4

Finishes: Availables instandard architectural finishes, US32DMS, US32D316, White (WPC), red (RPC), and black (BPC) powder coat finishes.
Mouting: Bolt Size: 5/16"-18, Drill Size: ∅5/8"
Center to Center: 12"
Projection: 3-1/2"
Clearance: 2-1/2"
Offset: 4"
Mouting Type: Back To Back

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF158 90 DEG OFFSET DOOR PULL (TYPE 18HD BTB)

SIZE	DWG. NO.	REV
B	ABH-14914	0

SCALE: 1:20 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE T1HD - BTB







Finishes: US28, US3, US4, US10, US10B, 313, 10BE, 314, 315, BPC, BSP, FBPC, US26,US26D, US32, US32MS, US32316, US32D, US32DMS, US32D316, WPC, WSP.
Pull: CTC: 10"
Overall : 11"
Projection: 3-1/2"
Clearance:2-1/2"
Push: CTC: 24"
Overall : 25"
Projection: 2-3/4"
Clearance:1-3/4"

Moutings: 1/4"-20-3/8" Cup PT.Set Screws.
5/16-18x3-1/4" Conehead Screw For 1-3/4" Thick Door.
5-16"-18x2-1/2" Threaded Rob.
5-16"-18x1/2" Spanner 1" OD With 1/4 Set Screw.

Bolt Size: 5/16"-18, Drill Size: ∅11/32.

Option:
- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BPBF15747) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (BF15747 T3HD)

Mouting Type: Back to Back.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14723	AB-BF15747 PUSH BAR	1
2	ABH-14722	AB-BF15747 PULL BAR	1
3	ABH-8203	1/4-20x3/8" CUP PT SET SCREW	3
4	ABH-8932	5/16"-18x2-1/2" HIGH-STRENGTH STEEL THREADED ROD	2
5	ABH-8112	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2
6	ABH-7643	5/16-18 X 3-1/4" CONEHEAD SCREW FOR 1-3/4" THICK DOOR	1

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)
THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STAINLESS STEEL
FINISH: SEE NOTE
DO NOT SCALE DRAWING

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON
APPLICATION

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	H.Anh	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF15747 OFFSET SINGLE BAR SETS (TYPE T1 HD)

SIZE	DWG. NO.	REV
B	ABH-14916	0

SCALE: 1:4 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

GLASS DOORS
TYPE T2HD - BTB





Finishes: US28, US3, US4, US10, US10B, 313, 10BE, 314, 315, BPC, BSP, FBPC, US26,US26D, US32, US32MS, US32316, US32D, US32DMS, US32D316, WPC, WSP.
Pull: CTC: 10"
Overall : 11"
Projection: 3-1/2"
Clearance:2-1/2"
Push: CTC: 24"
Overall : 25"
Projection: 2-3/4"
Clearance:1-3/4"

Moutings: 1/4"-20-3/8" Cup PT.Set Screws.
5-16"-18-1/2" Spanner 1" OD With 1/4 Set Screw.
5/16-18x3-1/4" Conehead Screw For 1/2" Thick Door.
5/16"-18x2" Hight Strength Steel Threaded Rob
5-16" Mouting Post Plastic Washer.
5/8"∅ Door Bushing, 1/2" Door.

Bolt Size: 5/16"-18, Drill Size: ∅5/8.

Option:
- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BPBF15747) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (BF15747 T3HD)

Mouting Type: Back to Back.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14723	AB-BF15747 PUSH BAR	1
2	ABH-14722	AB-BF15747 PULL BAR	1
3	ABH-8203	1/4-20x3/8" CUP PT SET SCREW	3
4	ABH-8112	5/16"-18x1/2" SPANNER FASTENER 1" OD WITH #1/4 SET SCREW	2
5	ABH-7591	5/16-18 X 2" CONEHEAD SCREW FOR 1/2" THICK DOOR	1
6	ABH-8931	5/16-18X2' HIGH-STRENGTH STEEL THREADED ROD	2
7	ABH-7753	5/16"MOUNTING POST PLASTIC WASHER	6
8	ABH-7750	5/8"∅ DOOR BUSHING, 1/2" DOOR	3

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	06/10/2025
CHECKED	ThuongN	06/10/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF15747 OFFSET SINGLE BAR SETS (TYPE T2 HD)

SIZE	DWG. NO.	REV
B	ABH-14917	0

SCALE: 1:4 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

GLASS DOORS
TYPE T2 - BTB







Finishes: US28, US3, US4, US10, US10B, 313, 10BE, 314, 315, BPC, BSP, FBPC, US26,US26D, US32, US32MS, US32316, US32D, US32DMS, US32D316, WPC, WSP.
Pull: CTC: 10"
Overall : 11"
Projection: 3-1/2"
Clearance:2-1/2"
Push: CTC: 24"
Overall : 25"
Projection: 2-3/4"
Clearance:1-3/4"

Moutings: 1/4"-20-3/8" Cup PT.Set Screws.
1/4"-20-1/2" Spanner 1" OD With 1/4 Set Screw.
1/4-20x2-1/4" Conehead Screw For 1/2" Thick Door.
1/4"-20X1-1/4" Hight Strength Steel Threaded Rob
5-16" Mouting Post Plastic Washer.
1/4" Door Bushing, 1/2" Door.

Bolt Size: 1/4"-20, Drill Size: ∅5/8.

Option:
- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BPBF15747) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (BF15747 T3HD)

Mouting Type: Back to Back.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14049	AB-BF15747 PUSH BAR	1
2	ABH-14047	AB-BF15747 PULL BAR	1
3	ABH-8203	1/4-20x3/8" CUP PT SET SCREW	3
4	ABH-9006	1/4"-20x1/2" SPANNER FASTNER 1" OD WITH # 1/4 SET SCREW	2
5	ABH-14718	1/4-20"x2-1/4" CONE HEAD SCREW FOR 1/2" THICK DOOR	1
6	ABH-9013	1/4"-20x1-1/4" HIGHT STRENGTH STEEL THREADED ROD	2
7	ABH-7753	5/16"MOUNTING POST PLASTIC WASHER	6
8	ABH-14724	1/4" DOOR BUSHING, 1/2" DOOR	3

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**.*
*ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

NEXT ASSY | USED ON

APPLICATION

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	06/10/2025
CHECKED	ThuongN	06/10/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF15747 OFFSET SINGLE BAR SETS (TYPE T2)

SIZE	DWG. NO.	REV
B	ABH-14918	0

SCALE: 1:4 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE T3 - BTB







Finishes: US28, US3, US4, US10, US10B, 313, 10BE, 314, 315, BPC, BSP, FBPC, US26,US26D, US32, US32MS, US32316, US32D, US32DMS, US32D316, WPC, WSP.
Pull: CTC: 10"
Overall : 11"
Projection: 3-1/2"
Clearance:2-1/2"
Push: CTC: 24"
Overall : 25"
Projection: 2-3/4"
Clearance:1-3/4"

Moutings: 1/4"-20-3/8" Cup PT.Set Screws.
1/4"-20x2-1/2" Conehead Screw For 1-3/4" Thick Door.
C'sink Washer For 1/4 Thread M.S.
1-4"-20-1/4" Phillips Flat Head Machine Screw.

Bolt Size: 1/4"-20, Drill Size: ∅9/32.

Option:
- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BPBF15747) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (BF15747 T3HD)

Mouting Type: Back to Back.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14049	AB-BF15747 PUSH BAR	1
2	ABH-14047	AB-BF15747 PULL BAR	1
3	ABH-8203	1/4-20x3/8" CUP PT SET SCREW	1
4	ABH-8741	1/4-20x2-1/2" CONE HEAD SCREW-1-3/4" DOOR	1
5	ABH-7272	C'SINK WASHER FOR 1/4" THREAD M.S.	2
6	ABH-7273	1/4-20x2-1/4" PHILLIPS FLAT HEAD MACHINE SCREW	2

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG., INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG., INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	06/10/2025
CHECKED	ThuongN	06/10/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF15747 OFFSET SINGLE BAR SETS (TYPE T3)

SIZE B | DWG. NO. ABH-14919 | REV 0

SCALE: 1:4 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE T3HD - BTB





Finishes: US28, US3, US4, US10, US10B, 313, 10BE, 314, 315, BPC, BSP, FBPC, US26,US26D, US32, US32MS, US32316, US32D, US32DMS, US32D316, WPC, WSP.
Pull: CTC: 10"
Overall : 11"
Projection: 3-1/2"
Clearance:2-1/2"
Push: CTC: 24"
Overall : 25"
Projection: 2-3/4"
Clearance:1-3/4"

Moutings: 1/4"-20-3/8" Cup PT.Set Screws.
5/16-18x3-1/4" Conehead Screw For 1-3/4" Thick Door.
C'Sink Washer For 5/16" Thread M.S.
5-16"-18x2-1/2" Phillips Flat Head Machine Screw.

Bolt Size: 5/16"-18, Drill Size: ∅11/32.

Option:
- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BPBF15747) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (BF15747 T3HD)

Mouting Type: Back to Back.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14723	AB-BF15747 PUSH BAR	1
2	ABH-14722	AB-BF15747 PULL BAR	1
3	ABH-8203	1/4-20x3/8" CUP PT SET SCREW	1
4	ABH-7643	5/16-18 X 3-1/4" CONEHEAD SCREW FOR 1-3/4" THICK DOOR	1
5	ABH-8380	C'SINK WASHER FOR 5/16" THREAD M.S.	2
6	ABH-8379	5/16"-18x2-1/2" PHILLIPS FLAT HEAD MACHINE SCREW	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG., INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG., INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

NEXT ASSY | USED ON

APPLICATION

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	09/01/2025
CHECKED	ThuongN	09/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF15747 OFFSET SINGLE BAR SETS (TYPE T3 HD)

SIZE: B | DWG. NO.: ABH-14920 | REV: 0

SCALE: 1:4 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE T4 - BTB





Finishes: US28, US3, US4, US10, US10B, 313, 10BE, 314, 315, BPC, BSP, FBPC, US26,US26D, US32, US32MS, US32316, US32D, US32DMS, US32D316, WPC, WSP.
Pull: CTC: 10"
Overall : 11"
Projection: 3-1/2"
Clearance:2-1/2"
Push: CTC: 24"
Overall : 25"
Projection: 2-3/4"
Clearance:1-3/4"
Moutings: 1/4"-20-3/8" Cup PT.Set Screws.
1/4"-20x2-1/2" Conehead Screw For 1-3/4" Thick Door.
1/4"-20x1-1/4" Conehead Screw For 1-3/4" Thick Door.
Bolt Size: 1/4"-20, Drill Size: ∅9/32.
Option:
- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BPBF15747) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (BF15747 T3HD)

Mouting Type: Back to Back.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14730	AB-BF15747 PUSH BAR	1
2	ABH-14731	AB-BF15747 PULL BAR	1
3	ABH-8203	1/4-20x3/8" CUP PT SET SCREW	1
4	ABH-8741	1/4-20x2-1/2" CONE HEAD SCREW-1-3/4" DOOR	1
5	ABH-14729	1/4-20x1-1/4" CONE HEAD SCREW-1-3/4" DOOR	2

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG., INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG., INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	06/10/2025
CHECKED	ThuongN	06/10/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF15747 OFFSET SINGLE BAR SETS (TYPE T4)

SIZE: B | DWG. NO.: ABH-14921 | REV: 0

SCALE: 1:4 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE T4HD - BTB





Finishes: US28, US3, US4, US10, US10B, 313, 10BE, 314, 315, BPC, BSP, FBPC, US26,US26D, US32, US32MS, US32316, US32D, US32DMS, US32D316, WPC, WSP.
Pull: CTC: 10"
Overall : 11"
Projection: 3-1/2"
Clearance:2-1/2"
Push: CTC: 24"
Overall : 25"
Projection: 2-3/4"
Clearance:1-3/4"
Moutings: 1/4"-20-3/8" Cup PT.Set Screws.
5/16-18x3-1/4" Conehead Screw For 1-3/4" Thick Door.
5/16-18x2" Conehead Screw For 1-1/2" Thick Door.
Bolt Size: 5/16"-18, Drill Size: ∅11/32.
Option:
- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BPBF15747) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (BF15747 T3HD)

Mouting Type: Back to Back.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14727	AB-BF15747 PUSH BAR TYPE HD	1
2	ABH-14732	AB-BF15747 PUSH BAR TYPE HD	1
3	ABH-8203	1/4-20x3/8" CUP PT SET SCREW	1
4	ABH-7643	5/16-18 X 3-1/4" CONEHEAD SCREW FOR 1-3/4" THICK DOOR	1
5	ABH-7591	5/16-18 X 2" CONEHEAD SCREW FOR 1/2" THICK DOOR	2

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG., INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG., INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	06/11/2025
CHECKED	ThuongN	06/11/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF15747 OFFSET SINGLE BAR SETS (TYPE T4 HD)

SIZE: B | DWG. NO.: ABH-14922 | REV: 0

SCALE: 1:4 | WEIGHT: - | SHEET 1 OF 1

ARCHITECTURAL BUILDERS HARDWARE MANUFACTURING, INC.

WOOD OR METAL DOORS
TYPE T5 - BTB





Finishes: US28, US3, US4, US10, US10B, 313, 10BE, 314, 315, BPC, BSP, FBPC, US26,US26D, US32, US32MS, US32316, US32D, US32DMS, US32D316, WPC, WSP.
Pull: CTC: 10"
Overall : 11"
Projection: 3-1/2"
Clearance:2-1/2"
Push: CTC: 24"
Overall : 25"
Projection: 2-3/4"
Clearance:1-3/4"
Moutings: 1/4"-20-3/8" Cup PT.Set Screws.
1/4"-20x2-1/2" Conehead Screw For 1-3/4" Thick Door.
1/4"-20x1-1/4" Conehead Screw For 1-3/4" Thick Door.
M6 Hex Dr. 1/4-20 Internal Thread Flanged Wood Insert.
Bolt Size: 1/4"-20, Drill Size: ∅9/32.
Option:
- Engraving "PUSH" or "PULL" (specify handing)
- Base plates available — use BP prefix (BPBF15747) when ordering
- Heavy duty versions of most fastening types available — use suffix HD to fastening type number (BF15747 T3HD).

Ordering: Specify product number, mounting, door type, push bar CTC, and finish (i.e., BF15647 T3, wood door, 33" CTC, US32D316)
Mouting Type: Back to Back.

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-14730	AB-BF15747 PUSH BAR	1
2	ABH-14731	AB-BF15747 PULL BAR	1
3	ABH-8203	1/4-20x3/8" CUP PT SET SCREW	1
4	ABH-8741	1/4-20x2-1/2" CONE HEAD SCREW-1-3/4" DOOR	1
5	ABH-14729	1/4-20x1-1/4" CONE HEAD SCREW-1-3/4" DOOR	2
6	ABH-9010	M6 HEX DR. 1/4-20 NTERNAL THREAD FLANGED WOOD INSERT	2

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION
INTERPRET GEOMETRIC TOLERANCING PER:
MATERIAL: STAINLESS STEEL
FINISH: SEE NOTE
NEXT ASSY | USED ON
APPLICATION
DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	06/10/2025
CHECKED	ThuongN	06/10/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-BF15747 OFFSET SINGLE BAR SETS (TYPE T5)
SIZE: B | DWG. NO.: ABH-14923 | REV: 0
SCALE: 1:4 | WEIGHT: - | SHEET 1 OF 1





Features:
- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:
- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15006	AB-K1050 PROTECTION PLATES 6x34BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 6x34BE

SIZE B | DWG. NO. ABH-15006 | REV 0

SCALE: 1:8 | WEIGHT: - | SHEET 1 OF 1





Features:
- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:
- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15007	AB-K1050 PROTECTION PLATES 8x34BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 8x34BE

SIZE B | DWG. NO. ABH-15007 | REV 0

SCALE: 1:8 | WEIGHT: - | SHEET 1 OF 1





Features:
- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:
- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fasteners: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15008	AB-K1050 PROTECTION PLATES 8x35BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 8x35BE

SIZE B | DWG. NO. ABH-15008 | REV 0

SCALE: 1:8 | WEIGHT: - | SHEET 1 OF 1





Features:
- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:
- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15009	AB-K1050 PROTECTION PLATES 10x34-1/2"BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 10x34-1/2"BE

SIZE: B | DWG. NO.: ABH-15009 | REV: 0

SCALE: 1:8 | WEIGHT: | SHEET 1 OF 1





Features:

- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:

- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15010	AB-K1050 PROTECTION PLATES 10 x 34BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 10 x 34BE

SIZE: B | DWG. NO.: ABH-15010 | REV: 0

SCALE: 1:8 | WEIGHT: - | SHEET 1 OF 1





Features:
- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:
- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15011	AB-K1050 PROTECTION PLATES 10x35BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 10x35BE

SIZE B | DWG. NO. ABH-15011 | REV 0

SCALE: 1:8 | WEIGHT: - | SHEET 1 OF 1





Features:
- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:
- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15012	AB-K1050 PROTECTION PLATES 10x40BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 10x40BE

SIZE B | DWG. NO. ABH-15012 | REV 0

SCALE: 1:8 | WEIGHT: - | SHEET 1 OF 1





Features:
- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:
- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15013	AB-K1050 PROTECTION PLATES 10x46BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 10x46BE

SIZE: B | DWG. NO.: ABH-15013 | REV: 0

SCALE: 1:8 | WEIGHT: - | SHEET 1 OF 1





Features:
- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:
- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15014	AB-K1050 PROTECTION PLATES 12x34BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC.** ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 12x34BE

SIZE: B | DWG. NO.: ABH-15014 | REV: 0

SCALE: 1:8 | WEIGHT: - | SHEET 1 OF 1





Features:
- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:
- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15015	AB-K1050 PROTECTION PLATES 16x34BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

NEXT ASSY | USED ON

APPLICATION | DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 16x34BE

SIZE: B | DWG. NO.: ABH-15015 | REV: 0

SCALE: 1:8 | WEIGHT: - | SHEET 1 OF 1







Features:
- Push Side Plate Width - 2" less than door width.
- Pull Side Plate Width - 1 1/2" less than door width.
- All Edges come Beveled.

Finishes: US28, US3, US4, 4E, US9, US10, US10B, 10BE, BPC, BSP, DBPC, US15, US26, US32, US32MS, US32D, US32DMS, US32D316, WPC, WSP, RPC.

Option:
- SA - self-adhesive mounting
- TEK - self-drilling screws
- Heavy bevel available, specify HVBEV
- CSK - countersunk holes
- Cutouts for locks, louvers, or windows
- TORX - security torx screws.

Fastener: **#6 x 5/8" Phillips flat head, undercut sheet metal screws**

To accommodate your door skin thickness, please use the following chart to select the correct size drill bit

Door Skin	Door Skin Equivalent	Drill Size	Drill Size Equivalent
14GA	0.074"	#31	0.120"
16GA	0.059"	#32	0.116"
18GA	0.047"	#34	0.111"
20GA	0.039"	#36	0.107"
24GA	0.027"	#37	0.104"

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	ABH-15016	AB-K1050 PROTECTION PLATES 34x34BE	1
2	ABH-14252	#6x5/8" OVAL HEAD SHEET METAL SCREW.	10

COMMENTS:

PROPRIETARY AND CONFIDENTIAL
*THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF **ABH MFG,. INC**. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF **ABH MFG,. INC** IS PROHIBITED.*

NEXT ASSY | USED ON

APPLICATION

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN **INCHES (MM)**
TOLERANCES:
FRACTIONAL ± .020 in (±0.5mm)
ANGULAR: MACH ± 1
2 PLACE DECIMAL ±.010 in(±0.25mm)
3 PLACE DECIMAL ±.005 in(±0.13mm)

THIRD ANGLE PROJECTION

INTERPRET GEOMETRIC TOLERANCING PER:

MATERIAL: STAINLESS STEEL

FINISH: SEE NOTE.

DO NOT SCALE DRAWING

A.B.H. MFG., INC., 740 HILLTOP DR., ITASCA, IL.

	NAME	DATE
DRAWN	Phap.D	15/01/2025
CHECKED	Thuong.N	15/01/2025
ENG APPR.		
MFG APPR.		
Q.A.		

TITLE: AB-K1050 PROTECTION PLATES 34x34BE

SIZE: B | DWG. NO.: ABH-15016 | REV: 0

SCALE: 1:12 | WEIGHT: - | SHEET 1 OF 1