Particle spectrograph

Wave operator and propagator

Source constraints

SO(3) irreps	Fundamental fields	Multiplicities
$\tau_{0^+}^{\#2} == 0$	$\partial_\beta\partial_\alpha\tau^{\alpha\beta} == 0$	1
$\tau_{0^+}^{\#1} - 2\,i\,k\,\sigma_{0^+}^{\#1} == 0$	$\partial_\beta\partial_\alpha\tau^{\alpha\beta} == \partial_\beta\partial^\beta\tau^\alpha{}_\alpha + 2\,\partial_\chi\partial^\chi\partial_\beta\sigma^{\alpha\beta}{}_\alpha$	1
$\tau_{1^-}^{\#2\,\alpha} + 2\,i\,k\,\sigma_{1^-}^{\#2\,\alpha} == 0$	$\partial_\chi\partial_\beta\partial^\alpha\tau^{\beta\chi} == \partial_\chi\partial^\chi\partial_\beta\tau^{\alpha\beta} + 2\,\partial_\delta\partial^\delta\partial_\chi\partial_\beta\sigma^{\alpha\beta\chi}$	3
$\tau_{1^-}^{\#1\,\alpha} == 0$	$\partial_\chi\partial_\beta\partial^\alpha\tau^{\beta\chi} == \partial_\chi\partial^\chi\partial_\beta\tau^{\beta\alpha}$	3
$\tau_{1^+}^{\#1\,\alpha\beta} + i\,k\,\sigma_{1^+}^{\#2\,\alpha\beta} == 0$	$\partial_\chi\partial^\alpha\tau^{\beta\chi} + \partial_\chi\partial^\beta\tau^{\chi\alpha} + \partial_\chi\partial^\chi\tau^{\alpha\beta} + 2\,\partial_\delta\partial_\chi\partial^\alpha\sigma^{\beta\chi\delta} + 2\,\partial_\delta\partial^\delta\partial_\chi\sigma^{\alpha\beta\chi} == \partial_\chi\partial^\alpha\tau^{\chi\beta} + \partial_\chi\partial^\beta\tau^{\alpha\chi} + \partial_\chi\partial^\chi\tau^{\beta\alpha} + 2\,\partial_\delta\partial_\chi\partial^\beta\sigma^{\alpha\chi\delta}$	3
$\tau_{2^+}^{\#1\,\alpha\beta} - 2\,i\,k\,\sigma_{2^+}^{\#1\,\alpha\beta} == 0$	$-i\,(4\,\partial_\delta\partial_\chi\partial^\beta\partial^\alpha\tau^{\chi\delta} + 2\,\partial_\delta\partial^\delta\partial^\beta\partial^\alpha\tau^\chi{}_\chi - 3\,\partial_\delta\partial^\delta\partial_\chi\partial^\alpha\tau^{\chi\beta} - 3\,\partial_\delta\partial^\delta\partial_\chi\partial^\beta\tau^{\alpha\chi} - 3\,\partial_\delta\partial^\delta\partial_\chi\partial^\chi\tau^{\alpha\beta} + 3\,\partial_\delta\partial^\delta\partial_\chi\partial^\chi\tau^{\beta\alpha} + 4\,i\,k^\chi\,\partial_\epsilon\partial_\chi\partial^\beta\partial^\alpha\sigma^{\delta\epsilon}{}_\delta - 6\,i\,k^\chi\,\partial_\epsilon\partial_\delta\partial_\chi\partial^\alpha\sigma^{\beta\delta\epsilon} - 6\,i\,k^\chi\,\partial_\epsilon\partial_\delta\partial_\chi\partial^\beta\sigma^{\alpha\delta\epsilon} + 2\,\eta^{\alpha\beta}\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial_\chi\tau^{\chi\delta} + 6\,i\,k^\chi\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial_\chi\sigma^{\alpha\delta\beta} + 6\,i\,k^\chi\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial_\chi\sigma^{\beta\delta\alpha} - 2\,\eta^{\alpha\beta}\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\delta\tau^\chi{}_\chi - 4\,i\,\eta^{\alpha\beta}\,k^\chi\,\partial_\phi\partial^\phi\partial_\epsilon\partial_\chi\sigma^{\delta\epsilon}{}_\delta) == 0$	5
Total constraints/gauge generators:		16

Quadratic (free) action

$$\mathcal{S} == \iiiint\left(\frac{1}{6}\,(6\,t_1\,\mathcal{A}^{\alpha\iota}{}_\alpha\,\mathcal{A}_\iota{}^\theta{}_\theta + 6\,f^{\alpha\beta}\,\tau_{\alpha\beta} + 6\,\mathcal{A}^{\alpha\beta\chi}\,\sigma_{\alpha\beta\chi} - 12\,t_1\,\mathcal{A}_\alpha{}^\theta{}_\theta\,\partial_\iota f^{\alpha\iota} + 12\,t_1\,\mathcal{A}_\iota{}^\theta{}_\theta\,\partial^\iota f^\alpha{}_\alpha - 6\,t_1\,\partial_\iota f^{\alpha\iota}\,\partial_\theta f_\alpha{}^\theta + 12\,t_1\,\partial^\iota f^\alpha{}_\alpha\,\partial_\theta f_\iota{}^\theta + 4\,t_1\,\mathcal{A}_{\iota\theta\alpha}\,\partial^\theta f^{\alpha\iota} + 4\,t_2\,\mathcal{A}_{\iota\theta\alpha}\,\partial^\theta f^{\alpha\iota} - 4\,t_1\,\partial_\alpha f_{\iota\theta}\,\partial^\theta f^{\alpha\iota} + 2\,t_2\,\partial_\alpha f_{\iota\theta}\,\partial^\theta f^{\alpha\iota} - 4\,t_1\,\partial_\alpha f_{\theta\iota}\,\partial^\theta f^{\alpha\iota} - t_2\,\partial_\alpha f_{\theta\iota}\,\partial^\theta f^{\alpha\iota} + 2\,t_1\,\partial_\iota f_{\alpha\theta}\,\partial^\theta f^{\alpha\iota} - t_2\,\partial_\iota f_{\alpha\theta}\,\partial^\theta f^{\alpha\iota} + 4\,t_1\,\partial_\theta f_{\alpha\iota}\,\partial^\theta f^{\alpha\iota} + t_2\,\partial_\theta f_{\alpha\iota}\,\partial^\theta f^{\alpha\iota} + 2\,t_1\,\partial_\theta f_{\iota\alpha}\,\partial^\theta f^{\alpha\iota} - t_2\,\partial_\theta f_{\iota\alpha}\,\partial^\theta f^{\alpha\iota} + 2\,(t_1+t_2)\,\mathcal{A}_{\alpha\iota\theta}\,(\mathcal{A}^{\alpha\iota\theta} + 2\,\partial^\theta f^{\alpha\iota}) + 2\,\mathcal{A}_{\alpha\theta\iota}\,((t_1-2\,t_2)\,\mathcal{A}^{\alpha\iota\theta} + 2\,(2\,t_1-t_2)\,\partial^\theta f^{\alpha\iota}) + 8\,r_2\,\partial_\beta\mathcal{A}_{\alpha\iota\theta}\,\partial^\theta\mathcal{A}^{\alpha\beta\iota} - 4\,r_2\,\partial_\beta\mathcal{A}_{\alpha\theta\iota}\,\partial^\theta\mathcal{A}^{\alpha\beta\iota} + 4\,r_2\,\partial_\beta\mathcal{A}_{\iota\theta\alpha}\,\partial^\theta\mathcal{A}^{\alpha\beta\iota} - 2\,r_2\,\partial_\iota\mathcal{A}_{\alpha\beta\theta}\,\partial^\theta\mathcal{A}^{\alpha\beta\iota} + 2\,r_2\,\partial_\theta\mathcal{A}_{\alpha\beta\iota}\,\partial^\theta\mathcal{A}^{\alpha\beta\iota} - 4\,r_2\,\partial_\theta\mathcal{A}_{\alpha\iota\beta}\,\partial^\theta\mathcal{A}^{\alpha\beta\iota})\right)[t, x, y, z]\,dt\,dz\,dy\,dx\,dt$$

	$\sigma_{1^+}^{\#1\,\alpha\beta}$	$\sigma_{1^+}^{\#2\,\alpha\beta}$	$\tau_{1^+}^{\#1\,\alpha\beta}$	$\sigma_{1^-}^{\#1\,\alpha}$	$\sigma_{1^-}^{\#2\,\alpha}$	$\tau_{1^-}^{\#1\,\alpha}$	$\tau_{1^-}^{\#2\,\alpha}$
$\sigma_{1^+}^{\#1\,\alpha\beta}\dagger$	$\frac{2\,(t_1+t_2)}{3\,t_1\,t_2}$	$\frac{\sqrt{2}\,(t_1-2\,t_2)}{3\,(1+k^2)\,t_1\,t_2}$	$\frac{i\,\sqrt{2}\,k\,(t_1-2\,t_2)}{3\,(1+k^2)\,t_1\,t_2}$	0	0	0	0
$\sigma_{1^+}^{\#2\,\alpha\beta}\dagger$	$\frac{\sqrt{2}\,(t_1-2\,t_2)}{3\,(1+k^2)\,t_1\,t_2}$	$\frac{t_1+4\,t_2}{3\,(1+k^2)^2\,t_1\,t_2}$	$\frac{i\,k\,(t_1+4\,t_2)}{3\,(1+k^2)^2\,t_1\,t_2}$	0	0	0	0
$\tau_{1^+}^{\#1\,\alpha\beta}\dagger$	$-\frac{i\,\sqrt{2}\,k\,(t_1-2\,t_2)}{3\,(1+k^2)\,t_1\,t_2}$	$-\frac{i\,k\,(t_1+4\,t_2)}{3\,(1+k^2)^2\,t_1\,t_2}$	$\frac{k^2\,(t_1+4\,t_2)}{3\,(1+k^2)^2\,t_1\,t_2}$	0	0	0	0
$\sigma_{1^-}^{\#1\,\alpha}\dagger$	0	0	0	0	$\frac{\sqrt{2}}{t_1+2\,k^2\,t_1}$	0	$\frac{2\,i\,k}{t_1+2\,k^2\,t_1}$
$\sigma_{1^-}^{\#2\,\alpha}\dagger$	0	0	0	$\frac{\sqrt{2}}{t_1+2\,k^2\,t_1}$	$\frac{1}{(1+2\,k^2)\,t_1}$	0	$\frac{i\,\sqrt{2}\,k}{(1+2\,k^2)^2\,t_1}$
$\tau_{1^-}^{\#1\,\alpha}\dagger$	0	0	0	0	0	0	0
$\tau_{1^-}^{\#2\,\alpha}\dagger$	0	0	0	$-\frac{2\,i\,k}{t_1+2\,k^2\,t_1}$	$-\frac{i\,\sqrt{2}\,k}{(1+2\,k^2)^2\,t_1}$	0	$\frac{2\,k^2}{(1+2\,k^2)^2\,t_1}$

	$\mathcal{A}_{1^+}^{\#1\,\alpha\beta}$	$\mathcal{A}_{1^+}^{\#2\,\alpha\beta}$	$f_{1^+}^{\#1\,\alpha\beta}$	$\mathcal{A}_{1^-}^{\#1\,\alpha}$	$\mathcal{A}_{1^-}^{\#2\,\alpha}$	$f_{1^-}^{\#1\,\alpha}$	$f_{1^-}^{\#2\,\alpha}$
$\mathcal{A}_{1^+}^{\#1\,\alpha\beta}\dagger$	$\frac{1}{6}\,(t_1+4\,t_2)$	$-\frac{t_1-2\,t_2}{3\,\sqrt{2}}$	$-\frac{i\,k\,(t_1-2\,t_2)}{3\,\sqrt{2}}$	0	0	0	0
$\mathcal{A}_{1^+}^{\#2\,\alpha\beta}\dagger$	$-\frac{t_1-2\,t_2}{3\,\sqrt{2}}$	$\frac{t_1+t_2}{3}$	$\frac{1}{3}\,i\,k\,(t_1+t_2)$	0	0	0	0
$f_{1^+}^{\#1\,\alpha\beta}\dagger$	$\frac{i\,k\,(t_1-2\,t_2)}{3\,\sqrt{2}}$	$-\frac{1}{3}\,i\,k\,(t_1+t_2)$	$\frac{1}{3}\,k^2\,(t_1+t_2)$	0	0	0	0
$\mathcal{A}_{1^-}^{\#1\,\alpha}\dagger$	0	0	0	$-\frac{t_1}{2}$	$\frac{t_1}{\sqrt{2}}$	0	$i\,k\,t_1$
$\mathcal{A}_{1^-}^{\#2\,\alpha}\dagger$	0	0	0	$\frac{t_1}{\sqrt{2}}$	0	0	0
$f_{1^-}^{\#1\,\alpha}\dagger$	0	0	0	0	0	0	0
$f_{1^-}^{\#2\,\alpha}\dagger$	0	0	0	$-i\,k\,t_1$	0	0	0

	$\sigma_{0^+}^{\#1}$	$\tau_{0^+}^{\#1}$	$\tau_{0^+}^{\#2}$	$\sigma_{0^-}^{\#1}$
$\sigma_{0^+}^{\#1}\dagger$	$-\frac{1}{(1+2\,k^2)^2\,t_1}$	$\frac{i\,\sqrt{2}\,k}{(1+2\,k^2)^2\,t_1}$	0	0
$\tau_{0^+}^{\#1}\dagger$	$-\frac{i\,\sqrt{2}\,k}{(1+2\,k^2)^2\,t_1}$	$-\frac{2\,k^2}{(1+2\,k^2)^2\,t_1}$	0	0
$\tau_{0^+}^{\#2}\dagger$	0	0	0	0
$\sigma_{0^-}^{\#1}\dagger$	0	0	0	$\frac{1}{k^2\,r_2+t_2}$

	$\sigma_{2^+}^{\#1\,\alpha\beta}$	$\tau_{2^+}^{\#1\,\alpha\beta}$	$\sigma_{2^-}^{\#1\,\alpha\beta\chi}$
$\sigma_{2^+}^{\#1\,\alpha\beta}\dagger$	$\frac{2}{(1+2\,k^2)^2\,t_1}$	$-\frac{2\,i\,\sqrt{2}\,k}{(1+2\,k^2)^2\,t_1}$	0
$\tau_{2^+}^{\#1\,\alpha\beta}\dagger$	$\frac{2\,i\,\sqrt{2}\,k}{(1+2\,k^2)^2\,t_1}$	$\frac{4\,k^2}{(1+2\,k^2)^2\,t_1}$	0
$\sigma_{2^-}^{\#1\,\alpha\beta\chi}\dagger$	0	0	$\frac{2}{t_1}$

	$\mathcal{A}_{2^+}^{\#1\,\alpha\beta}$	$f_{2^+}^{\#1\,\alpha\beta}$	$\mathcal{A}_{2^-}^{\#1\,\alpha\beta\chi}$
$\mathcal{A}_{2^+}^{\#1\,\alpha\beta}\dagger$	$\frac{t_1}{2}$	$-\frac{i\,k\,t_1}{\sqrt{2}}$	0
$f_{2^+}^{\#1\,\alpha\beta}\dagger$	$\frac{i\,k\,t_1}{\sqrt{2}}$	$k^2\,t_1$	0
$\mathcal{A}_{2^-}^{\#1\,\alpha\beta\chi}\dagger$	0	0	$\frac{t_1}{2}$

	$\mathcal{A}_{0^+}^{\#1}$	$f_{0^+}^{\#1}$	$f_{0^+}^{\#2}$	$\mathcal{A}_{0^-}^{\#1}$
$\mathcal{A}_{0^+}^{\#1}\dagger$	$-t_1$	$i\,\sqrt{2}\,k\,t_1$	0	0
$f_{0^+}^{\#1}\dagger$	$-i\,\sqrt{2}\,k\,t_1$	$-2\,k^2\,t_1$	0	0
$f_{0^+}^{\#2}\dagger$	0	0	0	0
$\mathcal{A}_{0^-}^{\#1}\dagger$	0	0	0	$k^2\,r_2+t_2$

Massive and massless spectra



Massive particle	
Pole residue:	$-\frac{1}{r_2} > 0$
Polarisations:	1
Square mass:	$-\frac{t_2}{r_2} > 0$
Spin:	0
Parity:	Odd

(No massless particles)

Unitarity conditions

$r_2 < 0\ \&\&\ t_2 > 0$