

Particle spectrograph

Wave operator and propagator

Source constraints		
SO(3) irreps	Fundamental fields	Multiplicities
$\tau_{0+}^{\#2} == 0$	$\partial_\beta \partial_\alpha \tau^{\alpha\beta} == 0$	1
$\tau_{0+}^{\#1} - 2 \, i \, k \, \sigma_{0+}^{\#1} == 0$	$\partial_\beta \partial_\alpha \tau^{\alpha\beta} == \partial_\beta \partial^\beta \tau^\alpha_\alpha + 2 \, \partial_\chi \partial^\chi \partial_\beta \sigma^{\alpha\beta}_\alpha$	1
$\tau_{1-}^{\#2\alpha} + 2 \, i \, k \, \sigma_{1-}^{\#2\alpha} == 0$	$\partial_\chi \partial_\beta \partial^\alpha \tau^{\beta\chi} == \partial_\chi \partial^\chi \partial_\beta \tau^{\alpha\beta} + 2 \, \partial_\delta \partial^\delta \partial_\chi \partial_\beta \sigma^{\alpha\beta\chi}$	3
$\tau_{1-}^{\#1\alpha} == 0$	$\partial_\chi \partial_\beta \partial^\alpha \tau^{\beta\chi} == \partial_\chi \partial^\chi \partial_\beta \tau^{\beta\alpha}$	3
$\tau_{1+}^{\#1\alpha\beta} + i \, k \, \sigma_{1+}^{\#2\alpha\beta} == 0$	$\partial_\chi \partial^\alpha \tau^{\beta\chi} + \partial_\chi \partial^\beta \tau^{\chi\alpha} + \partial_\chi \partial^\chi \tau^{\alpha\beta} +$ $2 \, \partial_\delta \partial_\chi \partial^\alpha \sigma^{\beta\chi\delta} + 2 \, \partial_\delta \partial^\delta \partial_\chi \sigma^{\alpha\beta\chi} ==$ $\partial_\chi \partial^\alpha \tau^{\chi\beta} + \partial_\chi \partial^\beta \tau^{\alpha\chi} +$ $\partial_\chi \partial^\chi \tau^{\beta\alpha} + 2 \, \partial_\delta \partial_\chi \partial_\beta \sigma^{\alpha\chi\delta}$	3
$\tau_{2+}^{\#1\alpha\beta} - 2 \, i \, k \, \sigma_{2+}^{\#1\alpha\beta} == 0$	$-i \, (4 \, \partial_\delta \partial_\chi \partial_\beta \partial^\alpha \tau^{\chi\delta} + 2 \, \partial_\delta \partial^\delta \partial_\beta \partial^\alpha \tau^{\chi\chi} -$ $3 \, \partial_\delta \partial^\delta \partial_\chi \partial^\alpha \tau^{\beta\chi} - 3 \, \partial_\delta \partial^\delta \partial_\chi \partial^\alpha \tau^{\chi\beta} -$ $3 \, \partial_\delta \partial^\delta \partial_\chi \partial_\beta \tau^{\alpha\chi} - 3 \, \partial_\delta \partial^\delta \partial_\chi \partial_\beta \tau^{\chi\alpha} +$ $3 \, \partial_\delta \partial^\delta \partial_\chi \partial^\alpha \tau^{\alpha\beta} + 3 \, \partial_\delta \partial^\delta \partial_\chi \partial^\beta \tau^{\beta\alpha} +$ $4 \, i \, k^\chi \, \partial_\epsilon \partial_\chi \partial_\beta \partial^\sigma \sigma^{\delta\epsilon}_\delta -$ $6 \, i \, k^\chi \, \partial_\epsilon \partial_\delta \partial_\chi \partial^\sigma \sigma^{\beta\delta\epsilon}_\epsilon -$ $6 \, i \, k^\chi \, \partial_\epsilon \partial_\delta \partial_\chi \partial^\beta \sigma^{\alpha\delta\epsilon}_\epsilon +$ $2 \, \eta^{\alpha\beta} \, \partial_\epsilon \partial^\epsilon \partial_\delta \partial_\chi \tau^{\chi\delta} +$ $6 \, i \, k^\chi \, \partial_\epsilon \partial^\epsilon \partial_\delta \partial_\chi \sigma^{\alpha\delta\beta}_\beta +$ $6 \, i \, k^\chi \, \partial_\epsilon \partial^\epsilon \partial_\delta \partial_\chi \sigma^{\beta\delta\alpha}_\alpha -$ $2 \, \eta^{\alpha\beta} \, \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\chi \tau^{\chi\chi}_\chi -$ $4 \, i \, \eta^{\alpha\beta} \, k^\chi \, \partial_\phi \partial^\phi \partial_\epsilon \partial_\chi \sigma^{\delta\epsilon}_\delta) == 0$	5
Total constraints/gauge generators:		16

Quadratic (free) action

$$S = \int \int \int \int (\frac{1}{6} (2 \, \omega^{\alpha i}_\alpha (t_1 \, \omega^{\theta}_{\prime \, \theta} - 2 \, t_3 \, \omega^{\kappa}_{\prime \, \kappa}) + 6 \, f^{\alpha\beta} \, \tau_{\alpha\beta} + 6 \, \omega^{\alpha\beta\chi} \, \sigma_{\alpha\beta\chi} -$$

$$4 \, t_1 \, \omega^{\theta}_{\alpha \, \theta} \partial_{\prime} f^{\alpha i} + 8 \, t_3 \, \omega^{\kappa}_{\alpha \, \kappa} \partial_{\prime} f^{\alpha i} + 4 \, t_1 \, \omega^{\theta}_{\prime \, \theta} \partial_{\prime} f^{\alpha}_\alpha -$$

$$8 \, t_3 \, \omega^{\kappa}_{\prime \, \kappa} \partial_{\prime} f^{\alpha}_\alpha - 2 \, t_1 \partial_{\prime} f^{\theta}_{\theta} \partial_{\prime} f^{\alpha}_\alpha + 4 \, t_1 \partial_{\prime} f^{\alpha}_\alpha \partial_{\theta} f^{\theta}_{\prime} - 6 \, t_1 \partial_{\omega} f_{\prime \, \theta} \partial^{\theta} f^{\alpha i} -$$

$$2 \, t_1 \partial_{\prime} f^{\alpha i} \partial_{\theta} f_{\alpha}^{\theta} + 4 \, t_1 \partial_{\prime} f^{\alpha}_\alpha \partial_{\theta} f^{\theta}_{\prime} + 3 \, t_1 \partial_{\theta} f_{\alpha\theta} \partial^{\theta} f^{\alpha i} + 3 \, t_1 \partial_{\theta} f_{\alpha i} \partial^{\theta} f^{\alpha i} +$$

$$3 \, t_1 \partial_{\theta} f_{\prime \, \alpha} \partial^{\theta} f^{\alpha i} + 6 \, t_1 \, \omega_{\alpha\theta i} (\omega^{\alpha i\theta} + 2 \, \partial^{\theta} f^{\alpha i}) +$$

$$8 \, r_2 \partial_\beta \omega_{\alpha i \theta} \partial^{\theta} \omega^{\alpha\beta i} - 4 \, r_2 \partial_\beta \omega_{\alpha\theta i} \partial^{\theta} \omega^{\alpha\beta i} +$$

$$4 \, r_2 \partial_\beta \omega_{\prime \, \theta\alpha} \partial^{\theta} \omega^{\alpha\beta i} - 2 \, r_2 \partial_{\prime} \omega_{\alpha\beta\theta} \partial^{\theta} \omega^{\alpha\beta i} +$$

$$2 \, r_2 \partial_\theta \omega_{\alpha\beta i} \partial^{\theta} \omega^{\alpha\beta i} - 4 \, r_2 \partial_\theta \omega_{\alpha i \beta} \partial^{\theta} \omega^{\alpha\beta i} +$$

$$4 \, t_3 \partial_{\prime} f^{\alpha i} \partial_{\kappa} f^{\kappa}_\alpha - 8 \, t_3 \partial_{\prime} f^{\alpha}_\alpha \partial_{\kappa} f^{\kappa}) [t, x, y, z] dz dy dx dt$$

$\sigma_{1+}^{\#1} + \alpha\beta$	$\sigma_{1+}^{\#2} + \alpha\beta$	$\tau_{1+}^{\#1} + \alpha\beta$	$\sigma_{1-}^{\#1} + \alpha$	$\sigma_{1-}^{\#2} + \alpha$	$\tau_{1-}^{\#1} + \alpha$	$\tau_{1-}^{\#2} + \alpha$
$\sigma_{1+}^{\#1} + \alpha\beta$	0	$-\frac{\sqrt{2}}{t_1+k^2}t_1$	0	0	0	0
$\sigma_{1+}^{\#2} + \alpha\beta$	$-\frac{\sqrt{2}}{t_1+k^2}t_1$	$\frac{1}{(1+k^2)^2}t_1$	0	0	0	0
$\tau_{1+}^{\#1} + \alpha\beta$	$\frac{i\sqrt{2}k}{t_1+k^2}t_1$	$-\frac{k^2}{(1+k^2)^2}t_1$	0	0	0	0
$\sigma_{1-}^{\#1} + \alpha$	0	0	$\frac{2(t_1+t_3)}{3t_1t_3}$	$-\frac{\sqrt{2}(t_1-2t_3)}{3(1+2k^2)t_1t_3}$	0	$-\frac{2ik t_1-4ikt_3}{3t_1t_3+6k^2t_1t_3}$
$\sigma_{1-}^{\#2} + \alpha$	0	0	0	$\frac{t_1+4t_3}{3(1+2k^2)^2t_1t_3}$	0	$\frac{i\sqrt{2}k(t_1+4t_3)}{3(1+2k^2)^2t_1t_3}$
$\tau_{1-}^{\#1} + \alpha$	0	0	0	0	0	0
$\tau_{1-}^{\#2} + \alpha$	0	0	0	$-\frac{2ikt_1-4ikt_3}{3t_1t_3+6k^2t_1t_3}$	$-\frac{i\sqrt{2}k(t_1+4t_3)}{3(1+2k^2)^2t_1t_3}$	$\frac{2k^2(t_1+4t_3)}{3(1+2k^2)^2t_1t_3}$

$\omega_{1+}^{\#1} + \alpha\beta$	$\omega_{1+}^{\#2} + \alpha\beta$	$f_{1+}^{\#1} + \alpha\beta$	$\omega_{1-}^{\#1} + \alpha$	$\omega_{1-}^{\#2} + \alpha$	$f_{1-}^{\#1} + \alpha$	$f_{1-}^{\#2} + \alpha$
$\omega_{1+}^{\#1} + \alpha\beta$	$-\frac{t_1}{2}$	$-\frac{ikt_1}{\sqrt{2}}$	0	0	0	0
$\omega_{1+}^{\#2} + \alpha\beta$	$-\frac{t_1}{\sqrt{2}}$	0	0	0	0	0
$f_{1+}^{\#1} + \alpha\beta$	$\frac{ikt_1}{\sqrt{2}}$	0	0	0	0	0
$\omega_{1-}^{\#1} + \alpha$	0	0	$\frac{1}{6}(t_1+4t_3)$	$\frac{t_1-2t_3}{3\sqrt{2}}$	0	$\frac{1}{3}ik(t_1-2t_3)$
$\omega_{1-}^{\#2} + \alpha$	0	0	0	$\frac{t_1-2t_3}{3\sqrt{2}}$	0	$\frac{1}{3}i\sqrt{2}k(t_1+t_3)$
$f_{1-}^{\#1} + \alpha$	0	0	0	0	0	0
$f_{1-}^{\#2} + \alpha$	0	0	$-\frac{1}{3}ik(t_1-2t_3)$	$-\frac{1}{3}i\sqrt{2}k(t_1+t_3)$	0	$\frac{2}{3}k^2(t_1+t_3)$


$\sigma_{0+}^{\#1} + \alpha\beta$	$\sigma_{0+}^{\#2} + \alpha\beta$	$\tau_{0+}^{\#1} + \alpha\beta$	$\sigma_{0-}^{\#1} + \alpha\beta$
$\sigma_{0+}^{\#1} + \alpha\beta$	$\frac{1}{(1+2k^2)^2t_3}$	$-\frac{i\sqrt{2}k}{(1+2k^2)^2t_3}$	0
$\tau_{0+}^{\#1} + \alpha\beta$	$\frac{i\sqrt{2}k}{(1+2k^2)^2t_3}$	$\frac{2k^2}{(1+2k^2)^2t_3}$	0
$\tau_{0+}^{\#2} + \alpha\beta$	0	0	0
$\sigma_{0-}^{\#1} + \alpha\beta$	0	0	$\frac{1}{k^2r_2-t_1}$

$\omega_{0+}^{\#1} + \alpha\beta$	$\omega_{0+}^{\#2} + \alpha\beta$	$f_{0+}^{\#1} + \alpha\beta$	$\omega_{0-}^{\#1} + \alpha\beta$
$\omega_{0+}^{\#1} + \alpha\beta$	t_3	$-i\sqrt{2}kt_3$	0
$\omega_{0+}^{\#2} + \alpha\beta$	$i\sqrt{2}kt_3$	$2k^2t_3$	0
$f_{0+}^{\#1} + \alpha\beta$	0	0	0
$\omega_{0-}^{\#1} + \alpha\beta$	0	0	$k^2r_2-t_1$

$\sigma_{2+}^{\#1} + \alpha\beta$	$\sigma_{2+}^{\#2} + \alpha\beta$	$\tau_{2+}^{\#1} + \alpha\beta$	$\sigma_{2-}^{\#1} + \alpha\beta\chi$
$\sigma_{2+}^{\#1} + \alpha\beta$	$\frac{2}{(1+2k^2)^2t_1}$	$-\frac{2i\sqrt{2}k}{(1+2k^2)^2t_1}$	0
$\tau_{2+}^{\#1} + \alpha\beta$	$\frac{2i\sqrt{2}k}{(1+2k^2)^2t_1}$	$\frac{4k^2}{(1+2k^2)^2t_1}$	0
$\sigma_{2-}^{\#1} + \alpha\beta\chi$	0	0	$\frac{2}{t_1}$

$\frac{t_1}{2}$	$-\frac{ikt_1}{\sqrt{2}}$	0
$\frac{ikt_1}{\sqrt{2}}$	k^2t_1	0
0	0	$\frac{t_1}{2}$

Massive and massless spectra



Massive particle	
Pole residue:	$-\frac{1}{r_2} > 0$
Polarisations:	1
Square mass:	$\frac{t_1}{r_2} > 0$
Spin:	0
Parity:	Odd

(No massless particles)

Unitarity conditions

$r_2 < 0 \&\& t_1 < 0$