

Basic conventions				
Minkowski metric tensor	Totally antisymmetric tensor	Four-momentum	Four-momentum norm	Massive rest-frame
$\eta_{\mu\nu}$	$\epsilon \eta_{\mu\nu\rho\sigma}$	k^μ	$k^2 == k_\mu \, k^\mu$	$n^\mu == \frac{k^\mu}{k}$

Fundamental field	Symmetries	Decomposition in SO(3) irreps	Source
$h_{\alpha\beta}$	Symmetry[2, $h^{\bullet 1 \bullet 2}$, {●1 → -a, ●2 → -b}, StrongGenSet[{1, 2}, GenSet[(1,2)]]]	$\frac{1}{3} \, \eta_{\alpha\beta} \, h_{0^+}^{\#1} + h_{2^+ \alpha\beta}^{\#1} + h_{1^- \beta}^{\#1} \, n_\alpha + h_{1^- \alpha}^{\#1} \, n_\beta - \frac{1}{3} \, h_{0^+}^{\#1} \, n_\alpha \, n_\beta + h_{0^+}^{\#2} \, n_\alpha \, n_\beta$	$\mathcal{T}_{\alpha\beta}$

SO(3) irrep	Symmetries	Expansion in terms of the fundamental field	Source
$h_{0^+}^{\#1}$	Symmetry[0, $h_{0^+}^{\#1}$, {}, StrongGenSet[{}, GenSet[]]]	$h^\alpha_{ \alpha} - h_{\alpha\beta} \, n^\alpha \, n^\beta$	$\mathcal{T}_{0^+}^{\#1}$
$h_{0^+}^{\#2}$	Symmetry[0, $h_{0^+}^{\#2}$, {}, StrongGenSet[{}, GenSet[]]]	$h_{\alpha\beta} \, n^\alpha \, n^\beta$	$\mathcal{T}_{0^+}^{\#2}$
$h_{2^+ \alpha\beta}^{\#1}$	Symmetry[2, $h_{2^+}^{\#1 \bullet 1 \bullet 2}$, {●1 → -a, ●2 → -b}, StrongGenSet[{1, 2}, GenSet[(1,2)]]]	$h_{\alpha\beta} - \frac{1}{3} \, \eta_{\alpha\beta} \, h^X_{ X} + \frac{1}{3} \, h^X_{ X} \, n_\alpha \, n_\beta - h_{\beta X} \, n_\alpha \, n^X - h_{\alpha X} \, n_\beta \, n^X + \frac{1}{3} \, \eta_{\alpha\beta} \, h_{X\delta} \, n^X \, n^\delta + \frac{2}{3} \, h_{X\delta} \, n_\alpha \, n_\beta \, n^X \, n^\delta$	$\mathcal{T}_{2^+ \alpha\beta}^{\#1}$
$h_{1^- \alpha}^{\#1}$	Symmetry[1, $h_{1^-}^{\#1 \bullet 1}$, {●1 → -a}, StrongGenSet[{}, GenSet[]]]	$h_{\alpha\beta} \, n^\beta - h_{\beta X} \, n_\alpha \, n^\beta \, n^X$	$\mathcal{T}_{1^- \alpha}^{\#1}$