

Particle spectrograph

Wave operator and propagator

Source constraints		Fundamental fields	Multiplicities
$\tau_{0+}^{\#2} == 0$		$\partial_\beta \partial_\alpha \tau^{\alpha\beta} == 0$	1
$\tau_{0+}^{\#1} == 0$		$\partial_\beta \partial_\alpha \tau^{\alpha\beta} == \partial_\beta \partial^\beta \tau^\alpha_\alpha$	1
$\sigma_{0+}^{\#1} == 0$		$\partial_\beta \sigma^{\alpha\beta}_\alpha == 0$	1
$\tau_{1-}^{\#2\alpha} + 2\,i\,k\,\sigma_{1-}^{\#1\alpha} == 0$		$\partial_\chi \partial_\beta \partial^\alpha \tau^{\beta\chi} +$ $2\,(\partial_\delta \partial^\delta \partial_\chi \partial^\alpha \sigma^{\beta\chi}_\beta - \partial_\delta \partial^\delta \partial_\chi \partial_\beta \sigma^{\alpha\beta\chi} +$ $\partial_\delta \partial^\delta \partial_\chi \partial^\chi \sigma^{\alpha\beta}_\beta) == \partial_\chi \partial^\chi \partial_\beta \tau^{\alpha\beta}$	3
$\tau_{1-}^{\#1\alpha} == 0$		$\partial_\chi \partial_\beta \partial^\alpha \tau^{\beta\chi} == \partial_\chi \partial^\chi \partial_\beta \tau^{\beta\alpha}$	3
$\sigma_{1-}^{\#1\alpha} == \sigma_{1-}^{\#2\alpha}$		$\partial_\chi \partial^\alpha \sigma^{\beta\chi}_\beta + \partial_\chi \partial^\chi \sigma^{\alpha\beta}_\beta == 0$	3
$\tau_{1+}^{\#1\alpha\beta} + i\,k\,\sigma_{1+}^{\#2\alpha\beta} == 0$		$\partial_\chi \partial^\alpha \tau^{\beta\chi} + \partial_\chi \partial^\beta \tau^{\chi\alpha} + \partial_\chi \partial^\chi \tau^{\alpha\beta} +$ $2\,\partial_\delta \partial_\chi \partial^\alpha \sigma^{\beta\chi\delta} + 2\,\partial_\delta \partial^\delta \partial_\chi \sigma^{\alpha\beta\chi} ==$ $\partial_\chi \partial^\alpha \tau^{\chi\beta} + \partial_\chi \partial^\beta \tau^{\alpha\chi} +$ $\partial_\chi \partial^\chi \tau^{\beta\alpha} + 2\,\partial_\delta \partial_\chi \partial^\beta \sigma^{\alpha\chi\delta}$	3
$\tau_{2+}^{\#1\alpha\beta} - 2\,i\,k\,\sigma_{2+}^{\#1\alpha\beta} == 0$		$-i\,(4\,\partial_\delta \partial_\chi \partial^\beta \partial^\alpha \tau^{\chi\delta} + 2\,\partial_\delta \partial^\delta \partial^\beta \partial^\alpha \tau^\chi_\chi -$ $3\,\partial_\delta \partial^\delta \partial_\chi \partial^\alpha \tau^{\beta\chi}_\beta - 3\,\partial_\delta \partial^\delta \partial_\chi \partial^\alpha \tau^{\chi\beta} -$ $3\,\partial_\delta \partial^\delta \partial_\chi \partial^\beta \tau^{\alpha\chi}_\alpha - 3\,\partial_\delta \partial^\delta \partial_\chi \partial^\beta \tau^{\chi\alpha} +$ $3\,\partial_\delta \partial^\delta \partial_\chi \partial^\chi \tau^{\alpha\beta} + 3\,\partial_\delta \partial^\delta \partial_\chi \partial^\beta \tau^{\chi\alpha} +$ $4\,i\,k^\chi\,\partial_\epsilon \partial_\chi \partial^\beta \partial^\alpha \sigma^{\delta\epsilon}_\delta -$ $6\,i\,k^\chi\,\partial_\epsilon \partial_\delta \partial_\chi \partial^\beta \sigma^{\delta\epsilon}_\delta -$ $6\,i\,k^\chi\,\partial_\epsilon \partial_\delta \partial_\chi \partial^\beta \sigma^{\alpha\delta\epsilon} +$ $2\,\eta^{\alpha\beta}\,\partial_\epsilon \partial^\epsilon \partial_\delta \partial_\chi \tau^{\chi\delta} +$ $6\,i\,k^\chi\,\partial_\epsilon \partial^\epsilon \partial_\delta \partial_\chi \sigma^{\alpha\delta\beta} +$ $6\,i\,k^\chi\,\partial_\epsilon \partial^\epsilon \partial_\delta \partial_\chi \sigma^{\beta\delta\alpha} -$ $2\,\eta^{\alpha\beta}\,\partial_\epsilon \partial^\epsilon \partial_\delta \partial^\delta \tau^\chi_\chi -$ $4\,i\,\eta^{\alpha\beta}\,k^\chi\,\partial_\phi \partial^\phi \partial_\epsilon \partial_\chi \sigma^{\delta\epsilon}_\delta) == 0$	5
Total constraints/gauge generators:			20

Quadratic (free) action


$$S = \iiint \bigg(\frac{1}{6} (2\,t_1\,\omega^\alpha_\alpha\,\omega^\theta_\theta + 6\,f^{\alpha\beta}\,\tau_{\alpha\beta} + 6\,\omega^{\alpha\beta\chi}\,\sigma_{\alpha\beta\chi} - 4\,t_1\,\omega_\alpha^\theta\,\partial_\theta f^{\alpha\iota} + 4\,t_1\,\omega^\theta_{\iota}\partial_\theta f^\alpha_\alpha - 2\,t_1\,\partial_\theta f^\theta_\theta\partial_\theta f^\alpha_\alpha - 2\,t_1\,\partial_\theta f^{\alpha\iota}\partial_\theta f^\theta_\alpha + 4\,t_1\,\partial_\theta f^\alpha_\alpha\partial_\theta f^\theta_\iota + 4\,t_1\,\omega_{\iota\theta\alpha}\partial^\theta f^{\alpha\iota} + 4\,t_2\,\omega_{\iota\theta\alpha}\partial^\theta f^{\alpha\iota} - 4\,t_1\,\partial_\theta f_{\iota\theta}\partial^\theta f^{\alpha\iota} + 2\,t_2\,\partial_\theta f_{\iota\theta}\partial^\theta f^{\alpha\iota} - 4\,t_1\,\partial_\theta f^{\alpha\iota}\partial_\theta f^{\alpha\iota} - t_2\,\partial_\theta f^{\alpha\iota}\partial_\theta f^{\alpha\iota} + 2\,t_1\,\partial_\theta f_{\alpha\iota}\partial^\theta f^{\alpha\iota} - 2\,t_1\,\partial_\theta f_{\alpha\iota}\partial^\theta f^{\alpha\iota} - 4\,t_1\,\partial_\theta f_{\alpha\iota}\partial^\theta f^{\alpha\iota} + t_2\,\partial_\theta f_{\alpha\iota}\partial^\theta f^{\alpha\iota} + 2\,t_1\,\partial_\theta f_{\alpha\iota}\partial^\theta f^{\alpha\iota} - t_2\,\partial_\theta f_{\alpha\iota}\partial^\theta f^{\alpha\iota} + 2\,(t_1 + t_2)\,\omega^{\alpha\iota\theta}(\omega^{\alpha\iota\theta} + 2\,\partial^\theta f^{\alpha\iota}) + 2\,\omega_{\alpha\theta\iota}((t_1 - 2\,t_2)\,\omega^{\alpha\iota\theta} + 2\,(2\,t_1 - t_2)\,\partial^\theta f^{\alpha\iota}) + 8\,r_2\,\partial_\beta\omega_{\alpha\iota\theta}\partial^\theta\omega^{\alpha\beta\iota} - 4\,r_2\,\partial_\beta\omega_{\alpha\theta\iota}\partial^\theta\omega^{\alpha\beta\iota} + 4\,r_2\,\partial_\beta\omega_{\iota\theta\alpha}\partial^\theta\omega^{\alpha\beta\iota} - 2\,r_2\,\partial_\iota\omega_{\alpha\beta\theta}\partial^\theta\omega^{\alpha\beta\iota} + 2\,r_2\,\partial_\theta\omega_{\alpha\beta\iota}\partial^\theta\omega^{\alpha\beta\iota} - 4\,r_2\,\partial_\theta\omega_{\alpha\iota\beta}\partial^\theta\omega^{\alpha\beta\iota})[t,\,x,\,y,\,z]dzdydxdt$$

$\sigma_{1+}^{\#1} \dagger^{\alpha\beta}$	$\frac{2(t_1+t_2)}{3t_1t_2}$	$\frac{\sqrt{2}(t_1-2t_2)}{3(1+k^2)t_1t_2}$	$\frac{i\sqrt{2}k(t_1-2t_2)}{3(1+k^2)t_1t_2}$	0	0	0	0
$\sigma_{1+}^{\#2} \dagger^{\alpha\beta}$	$\frac{\sqrt{2}(t_1-2t_2)}{3(1+k^2)t_1t_2}$	$\frac{t_1+4t_2}{3(1+k^2)^2t_1t_2}$	$\frac{ik(t_1+4t_2)}{3(1+k^2)^2t_1t_2}$	0	0	0	0
$\tau_{1+}^{\#1} \dagger^{\alpha\beta}$	$\frac{i\sqrt{2}k(t_1-2t_2)}{3(1+k^2)t_1t_2}$	$-\frac{ik(t_1+4t_2)}{3(1+k^2)^2t_1t_2}$	$\frac{k^2(t_1+4t_2)}{3(1+k^2)^2t_1t_2}$	0	0	0	0
$\sigma_{1-}^{\#1} \dagger^\alpha$	0	0	0	$\frac{6}{(3+4k^2)^2t_1}$	$\frac{6\sqrt{2}}{(3+4k^2)^2t_1}$	0	$\frac{12ik}{(3+4k^2)^2t_1}$
$\sigma_{1-}^{\#2} \dagger^\alpha$	0	0	0	0	$\frac{6\sqrt{2}}{(3+4k^2)^2t_1}$	0	$\frac{12i\sqrt{2}k}{(3+4k^2)^2t_1}$
$\tau_{1-}^{\#1} \dagger^\alpha$	0	0	0	0	0	0	0
$\tau_{1-}^{\#2} \dagger^\alpha$	0	0	0	0	$-\frac{12ik}{(3+4k^2)^2t_1}$	$-\frac{12i\sqrt{2}k}{(3+4k^2)^2t_1}$	0

$\omega_{1+}^{\#1} \dagger^{\alpha\beta}$	$\frac{1}{6}(t_1+4t_2)$	$\omega_{1+}^{\#2} \dagger^{\alpha\beta}$	$\omega_{1+}^{\#1} \dagger^{\alpha\beta}$	$\omega_{1+}^{\#2} \dagger^{\alpha\beta}$	$\omega_{1+}^{\#1} \dagger^{\alpha\beta}$	$\omega_{1+}^{\#2} \dagger^{\alpha\beta}$
$\omega_{1+}^{\#1} \dagger^{\alpha\beta}$	$\frac{1}{6}(t_1+4t_2)$	$-\frac{t_1-2t_2}{3\sqrt{2}}$	$-\frac{ik(t_1-2t_2)}{3\sqrt{2}}$	0	0	0
$\omega_{1+}^{\#2} \dagger^{\alpha\beta}$	$-\frac{t_1-2t_2}{3\sqrt{2}}$	$\frac{t_1+t_2}{3}$	$\frac{1}{3}ik(t_1+t_2)$	0	0	0
$f_{1+}^{\#1} \dagger^{\alpha\beta}$	$\frac{ik(t_1-2t_2)}{3\sqrt{2}}$	$-\frac{1}{3}ik(t_1+t_2)$	$\frac{1}{3}k^2(t_1+t_2)$	0	0	0
$\omega_{1-}^{\#1} \dagger^\alpha$	0	0	0	$\frac{t_1}{6}$	$\frac{t_1}{3\sqrt{2}}$	0
$\omega_{1-}^{\#2} \dagger^\alpha$	0	0	0	$\frac{t_1}{3\sqrt{2}}$	$\frac{t_1}{3}$	$\frac{1}{3}i\sqrt{2}kt_1$
$f_{1-}^{\#1} \dagger^\alpha$	0	0	0	0	0	0
$f_{1-}^{\#2} \dagger^\alpha$	0	0	0	$-\frac{1}{3}ik t_1$	$-\frac{1}{3}i\sqrt{2}kt_1$	$\frac{2k^2t_1}{3}$

$\sigma_{2+}^{\#1} \dagger^{\alpha\beta}$	$\omega_{2+}^{\#1} \dagger^{\alpha\beta}$	$f_{2+}^{\#1} \dagger^{\alpha\beta}$	$\omega_{2+}^{\#1} \dagger^{\alpha\beta\chi}$	$\sigma_{0+}^{\#1} \dagger$	$\tau_{0+}^{\#1}$	$\tau_{0+}^{\#2}$	$\sigma_{0+}^{\#1}$
$\sigma_{2+}^{\#1} \dagger^{\alpha\beta}$	$\frac{2}{(1+2k^2)^2t_1}$	$-\frac{2i\sqrt{2}k}{(1+2k^2)^2t_1}$	0	0	0	0	0
$\tau_{2+}^{\#1} \dagger^{\alpha\beta}$	$\frac{2i\sqrt{2}k}{(1+2k^2)^2t_1}$	$\frac{4k^2}{(1+2k^2)^2t_1}$	0	0	0	0	0
$\sigma_{2-}^{\#1} \dagger^{\alpha\beta\chi}$	0	0	$\frac{t_1}{2}$	0	0	$k^2r_2+t_2$	$\frac{1}{k^2r_2+t_2}$

Massive and massless spectra



Massive particle	
Pole residue:	$-\frac{1}{r_2} > 0$
Polarisations:	1
Square mass:	$-\frac{t_2}{r_2} > 0$
Spin:	0
Parity:	Odd

(No massless particles)

Unitarity conditions

$r_2 < 0 \ \&\& \ t_2 > 0$