





$$\begin{array}{c}
\mathcal{K}_{0^+}^{\#1} \quad \mathcal{K}_{0^+}^{\#2} \\
\mathcal{K}_{0^+}^{\#1} \dagger \begin{array}{|c|c|} \hline -k^2 \frac{(4)}{\kappa_1} & k^2 \frac{(4)}{\kappa_1} \\ \hline \end{array} \quad \mathcal{K}_{0^+}^{\#2} \dagger \begin{array}{|c|c|} \hline k^2 \frac{(4)}{\kappa_1} & -k^2 \frac{(4)}{\kappa_1} \\ \hline \end{array} \\
\mathcal{K}_{1^+}^{\#1} \dagger^\alpha \begin{array}{|c|c|} \hline 0 & 0 \\ \hline \end{array} \quad \mathcal{K}_{1^+}^{\#2} \dagger^\alpha \begin{array}{|c|c|} \hline 0 & 0 \\ \hline \end{array} \\
\mathcal{K}_{2^+}^{\#1} \dagger^{\alpha\beta} \begin{array}{|c|c|} \hline 4k^2 \frac{(4)}{\kappa_1} & \mathcal{K}_{3^+}^{\#1} \dagger^{\alpha\beta\chi} 10k^2 \frac{(4)}{\kappa_1} \\ \hline \end{array}
\end{array}$$

$$\begin{array}{c}
\mathcal{J}_{0^+}^{\#1} \quad \mathcal{J}_{0^+}^{\#2} \\
\mathcal{J}_{0^+}^{\#1} \dagger \begin{array}{|c|c|} \hline -\frac{1}{4k^2 \frac{(4)}{\kappa_1}} & \frac{1}{4k^2 \frac{(4)}{\kappa_1}} \\ \hline \end{array} \quad \mathcal{J}_{0^+}^{\#2} \dagger \begin{array}{|c|c|} \hline \frac{1}{4k^2 \frac{(4)}{\kappa_1}} & -\frac{1}{4k^2 \frac{(4)}{\kappa_1}} \\ \hline \end{array} \\
\mathcal{J}_{1^+}^{\#1} \dagger^\alpha \begin{array}{|c|c|} \hline 0 & 0 \\ \hline \end{array} \quad \mathcal{J}_{1^+}^{\#2} \dagger^\alpha \begin{array}{|c|c|} \hline 0 & 0 \\ \hline \end{array} \\
\mathcal{J}_{2^+}^{\#1} \dagger^{\alpha\beta} \begin{array}{|c|c|} \hline \frac{1}{4k^2 \frac{(4)}{\kappa_1}} & \mathcal{J}_{3^+}^{\#1} \dagger^{\alpha\beta\chi} \frac{1}{10k^2 \frac{(4)}{\kappa_1}} \\ \hline \end{array}
\end{array}$$

Lagrangian

$$\begin{aligned}
& \kappa_1^{(4)} \partial_\beta \mathcal{K}_\chi^\delta \partial^\chi \mathcal{K}_\alpha^{\beta} - 6 \kappa_1^{(4)} \partial_\chi \mathcal{K}_\beta^\delta \partial^\chi \mathcal{K}_\alpha^{\beta} - \\
& 18 \kappa_1^{(4)} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\beta\chi}^\delta + 12 \kappa_1^{(4)} \partial^\chi \mathcal{K}_\alpha^{\beta} \partial_\delta \mathcal{K}_{\beta\chi}^\delta + 10 \kappa_1^{(4)} \partial_\delta \mathcal{K}_{\alpha\beta\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi}
\end{aligned}$$

Added source term(s):	$\mathcal{K}^{\alpha\beta\chi} \mathcal{J}_{\alpha\beta\chi}$		
Source constraint(s)	# constraint(s)	Covariant form	
$\mathcal{J}_{0^+}^{\#2} + 3 \mathcal{J}_{0^+}^{\#1} == 0$	1	$\partial_\beta \mathcal{J}_\alpha^\beta == 0$	
$\mathcal{J}_{1^+}^{\#2\alpha} == 0$	3	$\partial_\delta \partial_\chi \partial_\beta \partial^\alpha \mathcal{J}^{\beta\chi\delta} + \partial_\delta \partial^\delta \partial_\chi \partial^\alpha \mathcal{J}^{\alpha\beta}_\beta == \partial_\delta \partial^\delta \partial_\chi \partial^\alpha \mathcal{J}^{\beta\chi}_\beta + \partial_\delta \partial^\delta \partial_\chi \partial_\beta \mathcal{J}^{\alpha\beta\chi}$	
$\mathcal{J}_{1^+}^{\#1\alpha} == 0$	3	$\partial_\delta \partial_\chi \partial_\beta \partial^\alpha \mathcal{J}^{\beta\chi\delta} == \partial_\delta \partial^\delta \partial_\chi \partial_\beta \mathcal{J}^{\alpha\beta\chi}$	
Total # constraint(s):	7		
Resolved pole(s)	# polarization(s)	Square mass	Residue
	1	0	$\frac{29 + \sqrt{1099}}{\kappa_1^{(4)}}$
	3	0	$-\frac{1}{\kappa_1^{(4)}}$
	1	0	$\frac{1}{\kappa_1^{(4)}}$
	1	0	$\frac{29 - \sqrt{1099}}{\kappa_1^{(4)}}$
Resolved unitarity condition(s):		(Demonstrably impossible)	