Abbreviations used in matrices

$$Y_1 == 3\,\mathcal{K}_3^{(4)} + 3\,\mathcal{K}_4^{(4)} + \mathcal{K}_6\,\&\&\,Y_2 == \mathcal{K}_3^{(4)} - \mathcal{K}_4^{(4)}\,\&\&\,Y_3 == 2\,\mathcal{K}_3^{(4)} + \mathcal{K}_6\,\&\&\,Y_4 == \mathcal{K}_3^{(4)} + 3\,\mathcal{K}_4^{(4)} + \mathcal{K}_6\,\&\&$$
$$Y_5 == \mathcal{K}_3^{(4)} + \mathcal{K}_6\,\&\&\,\mathrm{Det}\,0^{(1)} == \frac{1}{2}\,(-3\,\mathcal{K}_3^{(2)} + 3\,\mathcal{K}_4^{(2)} + \mathcal{K}_6)\,(-3\,\mathcal{K}_3^{(2)} - 5\,\mathcal{K}_4^{(2)})\,\&\&$$
$$\mathrm{Det}\,(1^*) == -\frac{1}{2}\,\mathcal{K}^4\,(\mathcal{K}_4^{-4} + 4\,(\mathcal{K}_3^{-4} - \mathcal{K}_6^{(4)})\,\mathcal{K}_6)\,\&\&\,\mathrm{Det}\,(2^*) == \frac{1}{2}\,\mathcal{K}^2\,(\mathcal{K}_3^{-2} + \mathcal{K}_6^{(2)})$$

Lagrangian

$$\mathcal{L}^{(2)}_{\mathcal{K}_3}\,\mathcal{K}^{\nu}{}_{\mathcal{K}^{\mu}}\,\partial\mathcal{K}^{\nu}{}_{\mu}\,\partial\mathcal{K}^{\lambda}{}_{\lambda}\,\partial\mathcal{K}^{\rho}{}_{\rho} + \mathcal{K}^{\lambda}{}_{\lambda}\,\partial_{\rho}\mathcal{K}^{\rho}{}_{\mu}\,\partial\mathcal{K}^{\nu}{}_{\nu} + \mathcal{K}^{\lambda}{}_{\lambda}\,\partial_{\rho}\mathcal{K}^{\rho}{}_{\nu}\,\partial\mathcal{K}^{\nu}{}_{\mu} + \mathcal{K}^{\lambda}{}_{\lambda}\,\partial_{\rho}\mathcal{K}^{\rho}{}_{\mu}\,\partial\mathcal{K}^{\mu}{}_{\nu} +$$
$$\mathcal{K}^{\lambda}{}_{\lambda}\,\partial_{\rho}\mathcal{K}^{\rho}{}_{\nu}\,\partial\mathcal{K}^{\mu}{}_{\mu} + \mathcal{K}^{\lambda}{}_{\lambda}\,\partial_{\rho}\mathcal{K}^{\rho}{}_{\mu}\,\partial\mathcal{K}^{\nu}{}_{\nu} + \mathcal{K}^{\lambda}{}_{\lambda}\,\partial_{\rho}\mathcal{K}^{\rho}{}_{\nu}\,\partial\mathcal{K}^{\mu}{}_{\mu}$$

Added source term(s):

$$\mathcal{K}^{\mathrm{src}}{}_{\mathcal{K}}\,\mathcal{J}_{\mathcal{K}^{\mathrm{src}}}$$

Source constraint(s)	# constraint(s)	Covariant form
$\mathcal{G}^{\mathcal{K}^{\mathrm{src}}}_{0}$ == 0	1	$\partial_{\mu}\partial^{\mu}\mathcal{J}^{\mathrm{src}\,\nu} + \partial_{\mu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + \partial_{\mu}\partial_{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + \partial_{\mu}\partial^{\mu}\mathcal{J}^{\mathrm{src}\,\nu} + \partial_{\mu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + \partial_{\mu}\partial_{\nu}\mathcal{J}^{\mathrm{src}\,\mu}$
$\mathcal{G}^{\mathcal{K}^{\mathrm{src}}}_{\mu}$ == 0	2	$3\,\partial_{\mu}\partial_{\nu}\partial^{\mu}\mathcal{J}^{\mathrm{src}\,\nu} + 3\,\partial_{\mu}\partial^{\mu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + 2\,\partial_{\mu}\partial_{\nu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + 2\,\partial_{\mu}\partial^{\mu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\nu} + 2\,\partial_{\mu}\partial_{\nu}\partial^{\mu}\mathcal{J}^{\mathrm{src}\,\nu} +$ $4\,\partial_{\mu}\partial^{\mu}\partial_{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + 2\,\partial_{\mu}\partial^{\nu}\partial^{\mu}\mathcal{J}^{\mathrm{src}\,\mu} + 3\,\partial^{\mu}\,\partial_{\mu}\partial^{\nu}\partial_{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + 3\,\partial^{\mu}\,\partial_{\mu}\partial_{\nu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\mu} +$ $3\,\partial_{\mu}\partial^{\mu}\partial^{\nu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + 2\,\partial_{\mu}\partial^{\mu}\partial^{\nu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + 4\,\partial_{\mu}\partial^{\mu}\partial^{\nu}\partial_{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + 2\,\partial_{\mu}\partial^{\mu}\partial_{\nu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\nu} + 3\,\partial^{\mu}\,\partial_{\mu}\partial^{\nu}\partial_{\nu}\mathcal{J}^{\mathrm{src}\,\mu} +$ $3\,\partial^{\mu}\,\partial_{\mu}\partial^{\nu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + 2\,\partial_{\mu}\partial^{\mu}\partial^{\nu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\mu} + 3\,\partial^{\mu}\,\partial_{\mu}\partial^{\nu}\partial^{\nu}\mathcal{J}^{\mathrm{src}\,\mu}$
Total # constraint(s):	6	

Resolved pole(s)	# polarizations(s)	Square mass	Residue
	2	0	$\frac{1}{2}\,(6\,\mathcal{K}_3^{-4}\,\mathcal{K}_3^{(2)} + 8\,\mathcal{K}_3^{-3}\,\mathcal{K}_4^{(2)} - \mathcal{K}_3^{-2}\,\mathcal{K}_4^{(4)}\,\mathcal{K}_3^{(2)} + 6\,\mathcal{K}_4^{-4}\,\mathcal{K}_4^{(2)}\,\mathcal{K}_3^{-1} - \mathcal{K}_4^{-3