

	$\mathcal{K}_0^{\#1+}$	$\mathcal{K}_0^{\#1-}$				
$\mathcal{K}_0^{\#1+} \dagger$	$\frac{1}{2} (-3 Y_1 k^2 - 3 \overset{(2)}{K}_3)$	0				
$\mathcal{K}_0^{\#1+} \dagger^{\alpha\beta\chi}$	0	$3 k^2 \overset{(4)}{K}_{15} + 3 \overset{(2)}{K}_1$	$\mathcal{K}_{1^+}^{\#1-}{}_{\alpha\beta}$	$\mathcal{K}_{1^+}^{\#2-}{}_{\alpha\beta}$	$\mathcal{K}_{1^+}^{\#1-}{}_{\alpha}$	$\mathcal{K}_{1^+}^{\#2-}{}_{\alpha}$
$\mathcal{K}_{1^+}^{\#1-} \dagger^{\alpha\beta}$	$Y_2 k^2 + 2 \overset{(2)}{K}_1$	$\frac{Y_2 k^2 + 2 \overset{(2)}{K}_1}{\sqrt{2}}$	0	0		
$\mathcal{K}_{1^+}^{\#2-} \dagger^{\alpha\beta}$	$\frac{Y_2 k^2 + 2 \overset{(2)}{K}_1}{\sqrt{2}}$	$\frac{1}{2} (Y_2 k^2 + 2 \overset{(2)}{K}_1)$	0	0		
$\mathcal{K}_{1^+}^{\#1-} \dagger^{\alpha}$	0	0	$-k^2 \overset{(4)}{K}_2 - \overset{(2)}{K}_3$	$\frac{Y_3 k^2 + 2 \overset{(2)}{K}_3}{2 \sqrt{2}}$		
$\mathcal{K}_{1^+}^{\#2-} \dagger^{\alpha}$	0	0	$\frac{Y_3 k^2 + 2 \overset{(2)}{K}_3}{2 \sqrt{2}}$	$\frac{1}{2} (-Y_4 k^2 - \overset{(2)}{K}_3)$	$\mathcal{K}_{2^+}^{\#1-}{}_{\alpha\beta}$	$\mathcal{K}_{2^+}^{\#1-}{}_{\alpha\beta\chi}$
			$\mathcal{K}_{2^+}^{\#1-} \dagger^{\alpha\beta}$	0	0	
			$\mathcal{K}_{2^+}^{\#1-} \dagger^{\alpha\beta\chi}$	0	0	

	$\mathcal{J}_0^{\#1+}$	$\mathcal{J}_0^{\#1-}$				
$\mathcal{J}_0^{\#1+} \dagger$	$\frac{1}{\text{Det}(0^+)}$	0				
$\mathcal{J}_0^{\#1+} \dagger^{\alpha\beta\chi}$	0	$\frac{1}{3 (k^2 \overset{(4)}{K}_{15} + \overset{(2)}{K}_1)}$	$\mathcal{J}_{1^+}^{\#1-}{}_{\alpha\beta}$	$\mathcal{J}_{1^+}^{\#2-}{}_{\alpha\beta}$	$\mathcal{J}_{1^+}^{\#1-}{}_{\alpha}$	$\mathcal{J}_{1^+}^{\#2-}{}_{\alpha}$
$\mathcal{J}_{1^+}^{\#1-} \dagger^{\alpha\beta}$	$\frac{2}{3 \text{Det}(1^+)}$	$\frac{\sqrt{2}}{3 \text{Det}(1^+)}$	0	0		
$\mathcal{J}_{1^+}^{\#2-} \dagger^{\alpha\beta}$	$\frac{\sqrt{2}}{3 \text{Det}(1^+)}$	$\frac{1}{3 \text{Det}(1^+)}$	0	0		
$\mathcal{J}_{1^+}^{\#1-} \dagger^{\alpha}$	0	0	$\frac{-Y_4 k^2 - \overset{(2)}{K}_3}{2 \text{Det}(1^+)}$	$\frac{-Y_3 k^2 - 2 \overset{(2)}{K}_3}{2 \sqrt{2} \text{Det}(1^+)}$		
$\mathcal{J}_{1^+}^{\#2-} \dagger^{\alpha}$	0	0	$\frac{-Y_3 k^2 - 2 \overset{(2)}{K}_3}{2 \sqrt{2} \text{Det}(1^+)}$	$\frac{-k^2 \overset{(4)}{K}_{15} - \overset{(2)}{K}_1}{\text{Det}(1^+)}$	$\mathcal{J}_{2^+}^{\#1-}{}_{\alpha\beta}$	$\mathcal{J}_{2^+}^{\#1-}{}_{\alpha\beta\chi}$
			$\mathcal{J}_{2^+}^{\#1-} \dagger^{\alpha\beta}$	0	0	
			$\mathcal{J}_{2^+}^{\#1-} \dagger^{\alpha\beta\chi}$	0	0	

Abbreviations used in matrices

$$Y_1 == \overset{(4)}{K}_1 + \overset{(4)}{K}_2 \ \&\& Y_2 == 2 \overset{(4)}{K}_{15} - \overset{(4)}{K}_3 \ \&\& Y_3 == 2 \overset{(4)}{K}_2 + \overset{(4)}{K}_7 \ \&\& Y_4 == \overset{(4)}{K}_2 + \overset{(4)}{K}_7 \ \&\&$$





$$\text{Det}(0^+) == -\frac{3}{2} (k^2 (\overset{(4)}{K}_1 + \overset{(4)}{K}_2) + \overset{(2)}{K}_3) \ \&\& \text{Det}(1^+) == k^2 (3 \overset{(4)}{K}_{15} - \frac{3 \overset{(4)}{K}_3}{2}) + 3 \overset{(2)}{K}_1$$

Lagrangian

$$\overset{(2)}{K}_1 \mathcal{K}_{\alpha\beta\chi} \mathcal{K}^{\alpha\beta\chi} - 2 \overset{(2)}{K}_1 \mathcal{K}^{\alpha\beta\chi} \mathcal{K}_{\beta\alpha\chi} + \overset{(2)}{K}_3 \mathcal{K}^{\alpha\beta} \mathcal{K}^{\chi}_{\beta\chi} + \overset{(4)}{K}_1 \partial_{\delta} \mathcal{K}^{\delta}_{\chi\delta} \partial^{\chi} \mathcal{K}^{\alpha\beta}_{\alpha} +$$

$$\overset{(4)}{K}_2 \partial_{\chi} \mathcal{K}^{\delta}_{\beta\delta} \partial^{\chi} \mathcal{K}^{\alpha\beta}_{\alpha} + \overset{(4)}{K}_3 \partial_{\beta} \mathcal{K}^{\alpha\beta\chi} \partial_{\delta} \mathcal{K}^{\delta}_{\alpha\chi} - 2 \overset{(4)}{K}_3 \partial_{\alpha} \mathcal{K}^{\alpha\beta\chi} \partial_{\delta} \mathcal{K}^{\delta}_{\beta\chi} - \overset{(4)}{K}_3 \partial_{\beta} \mathcal{K}^{\alpha\beta\chi} \partial_{\delta} \mathcal{K}^{\delta}_{\chi\alpha} +$$

$$\overset{(4)}{K}_7 \partial^{\chi} \mathcal{K}^{\alpha\beta}_{\alpha} \partial_{\delta} \mathcal{K}^{\delta}_{\chi\beta} - \frac{1}{2} \overset{(4)}{K}_3 \partial_{\alpha} \mathcal{K}^{\alpha\beta\chi} \partial_{\delta} \mathcal{K}^{\delta}_{\beta\chi} + \overset{(4)}{K}_{15} \partial_{\delta} \mathcal{K}_{\alpha\beta\chi} \partial^{\delta} \mathcal{K}^{\alpha\beta\chi} - 2 \overset{(4)}{K}_{15} \partial_{\delta} \mathcal{K}_{\beta\alpha\chi} \partial^{\delta} \mathcal{K}^{\alpha\beta\chi}$$

Added source term(s):	$\mathcal{K}^{\alpha\beta\chi} \mathcal{J}_{\alpha\beta\chi}$		
Source constraint(s)	# constraint(s)	Covariant form	
$\mathcal{J}_{1^+}^{\#1\alpha\beta} == \mathcal{J}_{1^+}^{\#2\alpha\beta}$	3	$3 \partial_{\delta} \partial_{\chi} \partial^{\alpha} \mathcal{J}^{\chi\beta\delta} + \partial_{\delta} \partial^{\delta} \partial_{\chi} \mathcal{J}^{\beta\alpha\chi} + 2 \partial_{\delta} \partial^{\delta} \partial_{\chi} \mathcal{J}^{\chi\alpha\beta} == 3 \partial_{\delta} \partial_{\chi} \partial^{\beta} \mathcal{J}^{\chi\alpha\delta} + \partial_{\delta} \partial^{\delta} \partial_{\chi} \mathcal{J}^{\alpha\beta\chi}$	
$\mathcal{J}_{2^+}^{\#1\alpha\beta\chi} == 0$	5	$3 \partial_{\epsilon} \partial_{\delta} \partial^{\chi} \partial^{\alpha} \mathcal{J}^{\delta\beta\epsilon} + 3 \partial_{\epsilon} \partial^{\epsilon} \partial^{\chi} \partial^{\alpha} \mathcal{J}^{\delta\beta}_{\delta} + 2 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\beta} \mathcal{J}^{\alpha\chi\delta} + 4 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\beta} \mathcal{J}^{\chi\alpha\delta} + 2 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\beta} \mathcal{J}^{\delta\alpha\chi} + 2 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\chi} \mathcal{J}^{\beta\alpha\delta} +$ $4 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\chi} \mathcal{J}^{\delta\alpha\beta} + 2 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\delta} \mathcal{J}^{\alpha\beta\chi} + 3 \eta^{\beta\chi} \partial_{\phi} \partial^{\phi} \partial_{\epsilon} \partial^{\alpha} \mathcal{J}^{\delta}_{\delta}{}^{\epsilon} + 3 \eta^{\alpha\chi} \partial_{\phi} \partial^{\phi} \partial_{\epsilon} \partial^{\delta} \mathcal{J}^{\delta\beta\epsilon} + 3 \eta^{\beta\chi} \partial_{\phi} \partial^{\phi} \partial_{\epsilon} \partial^{\epsilon} \mathcal{J}^{\delta\alpha}_{\delta} ==$ $3 \partial_{\epsilon} \partial_{\delta} \partial^{\chi} \partial^{\beta} \mathcal{J}^{\delta\alpha\epsilon} + 3 \partial_{\epsilon} \partial^{\epsilon} \partial^{\chi} \partial^{\beta} \mathcal{J}^{\delta\alpha}_{\delta} + 2 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\alpha} \mathcal{J}^{\beta\chi\delta} + 4 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\alpha} \mathcal{J}^{\chi\beta\delta} + 2 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\alpha} \mathcal{J}^{\delta\beta\chi} + 2 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\chi} \mathcal{J}^{\alpha\beta\delta} +$ $2 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\delta} \mathcal{J}^{\beta\alpha\chi} + 4 \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \partial^{\delta} \mathcal{J}^{\chi\alpha\beta} + 3 \eta^{\alpha\chi} \partial_{\phi} \partial^{\phi} \partial_{\epsilon} \partial^{\beta} \mathcal{J}^{\delta}_{\delta}{}^{\epsilon} + 3 \eta^{\beta\chi} \partial_{\phi} \partial^{\phi} \partial_{\epsilon} \partial^{\delta} \mathcal{J}^{\delta\alpha\epsilon} + 3 \eta^{\alpha\chi} \partial_{\phi} \partial^{\phi} \partial_{\epsilon} \partial^{\epsilon} \mathcal{J}^{\delta\beta}_{\delta}$	
$\mathcal{J}_{2^+}^{\#1\alpha\beta} == 0$	5	$3 \partial_{\delta} \partial_{\chi} \partial^{\alpha} \mathcal{J}^{\chi\beta\delta} + 3 \partial_{\delta} \partial_{\chi} \partial^{\beta} \mathcal{J}^{\chi\alpha\delta} + 2 \eta^{\alpha\beta} \partial_{\epsilon} \partial^{\epsilon} \partial_{\delta} \mathcal{J}^{\chi}_{\chi}{}^{\delta} == 2 \partial_{\delta} \partial^{\delta} \partial^{\alpha} \mathcal{J}^{\chi}_{\chi}{}^{\delta} + 3 (\partial_{\delta} \partial^{\delta} \partial_{\chi} \mathcal{J}^{\alpha\beta\chi} + \partial_{\delta} \partial^{\delta} \partial_{\chi} \mathcal{J}^{\beta\alpha\chi})$	
Total # constraint(s):	13		
Resolved pole(s)	# polarization(s)	Square mass	Residue
	1	0	$\frac{2}{\overset{(4)}{K}_7} - \frac{4 \overset{(2)}{K}_3}{\overset{(4)}{K}_7^2 p^2} - \frac{p^2}{\overset{(2)}{K}_3}$
	1	$-\frac{\overset{(2)}{K}_3}{\overset{(4)}{K}_1 + \overset{(4)}{K}_2}$	$-\frac{2}{3 (\overset{(4)}{K}_1 + \overset{(4)}{K}_2)}$
	1	$-\frac{\overset{(2)}{K}_1}{\overset{(4)}{K}_{15}}$	$-\frac{1}{3 \overset{(4)}{K}_{15}}$
	3	$\frac{2 \overset{(2)}{K}_1}{-2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_3}$	$\frac{2}{6 \overset{(4)}{K}_{15} - 3 \overset{(4)}{K}_3}$
Resolved unitarity condition(s):	(Demonstrably impossible)		