

$\mathcal{K}_0^{\#1}$		$\mathcal{K}_0^{\#1}{}_{\alpha\beta\chi}$					
$\mathcal{K}_0^{\#1} \dagger$	$\frac{1}{2} (-3 \Upsilon_1 k^2 - 3 \overset{(2)}{\mathcal{K}}_3)$	0					
$\mathcal{K}_0^{\#1} \dagger^{\alpha\beta\chi}$	0	$3 k^2 \overset{(4)}{\mathcal{K}}_{15} + 3 \overset{(2)}{\mathcal{K}}_1$	$\mathcal{K}_1^{\#1}{}_{\alpha\beta}$	$\mathcal{K}_1^{\#2}{}_{\alpha\beta}$	$\mathcal{K}_1^{\#1}{}_{\alpha}$	$\mathcal{K}_1^{\#2}{}_{\alpha}$	
	$\mathcal{K}_1^{\#1} \dagger^{\alpha\beta}$	$\Upsilon_2 k^2 + 2 \overset{(2)}{\mathcal{K}}_1$	$\frac{\Upsilon_3 k^2 + 4 \overset{(2)}{\mathcal{K}}_1}{2 \sqrt{2}}$	0	0		
	$\mathcal{K}_1^{\#2} \dagger^{\alpha\beta}$	$\frac{\Upsilon_3 k^2 + 4 \overset{(2)}{\mathcal{K}}_1}{2 \sqrt{2}}$	$\frac{1}{2} (\Upsilon_4 k^2 + 2 \overset{(2)}{\mathcal{K}}_1)$	0	0		
	$\mathcal{K}_1^{\#1} \dagger^{\alpha}$	0	0	$-k^2 \overset{(4)}{\mathcal{K}}_2 - \overset{(2)}{\mathcal{K}}_3$	$\frac{k^2 \overset{(4)}{\mathcal{K}}_2 + \overset{(2)}{\mathcal{K}}_3}{\sqrt{2}}$		
	$\mathcal{K}_1^{\#2} \dagger^{\alpha}$	0	0	$\frac{k^2 \overset{(4)}{\mathcal{K}}_2 + \overset{(2)}{\mathcal{K}}_3}{\sqrt{2}}$	$\frac{1}{2} (-k^2 \overset{(4)}{\mathcal{K}}_2 - \overset{(2)}{\mathcal{K}}_3)$	$\mathcal{K}_2^{\#1}{}_{\alpha\beta}$	$\mathcal{K}_2^{\#1}{}_{\alpha\beta\chi}$
				$\mathcal{K}_2^{\#1} \dagger^{\alpha\beta}$	0	0	
				$\mathcal{K}_2^{\#1} \dagger^{\alpha\beta\chi}$	0	0	





$\mathcal{T}_{0^+}^{\#1}$		$\mathcal{T}_{0^+}^{\#1}{}^{\alpha\beta\chi}$					
$\mathcal{T}_{0^+}^{\#1} \dagger$	$\frac{1}{\text{Det}(0^+)}$	0					
$\mathcal{T}_{0^+}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\frac{1}{3 \left(k^2 \binom{(4)}{\kappa_{15}} + \binom{(2)}{\kappa_1} \right)}$		$\mathcal{T}_{1^+}^{\#1}{}_{\alpha\beta}$	$\mathcal{T}_{1^+}^{\#2}{}_{\alpha\beta}$	$\mathcal{T}_{1^+}^{\#1}{}_{\alpha}$	$\mathcal{T}_{1^+}^{\#2}{}_{\alpha}$
$\mathcal{T}_{1^+}^{\#1} \dagger^{\alpha\beta}$	$\frac{\Upsilon_4 k^2 + 2 \binom{(2)}{\kappa_1}}{2 \text{Det}(1^+)}$	$\frac{-\Upsilon_3 k^2 - 4 \binom{(2)}{\kappa_1}}{2 \sqrt{2} \text{Det}(1^+)}$	0	0			
$\mathcal{T}_{1^+}^{\#2} \dagger^{\alpha\beta}$	$\frac{-\Upsilon_3 k^2 - 4 \binom{(2)}{\kappa_1}}{2 \sqrt{2} \text{Det}(1^+)}$	$\frac{\Upsilon_2 k^2 + 2 \binom{(2)}{\kappa_1}}{\text{Det}(1^+)}$	0	0			
$\mathcal{T}_{1^+}^{\#1} \dagger^{\alpha}$	0	0	$\frac{2}{3 \text{Det}(1^+)}$	$-\frac{\sqrt{2}}{3 \text{Det}(1^+)}$			
$\mathcal{T}_{1^+}^{\#2} \dagger^{\alpha}$	0	0	$-\frac{\sqrt{2}}{3 \text{Det}(1^+)}$	$\frac{1}{3 \text{Det}(1^+)}$	$\mathcal{T}_{2^+}^{\#1}{}_{\alpha\beta}$	$\mathcal{T}_{2^+}^{\#1}{}^{\alpha\beta\chi}$	
$\mathcal{T}_{2^+}^{\#1} \dagger^{\alpha\beta}$					0	0	
$\mathcal{T}_{2^+}^{\#1} \dagger^{\alpha\beta\chi}$					0	0	

Abbreviations used in matrices

$$\Upsilon_1 == \binom{(4)}{K_1} + \binom{(4)}{K_2} \ \&\& \ \Upsilon_2 == 2 \binom{(4)}{K_{15}} - \binom{(4)}{K_3} \ \&\& \ \Upsilon_3 == 4 \binom{(4)}{K_{15}} + \binom{(4)}{K_4} \ \&\& \ \Upsilon_4 == 2 \binom{(4)}{K_{15}} + \binom{(4)}{K_3} + \binom{(4)}{K_4} \ \&\& \\ \text{Det}(0^+) == -\frac{3}{2} (k^2 (\binom{(4)}{K_1} + \binom{(4)}{K_2}) + \binom{(2)}{K_3}) \ \&\& \ \text{Det}(1^+) == -\frac{1}{8} k^4 (2 \binom{(4)}{K_3} + \binom{(4)}{K_4})^2$$

Lagrangian

$$\binom{(2)}{K_1} \mathcal{K}_{\alpha\beta\chi} \mathcal{K}^{\alpha\beta\chi} - 2 \binom{(2)}{K_1} \mathcal{K}^{\alpha\beta\chi} \mathcal{K}_{\beta\alpha\chi} + \binom{(2)}{K_3} \mathcal{K}^{\alpha\beta} \mathcal{K}^{\chi}_{\beta\chi} + \binom{(4)}{K_1} \partial_\beta \mathcal{K}^\delta_{\chi\delta} \partial^\chi \mathcal{K}^{\alpha\beta} + \\ \binom{(4)}{K_2} \partial_\chi \mathcal{K}^\delta_{\beta\delta} \partial^\chi \mathcal{K}^{\alpha\beta} + \binom{(4)}{K_3} \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^{\delta}_{\alpha\chi} + \binom{(4)}{K_4} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^{\delta}_{\beta\chi} - \binom{(4)}{K_3} \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^{\delta}_{\chi\alpha} + \\ \frac{1}{2} \binom{(4)}{K_3} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^{\delta}_{\beta\chi} + \frac{1}{2} \binom{(4)}{K_4} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^{\delta}_{\beta\chi} + \binom{(4)}{K_{15}} \partial_\delta \mathcal{K}_{\alpha\beta\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi} - 2 \binom{(4)}{K_{15}} \partial_\delta \mathcal{K}_{\beta\alpha\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi}$$

Added source term(s):	$\mathcal{K}^{\alpha\beta\chi} \mathcal{J}_{\alpha\beta\chi}$		
Source constraint(s)	# constraint(s)	Covariant form	
$\mathcal{J}_{1^+}^{#1\alpha} + 2 \mathcal{J}_{1^+}^{#2\alpha} == 0$	3	$\partial_\chi \partial^\alpha \mathcal{J}^{\beta\chi}_{\beta} + \partial_\chi \partial^\chi \mathcal{J}^{\beta\alpha}_{\beta} == 3 \partial_\chi \partial_\beta \mathcal{J}^{\beta\alpha\chi}$	
$\mathcal{J}_{2^+}^{#1\alpha\beta\chi} == 0$	5	$3 \partial_\epsilon \partial_\delta \partial^\chi \partial^\alpha \mathcal{J}^{\delta\beta\epsilon} + 3 \partial_\epsilon \partial^\epsilon \partial^\chi \partial^\alpha \mathcal{J}^{\delta\beta}_{\delta} + 2 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\beta \mathcal{J}^{\alpha\chi\delta} + 4 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\beta \mathcal{J}^{\chi\alpha\delta} + 2 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\beta \mathcal{J}^{\delta\alpha\chi} + 2 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\chi \mathcal{J}^{\beta\alpha\delta} +$ $4 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\chi \mathcal{J}^{\delta\alpha\beta} + 2 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\delta \mathcal{J}^{\alpha\beta\chi} + 3 \eta^{\beta\chi} \partial_\phi \partial^\phi \partial_\epsilon \partial^\alpha \mathcal{J}^{\delta}_{\delta}{}^\epsilon + 3 \eta^{\alpha\chi} \partial_\phi \partial^\phi \partial_\epsilon \partial_\delta \mathcal{J}^{\delta\beta\epsilon} + 3 \eta^{\beta\chi} \partial_\phi \partial^\phi \partial_\epsilon \partial^\epsilon \mathcal{J}^{\delta\alpha}_{\delta} ==$ $3 \partial_\epsilon \partial_\delta \partial^\chi \partial^\beta \mathcal{J}^{\delta\alpha\epsilon} + 3 \partial_\epsilon \partial^\epsilon \partial^\chi \partial^\beta \mathcal{J}^{\delta\alpha}_{\delta} + 2 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\alpha \mathcal{J}^{\beta\chi\delta} + 4 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\alpha \mathcal{J}^{\chi\beta\delta} + 2 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\alpha \mathcal{J}^{\delta\beta\chi} + 2 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\chi \mathcal{J}^{\alpha\beta\delta} +$ $2 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\delta \mathcal{J}^{\beta\alpha\chi} + 4 \partial_\epsilon \partial^\epsilon \partial_\delta \partial^\delta \mathcal{J}^{\chi\alpha\beta} + 3 \eta^{\alpha\chi} \partial_\phi \partial^\phi \partial_\epsilon \partial^\beta \mathcal{J}^{\delta}_{\delta}{}^\epsilon + 3 \eta^{\beta\chi} \partial_\phi \partial^\phi \partial_\epsilon \partial_\delta \mathcal{J}^{\delta\alpha\epsilon} + 3 \eta^{\alpha\chi} \partial_\phi \partial^\phi \partial_\epsilon \partial^\epsilon \mathcal{J}^{\delta\beta}_{\delta}$	
$\mathcal{J}_{2^+}^{#1\alpha\beta} == 0$	5	$3 \partial_\delta \partial_\chi \partial^\alpha \mathcal{J}^{\chi\beta\delta} + 3 \partial_\delta \partial_\chi \partial^\beta \mathcal{J}^{\chi\alpha\delta} + 2 \eta^{\alpha\beta} \partial_\epsilon \partial^\epsilon \partial_\delta \mathcal{J}^{\chi}_{\chi}{}^\delta == 2 \partial_\delta \partial^\beta \partial^\alpha \mathcal{J}^{\chi}_{\chi}{}^\delta + 3 (\partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\alpha\beta\chi} + \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\beta\alpha\chi})$	
Total # constraint(s):	13		
Resolved pole(s)	# polarization(s)	Square mass	Residue
	1	0	$\frac{4}{2 \binom{(4)}{K_3} + \binom{(4)}{K_4}} - \frac{16 \binom{(2)}{K_1}}{(2 \binom{(4)}{K_3} + \binom{(4)}{K_4})^2 p^2} - \frac{p^2}{\binom{(2)}{K_1}}$
	1	$-\frac{\binom{(2)}{K_3}}{\binom{(4)}{K_1} + \binom{(4)}{K_2}}$	$-\frac{2}{3 (\binom{(4)}{K_1} + \binom{(4)}{K_2})}$
	1	$-\frac{\binom{(2)}{K_1}}{\binom{(4)}{K_{15}}}$	$-\frac{1}{3 \binom{(4)}{K_{15}}}$
	3	$-\frac{\binom{(2)}{K_3}}{\binom{(4)}{K_2}}$	$\frac{2}{3 \binom{(4)}{K_2}}$
Resolved unitarity condition(s):	(Demonstrably impossible)		