

	$\mathcal{K}_{0+}^{\#1}$	$\mathcal{K}_{0-}^{\#1}{}_{\alpha\beta\chi}$				
$\mathcal{K}_{0+}^{\#1} \dagger$	0	0				
$\mathcal{K}_{0-}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\Upsilon_1 k^2$	$\mathcal{K}_{1+}^{\#1}{}_{\alpha\beta}$	$\mathcal{K}_{1+}^{\#2}{}_{\alpha\beta}$	$\mathcal{K}_{1-}^{\#1}{}_{\alpha}$	$\mathcal{K}_{1-}^{\#2}{}_{\alpha}$
$\mathcal{K}_{1+}^{\#1} \dagger^{\alpha\beta}$	0	0	0	0	0	0
$\mathcal{K}_{1+}^{\#2} \dagger^{\alpha\beta}$	0	0	0	0	0	0
$\mathcal{K}_{1-}^{\#1} \dagger^{\alpha}$	0	0	$\frac{\Upsilon_2 k^2}{6}$	$-\frac{\Upsilon_2 k^2}{6\sqrt{2}}$	$\mathcal{K}_{2+}^{\#1}{}_{\alpha\beta}$	$\mathcal{K}_{2-}^{\#1}{}_{\alpha\beta\chi}$
$\mathcal{K}_{1-}^{\#2} \dagger^{\alpha}$	0	0	$-\frac{\Upsilon_2 k^2}{6\sqrt{2}}$	$\frac{\Upsilon_2 k^2}{12}$	$\mathcal{K}_{2+}^{\#1} \dagger^{\alpha\beta}$	$\frac{\Upsilon_3 k^2}{2}$
					$\mathcal{K}_{2-}^{\#1} \dagger^{\alpha\beta\chi}$	0
						$\frac{\Upsilon_3 k^2}{2}$

	$\mathcal{J}_{0+}^{\#1}$	$\mathcal{J}_{0-}^{\#1}{}_{\alpha\beta\chi}$				
$\mathcal{J}_{0+}^{\#1} \dagger$	0	0				
$\mathcal{J}_{0-}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\frac{1}{k^2 \binom{(4)}{K_{15}} \binom{(4)}{K_{16}}}$	$\mathcal{J}_{1+}^{\#1}{}_{\alpha\beta}$	$\mathcal{J}_{1+}^{\#2}{}_{\alpha\beta}$	$\mathcal{J}_{1-}^{\#1}{}_{\alpha}$	$\mathcal{J}_{1-}^{\#2}{}_{\alpha}$
$\mathcal{J}_{1+}^{\#1} \dagger^{\alpha\beta}$	0	0	0	0	0	0
$\mathcal{J}_{1+}^{\#2} \dagger^{\alpha\beta}$	0	0	0	0	0	0
$\mathcal{J}_{1-}^{\#1} \dagger^{\alpha}$	0	0	$\frac{2}{3 \text{Det}(1^-)}$	$-\frac{\sqrt{2}}{3 \text{Det}(1^-)}$	$\mathcal{J}_{2+}^{\#1}{}_{\alpha\beta}$	$\mathcal{J}_{2-}^{\#1}{}_{\alpha\beta\chi}$
$\mathcal{J}_{1-}^{\#2} \dagger^{\alpha}$	0	0	$-\frac{\sqrt{2}}{3 \text{Det}(1^-)}$	$\frac{1}{3 \text{Det}(1^-)}$	$\mathcal{J}_{2+}^{\#1} \dagger^{\alpha\beta}$	$\frac{1}{\text{Det}(2^+)}$
					$\mathcal{J}_{2-}^{\#1} \dagger^{\alpha\beta\chi}$	0
						$\frac{1}{\text{Det}(2^-)}$

Abbreviations used in matrices

$$\Upsilon_1 == \binom{(4)}{K_{15}} - \binom{(4)}{K_{16}} \text{ \&\& } \Upsilon_2 == 6 \binom{(4)}{K_1} + 2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}} \text{ \&\& } \Upsilon_3 == 2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}} \text{ \&\& }$$

$$\text{Det}(1^-) == \frac{1}{4} k^2 (6 \binom{(4)}{K_1} + 2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}}) \text{ \&\& } \text{Det}(2^+) == \frac{1}{2} k^2 (2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}})$$





Lagrangian

$$\binom{(4)}{K_1} \partial_\beta \mathcal{K}_{\chi\delta}^\delta \partial^{\chi\alpha\beta} \mathcal{K}_\alpha^\beta - \binom{(4)}{K_1} \partial_\chi \mathcal{K}_{\beta\delta}^\delta \partial^{\chi\alpha\beta} \mathcal{K}_\alpha^\beta + \frac{2}{3} \binom{(4)}{K_{15}} \partial_\chi \mathcal{K}_{\beta\delta}^\delta \partial^{\chi\alpha\beta} \mathcal{K}_\alpha^\beta +$$

$$\frac{1}{3} \binom{(4)}{K_{16}} \partial_\chi \mathcal{K}_{\beta\delta}^\delta \partial^{\chi\alpha\beta} \mathcal{K}_\alpha^\beta + \binom{(4)}{K_{15}} \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\alpha\chi}^\delta - \frac{1}{2} \binom{(4)}{K_{16}} \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\alpha\chi}^\delta +$$

$$2 \binom{(4)}{K_{16}} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\beta\chi}^\delta - \binom{(4)}{K_{15}} \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\chi\alpha}^\delta + \frac{1}{2} \binom{(4)}{K_{16}} \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\chi\alpha}^\delta - 2 \binom{(4)}{K_{15}} \partial^\chi \mathcal{K}_\alpha^\beta \partial_\delta \mathcal{K}_{\chi\beta}^\delta -$$

$$\binom{(4)}{K_{16}} \partial^\chi \mathcal{K}_\alpha^\beta \partial_\delta \mathcal{K}_{\chi\beta}^\delta - \binom{(4)}{K_{15}} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}_{\beta\chi}^\delta + \binom{(4)}{K_{15}} \partial_\delta \mathcal{K}_{\alpha\beta\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi} + \binom{(4)}{K_{16}} \partial_\delta \mathcal{K}_{\beta\alpha\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi}$$

Added source term(s):	$\mathcal{K}^{\alpha\beta\chi} \mathcal{J}_{\alpha\beta\chi}$		
Source constraint(s)	# constraint(s)	Covariant form	
$\mathcal{J}_{1-}^{\#1\alpha} + 2 \mathcal{J}_{1-}^{\#2\alpha} == 0$	3	$\partial_\chi \partial^\alpha \mathcal{J}_\beta^{\beta\chi} + \partial_\chi \partial^\chi \mathcal{J}_\beta^{\beta\alpha} == 3 \partial_\chi \partial_\beta \mathcal{J}^{\beta\alpha\chi}$	
$\mathcal{J}_{1+}^{\#2\alpha\beta} == 0$	3	$\partial_\delta \partial_\chi \partial^\alpha \mathcal{J}^{\chi\beta\delta} + \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\chi\alpha\beta} == \partial_\delta \partial_\chi \partial^\beta \mathcal{J}^{\chi\alpha\delta}$	
$\mathcal{J}_{1+}^{\#1\alpha\beta} == 0$	3	$\partial_\delta \partial_\chi \partial^\alpha \mathcal{J}^{\chi\beta\delta} + \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\beta\alpha\chi} == \partial_\delta \partial_\chi \partial^\beta \mathcal{J}^{\chi\alpha\delta} + \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\alpha\beta\chi}$	
Total # constraint(s):	9		
Resolved pole(s)	# polarization(s)	Square mass	Residue
	3	0	$-\frac{1}{6 \binom{(4)}{K_1} + 2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}}}$
	1	0	$\frac{1}{6 \binom{(4)}{K_1} + 2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}}}$
	2	0	$-\frac{1}{2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}}}$
	2	0	$\frac{1}{2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}}}$

Resolved unitarity condition(s):

(Demonstrably impossible)