

$\mathcal{K}_0^{\#1}$		$\mathcal{K}_0^{\#1}{}_{\alpha\beta\chi}$					
$\mathcal{K}_0^{\#1} \dagger$	$\frac{1}{2} (-Y_1 k^2 - 3 \overset{(2)}{K}_3)$	0					
$\mathcal{K}_0^{\#1} \dagger^{\alpha\beta\chi}$	0	$Y_2 k^2 + 3 \overset{(2)}{K}_1$	$\mathcal{K}_1^{\#1}{}_{\alpha\beta}$	$\mathcal{K}_1^{\#2}{}_{\alpha\beta}$	$\mathcal{K}_1^{\#1}{}_{\alpha}$	$\mathcal{K}_1^{\#2}{}_{\alpha}$	
$\mathcal{K}_1^{\#1} \dagger^{\alpha\beta}$	$\frac{1}{2} (Y_3 k^2 + 4 \overset{(2)}{K}_1)$	$\frac{Y_3 k^2 + 4 \overset{(2)}{K}_1}{2 \sqrt{2}}$	0		0		
$\mathcal{K}_1^{\#2} \dagger^{\alpha\beta}$	$\frac{Y_3 k^2 + 4 \overset{(2)}{K}_1}{2 \sqrt{2}}$	$\frac{1}{4} (Y_3 k^2 + 4 \overset{(2)}{K}_1)$	0		0		
$\mathcal{K}_1^{\#1} \dagger^{\alpha}$	0	0	$\frac{1}{2} (Y_4 k^2 - 2 \overset{(2)}{K}_3)$	$\frac{-Y_4 k^2 + 2 \overset{(2)}{K}_3}{2 \sqrt{2}}$			
$\mathcal{K}_1^{\#2} \dagger^{\alpha}$	0	0	$\frac{-Y_4 k^2 + 2 \overset{(2)}{K}_3}{2 \sqrt{2}}$	$\frac{1}{4} (Y_4 k^2 - 2 \overset{(2)}{K}_3)$	$\mathcal{K}_2^{\#1}{}_{\alpha\beta}$	$\mathcal{K}_2^{\#1}{}_{\alpha\beta\chi}$	
					$\mathcal{K}_2^{\#1} \dagger^{\alpha\beta}$	$\frac{Y_5 k^2}{2}$	0
					$\mathcal{K}_2^{\#1} \dagger^{\alpha\beta\chi}$	0	$\frac{Y_5 k^2}{2}$

$\mathcal{T}_{0^+}^{\#1} \dagger$	$\mathcal{T}_{0^+}^{\#1}$	$\mathcal{T}_{0^+}^{\#1} \alpha\beta\chi$					
	$\frac{1}{\text{Det}(0^+)}$	0					
$\mathcal{T}_{0^+}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\frac{1}{\text{Det}(0^+)}$	$\mathcal{T}_{1^+}^{\#1} \alpha\beta$	$\mathcal{T}_{1^+}^{\#2} \alpha\beta$	$\mathcal{T}_{1^+}^{\#1} \alpha$	$\mathcal{T}_{1^+}^{\#2} \alpha$	
	$\mathcal{T}_{1^+}^{\#1} \dagger^{\alpha\beta}$	$\frac{2}{3 \text{Det}(1^+)}$	$\frac{\sqrt{2}}{3 \text{Det}(1^+)}$	0	0		
	$\mathcal{T}_{1^+}^{\#2} \dagger^{\alpha\beta}$	$\frac{\sqrt{2}}{3 \text{Det}(1^+)}$	$\frac{1}{3 \text{Det}(1^+)}$	0	0		
	$\mathcal{T}_{1^+}^{\#1} \dagger^\alpha$	0	0	$\frac{2}{3 \text{Det}(1^+)}$	$-\frac{\sqrt{2}}{3 \text{Det}(1^+)}$		
	$\mathcal{T}_{1^+}^{\#2} \dagger^\alpha$	0	0	$-\frac{\sqrt{2}}{3 \text{Det}(1^+)}$	$\frac{1}{3 \text{Det}(1^+)}$	$\mathcal{T}_{2^+}^{\#1} \alpha\beta$	$\mathcal{T}_{2^+}^{\#1} \alpha\beta\chi$
				$\mathcal{T}_{2^+}^{\#1} \dagger^{\alpha\beta}$	$\frac{1}{\text{Det}(2^+)}$	0	
				$\mathcal{T}_{2^+}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\frac{1}{\text{Det}(2^+)}$	

Abbreviations used in matrices

$$Y_1 == 3 \overset{(4)}{K}_1 - 2 \overset{(4)}{K}_{15} - \overset{(4)}{K}_{16} + 3 \overset{(4)}{K}_2 \text{ \&\& } Y_2 == \overset{(4)}{K}_{15} - \overset{(4)}{K}_{16} \text{ \&\& } Y_3 == 2 \overset{(4)}{K}_{15} - \overset{(4)}{K}_{16} - 2 \overset{(4)}{K}_3 \text{ \&\& }$$

$$Y_4 == 2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_{16} - 2 \overset{(4)}{K}_2 \text{ \&\& } Y_5 == 2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_{16} \text{ \&\& } \text{Det}(0^+) == \frac{1}{2} (k^2 (-3 \overset{(4)}{K}_1 + 2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_{16} - 3 \overset{(4)}{K}_2) - 3 \overset{(2)}{K}_3) \text{ \&\& }$$

$$\text{Det}(1^+) == \frac{3}{4} k^2 (2 \overset{(4)}{K}_{15} - \overset{(4)}{K}_{16} - 2 \overset{(4)}{K}_3) + 3 \overset{(2)}{K}_1 \text{ \&\& } \text{Det}(2^+) == \frac{1}{2} k^2 (2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_{16})$$

Lagrangian

$$\overset{(2)}{K}_1 \mathcal{K}_{\alpha\beta\chi} \mathcal{K}^{\alpha\beta\chi} - 2 \overset{(2)}{K}_1 \mathcal{K}^{\alpha\beta\chi} \mathcal{K}_{\beta\alpha\chi} + \overset{(2)}{K}_3 \mathcal{K}^{\alpha\beta} \mathcal{K}^{\chi}_{\beta\chi} + \overset{(4)}{K}_1 \partial_\beta \mathcal{K}^\delta_{\chi\delta} \partial^\chi \mathcal{K}^\alpha_{\alpha\beta} + \overset{(4)}{K}_2 \partial_\chi \mathcal{K}^\delta_{\beta\delta} \partial^\chi \mathcal{K}^\alpha_{\alpha\beta} +$$

$$\overset{(4)}{K}_3 \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^\delta_{\alpha\chi} + 2 \overset{(4)}{K}_{15} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^\delta_{\beta\chi} + \overset{(4)}{K}_{16} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^\delta_{\beta\chi} - 2 \overset{(4)}{K}_3 \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^\delta_{\beta\chi} -$$

$$\overset{(4)}{K}_3 \partial_\beta \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^\delta_{\chi\alpha} - 2 \overset{(4)}{K}_{15} \partial^\chi \mathcal{K}^\alpha_{\alpha\beta} \partial_\delta \mathcal{K}^\delta_{\chi\beta} - \overset{(4)}{K}_{16} \partial^\chi \mathcal{K}^\alpha_{\alpha\beta} \partial_\delta \mathcal{K}^\delta_{\chi\beta} - \frac{1}{2} \overset{(4)}{K}_{15} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^\delta_{\beta\chi} -$$

$$\frac{1}{4} \overset{(4)}{K}_{16} \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^\delta_{\beta\chi} - \frac{1}{2} \overset{(4)}{K}_3 \partial_\alpha \mathcal{K}^{\alpha\beta\chi} \partial_\delta \mathcal{K}^\delta_{\beta\chi} + \overset{(4)}{K}_{15} \partial_\delta \mathcal{K}_{\alpha\beta\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi} + \overset{(4)}{K}_{16} \partial_\delta \mathcal{K}_{\beta\alpha\chi} \partial^\delta \mathcal{K}^{\alpha\beta\chi}$$

Added source term(s):	$\mathcal{K}^{\alpha\beta\chi} \mathcal{J}_{\alpha\beta\chi}$		
Source constraint(s)	# constraint(s)	Covariant form	
$\mathcal{J}_{1^+}^{#1\alpha} + 2 \mathcal{J}_{1^+}^{#2\alpha} == 0$	3	$\partial_\chi \partial^\alpha \mathcal{J}^\beta_{\beta\chi} + \partial_\chi \partial^\chi \mathcal{J}^{\beta\alpha}_{\beta} == 3 \partial_\chi \partial_\beta \mathcal{J}^{\beta\alpha\chi}$	
$\mathcal{J}_{1^+}^{#1\alpha\beta} == \mathcal{J}_{1^+}^{#2\alpha\beta}$	3	$3 \partial_\delta \partial_\chi \partial^\alpha \mathcal{J}^{\chi\beta\delta} + \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\beta\alpha\chi} + 2 \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\chi\alpha\beta} == 3 \partial_\delta \partial_\chi \partial^\beta \mathcal{J}^{\chi\alpha\delta} + \partial_\delta \partial^\delta \partial_\chi \mathcal{J}^{\alpha\beta\chi}$	
Total # constraint(s):	6		
Resolved pole(s)	# polarization(s)	Square mass	Residue
	2	0	$-\frac{1}{2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_{16}}$
	2	0	$\frac{1}{2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_{16}}$
	1	$\frac{3 \overset{(2)}{K}_3}{-3 \overset{(4)}{K}_1 + 2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_{16} - 3 \overset{(4)}{K}_2}$	$-\frac{2}{3 \overset{(4)}{K}_1 - 2 \overset{(4)}{K}_{15} - \overset{(4)}{K}_{16} + 3 \overset{(4)}{K}_2}$
	1	$\frac{3 \overset{(2)}{K}_1}{-\overset{(4)}{K}_{15} + \overset{(4)}{K}_{16}}$	$\frac{1}{-\overset{(4)}{K}_{15} + \overset{(4)}{K}_{16}}$
	3	$\frac{4 \overset{(2)}{K}_1}{-2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_{16} + 2 \overset{(4)}{K}_3}$	$\frac{4}{6 \overset{(4)}{K}_{15} - 3 \overset{(4)}{K}_{16} + 2 \overset{(4)}{K}_3}$
	3	$\frac{2 \overset{(2)}{K}_3}{2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_{16} - 2 \overset{(4)}{K}_2}$	$-\frac{4}{3 (2 \overset{(4)}{K}_{15} + \overset{(4)}{K}_{16} - 2 \overset{(4)}{K}_2)}$
Resolved unitarity condition(s):	(Demonstrably impossible)		