

$\mathcal{K}_{0^+}^{\#1}$	$\mathcal{K}_{0^+}^{\#1}$				
$\mathcal{K}_{0^+}^{\#1} \dagger$	$-\frac{\Upsilon_1 k^2}{8}$	0			
$\mathcal{K}_{0^+}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\Upsilon_2 k^2$	$\mathcal{K}_{1^+}^{\#1}$	$\mathcal{K}_{1^+}^{\#2}$	$\mathcal{K}_{1^+}^{\#1}$
$\mathcal{K}_{1^+}^{\#1} \dagger^{\alpha\beta}$	$\frac{1}{8} (\Upsilon_3 k^2 + 4 \binom{(2)}{K_1})$	$\frac{-\Upsilon_3 k^2 - 4 \binom{(2)}{K_1}}{4 \sqrt{2}}$	0	0	
$\mathcal{K}_{1^+}^{\#2} \dagger^{\alpha\beta}$	$\frac{-\Upsilon_3 k^2 - 4 \binom{(2)}{K_1}}{4 \sqrt{2}}$	$\frac{1}{4} (\Upsilon_3 k^2 + 4 \binom{(2)}{K_1})$	0	0	
$\mathcal{K}_{1^+}^{\#1} \dagger^\alpha$	0	0	$\frac{1}{2} (\Upsilon_4 k^2 + \binom{(2)}{K_1})$	$\frac{\Upsilon_4 k^2 + \binom{(2)}{K_1}}{\sqrt{2}}$	
$\mathcal{K}_{1^+}^{\#2} \dagger^\alpha$	0	0	$\frac{\Upsilon_4 k^2 + \binom{(2)}{K_1}}{\sqrt{2}}$	$\Upsilon_4 k^2 + \binom{(2)}{K_1}$	
			$\mathcal{K}_{2^+}^{\#1}$	$\mathcal{K}_{2^+}^{\#1}$	
			$\mathcal{K}_{2^+}^{\#1} \dagger^{\alpha\beta}$	$\frac{1}{8} (\Upsilon_5 k^2 + 12 \binom{(2)}{K_1})$	0
			$\mathcal{K}_{2^+}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\frac{1}{2} (\Upsilon_6 k^2 + 3 \binom{(2)}{K_1})$

$\mathcal{J}_{0^+}^{\#1}$	$\mathcal{J}_{0^+}^{\#1}$				
$\mathcal{J}_{0^+}^{\#1} \dagger$	$\frac{1}{\text{Det}(0^+)}$	0			
$\mathcal{J}_{0^+}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\frac{1}{k^2 \binom{(4)}{K_{15}} \binom{(4)}{K_{16}}}$	$\mathcal{J}_{1^+}^{\#1}$	$\mathcal{J}_{1^+}^{\#2}$	$\mathcal{J}_{1^+}^{\#1}$
$\mathcal{J}_{1^+}^{\#1} \dagger^{\alpha\beta}$	$\frac{1}{3 \text{Det}(1^+)}$	$-\frac{\sqrt{2}}{3 \text{Det}(1^+)}$	0	0	
$\mathcal{J}_{1^+}^{\#2} \dagger^{\alpha\beta}$	$-\frac{\sqrt{2}}{3 \text{Det}(1^+)}$	$\frac{2}{3 \text{Det}(1^+)}$	0	0	
$\mathcal{J}_{1^+}^{\#1} \dagger^\alpha$	0	0	$\frac{1}{3 \text{Det}(1^+)}$	$\frac{\sqrt{2}}{3 \text{Det}(1^+)}$	
$\mathcal{J}_{1^+}^{\#2} \dagger^\alpha$	0	0	$\frac{\sqrt{2}}{3 \text{Det}(1^+)}$	$\frac{2}{3 \text{Det}(1^+)}$	
			$\mathcal{J}_{2^+}^{\#1}$	$\mathcal{J}_{2^+}^{\#1}$	
			$\mathcal{J}_{2^+}^{\#1} \dagger^{\alpha\beta}$	$\frac{1}{\text{Det}(2^+)}$	0
			$\mathcal{J}_{2^+}^{\#1} \dagger^{\alpha\beta\chi}$	0	$\frac{1}{\text{Det}(2^+)}$

Abbreviations used in matrices

$$\begin{aligned}
 \Upsilon_1 &= 12 \binom{(4)}{K_1} - 8 \binom{(4)}{K_{15}} + 5 \binom{(4)}{K_{16}} + 3 \binom{(4)}{K_2} + 9 \binom{(4)}{K_3} \&\& \Upsilon_2 = \binom{(4)}{K_{15}} - \binom{(4)}{K_{16}} \&\& \\
 \Upsilon_3 &= 8 \binom{(4)}{K_{15}} + 5 \binom{(4)}{K_{16}} - 9 \binom{(4)}{K_2} + \binom{(4)}{K_3} \&\& \Upsilon_4 = 2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}} - 2 \binom{(4)}{K_2} \&\& \Upsilon_5 = 8 \binom{(4)}{K_{15}} - 5 \binom{(4)}{K_{16}} + 9 \binom{(4)}{K_2} - 9 \binom{(4)}{K_3} \&\& \\
 \Upsilon_6 &= 2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}} \&\& \text{Det}(0^+) = -\frac{1}{8} k^2 (12 \binom{(4)}{K_1} - 8 \binom{(4)}{K_{15}} + 5 \binom{(4)}{K_{16}} + 3 \binom{(4)}{K_2} + 9 \binom{(4)}{K_3}) \&\& \\
 \text{Det}(1^+) &= \frac{3}{8} (k^2 (8 \binom{(4)}{K_{15}} + 5 \binom{(4)}{K_{16}} - 9 \binom{(4)}{K_2} + \binom{(4)}{K_3}) + 4 \binom{(2)}{K_1}) \&\& \\
 \text{Det}(2^+) &= \frac{1}{8} (k^2 (8 \binom{(4)}{K_{15}} - 5 \binom{(4)}{K_{16}} + 9 \binom{(4)}{K_2} - 9 \binom{(4)}{K_3}) + 12 \binom{(2)}{K_1})
 \end{aligned}$$

Added source term(s):	$\mathcal{K}^{\alpha\beta\chi} \mathcal{J}_{\alpha\beta\chi}$		
Source constraint(s)	# constraint(s)	Covariant form	
$\mathcal{J}_{1^+}^{\#1\alpha} = \mathcal{J}_{1^+}^{\#2\alpha}$	3	$\partial_\chi \partial^\alpha \mathcal{J}^{\beta\chi} + \partial_\chi \partial^\chi \mathcal{J}^{\beta\alpha} = 0$	
$2 \mathcal{J}_{1^+}^{\#1\alpha\beta} + \mathcal{J}_{1^+}^{\#2\alpha\beta} = 0$	3	$\partial_\chi \mathcal{J}^{\alpha\beta\chi} + \partial_\chi \mathcal{J}^{\chi\alpha\beta} = \partial_\chi \mathcal{J}^{\beta\alpha\chi}$	
Total # constraint(s):	6		
Resolved pole(s)	# polarization(s)	Square mass	Residue
	3	$-\frac{4 \binom{(2)}{K_1}}{8 \binom{(4)}{K_{15}} + 5 \binom{(4)}{K_{16}} - 9 \binom{(4)}{K_2} + \binom{(4)}{K_3}}$	$\frac{8}{3 (8 \binom{(4)}{K_{15}} + 5 \binom{(4)}{K_{16}} - 9 \binom{(4)}{K_2} + \binom{(4)}{K_3})}$
	3	$-\frac{\binom{(2)}{K_1}}{2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}} - 2 \binom{(4)}{K_2}}$	$-\frac{2}{3 (2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}} - 2 \binom{(4)}{K_2})}$
	5	$\frac{12 \binom{(2)}{K_1}}{-8 \binom{(4)}{K_{15}} + 5 \binom{(4)}{K_{16}} - 9 \binom{(4)}{K_2} + 9 \binom{(4)}{K_3}}$	$\frac{8}{8 \binom{(4)}{K_{15}} - 5 \binom{(4)}{K_{16}} + 9 \binom{(4)}{K_2} - 9 \binom{(4)}{K_3}}$
	5	$-\frac{3 \binom{(2)}{K_1}}{2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}}}$	$-\frac{2}{2 \binom{(4)}{K_{15}} + \binom{(4)}{K_{16}}}$

Resolved unitarity condition(s):

(Demonstrably impossible)