





Abbreviations used in matrices

$$\text{Det}(0^+) == -\frac{3}{2}(k^2\,{}^{(4)}\kappa_1 + {}^{(2)}\kappa_2)$$

Lagrangian

$${}^{(2)}\kappa_2\,\mathcal{K}^{\alpha}{}_{\alpha}{}^{\beta}\,\mathcal{K}^{\chi}{}_{\beta\chi} + {}^{(4)}\kappa_1\,\partial_\beta\mathcal{K}^{\delta}{}_{\chi\delta}\partial^\chi\mathcal{K}^{\alpha}{}_{\alpha}{}^{\beta}$$

| | | | |
|---|---|---|---|
| Added source term(s): | $\mathcal{K}^{\alpha\beta\chi}\,\mathcal{J}_{\alpha\beta\chi}$ | | |
| Source constraint(s) | # constraint(s) | Covariant form | |
| $\mathcal{J}_{0^-}^{\#1\,\alpha\beta\chi} == 0$ | 1 | $\partial_\delta\partial^\alpha\mathcal{J}^{\beta\chi\delta} + \partial_\delta\partial^\alpha\mathcal{J}^{\delta\beta\chi} + \partial_\delta\partial^\beta\mathcal{J}^{\chi\alpha\delta} + \partial_\delta\partial^\chi\mathcal{J}^{\alpha\beta\delta} + \partial_\delta\partial^\chi\mathcal{J}^{\delta\alpha\beta} + \partial_\delta\partial^\delta\mathcal{J}^{\beta\alpha\chi} == \partial_\delta\partial^\alpha\mathcal{J}^{\chi\beta\delta} + \partial_\delta\partial^\beta\mathcal{J}^{\alpha\chi\delta} + \partial_\delta\partial^\beta\mathcal{J}^{\delta\alpha\chi} + \partial_\delta\partial^\chi\mathcal{J}^{\beta\alpha\delta} + \partial_\delta\partial^\delta\mathcal{J}^{\alpha\beta\chi} + \partial_\delta\partial^\delta\mathcal{J}^{\chi\alpha\beta}$ | |
| $\mathcal{J}_{1^-}^{\#1\,\alpha} + 2\,\mathcal{J}_{1^-}^{\#2\,\alpha} == 0$ | 3 | $\partial_\chi\partial^\alpha\mathcal{J}^{\beta}{}_{\beta}{}^{\chi} + \partial_\chi\partial^\chi\mathcal{J}^{\beta\alpha}{}_{\beta} == 3\,\partial_\chi\partial_\beta\mathcal{J}^{\beta\alpha\chi}$ | |
| $\mathcal{J}_{1^+}^{\#2\,\alpha\beta} == 0$ | 3 | $\partial_\delta\partial_\chi\partial^\alpha\mathcal{J}^{\chi\beta\delta} + \partial_\delta\partial^\delta\partial_\chi\mathcal{J}^{\chi\alpha\beta} == \partial_\delta\partial_\chi\partial^\beta\mathcal{J}^{\chi\alpha\delta}$ | |
| $\mathcal{J}_{1^+}^{\#1\,\alpha\beta} == 0$ | 3 | $\partial_\delta\partial_\chi\partial^\alpha\mathcal{J}^{\chi\beta\delta} + \partial_\delta\partial^\delta\partial_\chi\mathcal{J}^{\beta\alpha\chi} == \partial_\delta\partial_\chi\partial^\beta\mathcal{J}^{\chi\alpha\delta} + \partial_\delta\partial^\delta\partial_\chi\mathcal{J}^{\alpha\beta\chi}$ | |
| $\mathcal{J}_{2^-}^{\#1\,\alpha\beta\chi} == 0$ | 5 | $3\,\partial_\epsilon\partial_\delta\partial^\chi\partial^\alpha\mathcal{J}^{\delta\beta\epsilon} + 3\,\partial_\epsilon\partial^\epsilon\partial^\chi\partial^\alpha\mathcal{J}^{\delta\beta}{}_{\delta} + 2\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\beta\mathcal{J}^{\alpha\chi\delta} + 4\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\beta\mathcal{J}^{\chi\alpha\delta} + 2\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\beta\mathcal{J}^{\delta\alpha\chi} + 2\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\chi\mathcal{J}^{\beta\alpha\delta} + 4\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\chi\mathcal{J}^{\delta\alpha\beta} + 2\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\delta\mathcal{J}^{\alpha\beta\chi} + 3\,\eta^{\beta\chi}\,\partial_\phi\partial^\phi\partial_\epsilon\partial^\alpha\mathcal{J}^{\delta}{}_{\delta}{}^{\epsilon} + 3\,\eta^{\alpha\chi}\,\partial_\phi\partial^\phi\partial_\epsilon\partial_\delta\mathcal{J}^{\delta\beta\epsilon} + 3\,\eta^{\beta\chi}\,\partial_\phi\partial^\phi\partial_\epsilon\partial^\epsilon\mathcal{J}^{\delta\alpha}{}_{\delta} == 3\,\partial_\epsilon\partial_\delta\partial^\chi\partial^\beta\mathcal{J}^{\delta\alpha\epsilon} + 3\,\partial_\epsilon\partial^\epsilon\partial^\chi\partial^\beta\mathcal{J}^{\delta\alpha}{}_{\delta} + 2\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\alpha\mathcal{J}^{\beta\chi\delta} + 4\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\alpha\mathcal{J}^{\chi\beta\delta} + 2\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\alpha\mathcal{J}^{\delta\beta\chi} + 2\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\chi\mathcal{J}^{\alpha\beta\delta} + 2\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\delta\mathcal{J}^{\beta\alpha\chi} + 4\,\partial_\epsilon\partial^\epsilon\partial_\delta\partial^\delta\mathcal{J}^{\chi\alpha\beta} + 3\,\eta^{\alpha\chi}\,\partial_\phi\partial^\phi\partial_\epsilon\partial^\beta\mathcal{J}^{\delta}{}_{\delta}{}^{\epsilon} + 3\,\eta^{\beta\chi}\,\partial_\phi\partial^\phi\partial_\epsilon\partial_\delta\mathcal{J}^{\delta\alpha\epsilon} + 3\,\eta^{\alpha\chi}\,\partial_\phi\partial^\phi\partial_\epsilon\partial^\epsilon\mathcal{J}^{\delta\beta}{}_{\delta}$ | |
| $\mathcal{J}_{2^+}^{\#1\,\alpha\beta} == 0$ | 5 | $3\,\partial_\delta\partial_\chi\partial^\alpha\mathcal{J}^{\chi\beta\delta} + 3\,\partial_\delta\partial_\chi\partial^\beta\mathcal{J}^{\chi\alpha\delta} + 2\,\eta^{\alpha\beta}\,\partial_\epsilon\partial^\epsilon\partial_\delta\mathcal{J}^{\chi}{}_{\chi}{}^{\delta} == 2\,\partial_\delta\partial^\beta\partial^\alpha\mathcal{J}^{\chi}{}_{\chi}{}^{\delta} + 3\,(\partial_\delta\partial^\delta\partial_\chi\mathcal{J}^{\alpha\beta\chi} + \partial_\delta\partial^\delta\partial_\chi\mathcal{J}^{\beta\alpha\chi})$ | |
| Total # constraint(s): | 20 | | |
| Resolved pole(s) | # polarization(s) | Square mass | Residue |
|   | 1 | $-\frac{{}^{(2)}\kappa_2}{{}^{(4)}\kappa_1}$ | $-\frac{2}{3\,{}^{(4)}\kappa_1}$ |
| Resolved unitarity condition(s): | | ${}^{(2)}\kappa_2 > 0\ \&\&\ {}^{(4)}\kappa_1 < 0$ | |